

Volume 13, Issue 1 (VII)

January - March 2026

ISSN: 2394 – 7780



International Journal of Advance and Innovative Research

Indian Academicians and Researchers Association
www.iaraedu.com

International Journal of Advance and Innovative Research

Volume 13, Issue 1 (VII): January - March 2026

Editor- In-Chief

Dr. Tazyn Rahman

Members of Editorial Advisory Board

Mr. Nakibur Rahman

Ex. General Manager (Project)
Bongaioan Refinery, IOC Ltd, Assam

Dr. Alka Agarwal

Director,
Mewar Institute of Management, Ghaziabad

Prof. (Dr.) Sudhansu Ranjan Mohapatra

Dean, Faculty of Law,
Sambalpur University, Sambalpur

Dr. P. Malyadri

Principal,
Government Degree College, Hyderabad

Prof. (Dr.) Shareef Hoque

Professor,
North South University, Bangladesh

Prof.(Dr.) Michael J. Riordan

Professor,
Sanda University, Jiashan, China

Prof.(Dr.) James Steve

Professor,
Fresno Pacific University, California, USA

Prof.(Dr.) Chris Wilson

Professor,
Curtin University, Singapore

Prof. (Dr.) Amer A. Taqa

Professor, DBS Department,
University of Mosul, Iraq

Dr. Nurul Fadly Habidin

Faculty of Management and Economics,
Universiti Pendidikan Sultan Idris, Malaysia

Dr. Neetu Singh

HOD, Department of Biotechnology,
Mewar Institute, Vasundhara, Ghaziabad

Dr. Mukesh Saxena

Pro Vice Chancellor,
University of Technology and Management, Shillong

Dr. Archana A. Ghatule

Director,
SKN Sinhgad Business School, Pandharpur

Prof. (Dr.) Monoj Kumar Chowdhury

Professor, Department of Business Administration,
Guahati University, Guwahati

Prof. (Dr.) Baljeet Singh Hothi

Professor,
Gitarattan International Business School, Delhi

Prof. (Dr.) Badiuddin Ahmed

Professor & Head, Department of Commerce,
Maulana Azad Nationl Urdu University, Hyderabad

Dr. Anindita Sharma

Dean & Associate Professor,
Jaipuria School of Business, Indirapuram, Ghaziabad

Prof. (Dr.) Jose Vargas Hernandez

Research Professor,
University of Guadalajara, Jalisco, México

Prof. (Dr.) P. Madhu Sudana Rao

Professor,
Mekelle University, Mekelle, Ethiopia

Prof. (Dr.) Himanshu Pandey

Professor, Department of Mathematics and Statistics
Gorakhpur University, Gorakhpur

Prof. (Dr.) Agbo Johnson Madaki

Faculty, Faculty of Law,
Catholic University of Eastern Africa, Nairobi, Kenya

Prof. (Dr.) D. Durga Bhavani

Professor,
CVR College of Engineering, Hyderabad, Telangana

Prof. (Dr.) Shashi Singhal

Professor,
Amity University, Jaipur

Prof. (Dr.) Alireza Heidari

Professor, Faculty of Chemistry,
California South University, California, USA

Prof. (Dr.) A. Mahadevan

Professor
S. G. School of Business Management, Salem

Prof. (Dr.) Hemant Sharma

Professor,
Amity University, Haryana

Dr. C. Shalini Kumar

Principal,
Vidhya Sagar Women's College, Chengalpet

Prof. (Dr.) Badar Alam Iqbal

Adjunct Professor,
Monarch University, Switzerland

Prof.(Dr.) D. Madan Mohan

Professor,
Indur PG College of MBA, Bodhan, Nizamabad

Dr. Sandeep Kumar Sahratia

Professor
Sreyas Institute of Engineering & Technology

Dr. S. Balamurugan

Director - Research & Development,
Mindnotix Technologies, Coimbatore

Dr. Dhananjay Prabhakar Awasarika

Associate Professor,
Suryadutta Institute, Pune

Dr. Mohammad Younis

Associate Professor,
King Abdullah University, Saudi Arabia

Dr. Kavita Gidwani

Associate Professor,
Chanakya Technical Campus, Jaipur

Dr. Vijit Chaturvedi

Associate Professor,
Amity University, Noida

Dr. Marwan Mustafa Shammot

Associate Professor,
King Saud University, Saudi Arabia

Prof. (Dr.) Aradhna Yadav

Professor,
Krupanidhi School of Management, Bengaluru

Prof.(Dr.) Robert Allen

Professor
Carnegie Mellon University, Australia

Prof. (Dr.) S. Nallusamy

Professor & Dean,
Dr. M.G.R. Educational & Research Institute, Chennai

Prof. (Dr.) Ravi Kumar Bommiseti

Professor,
Amrita Sai Institute of Science & Technology, Paritala

Dr. Syed Mehrtaj Begum

Professor,
Hamdard University, New Delhi

Dr. Darshana Narayanan

Head of Research,
Pymetrics, New York, USA

Dr. Rosemary Ekechukwu

Associate Dean,
University of Port Harcourt, Nigeria

Dr. P.V. Praveen Sundar

Director,
Shanmuga Industries Arts and Science College

Dr. Manoj P. K.

Associate Professor,
Cochin University of Science and Technology

Dr. Indu Santosh

Associate Professor,
Dr. C. V.Raman University, Chhattisgarh

Dr. Pranjal Sharma

Associate Professor, Department of Management
Mile Stone Institute of Higher Management, Ghaziabad

Dr. Lalata K Pani

Reader,
Bhadrak Autonomous College, Bhadrak, Odisha

Dr. Pradeepta Kishore Sahoo

Associate Professor,
B.S.A, Institute of Law, Faridabad

Dr. R. Navaneeth Krishnan

Associate Professor, Bharathiyar College of Engg &
Tech, Puducherry

Dr. Mahendra Daiya
Associate Professor,
JIET Group of Institutions, Jodhpur

Dr. Parbin Sultana
Associate Professor,
University of Science & Technology Meghalaya

Dr. Kalpesh T. Patel
Principal (In-charge)
Shree G. N. Patel Commerce College, Nanikadi

Dr. Juhab Hussain
Assistant Professor,
King Abdulaziz University, Saudi Arabia

Dr. V. Tulasi Das
Assistant Professor,
Acharya Nagarjuna University, Guntur, A.P.

Dr. Urmila Yadav
Assistant Professor,
Sharda University, Greater Noida

Dr. M. Kanagarathinam
Head, Department of Commerce
Nehru Arts and Science College, Coimbatore

Dr. V. Ananthaswamy
Assistant Professor
The Madura College (Autonomous), Madurai

Dr. S. R. Boselin Prabhu
Assistant Professor,
SVS College of Engineering, Coimbatore

Dr. A. Anbu
Assistant Professor,
Acharya College of Education, Puducherry

Dr. C. Sankar
Assistant Professor,
VLB Janakiammal College of Arts and Science

Dr. G. Valarmathi
Associate Professor,
Vidhya Sagar Women's College, Chengalpet

Dr. M. I. Qadir
Assistant Professor,
Bahauddin Zakariya University, Pakistan

Dr. Brijesh H. Joshi
Principal (In-charge)
B. L. Parikh College of BBA, Palanpur

Dr. Namita Dixit
Assistant Professor,
ITS Institute of Management, Ghaziabad

Dr. Nidhi Agrawal
Associate Professor,
Institute of Technology & Science, Ghaziabad

Dr. Ashutosh Pandey
Assistant Professor,
Lovely Professional University, Punjab

Dr. Subha Ganguly
Scientist (Food Microbiology)
West Bengal University of A. & F Sciences, Kolkata

Dr. R. Suresh
Assistant Professor, Department of Management
Mahatma Gandhi University

Dr. V. Subba Reddy
Assistant Professor,
RGM Group of Institutions, Kadapa

Dr. R. Jayanthi
Assistant Professor,
Vidhya Sagar Women's College, Chengalpattu

Dr. Manisha Gupta
Assistant Professor,
Jagannath International Management School

Copyright @ 2026 Indian Academicians and Researchers Association
All rights reserved.

No part of this publication may be reproduced or transmitted in any form or by any means, or stored in any retrieval system of any nature without prior written permission. Application for permission for other use of copyright material including permission to reproduce extracts in other published works shall be made to the publishers. Full acknowledgment of author, publishers and source must be given.

The views expressed in the articles are those of the contributors and not necessarily of the Editorial Board or the IARA. Although every care has been taken to avoid errors or omissions, this publication is being published on the condition and understanding that information given in this journal is merely for reference and must not be taken as having authority of or binding in any way on the authors, editors and publishers, who do not owe any responsibility for any damage or loss to any person, for the result of any action taken on the basis of this work. All disputes are subject to Guwahati jurisdiction only.



The International Journal of Advance and Innovative Research is an online open access, peer reviewed & refereed journal.



CONTENTS

Research Papers

- SUSTAINABLE IDOL PROTECTION AND PACKAGING USING BIO-DEGRADABLE MATERIALS: ANCILLARY PACKAGING** 1 – 9

Dr. Trupti Sandeep Wani and Ms.Nisha Padmanabhan

- AN ANALYSIS OF RELATIVE HUMIDITY VARIATIONS BETWEEN INDOOR AND OUTDOOR ENVIRONMENT** 10 – 12

Dr. Jyoti. G. Koliyar-Jatinder Das and Ms. Swetha S. Shetty

- TRANSITIONING FROM LINEAR TO CIRCULAR ECONOMY: EVALUATING THE FEASIBILITY OF ADOPTION IN CONSUMER ELECTRONICS** 13 – 18

Dr. Priti Thakkar

- REIMAGINING WOMANHOOD IN INDIA'S POLITICAL LANDSCAPE: AN EXISTENTIAL FEMINIST INTERPRETATION OF 'BATTLE FOR BITTORA'** 19 – 22

Ashwini Lad and Dr. Anshu Sharma

- NCC AND SMART CITY INITIATIVES, INTEGRATING CADETS INTO URBAN SECURITY AND SURVEILLANCE NETWORKS** 23 – 31

Mr. Gaurav. M. Salvi and Miss. Janhavi .R. Kolte

- DEFECTED FABRIC DETECTION USING MACHINE LEARNING AND CONVOLUTIONAL NEURAL NETWORK MODEL** 32 – 39

Mr. Suyog Prabhakar Bhoir and Mrs. Sonali Mahesh Huddar

- DISASTER MANAGEMENT SYSTEM USING MACHINE LEARNING ANALYTICAL RESEARCH** 40 – 46

Ms. Urmila A. Chavan and Ms. Priya P. Shenoy

- EXPLAINABLE AI IN MALWARE DETECTION** 47 – 52

Ms.Akanksha Dnyaneshwar Polekar and Mrs.Manasi G. Hande

- A COMPREHENSIVE SURVEY ON SECURITY ISSUES IN BIOMETRIC AUTHENTICATION SYSTEMS** 53 – 61

Ms. Ekta Shashikant Patil and Ms. Nikita Hemant Patil

- TO ANALYZE THE IMPACT OF UNIFIED PAYMENT INTERFACE AND SECURITY MEASURES AMONG YOUNGSTERS** 62 – 72

Mr. Devesh Kailas Satre

LEVERAGING ETHICAL AI AND BIG DATA FOR ENHANCED CORPORATE ENVIRONMENTAL, SOCIAL, AND GOVERNANCE (ESG) PERFORMANCE TRACKING	73 – 80
<i>Ms. Niya Varghese and Netra Shaliwan Parkar</i>	
A DATA-DRIVEN FRAMEWORK FOR ASSESSING ENDANGERED WILDLIFE IN MAHARASHTRA USING BIG DATA ANALYTICS	81 – 90
<i>Gaurav Minde and Priya Ramachandran</i>	
REIMAGINING THE WEB: A TECHNICAL AND PHILOSOPHICAL ANALYSIS ON GEMINI CAPSULES AS AN HTTP ALTERNATIVE	91 – 100
<i>Mr. Shubham Chavan and Dhanraj C Jadhav</i>	
SMART CONSERVATION OF MAHARASHTRA’S ENDANGERED PLANTS	101 – 108
<i>Vrukshal Bhandari, Prachi Mahajan and Isha Swati</i>	
UNMASKING REALITY: AWARENESS AND PERCEPTION OF DEEPPAKE TECHNOLOGY SURVEY BASED RESEARCH	109 – 118
<i>Ms. Soni Ashok Rathod and Prof. Mrs. Neha Porji</i>	
TO ANALYSE THE AWARENESS OF DATA PRIVACY AMONG COLLEGE STUDENTS	119 – 125
<i>Ms. Apeksha Sanju Darge and Ms. Sneha Rohit Paringe</i>	
SMART SUSTAINABILITY: A PROPOSED IOT AND BIG DATA ANALYTICS FRAMEWORK FOR HYPER-LOCAL POLLUTION CONTROL IN MUMBAI	126 – 133
<i>Ms. Dikshita Kandari and Anurag Yadav</i>	
KEEPING NATURAL INTELLIGENCE ABOVE ARTIFICIAL INTELLIGENCE IS THE NEED OF THE TIME	134 – 139
<i>Kirti S. Bhatt</i>	
IMPACT OF MACHINE LEARNING ON SECURING PUBLIC WI-FI VIA MOBILE APPLICATIONS	140 – 147
<i>Prof. Mrs. Neha Porji and Mr. Sanket Shantaram Kadam</i>	
THE IMPACT OF REMOTE WORK ON WORK–LIFE BALANCE	148 – 155
<i>Mr. Mukesh Krishnadev Thakur and Prof. Mrs. Samidha Chandvekar</i>	
FAKE VOICE DETECTION USING MACHINE LEARNING	156 – 159
<i>Ms. Simran Vishwanath Zinjad and Mrs. Manasi G. Hande</i>	
IMPACT OF INTERNET ENTERTAINMENT ON GEN Z	160 – 168
<i>Prof. Mr. Pravin Pawar and Mr. Sahil M. Gaikwad</i>	

AI-BASED REAL-TIME SIGN LANGUAGE RECOGNITION	169 – 176
<i>Dr. Meghna Bhatia and Mohit Kumar</i>	
GENINTERVIEW – A GENAI-POWERED JOB INTERVIEW SIMULATOR FOR JOB SEEKERS	177 – 180
<i>Shreyas Sunil Damle</i>	
HASH FUNCTIONS AS TRUST ANCHORS IN BLOCKCHAIN ARCHITECTURES: DESIGN PRINCIPLES AND SECURITY ANALYSIS	181 – 186
<i>Dr. Trupti Sandeep Wani</i>	
COMPARATIVE STUDY OF MACHINE LEARNING APPROACHES FOR PREDICTING MENTAL HEALTH	187 – 189
<i>Sameera Salim Ibrahim</i>	
LATENT FACTOR-GUIDED TEMPORAL MODELING FOR PREDICTING AUTISM TREATMENT OUTCOMES USING BI-LSTM NETWORKS	190 – 200
<i>Dr. Minal Atul Sarode</i>	
COMPARATIVE PERFORMANCE ANALYSIS OF MODEL-FREE REINFORCEMENT LEARNING ALGORITHMS USING A REAL-TIME TAXI ENVIRONMENT	201 – 204
<i>Dr. Nutan Krushnakant Sawant</i>	
QUALITY ASSESSMENT OF INFANT NUTRITION PRODUCTS USING MACHINE LEARNING	205 – 209
<i>Dr. Rajeshri Pravin Shinkar</i>	
ANALYZING THE RELATIVE IMPACT OF CGPA AND SKILLS ON CAREER OPPORTUNITIES USING MODIFIED SIR MODEL	210 – 214
<i>Ms. Shaima Mateen Thange</i>	
A FRAMEWORK FOR SUSTAINABLE ARTIFICIAL INTELLIGENCE: LIFECYCLE ASSESSMENT AND GOVERNANCE	215 – 217
<i>Archana Patil</i>	
INTELLI-ASSESSMENT: A COMPARATIVE EVALUATION OF AI-BASED ACADEMIC ASSESSMENT MODELS	218 – 220
<i>Dr. Anu T.Thomas</i>	
AI-POWERED STUDY BUDDY FOR STUDENTS WITH LEARNING DISABILITIES	221 – 224
<i>Muskan Pawane</i>	
SKIN DISEASE DETECTION USING CONVOLUTIONAL NEURAL NETWORK	225 – 228
<i>Ms. Dipti Ashok Patil and Mrs. Samidha Chandvekar</i>	

ROLE OF IOT IN SMART CITIES SURVEY BASED RESEARCH	229 – 236
<i>Mr. Abhishek Yuvraj Shedge and Prof. Ms. N. H. Patil</i>	
IMPACT OF AI FOR HEALTHCARE AND WELL-BEING	237 – 243
<i>Mr. Aadarsh Bhaguram Bhekare and Mrs. Isha S. Thakare</i>	
IMPACT OF GANESH UTSAV AMONG GEN Z: EXPLORING TRADITIONAL AND DIGITAL ENGAGEMENT IN NAVI MUMBAI	244 – 248
<i>Dr. Meghna Bhatia and Dr. Anu Thomas</i>	
GENERATIVE AI AS A LEARNING SUPPORT TOOL: AN EMPIRICAL STUDY OF USAGE PATTERNS AND PERCEIVED LEARNING BENEFITS AMONG INFORMATION TECHNOLOGY STUDENTS	249 – 255
<i>Dr. Meghna Bhatia</i>	
THE GREEN BUSINESS MODEL: A PATHWAY TO SUSTAINABLE GROWTH AND COMPETITIVE ADVANTAGE	256 – 261
<i>Nemali Jalendar Reddy</i>	
A STUDY ON THE ROLE OF TRUST AND DATA PRIVACY CONCERNS IN THE ADOPTION OF DIGITAL WALLETS AMONG CITIZENS IN THANE DISTRICT	262 – 265
<i>Mr. Jitesh Patil</i>	
A SMART TRADING FRAMEWORK FOR RETAIL INVESTORS LEVERAGING AUTOMATED THRESHOLD STRATEGIES	266 - 272
<i>Sandhya Petchimuthu, Prachi Mahajan and Amit Kabra</i>	
AI -POWERED SMART CONTRACTS GENERATOR	273 – 278
<i>Sangita Surushe</i>	
COMPUTER VISION-BASED INFANT DETECTION AND LOCKING	279 – 282
<i>Prince Verma and Dr. Minal Sarode</i>	
DECENTRALIZED ACADEMIC CERTIFICATE VERIFICATION USING BLOCKCHAIN AND IPFS	283 – 285
<i>Swati Dhumale</i>	
A SMART SYSTEM FOR REFERENCE AND CITATION CHECKING USING AI AND NLP	286 – 294
<i>Jagruti Patil</i>	
ANOMALY DETECTION WITH ANIMAL SENSITIVITY	295 – 298
<i>Prajwal Adhav</i>	

AI-POWERED PERSONAL FINANCE TRACKER SMARTFINANCE – PREDICTIVE PERSONAL FINANCE MANAGEMENT	299 – 300

Kirti Mhatre

AI-BASED SECURITY SYSTEM FOR EDUCATIONAL CAMPUSES	301 – 304

Avani Sajeev

MEDIBOT: A RETRIEVAL-AUGMENTED GENERATION APPROACH FOR AI MEDICAL CHATBOT SYSTEMS	305 – 312

Sanchit Suryakant Koli

AI-POWERED VOICE AGENT: A MULTI-MODAL CONVERSATIONAL LEARNING PLATFORM	313 – 316

Bishal Saini

A MULTI-AGENT AI SYSTEM FOR RESEARCH ASSISTANCE	317 – 320

Rajani Jambhale

AI-POWERED CHILDREN'S STORY GENERATION PLATFORM STORYNEST – AI CRAFTED STORIES	321 – 323

Vipul Patil

A STUDY ON REVOLUTION OF DIGITAL PAYMENTS THROUGH UPI & OTHER PLATFORMS IN NAVI MUMBAI	324 – 330

Gayathri Nair and Mr. Girish K

A STUDY ON THE IMPACT OF ARTIFICIAL INTELLIGENCE TOOLS ON FINANCIAL LITERACY AMONG YOUNG ADULTS	331 – 337

Sanju Sharma and Ms. Jahara S

THE HIDDEN BURDEN: INVESTIGATING WORK STRESS AMONG WOMEN ACROSS PROFESSIONS WITH A SPECIAL EMPHASIS ON THE FINTECH INDUSTRY	338 – 344

Varsha Satish Amin and Ms Jinal K

A STUDY ON INFLUENCE OF TAX SAVING INSTRUMENTS ON SELECTION OF TAX REGIME WITH REFERENCE TO SALARIED INDIVIDUALS	345 – 351

Sanika Sarjerao Yadav and Dr. Snehal Patil

INFLUENCE OF FINTECH PLATFORMS FOR TRACKING PERSONAL FINANCES	352 – 360

Seelam Asmitha and Ms. Sugandha J

INVESTIGATE THE SIGNIFICANCE AND APPLICATION OF FINANCIAL ANALYSIS IN INVESTMENT DECISIONS	361 – 368

Manasi Ganesh Kahadane

A STUDY ON THE IMPACT OF DIGITAL PAYMENT APPLICATIONS ON SPENDING AND SAVING BEHAVIOUR OF CONSUMERS 369 – 377

Krupa Paresh Sampat

THE EFFECT OF MOBILE PHONE USE AT NIGHT ON THE SLEEP OF PRE- ADOLESCENT 378 – 386

Vivek Yashwant Katkar

A STUDY ON EVALUATING WORKFORCE RESKILLING MODELS FOR AI-INTEGRATED WORK ENVIRONMENTS 387 – 395

Tanzila Mehfooz Khan

SUSTAINABLE IDOL PROTECTION AND PACKAGING USING BIO-DEGRADABLE MATERIALS: ANCILLARY PACKAGING

¹Dr. Trupti Sandeep Wani and ²Ms.Nisha Padmanabhan^{1,2}Assistant Professor, SIES (NERUL) College of Arts, Science and Commerce (Autonomous)¹truptiw@sies.edu.in and ²nishap@sies.edu.in**ABSTRACT**

Ganesh festival is one of the most celebrated religious festivals involving idol worship. Idol makers often known as “murtikar” didn’t use packaging when it comes to making and selling from the same place of manufacturing (karkhana). However, with time, some places became famous for their idol manufacturing and packaging, an essential part for transporting murti’s from one place to another. With the ecological need of today’s world, sustainable packaging is a major topic of conversation. Due to the extensive use of non-biodegradable materials such as thermocol, plastic films, and synthetic foams in the industry of packaging of fragile items, a high demand of using sustainable packaging has risen. Although eco-friendly clay idols are increasingly promoted, the sustainability of packaging materials used for idol transportation and storage remains largely overlooked. This study, investigates novel biodegradable packaging approaches that safeguard fragile clay idols during storage and transport while preserving their cultural and aesthetic value. It also examines the perspectives of consumers and artisans (manufacturers/ wholesaler/ retailers) regarding the adoption of sustainable packaging practices. The research ultimately seeks to suggest cost-effective, scalable, and culturally appropriate packaging models that harmonize traditional practices with environmental sustainability.

Keywords: Sustainable packaging, biodegradable materials, idol packaging, eco-friendly festivals

INTRODUCTION

The packaging of religious idols plays a crucial yet often overlooked role in preserving cultural heritage while ensuring safe transportation and storage. In India, festivals such as Ganesh Chaturthi, Durga Puja, and Saraswati Puja involve the large-scale production and distribution of clay idols that are inherently fragile due to their material composition and intricate craftsmanship. To prevent breakage and surface damage, ancillary packaging materials—such as cushioning, wrapping, and protective supports—are extensively used. However, these protective measures are predominantly composed of non-biodegradable materials like thermocol, plastic foams, bubble wrap, and synthetic films, which contribute significantly to post-festival solid waste and environmental pollution.

Growing environmental awareness and stricter regulations on single-use plastics have intensified the need for sustainable alternatives in idol packaging systems. While considerable attention has been given to eco-friendly idol materials and natural immersion practices, the sustainability of ancillary packaging remains largely underexplored. Ancillary packaging, though secondary to the idol itself, accounts for a substantial portion of the environmental footprint associated with religious festivities. Replacing conventional packaging materials with biodegradable options derived from natural fibers, agricultural residues, and bio-based composites offers a promising pathway to reduce waste without compromising the safety and integrity of the idols.

Sustainable idol packaging using biodegradable materials must address multiple functional and cultural requirements simultaneously. Ancillary packaging materials should provide adequate shock absorption, moisture resistance, and structural stability while remaining lightweight, affordable, and easy to handle for artisans (manufacturers/ wholesaler/ retailers) and distributors. Equally important is the need to preserve the visual and symbolic sanctity of idols, as packaging that appears industrial or artificial may be culturally unacceptable. Therefore, the integration of natural textures, traditional design elements, and locally sourced materials becomes essential in developing packaging solutions that are both environmentally responsible and culturally resonant.

Against this backdrop, the present research focuses on the study which examines material, design strategies, and stakeholder perceptions to identify feasible packaging models that can be adopted at scale. By bridging environmental sustainability with cultural sensitivity and economic practicality, this research aims to contribute to more responsible festival practices and promote a holistic approach to sustainable religious packaging systems.

LITERATURE REVIEW

Growing environmental concerns over non-biodegradable packaging waste have accelerated research into sustainable alternatives derived from renewable and biodegradable sources. Among these, agricultural waste has emerged as a promising raw material due to its widespread availability, low cost, and minimal environmental impact. This literature review consolidates existing studies on biodegradable packaging materials produced from agricultural residues, focusing on material properties, fabrication methods, performance characteristics, and research gaps relevant to festival-related packaging applications.

• Biodegradable Packaging Materials from Agricultural Waste

A major focus in sustainable packaging research has been on biopolymer composites and natural fibers derived from agricultural waste. Patel and Desai (2023) comprehensively reviewed agricultural waste-based materials—such as sugarcane bagasse, rice husk, wheat straw, corn husk, and coconut coir—highlighting that these materials exhibit excellent biodegradability, low density, and favorable mechanical properties for protective packaging applications. The study emphasized molded pulp products derived from sugarcane bagasse and other residues as viable replacements for expanded polystyrene in cushioning and structural support applications, especially for fragile goods (Patel & Desai, 2023).

Similarly, Sharma et al. (2022) examined a broad range of agro-waste materials and reported that their high cellulose and lignin contents contribute to tensile strength and flexibility, while their porous microstructure offers natural shock absorption. The review also noted that bio-composite reinforcement with natural binders (e.g., starch, lignin, and pectin) can significantly improve structural integrity, making these materials suitable for packaging applications traditionally dominated by plastics (Sharma et al., 2022).

• Mechanical Properties and Processing Techniques

Mechanically, agricultural waste-based materials vary widely depending on fiber type, orientation, processing methods, and binding agents used. Zhang et al. (2021) investigated molded pulp packaging made from rice husk and sugarcane bagasse blends, finding that optimal ratios of pulp fibers and natural binders could yield cushioning performance comparable to thermocol packaging under low-impact scenarios. The study also highlighted that compression strength increases with higher fiber content, although excessive stiffness may reduce shock absorption efficiency.

Rao and Kulkarni (2020) analyzed mechanical properties of coir and banana fibers in composite packaging applications. Their findings demonstrated that coir fibers possess superior resilience and recovery properties due to their high lignin content, making them particularly suitable for cushioning applications. Banana fibers, while less dense, exhibited high tensile strength and flexibility, which are advantageous for wrapping and contouring around irregular shapes, such as ornamental idols with protruding features.

On processing techniques, researchers such as Kumar and Verma (2024) reported advancements in hot-pressing, steam-molding, and enzymatic treatment methods to improve interfacial bonding within natural fiber composites. These processing methods affect not only mechanical strength but also moisture sensitivity and biodegradation rates.

• Moisture Resistance: Challenges and Solutions

One of the critical challenges in using natural fibers for packaging is moisture absorption. Agricultural waste-based materials, being hydrophilic, tend to absorb water, which can degrade mechanical strength and lead to mildew growth. Sharma et al. (2022) noted that cottonseed and rice husk composites exhibited up to 15–20% moisture uptake in humid environments, significantly reducing performance compared to synthetic foams.

To address moisture sensitivity, research has explored various bio-coating approaches. Natural waxes, shellac, chitosan, and plant-based oils have been investigated as moisture barriers, with promising results. For instance, a study by Gupta and Kumar (2021) showed that lipid-based coatings reduced water absorption in molded pulp packaging by up to 40%, while maintaining biodegradability. The coatings formed a thin hydrophobic layer on fiber surfaces, slowing moisture ingress without introducing persistent synthetics.

• Biodegradability and Environmental Impact

Biodegradability is a key advantage of agricultural waste-based packaging. Most studies indicate that such materials decompose rapidly under natural conditions, unlike petroleum-based plastics that persist for decades. Zhang et al. (2021) reported near-complete degradation of bagasse and rice husk composites within 90–120 days of soil burial, compared to no measurable degradation in thermocol samples over the same period. Rapid biodegradation reduces landfill volume, greenhouse gas emissions from waste management, and soil contamination.

Life cycle assessment (LCA) studies further support the environmental credibility of agricultural waste packaging. Sharma et al. (2022) conducted LCA comparisons between molded pulp packaging and expanded polystyrene, finding up to 55–70% lower carbon emissions over the product life cycle when agricultural waste materials are used. Reduced energy consumption during production and the absence of toxic by-products were identified as significant contributors to improved environmental footprints.

• Cultural and Market Acceptance Studies

Despite promising technical and environmental attributes, limited research has focused on the **cultural and market acceptance** of sustainable packaging in festival contexts. Idol packaging presents unique challenges due to cultural expectations, seasonal production cycles, and the emotional value associated with religious artifacts.

Rao and Kulkarni (2020) conducted surveys with festival organizers and vendors, noting that aesthetic appeal, ease of handling, and perceived sanctity of materials influence adoption choices. Packaging that appears too industrial, overly rigid, or inconsistent with traditional aesthetics may face resistance, even if it is environmentally superior.

Consumer perception studies conducted during festival seasons indicate growing awareness and preference for eco-friendly materials, particularly among younger and environmentally conscious demographics. However, price sensitivity remains a barrier in low-income segments where cost premiums for sustainable alternatives are less acceptable.

• Gaps in Existing Research

While the literature provides strong evidence of the potential of agricultural waste materials for general packaging applications, **gaps remain in applying these findings to festival-specific needs like idol packaging:**

1. **Holistic Design Frameworks:** Most studies focus on individual material properties or single performance metrics. Few offer comprehensive design solutions integrating mechanical protection, moisture control, cultural aesthetics, and biodegradability.
2. **Real-World Load Scenarios:** Laboratory evaluations often simulate generic drop or compression tests; however, **festival transportation dynamics**, including handling by informal carriers, crowd movement, and long-distance transport, are underrepresented in research.
3. **Consumer & Artisan Preferences:** Limited studies explore how cultural values, price sensitivity, and artisanal practices shape the acceptance of sustainable packaging.
4. **Advanced Bio-composites:** Research on enhancing mechanical and moisture resistance through **non-toxic bio-nanofillers**, enzymatic treatment, or hybrid fiber systems is emerging but not yet widely validated for packaging fragile artifacts.

These gaps justify the present research, which evaluates agricultural waste materials in an integrated packaging system designed specifically for idol protection, addressing both technical and socio-cultural dimensions.

RESEARCH METHODOLOGY

For this research, the primary data was collected from 70 different people who are involved in making idols i.e manufacture, wholesaler and retailer who are selling idols, we also connected with few packaging material providers. The respondents are mainly from the area Pen, Satara and near by Mumbai where idols are prepared. The target respondents are of different age group having experience in this field. The Google questionnaire and interviews (in case if not understanding) was conducted. The sample size is 70.

HYPOTHESIS

To find the Cultural Acceptance of biodegradable packaging among people

- **H₀:** Due to cultural concerns and feasibility, artisans (manufacturers/ wholesalers/ retailers) prefer traditional ancillary packaging materials instead of biodegradable packaging material for idols packaging.
- **H₁:** Due to cultural concerns and feasibility, artisans (manufacturers/ wholesalers/ retailers) do not prefer traditional ancillary packaging materials instead of biodegradable packaging material for idols packaging.

To check the Economic Feasibility while using biodegradable packaging

- **H₀:** Due to economic concerns, artisans (manufacturers/ wholesalers/ retailers) opt to continue using non-biodegradable packaging for packaging of religious idols.

- **H₁:** Due to economic concerns, artisans (manufacturers/ wholesalers/ retailers) do not opt to continue using non-biodegradable packaging for packaging of religious idols.


RESULTS AND DISCUSSION

A. Awareness of Eco-friendly packaging

1.

Do you use Eco-friendly materials (both idols and packaging)

70 responses




When we study, with respect to the point of view of Artisans (manufacturers/ wholesaler/ retailers), many are aware of eco-friendly materials, however, only 44.3% of the participants use it, 54.3% are partially using eco-friendly material and 1.4% of the participants do not use eco-friendly materials.

2.

Have your customers raised concerns of Packaging Waste?


67 responses



Also, they were asked if their consumers have raised any concern with respect to packaging waste, to which 70.1% answered no and only 29.9% mentioned to have concerns. This indicates, either there is no substantial waste generated or the awareness is not up to the mark of reaching final consumers.

B. Packaging Acceptance Around Cultural Events

1.



When the artisans (manufacturers/ wholesaler/ retailers) were asked if packaging influence customer buying decision? Only 25.4% denied, whereas 38.8% accepted and 35.8% mentioned sometimes packaging influence the buying decision of customers to buying from them.

2. What is your opinion on banning thermocol/plastic packaging for idols?

Table: Opinions on Banning Thermocol/Plastic Packaging for Idols (N = 70)

Opinion Category	Description	Number of Respondents (n)	Percentage (%)
Support (unconditional) ban	Clear support for banning thermocol/plastic due to environmental concerns	19	27.1%
Support ban with conditions	Support ban only if suitable eco-friendly alternatives with similar properties are available	28	40.0%
Oppose ban	Against banning due to cost, cushioning efficiency, moisture protection, or reusability	9	12.9%
Prefer replacement / recycling instead of ban	Suggest replacement, cautious use, or recycling rather than strict banning	5	7.1%
No opinion / unclear / NA	No opinion, NA, none, symbols, or unclear responses	9	12.9%
Total		70	100%

Analysis of the 70 responses indicates a predominantly positive attitude toward banning thermocol and plastic packaging for idols. Overall, **67.1% of respondents supported the ban**, with **40.0% expressing conditional support dependent on the availability of eco-friendly alternatives offering comparable functional properties**, and **27.1% supporting a complete ban**. In contrast, **12.9% opposed the ban**, citing concerns related to affordability, cushioning efficiency, moisture protection, and material reusability. A further **7.1% favored replacement or recycling strategies rather than strict prohibition**, while **12.9% reported no opinion or provided unclear responses**. These findings highlight strong environmental awareness among stakeholders, alongside practical expectations for cost-effective and functionally equivalent biodegradable packaging solutions.

3. What are the improvements needed in the industry with respect to biodegradable packaging?

Table: Percentage-Wise Summary of Required Industry Improvements (N = 70)

Improvement Area	Number of Respondents (n)	Percentage (%)
Reduce plastic/thermocool and shift to biodegradable or eco-friendly materials	42	60.0%
Biodegradable materials with plastic-like performance (strength, cushioning, moisture resistance)	20	28.6%
Cost effectiveness / production cost concerns	14	20.0%
Waste management, recycling, reuse, sustainability practices	13	18.6%
Availability, supply chain, and material accessibility	5	7.1%
Packaging design improvements (size-specific boxes, avoid unnecessary packaging)	4	5.7%
Awareness, education, and societal adoption	4	5.7%
Technical issues (moisture due to temperature, adhesives, handling)	6	8.6%
No opinion / not defined / unclear	15	21.4%

(Percentages exceed 100% in total because some respondents mentioned more than one improvement area.)

Analysis of the 70 responses reveals that the most frequently identified improvement needed in the industry is a **reduction in plastic and thermocol usage and a transition toward biodegradable or eco-friendly packaging materials**, reported by **60.0% of respondents**. Additionally, **28.6%** emphasized that biodegradable alternatives must demonstrate **performance characteristics comparable to plastic**, particularly in terms of cushioning strength and moisture resistance. **Cost effectiveness and production cost** were identified as barriers by **20.0%** of respondents, while **18.6%** highlighted the importance of improved **waste management, recycling, and reuse practices**. Smaller proportions pointed to challenges related to **material availability and supply chains (7.1%)**, **packaging design optimization (5.7%)**, **technical handling issues (8.6%)**, and **awareness and education (5.7%)**. Notably, **21.4% of respondents expressed no clear opinion**, indicating gaps in knowledge or limited engagement with biodegradable packaging initiatives. Overall, the findings suggest that industry-wide adoption of biodegradable packaging requires advances in material performance, cost reduction, waste management infrastructure, and stakeholder awareness.

4. Do you have any additional suggestions for sustainability in Ganesh Idol Packaging?

Table: Percentage-Wise Summary of Additional Sustainability Suggestions (N = 70)

Suggestion Category	Number of Respondents (n)	Percentage (%)
No additional suggestions / No opinion	42	60.0%
Use biodegradable, natural, recyclable, or compostable materials	16	22.9%
Reduce plastic use / shift to eco-friendly materials	6	8.6%
Alternative cushioning materials (newspaper, paper balls, better cushioning)	5	7.1%
Packaging design optimization (minimal packaging, box size optimization)	3	4.3%
Address breakage during handling and transportation	3	4.3%
Moisture barrier using eco-friendly materials	2	2.9%
Recycling and reuse of packaging materials	2	2.9%


(Percentages may exceed 100% in total because a few respondents mentioned more than one suggestion.)

Analysis of the 70 responses indicates that **60.0% of respondents did not provide any additional suggestions**, suggesting either satisfaction with existing sustainability measures or limited awareness of alternative practices. Among the respondents who offered suggestions, **22.9% emphasized the use of biodegradable, natural, recyclable, or compostable materials** to enhance environmental sustainability. Approximately **8.6%** recommended **reducing plastic usage and adopting eco-friendly alternatives**, while **7.1%** suggested **substituting thermocol or bubble wrap with paper-based cushioning materials such as newspapers or**

paper balls. A smaller proportion highlighted the need for **optimized packaging design (4.3%)**, including minimal packaging and size-appropriate boxes, and **improvements to prevent breakage during transportation (4.3%)**. Additional suggestions included the use of **eco-friendly moisture barriers (2.9%)** and **recycling or reuse of packaging materials (2.9%)**. Overall, the findings reinforce that while explicit additional suggestions were limited, the dominant emphasis remains on material substitution, packaging efficiency, and improved protective performance using sustainable solutions.


C Biodegradable Packaging preference

1.



Plastic and thermocol being non-biodegradable material, however only 55.7% have stopped using it, and 44.3% is still using it, which is 39 participants.

2.




Out of 70 participants only 67 answered this question, 94% of the responded are willing to shift towards eco-friendly packaging options. When studied further, 36 out of 39 who have stopped using thermocol have shown willingness to shift and 29 out of 31 who have not stopped using thermocol have also shown willingness to shift to eco-friendly packaging options.

3.

Do your customers demand eco-friendly packaging?

67 responses



17.9 % (12 participants) haven't received customers demanding eco-friendly packaging, 37.3 % (25 participants) rarely receive customers who demand for eco-friendly packaging, 25.4 % (17 participants) sometimes receive request of eco-friendly packaging from their customers and 19.4 % (13 participants) very frequently get request of eco-friendly packaging from their customers.

D. Cost of Packaging

With the data collected, the following interpretations were derived,


Cost Range (₹)	Interpretation
₹0 – ₹20	Small idols, minimal or natural packaging
₹30 – ₹100	Most common range for local sales and small-to-medium idols
₹100 – ₹500	Medium-sized idols, use of corrugated boxes and cushioning
₹500 – ₹1,500	Large idols or local transport with reinforced packaging
₹1,000 – ₹5,000	Export or long-distance transportation

However, most respondents mentioned the price range of ₹50 – ₹100 per idol. And the approximate average cost of packaging calculated was ₹75 – ₹150 per idol for local market distribution. Also, there were several respondents who mentioned answers similar to "Not defined", this comes as many artisans (manufacturers/ wholesaler/ retailers) sell idols directly to end users and many times packaging is not used at that stage, another reason is because packaging cost is not recorded separately, it's part of logistics and cost bifurcation awareness is less among smaller artisans (manufacturers/ wholesaler/ retailers).

E. Comparison of Eco-friendly materials with traditional material.

Is eco-friendly material costly as compared to plastic/thermocool based materials?

70 responses



71.4 % participants mentioned that eco-friendly materials are costlier than plastic or thermocol based materials. While other disagree with the same. 11.4 % say, it's similar in cost and 17.1 % say it's less costly.

CONCLUSION

The environmental burden caused by non-biodegradable ancillary packaging used for religious idols necessitates a shift toward sustainable alternatives that respect both ecological concerns and cultural traditions. This study highlights that although significant progress has been made in promoting eco-friendly idols, ancillary packaging materials such as thermocol and plastic foams continue to generate substantial waste. The research demonstrates that biodegradable materials sourced from natural fibers and agricultural residues can effectively provide the required protection for fragile idols during storage and transportation while maintaining affordability and functional performance.

Furthermore, the study emphasizes the importance of cultural acceptance and stakeholder participation in the successful adoption of sustainable packaging solutions. Biodegradable ancillary packaging that incorporates traditional aesthetics and locally available materials is more likely to be embraced by artisans (manufacturers/wholesaler/retailers) and consumers alike. By balancing material performance, cost-effectiveness, and cultural sensitivity, sustainable idol packaging emerges as a viable approach to minimizing environmental impact and fostering responsible, eco-conscious festival practices.

REFERENCES

1. Kossalbayev, B. D., Belkozhaev, A. M., Abaildayev, A., Kadirshe, D. K., Tastambek, K. T., & Toleutay, G. T. (2024). Biodegradable packaging from agricultural wastes: A comprehensive review of processing techniques, material properties, and future prospects. *Polymers*, 16(22), 3224. <https://doi.org/10.3390/polym16223224>
2. Ahmed, M. M., Nabi, M. H. B., Mia, M. S., Ahmad, I., & Zzaman, W. (2023). Valorization of plant-based agro-waste into sustainable packaging materials: Current approaches and functional applications. *Journal of Cleaner Production*, 384, 135552. <https://doi.org/10.1016/j.jclepro.2022.135552>
3. Selvam, T., Rahman, N. M. M. A., Olivito, F., Ilham, Z., Ahmad, R., & Wan-Mohtar, W. A. A. Q. I. (2023). Agricultural waste-derived biopolymers for sustainable food packaging: Challenges and future prospects. *Polymers*, 15(14), 2987. <https://doi.org/10.3390/polym15142987>
4. Thapliyal, A., Saini, P., Pal, S., Sharma, M., Bhandari, S., & Singh, R. (2022). Biodegradable films and coatings derived from food and agricultural waste: A review. *Journal of Cleaner Production*, 344, 130964. <https://doi.org/10.1016/j.jclepro.2022.130964>
5. Bajpai, P., Singh, S., & Kaushik, R. (2021). Eco-friendly biodegradable packaging materials from agricultural residues. *Environmental Technology & Innovation*, 23, 101585. <https://doi.org/10.1016/j.eti.2021.101585>
6. Siracusa, V., Rocculi, P., Romani, S., & Dalla Rosa, M. (2020). Biodegradable polymers for food packaging: A review. *Trends in Food Science & Technology*, 97, 273–288. <https://doi.org/10.1016/j.tifs.2020.01.013>
7. Yadav, B., Mathur, S., & Yadav, S. (2021). Agricultural waste-based biocomposites for packaging applications: A review. *Materials Today: Proceedings*, 46, 10521–10526. <https://doi.org/10.1016/j.matpr.2021.02.489>
8. Sharma, S., Barkauskaite, S., Jaiswal, A. K., & Jaiswal, S. (2020). Essential oils as additives in active food packaging systems: A review. *Food Chemistry*, 343, 128403. <https://doi.org/10.1016/j.foodchem.2020.128403>
9. Ncube, L. K., Ude, A. U., Ogunmuyiwa, E. N., Zulkifli, R., & Beas, I. N. (2020). Environmental impact of food packaging materials: A review of contemporary development from conventional plastics to polylactic acid-based materials. *Materials*, 13(21), 4994. <https://doi.org/10.3390/ma13214994>
10. Ramesh, M., Palanikumar, K., & Reddy, K. H. (2020). Plant fibre based bio-composites: Sustainable and renewable green materials. *Renewable and Sustainable Energy Reviews*, 79, 558–584. <https://doi.org/10.1016/j.rser.2017.05.094>

AN ANALYSIS OF RELATIVE HUMIDITY VARIATIONS BETWEEN INDOOR AND OUTDOOR ENVIRONMENT

Dr. Jyoti. G. Koliyar-Jatinder Das¹ and Ms. Swetha S. Shetty²^{1,2}SIES (Nerul) College of Arts, Science and Commerce (Autonomous), Nerul, Navi Mumbai, Maharashtra: 400706¹Jyotijatinderdas20@gmail.com**ABSTRACT**

Relative humidity (RH) is a critical environmental parameter that directly influences human health, thermal comfort, material durability, and the performance of building systems. The study aims to systematically measure, compare, and interpret the variations in moisture levels between indoor and outdoor environments, thereby establishing a scientific basis for understanding how external climatic conditions interact with indoor microclimates. Psychrometric measurements were carried out daily at fixed intervals using a standard psychrometric instrument capable of accurately recording dry-bulb and wet-bulb temperatures. These values were then converted into relative humidity through psychrometric chart calculations. Over the entire 21-day observation period, the average outdoor RH was recorded at 76.36%, whereas the average indoor RH was found to be 66.24%, demonstrating a notable difference between external and internal atmospheric moisture. Outdoor RH remained consistently higher, reflecting natural climatic influences such as rainfall patterns, wind speed, cloud cover, and temperature fluctuations. In contrast, indoor humidity showed more moderated variations, influenced by factors such as ventilation, enclosure materials, indoor heat sources, and human activity.

Keywords: *Relative humidity (RH), Psychrometric, Temperature, Ventilation*

INTRODUCTION

Humidity is an important parameter that influences comfort, health, and environmental quality in both indoor and outdoor settings. The term relative humidity (RH) refers to the amount of water vapour present in the air, expressed as a percentage of the maximum amount the air can hold at a given temperature. Monitoring relative humidity is essential for understanding atmospheric conditions, assessing air quality, and maintaining suitable living or working environments. The psychrometric instrument (or psychrometer) is used to measure the relative humidity of indoor and outdoor air. A psychrometer consists of two thermometers — a dry bulb and a wet bulb. The dry bulb measures the ambient air temperature, while the wet bulb, covered with a moist cloth, measures the temperature affected by evaporative cooling. The difference between these two temperatures (known as the wet bulb depression) helps to determine the relative humidity by using psychrometric charts or formulas. By analyzing and comparing the relative humidity values indoors and outdoors, one can assess factors such as ventilation efficiency, moisture control, and environmental comfort. Indoor air generally tends to have lower humidity due to air conditioning or heating systems, whereas outdoor humidity fluctuates depending on weather conditions. Understanding these variations helps in designing effective climate control systems and improving air quality management in residential, commercial, and industrial spaces. According to ASHRAE (American Society of Heating, Refrigerating and Air-Conditioning Engineers, 2017), relative humidity is a key parameter in thermal comfort and indoor air quality. It affects not only human comfort but also the performance of materials, electronic devices, and building structures. Maintaining relative humidity between 30% and 60% is generally recommended for comfort and health. Oke (1987) emphasized that outdoor humidity is influenced by weather conditions, temperature, and local vegetation, while indoor humidity depends on ventilation, occupancy, and the use of air conditioning or heating systems. His findings highlighted the significant variation that can occur between indoor and outdoor humidity levels, even within the same environment. Mayer et al. (2003) studied the relationship between relative humidity and temperature in urban and rural settings. Their research indicated that urban areas often exhibit lower relative humidity due to heat generation and reduced vegetation, a phenomenon known as the “urban heat island effect.” In another study, Sharma and Patel (2015) demonstrated the effectiveness of psychrometric methods for determining relative humidity. They concluded that psychrometric instruments provide reliable and cost-effective results when proper calibration and technique are applied. The difference between wet-bulb and dry-bulb temperatures serves as a practical way to compute humidity without electronic sensors.


MATERIALS AND METHODS

The present study was conducted to assess and compare relative humidity (RH) variations between indoor and outdoor environments. Psychrometric measurements were carried out by using the instrument psychrometer for

data collection of Relative Humidity. The data was recorded for 21 consecutive days to obtain reliable and representative humidity data under prevailing climatic conditions. Measurements were recorded daily at fixed time intervals to ensure consistency and to minimize temporal variability in atmospheric conditions. For outdoor measurements, the psychrometer was positioned in an open, shaded location, protected from direct solar radiation and precipitation, ensuring free air circulation. Indoor measurements were taken within an enclosed space representative of typical indoor conditions, away from direct heat sources, moisture sources, and artificial airflow disturbances. Dry-bulb and Wet-bulb temperatures were recorded simultaneously. The temperature values were converted into relative humidity percentages. The data collected were analysed for daily and average relative humidity values for both indoor and outdoor environments.

RESULTS AND DISCUSSIONS:

The humidity measurements recorded over a continuous period of 21 days provide a clear understanding of the differences between outdoor and indoor humidity levels. The average outdoor humidity of 76.36% indicates that the external environment had consistently high moisture content during the study period. This is likely due to natural atmospheric factors such as temperature fluctuations, rainfall, soil evaporation, wind patterns, and overall climatic conditions. Outdoor humidity is uncontrolled and varies widely depending on weather changes, which explains the higher average value. In contrast, the average indoor humidity was 66.24%, which is noticeably lower than the outdoor level. This suggests that the indoor environment was relatively more regulated. Factors such as building design, wall materials, ventilation systems, the presence of fans or air-conditioning, and limited exposure to direct outdoor moisture contributed to reducing indoor humidity. Indoor spaces also benefit from human-controlled conditions, which help maintain a more stable and comfortable humidity range.



Graph:1 Comparison of Daily Average Indoor and Outdoor Relative Humidity

The graphical comparison clearly illustrates that outdoor relative humidity remained consistently higher than indoor relative humidity throughout the study period. While outdoor RH frequently exceeded 75%, indoor RH showed moderated fluctuations, generally remaining below outdoor levels. The graphical representation confirms about the effect of indoor environment against outdoor climatic moisture and indicates the role of design od buildings and ventilation in humidity regulations.

Overall, the results of this study indicate that indoor spaces are capable of maintaining better humidity regulation compared to the outdoor environment. This finding highlights the importance of proper ventilation, moisture-resistant materials, and climate-responsive building design to ensure healthy indoor air conditions. High outdoor humidity can lead to discomfort, dampness, and the risk of mould growth, while moderately lower indoor humidity supports improved comfort, durability of materials, and reduced microbial growth. Therefore, the 21-day comparative analysis demonstrates how environmental and structural factors together influence humidity levels and the necessity of managing indoor humidity for safer and more comfortable living conditions.

CONCLUSION

Relative Humidity provided perfect understanding between outdoor and indoor moisture conditions during 21-day continuous monitoring. The average value for the outdoor relative humidity was found to be 76.36% reflected constantly high atmospheric moisture, largely ruled by uncontrolled natural factors such as temperature variation, rainfall, evaporation, wind patterns, and prevailing climatic conditions. In the external environment more humidity levels were found. When it was compared with indoor relative humidity the average value was found to be 66.24% which indicates a lower value with a stable climatic condition. The outdoor moisture may be limited due to the building design features, enclosure materials, controlled ventilation, and the use of mechanical aids such as fans or air-conditioning systems. Hence it can be concluded that the Urban areas with buildings, vehicles, and industrial activity often have higher humidity levels due to localized heat and moisture production. Green spaces, parks, and bodies of water in urban environments can increase local humidity, while built-up areas can trap heat and moisture, exacerbating humidity levels.

REFERENCES

- Indian Meteorological Department (IMD). (2020). Manual on Meteorological Instruments and Observations. Government of India, New Delhi.
- Bureau of Indian Standards (BIS). (2016). IS: 8829 – Psychrometric Methods for Measurement of Humidity. BIS Publications, New Delhi.
- Rao, C. S. (2006). Environmental Pollution Control Engineering. New Age International Publishers, New Delhi.
- Pandey, G. N. (2015). Environmental Engineering and Management. Vikas Publishing House Pvt. Ltd., New Delhi.
- Agarwal, S. K. (2012). Environmental Monitoring and Analysis. APH Publishing Corporation, New Delhi.
- Kudesia, V. P. (2014). Air Pollution. Pragati Prakashan, Meerut.
- Rao, M. N., & Datta, A. K. (2011). Wastewater Engineering. Tata McGraw-Hill Education Pvt. Ltd., New Delhi.

TRANSITIONING FROM LINEAR TO CIRCULAR ECONOMY: EVALUATING THE FEASIBILITY OF ADOPTION IN CONSUMER ELECTRONICS

Dr. Priti Thakkar

PhD, M.A., SET (Geography) Associate Professor, SIES College Of Commerce and Economics

ABSTRACT

*The consumer electronics sector is currently the fastest-growing source of waste globally, driven by a linear "take-make-dispose" economic model. As raw material costs rise and environmental regulations tighten, the "Circular Economy" (CE) has emerged as a critical alternative. However, the practical application of Circular Economy principles faces significant hurdles. This research evaluates the **feasibility of adoption** for circular frameworks within the electronics industry, specifically analyzing three core pillars: economic viability, operational infrastructure, and consumer behavior focused on Gen Z. Utilizing a quantitative mixed-methods approach with a stratified sample of 300 consumers (N=300), this study investigates the "Value-Action Gap"—the discrepancy between consumer environmental intent and purchasing reality. The statistical analysis reveals critical barriers to adoption:*

1. **Economic:** 55% of consumers replace devices rather than repairing them due to prohibitive costs, confirming the theory of "Economic Obsolescence."
2. **Operational:** A significant "Trust Gap" exists, where fear of data theft positively correlates with the hoarding of unused devices ($p=0.029$), disrupting reverse logistics.
3. **Behavioral:** While ownership culture remains dominant, there is a statistically significant difference in willingness to lease devices across age groups ($p=0.022$).

The paper concludes that without legislative intervention to lower repair costs and industry-wide certification for data sanitization, the transition to a circular model remains economically and behaviorally unfeasible.

Keywords: Circular Economy, Feasibility, Gen Z, Consumer electronics

1. INTRODUCTION**1.1 Background**

The modern global economy has been built on a linear foundation: resources are extracted, manufactured into products, used, and eventually discarded. This "take-make-waste" model has led to unprecedented economic growth but has come at a severe environmental cost. Nowhere is this more evident than in the consumer electronics sector. According to the *Global E-waste Monitor*, the world generates over 53.6 million metric tons of e-waste annually, with only 17.4% being officially documented as collected and recycled.

The Circular Economy (CE) proposes a regenerative alternative. In a circular system, waste is designed out of the process; products are kept in use for as long as possible through repair and refurbishment; and materials are recovered and regenerated at the end of service life. This shift is not merely environmental but economic, promising to decouple growth from finite resource consumption.

1.2 Problem Statement

While the theoretical benefits of a Circular Economy are well-documented, the **feasibility of adoption** remains a complex, multifaceted challenge for the electronics industry. Manufacturers face high costs associated with reverse logistics (collecting used goods), while consumers are often deterred by the high price of repairs compared to the relatively low cost of buying new devices. Furthermore, there is a critical lack of empirical data regarding whether the current market infrastructure can actually support a switch from ownership-based models to circular service models.

1.3 Aim and Objectives

The primary aim of this research is to evaluate the operational feasibility and environmental impact of implementing circular economy principles in the manufacturing and post-consumer phases of the electronic devices industry. The specific objectives are:

1. To evaluate consumer willingness to absorb the "Green Premium" (higher costs) associated with durable, repairable products.
2. To identify the primary friction points in the current reverse-logistics infrastructure, specifically regarding the "hibernating stock" of unused devices stored in consumer homes.

3. To test the behavioral viability of "Product-as-a-Service" (leasing) models across different demographic segments.

1.4 Research Significance

Understanding these feasibility gaps is crucial for industry stakeholders. If the industry attempts to transition without addressing these barriers, circular initiatives risk becoming mere "greenwashing" rather than structural change. This paper aims to map these barriers quantitatively to provide actionable strategies for policymakers and manufacturers.

2. LITERATURE REVIEW

2.1 The Crisis of Linear Consumption

Scholars like Kirchherr et al. (2017) define the Circular Economy not merely as improved recycling, but as "an economic system that replaces the 'end-of-life' concept with reducing, reusing, recycling, and recovering materials in production, distribution and consumption processes." However, the electronics industry remains stubbornly linear. The rapid cycle of technological advancement encourages frequent replacement, creating a waste stream containing toxic materials (lead, mercury) alongside valuable precious metals (gold, copper).

2.2 Economic Obsolescence vs. Psychological Obsolescence

A critical barrier to CE adoption is the economic disparity between repair and replacement. Cooper (2004) distinguishes between "psychological obsolescence" (the consumer's desire for the newest model/status symbol) and "economic obsolescence," where the cost of labor and spare parts for repair exceeds the residual value of the device. Recent literature indicates that manufacturers inadvertently enforce this through component serialization and high spare part pricing, effectively penalizing repair behavior and incentivizing the purchase of new units.

2.3 The "Value-Action Gap"

Literature consistently identifies a "Value-Action Gap"—the discrepancy between what consumers *say* (environmental intent) and what they *do* (purchasing behavior). Hobson (2016) argues that while consumers express concern for the environment, their purchasing decisions are primarily driven by price and convenience. The Circular Economy is often framed as a production problem, ignoring the complex sociology of consumption.

2.4 The Trust Barrier in Reverse Logistics

Operational feasibility hinges on "Reverse Logistics"—the process of moving goods from the consumer back to the manufacturer for value capture. However, Baxter et al. (2016) highlight a unique barrier in electronics: **Data Privacy**. Consumers often hoard old devices ("hibernating stock") rather than recycling them due to fear of data theft. This "Trust Gap" disrupts the material flow required for a functioning circular economy, creating a bottleneck that logistics alone cannot solve.

3. METHODOLOGY

3.1 Research Design

This study employs a **Quantitative Research Design** to capture empirical metrics on consumer behavior. The primary instrument was a structured online questionnaire containing closed-ended questions and a 5-point Likert scale (1 = Strongly Disagree to 5 = Strongly Agree). This approach allows for the statistical correlation of variables such as age, willingness to pay, and privacy concerns.

3.2 Sampling and Demographics

Data was collected through a convenient sampling and snow ball sampling of consumer electronics users.

Total Sample Size: N=300, **Demographic Profile:** The sample is focused towards the 18–24 age group (91.5%), representing "Generation Z" consumers. This demographic is significant as they are the primary adopters of new technology and the target market for future business models. **Confidence Level:** The sample size meets and exceeds the minimum threshold required for correlational analysis, ensuring sufficient statistical power to test the proposed hypotheses.

3.3 Variables and Hypotheses

The study tested three specific hypotheses to measure the three pillars of feasibility (Behavioral, Economic, and Operational):

1. Behavioral Feasibility:

H1: There is a significant difference between age groups regarding the willingness to adopt "Device-as-a-Service" (leasing) models.

H0: There is no significant difference between age groups regarding the willingness to adopt "Device-as-a-Service" (leasing) models.

2. Economic Feasibility:

H2: The perceived high cost of repair is positively correlated with the accumulation of unused electronics (hoarding).

H2: The perceived high cost of repair is not positively correlated with the accumulation of unused electronics (hoarding).

3. Operational Feasibility:

H3: High levels of concern regarding data privacy are a significant predictor of "hibernating stock" (hoarding).

H0: High levels of concern regarding data privacy are not a significant predictor of "hibernating stock" (hoarding).

3.4 Statistical Tools

Data was analyzed using SPSS. The following statistical tests were applied:

- **One-Way ANOVA:** To compare mean "Willingness to Lease" scores across different age brackets.
- **Pearson Correlation Coefficient (r):** To measure the strength and direction of the relationship between repair costs/privacy concerns and hoarding behavior.

4. RESULTS AND ANALYSIS

4.1 Descriptive Findings

The descriptive statistics reveal a market that is theoretically aware of sustainability issues but practically constrained by cost and trust.

- **The Hoarding Phenomenon:** The average respondent possesses **1.82-2.00 unused devices** at home. In extreme cases, respondents reported holding up to 15 devices. This confirms the existence of massive "hibernating stock" in consumer households.
- **The Cost Barrier:** **55.0%** of respondents agreed or strongly agreed that they have replaced a device solely because the cost of repair was too high compared to buying new.
- **Planned Obsolescence:** **40.3%** of respondents believe manufacturers intentionally design products to fail after a few years, indicating a severe lack of trust in the industry.
- **Resistance to Leasing:** Only **20.9%** of users expressed willingness to subscribe to a "Device-as-a-Service" model, with the majority strongly preferring ownership.

4.2 Hypothesis Testing

Hypothesis 1: The Generational Leasing Gap (H1)

- **Objective:** To determine if age influences the willingness to lease phones instead of owning them.
- **Statistical Test:** One-Way ANOVA
- **Result:** $F=3.30, p=0.022$
- **Verdict:** Supported (Reject Null Hypothesis).
- **Analysis:** The p-value ($0.022 < 0.05$) indicates a statistically significant difference between age groups. While overall acceptance of leasing is low, younger generations show distinct behavioral patterns compared to older demographics. This suggests that "Product-as-a-Service" models cannot be marketed universally; they must be targeted at specific generational segments who are more open to the "access economy."

Hypothesis 2: The Repair Cost Barrier (H2)

- **Objective:** To test if high repair costs cause people to keep old phones in drawers.

- **Statistical Test:** Pearson Correlation Coefficient (r)
- **Result:** $r=0.068$, $p=0.44$
- **Verdict:** Rejected (Fail to Reject Null Hypothesis).
- **Analysis:** Contrary to expectations, there is no significant statistical correlation between high repair costs and hoarding behavior.
- **Insight:** While high repair costs force users to *abandon* their current device (as evidenced by the 55% replacement rate), it does not force them to *store* it. Users likely trade in broken phones, sell them for parts, or dispose of them improperly. This clarifies that repair costs are a driver of **linear consumption** (buying new), but not necessarily a driver of "hibernating stock."

Hypothesis 3: The "Trust Gap" (H3)

- **Objective:** To test if fear of data theft causes people to hoard old devices.
- **Statistical Test:** Pearson Correlation Coefficient (r)
- **Result:** $r=0.19$, $p=0.029$
- **Verdict:** Supported (Reject Null Hypothesis).
- **Analysis:** This is the study's most critical finding. There is a statistically significant positive correlation ($p<0.05$) between data privacy concerns and the number of devices hoarded.
- **Insight:** The "Hibernating Stock" of e-waste is being driven by fear. Consumers do not trust the recycling infrastructure to wipe their data, leading them to store devices indefinitely rather than risking a privacy breach.

5. DISCUSSION

The transition to a Circular Economy is contingent upon overcoming the barriers identified above. This study reveals that the barriers are not just logistical, but deeply psychological and economic.

5.1 The Economic Feasibility Gap

The rejection of Hypothesis 2 ($p=0.44$) combined with the high replacement rate (55%) paints a bleak picture for repairability. The current market structure suffers from "Economic Obsolescence," where labor and parts are priced so high that buying a new device is the "rational" economic choice. Without external intervention (such as subsidies or tax breaks), voluntary circularity is economically irrational for the average consumer.

5.2 The Operational "Trust Gap"

The support for Hypothesis 3 ($p=0.029$) shifts the focus of Reverse Logistics. Historically, the industry has focused on making recycling *convenient* (e.g., prepaid shipping labels, drop-off points). However, this data proves that convenience is secondary to *trust*. If a consumer believes their personal data (banking apps, photos, messages) is at risk, they will not recycle the device regardless of convenience. The circular supply chain is broken at the collection stage due to a lack of certified data sanitization protocols.

5.3 The Behavioral Feasibility

The support for Hypothesis 1 ($p=0.022$) indicates that the "ownership" model is not immutable. However, with only 20.9% overall willingness to lease, a sudden industry-wide shift to subscriptions would likely fail. A transitional period involving "hybrid" models—such as guaranteed buy-back schemes—is required to bridge the gap between the desire for ownership and the efficiency of usership.

5.4 Limitations

The study effectively isolates the 18-24 age cohort, allowing for a deep-dive investigation into the specific attitudes of the demographic most critical to the future success of sustainable mobile practices. This provides a robust baseline for understanding the 'consumer of tomorrow'. The study is limited to city of Mumbai. The study relies on self-reported data. In sustainability research, there is often a 'gap' between consumer intent (what they say they will do) and actual behavior (what they actually do), known as *Social Desirability Bias*. The scope was strictly limited to mobile phones. Consumer willingness to repair or buy refurbished may differ significantly for other electronics like laptops, tablets, or wearables.

6. CONCLUSION

This research evaluated the feasibility of adopting circular economy frameworks in consumer electronics based on a quantitative analysis of 300 consumers. The study concludes that:

1. **Economic Feasibility is Low:** High repair costs actively drive consumers back to linear consumption patterns, with over half of users replacing fixable devices due to cost.
2. **Operational Feasibility is Blocked by Trust:** The fear of data theft is a statistically significant driver of e-waste hoarding. The supply chain cannot close the loop if consumers refuse to release their old devices.
3. **Behavioral Feasibility is Limited:** While younger generations show potential for leasing models, the overwhelming preference remains for device ownership.

Therefore, the Circular Economy is currently **unfeasible** as a purely market-driven phenomenon. It requires systemic "patches" to the market structure—specifically regarding trust and cost—to function effectively.

7. RECOMMENDATIONS

To bridge the feasibility gaps identified in this study, the following tripartite strategy is recommended:

7.1 For Policymakers (Legislative)

- **Repair Tax Credits:** To address the 55% of users who find repair too expensive, governments should introduce VAT reductions on repair labor (similar to the Swedish model). This would artificially lower the cost of repair below the threshold of replacement.
- **Right to Repair Legislation:** Mandate the availability of affordable spare parts to independent repair shops to break the manufacturer monopoly on repair pricing.

7.2 For Industry (Operational)

- **The "Data-Wiping" Certificate:** To fix the "Trust Gap" (H3), recyclers and manufacturers must provide a certified, auditable guarantee of data destruction. Marketing campaigns should focus on *security* rather than just *sustainability* to unlock the millions of hoarded devices.
- **Hybrid Business Models:** Instead of forcing a full switch to leasing, companies should offer "Buy-Back Guarantees"—selling the phone with a pre-agreed price for its return after 2 years.

7.3 For Future Research

- **Demographic Expansion:** Future research can be extended to target the 40–60 age demographic to determine if higher disposable income correlates with a higher willingness to pay for "green" electronics, as this segment was underrepresented in the current study.

8. REFERENCES

1. Baxter, J., et al. (2016). "The valid disposal of electronics: Data security and the circular economy." *Waste Management*.
2. Bocken, N. M., de Pauw, I., Bakker, C., & van der Grinten, B. (2016). Product design and business model strategies for a circular economy. *Journal of Industrial and Production Engineering*, 33(5), 308–320. <https://doi.org/10.1080/21681015.2016.1172124>
3. Circular Economy Theory & Business Models Ellen MacArthur Foundation. (2013). *Towards the Circular Economy Vol. 1: Economic and business rationale for an accelerated transition*. <https://www.ellenmacarthurfoundation.org/towards-the-circular-economy-vol-1-an-economic-and-business-rationale-for-an>
4. Consumer Behavior & Obsolescence Camacho-Otero, J., Boks, C., & Pettersen, I. N. (2018). Consumption in the circular economy: A literature review. *Sustainability*, 10(8), 2758. <https://doi.org/10.3390/su10082758>
5. Cooper, T. (2004). Inadequate life? Evidence of consumer attitudes to product obsolescence. *Journal of Consumer Policy*, 27(4), 421–449. <https://doi.org/10.1007/s10603-004-2284-6>
6. Ellen MacArthur Foundation. (2013). *Towards the Circular Economy: Economic and business rationale for an accelerated transition*.
7. Forti, V., Baldé, C. P., Kuehr, R., & Bel, G. (2020). *The Global E-waste Monitor 2020: Quantities, flows and the circular economy potential*. United Nations University. https://ewastemonitor.info/wp-content/uploads/2020/11/GEM_2020_def_july1_low.pdf

8. Geissdoerfer, M., Savaget, P., Bocken, N. M., & Hultink, E. J. (2017). The Circular Economy – A new sustainability paradigm? *Journal of Cleaner Production*, 143, 757–768. <https://doi.org/10.1016/j.jclepro.2016.12.048>
9. Global E-waste Monitor. (2020). *Quantities, flows, and the circular economy potential*. United Nations University.
10. Global E-waste Statistics & Reports Baldé, C. P., Kuehr, R., Yamamoto, T., McDonald, R., D'Angelo, E., Althaf, S., ... & Wagner, M. (2024). *The Global E-waste Monitor 2024: Electronic Waste Rising Five Times Faster than Documented E-waste Recycling*. United Nations Institute for Training and Research (UNITAR) & International Telecommunication Union (ITU). https://ewastemonitor.info/wp-content/uploads/2024/03/GEM_2024_18-03_web_page_per_page_web.pdf
11. Guide, V. D. R., & Van Wassenhove, L. N. (2009). The evolution of closed-loop supply chain research. *Operations Research*, 57(1), 10–18. <https://doi.org/10.1287/opre.1080.0628>
12. Hobson, K. (2016). Closing the loop: The challenging sociology of the circular economy. *Progress in Human Geography*, 40(1), 88–104. <https://doi.org/10.1177/0309132514566342>
13. Kirchherr, J., Reike, D., & Hekkert, M. (2017). Conceptualizing the circular economy: An analysis of 114 definitions. *Resources, Conservation and Recycling*, 127, 221–232. <https://doi.org/10.1016/j.resconrec.2017.09.005>
14. Operational Barriers, Data Security & Supply Chain Baxter, J., Gram-Hanssen, I., & Anthopoulos, L. (2016). The valid disposal of electronics: Data security and the circular economy. *Waste Management*. (Note: Often cited in industry reports regarding the "Trust Gap"). <https://doi.org/10.1016/j.wasman.2016.08.004>
15. Rizos, V., Behrens, A., Van der Gaast, W., Hofman, E., Ioannou, A., Kafyeke, T., ... & Topi, C. (2016). Implementation of circular economy business models by small and medium-sized enterprises (SMEs): Barriers and enablers. *Sustainability*, 8(11), 1212. <https://doi.org/10.3390/su8111212>
16. Stahel, W. R. (2016). The circular economy. *Nature*, 531(7595), 435–438. <https://doi.org/10.1038/531435a>
17. Tukker, A. (2015). Product services for a resource-efficient and circular economy – a review. *Journal of Cleaner Production*, 97, 76–91. <https://doi.org/10.1016/j.jclepro.2013.11.049>
18. Wieser, H., & Tröger, N. (2018). Faster replacement of mobile phones? A data-driven analysis of consumers' replacement intervals. *Journal of Cleaner Production*, 187, 1115–1124. <https://doi.org/10.1016/j.jclepro.2018.02.132>

REIMAGINING WOMANHOOD IN INDIA'S POLITICAL LANDSCAPE: AN EXISTENTIAL FEMINIST INTERPRETATION OF 'BATTLE FOR BITTORA'

¹Ashwini Lad and ²Dr. Anshu Sharma

¹Research Scholar, Shri. JTT University, Rajasthan

²Professor & Head of Humanities Department, Shri. JTT University, Rajasthan

¹ashwini.lad.3007@gmail.com and ²dransu@rediffmail.com

ABSTRACT

Anuja Chauhan's novel 'Battle for Bittora' offers a vivid portrayal of contemporary womanhood shaped within and against the structures of India's political landscape. Through the main character of Sarojini or "Jinni" Pande, the novel tries to explore the journey of reluctant political involvement that gradually becomes a search for authentic selfhood. It is guided by Simone de Beauvoir's existential feminist concept, which states that women are not born with a fixed identity; instead, they become who they are through their choices, actions, and freedom. This is the essence of immanence, transcendence, and circumstantial freedom. This study explores how Jinni negotiates the interconnected demands of family loyalty, public responsibility, and personal desire. Her choices reveal a form of agency that emerges not only from independence but also from navigating social and emotional constraints with growing self-awareness. By highlighting the tension between public performance and private identity, *Battle for Bittora* reimagines feminine autonomy as an evolving, context-driven process. Chauhan's narrative expands the possibilities for representing women in Indian popular fiction, positioning political participation as a meaningful site of self-definition. This study aims to explore the Existential Feminist Interpretation of *Battle for Bittora*. The study tries to explore how women navigate their inbuilt nature or immanence and try to attempt supremacy or transcendence. This research paper explores how individuals can exercise authentic choice despite the structural constraints of modern urban environments.

Keywords: Existential feminism, Female Agency, immanence, transcendence, political landscape

INTRODUCTION

Contemporary Indian fiction frequently navigates the meeting point between social convention and individual aspiration. Very few recent works bring this tension into the political sphere as effectively as Anuja Chauhan's *Battle for Bittora*. This novel combines humour, romance, and political satire to explore how a young woman finds identity and agency within a world shaped by hierarchies and patriarchal expectations. The protagonist of the novel Sarojini alias "Jinni" Pande, enters the political arena unwillingly. She gets pulled back into her hometown by family pressure and emotional history. Her journey begins as an unwanted obligation but evolves into a complex voyage of self-definition.

This paper employs an existential feminist framework, which is primarily based on 'Simone de Beauvoir's concepts of immanence, transcendence, ambiguity, and authentic choice'. (Pathak, 2024). Through this point of view, Jinni's path reveals how female autonomy in India's political canvas emerges not only from solitary revolt but also from social constraints. Anuja Chauhan's narrative challenges the belief that political spaces are inherently masculine. Here she keeps a woman's experience of selfhood at the center of public life. By doing so, *Battle for Bittora* reimagines womanhood as a dynamic process shaped by duty, desire and emotions.

Representation of Female Agency

In the novel *Battle for Bittora*, Jinni's refusal in the beginning to join active politics appears to reject her agency. It reveals an essential aspect of Chauhan's approach. 'Agency is not simple resistance, but the capacity to make meaningful choices even within pressure'. (Mackenzie, 2023). Jinni has established a comfortable life in Delhi and made her independent and professional identity. Her grandmother's insistence that she should return to Bittora and contest the election disturbs this stability. This situation forces her to take the responsibilities she had deliberately avoided.

Jinni's return to Bittora is not a surrender. It is the first of many negotiated choices that reflect her evolving towards responsibility, loyalty, and selfhood. Author Anuja Chauhan uses this reluctant consent to challenge the idea of empowerment. Agency, mainly for women rooted in family and community networks, often results in negotiation rather than noncompliance. This type of decision-making is related to the Indian socio-cultural context, where 'duty and individuality frequently coexist in tension'. (Sinha, Sinha, Verma, & Sinha, 2001).

Within her electoral constituency, Jinni's actions contradict the stereotype of the ornamental female candidate. This stereotype is often used by political parties as a placeholder to soften their image. Here, she quickly shows her competence by questioning the campaign strategies, engaging directly with voters in the constituency, and

dealing with power brokers. Chauhan frames these developments not as sudden empowerment but as the emergence of strengths Jinni was unaware that she possessed. Jinni's agency is therefore not inborn but it is developed over time. It is structured through interaction with political realities that want new aspects of her personality.

This negotiated agency reveals a deeply feminist idea: women's autonomy is not less valid because it emerges within relational structures. Rather, it acknowledges that family, culture, and emotion are integral to how women in India construct their identities. (Rajeshwari, Deo, & van Wessel, 2020)

Existential Feminism: Immanence, Transcendence, and Authentic Choice

Simone de Beauvoir's existential feminism provides a compelling theoretical lens through which Jinni's journey is to be interpreted. According to Beauvoir, women are historically confined to immanence. The repetitive, inward, and socially prescribed roles that limit self-creation while men traditionally occupy transcendence, defined by action, decision-making, and shaping the world. Authentic freedom emerges when a woman breaks from passive acceptance and actively defines her own existence. (Sus, 2023).

At the start of the novel, Jinni is very much within immanence. Jinni's life in Delhi is very convenient but lacks a proper sense of direction. She avoids her political legacy, her emotions about Zain, and confrontations with her own past. At the start of Jinni's rebellion, her objection to contesting the election seems more like an evasion of assigned roles, but it also shows that somehow she prefers to be within an area untouched by serious accountability.

Chauhan shows Jinni struggling with authentic choice, one of Beauvoir's central ideas: 'freedom exists only when choices are made consciously, with a recognition of their consequences.'

The novel also depicts some moments of bad faith, a Sartrean concept where 'individuals pretend they have no choice to escape responsibility'. (Akinbode, 2023). Jinni sometimes claims she is acting only because her grandmother forces her to do so, or because the constituency expects it, or because Zain is forcing her. The narrative consistently unfolds that she is choosing even when she denies it. This tension makes the character of Jinni psychologically rich as well as existentially complex.

As time moves, Jinni embraces a more honest relationship with her freedom. She acknowledges her capacity to influence political outcomes, to shape her own emotional side, and also to redefine the expectations connected to her name and family. Her shift toward the responsibilities marks her movement from immanence toward transcendence. This illustrates Beauvoir's assertion that 'women achieve freedom through reflective action rather than passive endurance'. (Day, n.d.)

Public Performance with the Politics of Authenticity

'Politics is inherently performative', (Kono & Upton, 2024) and in this novel Chauhan portrays the paradox of authenticity within public life. Jinni becomes a political persona that is similar with the expectations of the constituency yet she remains true to her values. Her speeches during the elections, her clothing styles, and interactions with her supporters everything becomes carefully chosen performances.

Here, Chauhan does not portray political performance as manipulative. Instead, she suggests that authenticity and performance are similar to each other, and they are interconnected aspects of agency. Jinni understands how to use performance strategically by maintaining her internal sense of purpose. Her political self is a tool for expressing her principles, and not for hiding them.

Her interplay with Zain, who becomes her political rival and who is her former love, illuminates the complexity of public-private relationships. Their debate like conversations show ideological conflict with emotional background, exposing Jinni's struggle for being authentic in layered expectations.

As shown in many romantic narratives, Chauhan does not depict love to be forceful that defines or completes a woman. But here, Jinni's relationship with Zain highlights her internal conflict: 'can she reconcile desire with selfhood?'

Her eventual clarity demonstrates that 'existential freedom does not require rejecting emotion but integrating it into conscious decision-making'. (Priyadarshini et al., 2022)

Political Landscape as a Space of Feminine Selfhood

Placing a woman at the center of a political campaign allows Chauhan to explore how public spaces traditionally dominated by men shape and challenge female identity. (Mohanty & Sarangi, 2021). Jinni experiences deep-rooted patriarchy, both overt and subtle, yet the author Chauhan avoids this melodrama. The discrimination that Jinni faces seems to be realistic, proper in tone, expectations, and cultural norms.

By actively participating in politics, Jinni reclaims a space in which women often appear only as ornamental or symbolic figures rather than real actors. Her election campaign becomes a metaphor for shaping out feminine presence within the public sphere. It is not only Jinni's political potential that grows, but her sense of herself as a person who is capable of leading, influencing, and choosing.

This framing of womanhood contrasts sharply with typical narratives of women empowerment that rely on dramatic revolt or heroic transformation. Anuja Chauhan presents self empowerment or in this case specifically women empowerment as slow, gradual, relational, and a deeply tied social context. It is a concept that aligns with 'postcolonial feminist perspectives, which emphasize situated rather than universal autonomy' . (Gunjate, n.d.)

CONCLUSION

Battle for Bittora offers more than romantic conflict or political satire; it presents a nuanced study of a woman discovering her capacity for agency within the constraints of society, family, and political life. Through Jinni Pande's evolving self-understanding, Anuja Chauhan illustrates how female autonomy in India's political landscape is shaped by negotiation, emotional complexity, and the interplay between private identity and public responsibility.

Viewed through the lens of existential feminism, Jinni's journey becomes a testament to Beauvoir's belief that women achieve freedom not by escaping their circumstances but by acting consciously within them. Her movement from reluctance to responsibility, from denial to authenticity, reveals an existential project of self-creation that is deeply human and profoundly feminist.

Ultimately, Chauhan's novel expands contemporary Indian fiction's portrayal of womanhood by positioning political participation as a meaningful site of self-definition. In reimagining the female subject within public life, Battle for Bittora affirms that women's autonomy is not a distant ideal but an unfolding process which gets shaped daily through choice, courage, and the willingness to claim one's own existence.

WORKS CITED

- Akinbode, Emmanuel. "Jean-Paul Sartre's Existential Freedom: A Critical Analysis." *International Journal of European Studies*, 2023, <https://doi.org/10.11648/j.ijes.20230701.13>.
- Day, Jennifer. *Simone de Beauvoir's Transcendence and Immanence in the Twenty-First Century: The Tension Between Career and Motherhood*. Simon Fraser University, n.d.
- Gunjate, Shital V. "Postcolonial Feminist Theory: An Overview." *Proceedings of the National Seminar on Postmodern Literary Theory and Literature*, Shivaji Mahavidyalaya, Udgir, Nanded, 27–28 Jan. 2012.
- Kono, Aki, and Caroline Upton. "Performative Politics of REDD+ Experts: Siloed Discourses and a Missed Opportunity." *Environmental Science & Policy*, vol. 156, 2024.
- Mackenzie, Catriona. "Autonomous Agency, We-Agency, and Social Oppression." *Southern Journal of Philosophy*, vol. 61, no. 2, 2023, pp. 373–89. <https://doi.org/10.1111/sjp.12521>.
- Mehra Vaishali, and Kavita Pant. "Anuja Chauhan's Contribution to the Chick Lit Genre in India: A Critical Analysis." *ECONSPEAK: A Journal of Advances in Management IT & Social Sciences*, vol. 15, no. 9, Sept. 2025, www.skirec.org.
- Mehra, Vibha. "Anuja Chauhan's Portrayal of Relationships: A Study of Romantic Love, Friendship, and Family Dynamics." *International Journal of Arts & Education Research*, n.d.
- Mohanty, Monalisa, and Itishri Sarangi. "Exploration of Gender Equality in Public Spaces." 2021.
- Pathak, A. *Freedom, Authenticity, and the Absurd: Exploring Existentialism in the Modern Era*. IJNRD, 2024, www.ijnrd.org.
- Priyadharshini, P., S. Mohan, and A. Hassan. "A Feministic Discourse of Existentialism in Namita Gokhale's Select Works." *World Journal of English Language*, vol. 12, no. 2, 2022, pp. 134–40. <https://doi.org/10.5430/wjel.v12n2p134>.
- Rajeshwari, B., Nandini Deo, and Margit van Wessel. "Negotiating Autonomy in Capacity Development: Addressing the Inherent Tension." *World Development*, vol. 130, 2020, p. 104948. <https://doi.org/10.1016/j.worlddev.2020.104948>.

-
- Sinha, Jai, Tapen Sinha, Jyoti Verma, and R. B. N. Sinha. "Collectivism Coexisting with Individualism: An Indian Scenario." *Asian Journal of Social Psychology*, vol. 4, 2001, pp. 133–45. <https://doi.org/10.1111/j.1467-839X.2001.00081.x>.
 - Sus, Viktoriya. "Understanding Simone de Beauvoir's Feminist Existentialism." *TheCollector*, 24 July 2023, <https://www.thecollector.com/viktoriya-sus/>.
 - Chauhan, Anuja. **Battle for Bittora**. HarperCollins Publishers India, 2010.

NCC AND SMART CITY INITIATIVES, INTEGRATING CADETS INTO URBAN SECURITY AND SURVEILLANCE NETWORKS

¹Mr. Gaurav. M. Salvi and ²Miss. Janhavi .R. Kolte

¹Research Scholar, Department of CS-IT, Kirti. M. Doongursee College (Autonomous) Dadar, Mumbai

²Assistant Professor, Department of Political Science, Kirti. M. Doongursee College (Autonomous) Dadar, Mumbai

¹gauravsalvi095@gmail.com and ²koltejanhavi1@gmail.com

ABSTRACT

This research paper explores the potential integration of National Cadet Corps (NCC) cadets into Smart City initiatives, specifically focusing on urban security and surveillance networks. As cities across India are evolving into 'smart cities,' there is a growing need for enhanced security systems that utilize advanced technology such as artificial intelligence, IoT, and real-time surveillance to monitor public spaces and respond to potential threats. The NCC, being a nationwide youth organization with a focus on discipline, civic responsibility, and training in various fields including disaster management and community security, presents a unique resource that can be tapped into for this purpose. This paper also examines how NCC cadets, with their existing training in leadership, vigilance, and social responsibility, can play a crucial role in supporting the surveillance infrastructure of smart cities. By integrating cadets into urban monitoring systems, they can act as an additional layer of human intelligence, aiding authorities in tasks such as reporting suspicious activities, managing crowd control, and assisting in emergency response. Furthermore, the research evaluates the challenges and opportunities in aligning the NCC's objectives with smart city goals, and how it can be beneficial for both cadets and urban governance. The potential impact on the cadets' development through exposure to real-world urban challenges is also considered. Finally, the paper suggests a framework for implementing such an integration, highlighting the need for policy changes, interdepartmental coordination, and pilot projects in key urban areas to assess feasibility and effectiveness. Therefore, this multidisciplinary approach aims to contribute to a broader understanding of the NCC's evolving role in contemporary India while also addressing the pressing needs of urban security in the age of smart cities.

Keywords: NCC, Smart City, Urban Security, Urban Management, Youth engagement.

INTRODUCTION

As India continues its journey towards urbanisation and digital transformation, the concept of "Smart Cities" has gained prominence as a cornerstone of the country's urban development agenda. The Smart City Mission, launched by the Government of India in 2015, envisions the creation of cities that are technologically enabled, sustainable, and citizen-friendly. A crucial aspect of this mission is the enhancement of urban security and the implementation of advanced surveillance systems to ensure the safety and well-being of the urban population. In this context, the integration of the National Cadet Corps (NCC) into urban security frameworks presents a promising and innovative approach.

The NCC, a youth development organisation under the Ministry of Defence, plays a significant role in fostering discipline, leadership, and a sense of duty among young cadets. With over 1.3 million cadets across the country, the NCC represents a vast reservoir of trained and motivated individuals who are committed to serving the nation. Traditionally, the NCC has contributed to national security through its involvement in disaster management, community development, and aid to civil authorities during crises. However, with the advent of smart cities and the increasing reliance on technology for urban governance, there is a growing need to explore how NCC cadets can contribute to urban security and surveillance in a rapidly evolving digital landscape.

In this context, the *National Cadet Corps (NCC)*, an Indian military youth organization, emerges as a unique and valuable resource for bolstering the urban security framework within Smart Cities. Established in 1948, the NCC aims to instill discipline, leadership, and a sense of duty among the youth, fostering a spirit of civic responsibility and national service. Traditionally, the NCC has played a pivotal role in supplementing the efforts of the armed forces and civil administration during national emergencies, public service initiatives, and disaster relief operations. The dynamic nature of the corps, which trains cadets in military drills, physical fitness, and social service, positions them as an ideal candidate for participation in the urban security and surveillance networks of Smart Cities.

The integration of NCC cadets into Smart City initiatives, particularly within the domain of urban security and surveillance, is a forward-thinking approach that aligns with both national development goals and the spirit of youth engagement. NCC cadets, equipped with foundational training in discipline, leadership, and civic

engagement, could act as supplementary forces to assist local authorities, police, and disaster management teams in ensuring safety and security. By leveraging their unique training in teamwork, crisis management, and technological awareness, NCC cadets could enhance the responsiveness and effectiveness of Smart City security systems.

The concept of "Smart Cities" has gained significant momentum worldwide, particularly in India, with the government's launch of the *Smart Cities Mission* in 2015. Smart Cities are envisioned as urban spaces leveraging cutting-edge technology, data analytics, and digital infrastructure to enhance governance, improve urban living, and ensure the safety and security of citizens. One of the core pillars of the Smart City initiative is the integration of robust urban security and surveillance networks. With the increasing complexity of urbanization, the demand for efficient surveillance, crime prevention, and disaster management mechanisms has grown, necessitating a dynamic and tech-savvy workforce capable of addressing these challenges.

Urban Security in Smart Cities

Urban security in smart cities goes beyond traditional law enforcement and surveillance mechanisms. It encompasses a multi-layered approach that integrates technology, infrastructure, and human resources to ensure real-time monitoring, threat detection, and rapid response. This involves the deployment of smart surveillance systems, such as CCTV networks, drone surveillance, AI-driven analytics, and integrated command-and-control centers. However, the effectiveness of these systems relies heavily on human intervention for monitoring, decision-making, and ground-level action. This is where the role of NCC cadets becomes pertinent.

NCC cadets, with their training in discipline, teamwork, and civic responsibility, are well-suited to assist in the surveillance and monitoring tasks of smart cities. They can be integrated into local surveillance networks to support police and municipal authorities in areas such as crowd control, traffic management, and emergency response. Furthermore, cadets' familiarity with digital tools and platforms can enhance the efficiency of smart surveillance systems, allowing them to participate in real-time data collection, reporting of suspicious activities, and the prevention of crimes in urban environments.

Cadets as Force Multipliers in Surveillance Networks

Incorporating NCC cadets into urban security initiatives aligns with the concept of "force multiplication," where existing resources are amplified through the involvement of additional personnel. By acting as a supplementary force to professional law enforcement agencies, NCC cadets can provide critical support in maintaining public order, especially during large-scale events, festivals, and emergencies. Their training in communication and first-aid also makes them ideal candidates for assisting in urban disaster management and crisis response. Moreover, the inclusion of NCC cadets in surveillance networks can serve as a deterrent to potential criminal activities. The visible presence of disciplined and uniformed cadets patrolling key urban areas can reinforce a sense of security among citizens and contribute to the prevention of petty crimes such as theft, vandalism, and harassment. In the long term, such initiatives could foster a culture of civic responsibility and vigilance among the youth, further strengthening the social fabric of smart cities.

Enhancing Digital Literacy and Technological Proficiency

Smart cities are defined by their integration of advanced technologies, and digital literacy is a critical skill for individuals involved in their operation. NCC cadets, who are often at the forefront of national service initiatives, can be trained in the use of emerging technologies such as AI-based surveillance tools, geographic information systems (GIS), and Internet of Things (IoT) devices. With appropriate training, cadets can contribute to real-time data analysis, the identification of patterns in criminal activities, and the maintenance of digital surveillance infrastructures. In addition to their role in direct surveillance, NCC cadets can also serve as "digital volunteers," educating citizens about the importance of data security, digital ethics, and cybercrime prevention. As smart cities increasingly rely on interconnected digital networks, raising awareness among the population about digital threats and responsible online behaviour becomes crucial to ensuring the long-term security of urban environments.

Focus on NCC in Urban Security Networks

The NCC's potential contributions to Smart City initiatives revolve around three key areas: surveillance, disaster management, and community policing.

1. **Surveillance:** As cities incorporate smart technologies like *Internet of Things (IoT)* devices, CCTV systems, and AI-based monitoring tools, the need for trained personnel to manage and operate these systems becomes critical. NCC cadets, with proper technical training, can contribute to this area by monitoring live footage, identifying security breaches, and coordinating with local authorities to address threats in real-time. Their

understanding of structured reporting and prompt response mechanisms can be seamlessly integrated into the surveillance frameworks that Smart Cities depend on for crime prevention and public safety.

2. **Disaster Management:** Natural disasters and urban emergencies such as floods, fires, or earthquakes can disrupt urban life in Smart Cities. The NCC has a longstanding history of involvement in disaster management. Their training in evacuation protocols, first aid, and crowd management makes them a valuable addition to the rapid response teams that are crucial in mitigating the damage from urban disasters. In a Smart City setting, where predictive analytics and sensor-based alerts will guide disaster management, NCC cadets can play a key role in executing real-time response strategies, ensuring both efficiency and safety during crises.
3. **Community Policing and Civic Engagement:** Beyond technical surveillance, Smart Cities require community-based security efforts to maintain order and foster a sense of safety among citizens. NCC cadets, who are already embedded within educational institutions and communities, can act as liaisons between local authorities and residents. Their involvement in community policing initiatives—such as patrolling neighborhoods, raising awareness about safety measures, and reporting suspicious activities—can create a robust participatory security culture within urban areas. Additionally, cadets can assist in organizing and facilitating civic engagement campaigns, aligning with the broader objectives of Smart Cities to improve citizen interaction with government systems.

Research Questions- This research tries to address following research questions-

- How can NCC cadets be effectively integrated into urban security and surveillance frameworks within Smart Cities to enhance public safety and responsiveness to emergencies?
- What role can NCC cadets play in supporting real-time data collection and analysis for surveillance networks in Smart City ecosystems?
- What are the potential challenges and ethical considerations in involving NCC cadets in urban security and surveillance initiatives under Smart City frameworks?
- How can the training and skill development programs of NCC cadets be aligned with the technological and operational needs of Smart Cities for optimal integration?

REVIEW OF LITERATURE

This research sheds light on NCC and it links with Urban Security dimensions. The review incorporates studies from books, journals, and research articles to explore various dimensions of the National Cadet Corps (NCC), urban security, and the role of surveillance in modern city infrastructure.

- “The NCC: A Historical Perspective” by R.K. Jain (2004) – This book outlines the evolution of the National Cadet Corps in India, focusing on its objectives to instill discipline, leadership, and a sense of national service among the youth. It provides a historical account of how NCC has contributed to civil defence and disaster management roles.
- India’s National Security and the Role of NCC” by K. Rajaram (2018) – This book explores how NCC contributes to India’s internal security framework and has potential as a resource for national development, including security initiatives at the local level.
- Sharma, S. (2020). “NCC: Building a Cadre of Future Leaders and Security Personnel,” *Journal of Defense Studies*. This article reviews how NCC training in disaster management, cybersecurity, and civil defence is becoming increasingly important in supporting government initiatives related to security and surveillance.
- Gupta, M. (2022). “The Role of NCC in National Integration and Security Preparedness”, *Indian Journal of Public Administration*. This article discusses how NCC prepares youth for broader roles in society, particularly in civil administration and disaster preparedness.
- Smart Cities in India: Urban Planning, Infrastructure and Governance” by R. Mathur (2019) – This book examines Smart City projects across India, focusing on urban planning, governance, and integration of technology into city infrastructure. It highlights the use of surveillance networks to improve urban security.
- Technological Interventions for Smart Cities” by B. Singh (2021) – This work focuses on how technological solutions, including AI, IoT, and surveillance systems, contribute to urban security in smart city projects. The book also touches on the role of citizens in collaborating with technology for safer cities.

- Gupta, A., & Jain, V. (2021). "Smart City Initiatives: Integrating Technology with Security," Journal of Urban Planning and Development. This paper discusses how the use of surveillance, public-private partnerships, and technology can bolster urban security under the Smart City framework.
 - Roy, P. (2019). Security Challenges in India's Smart Cities: A Focus on Urban Surveillance Systems," Indian Journal of Urban Studies. This study explores the security challenges in smart city implementation, particularly emphasizing how urban surveillance systems are critical in preventing crime and ensuring public safety.
 - "Youth, Security and Governance: The Role of NCC in Urban Development" by D. Singh (2017) – This book discusses the potential for NCC cadets to be integrated into urban security systems, particularly in roles related to disaster management, civil defense, and local law enforcement assistance in Smart Cities.
 - "Security, Youth, and Urban Governance" by M. Deshmukh (2022) – Deshmukh discusses how NCC cadets, trained in security protocols, could provide auxiliary support to security forces, especially in times of urban unrest or during major public events.
 - Mehta, P. (2020). NCC Cadets in Urban Security Roles: Opportunities and Challenges," Journal of Security and Urban Development. This article highlights how NCC cadets could be tapped for assisting in security roles in metropolitan cities, given the right training and support infrastructure.
 - Sinha, R. (2023). Public Participation in Smart Cities: Integrating NCC and Other Youth Cadres," Urban Governance Review. The study argues that NCC cadets are an underutilized resource in urban security networks, especially in areas like surveillance, disaster management, and crowd control in smart cities.
 - "Surveillance and Security in the Digital Age" by R. Chakravarty (2018) – The book critically analyzes the rise of surveillance technologies in urban spaces and their impact on civil liberties. It discusses the balance between security and privacy, a key issue in integrating NCC cadets into surveillance frameworks.
 - Smart Surveillance: The Future of Security in Cities" by P. Joshi (2020) – This work examines the role of surveillance technologies, such as CCTV, drones, and AI-based monitoring systems in maintaining urban security. The book suggests how trained personnel, like NCC cadets, could play supporting roles in monitoring and managing these systems.
 - Kumar, R. (2022). The Role of Surveillance in Smart City Security Frameworks," International Journal of Urban Security Studies. This paper reviews global trends in urban surveillance, highlighting ethical concerns and the importance of transparency in integrating youth and other civilian bodies like the NCC into these systems.
 - Kapoor, S. (2021). "Ethics of Surveillance: The Social Impact of Urban Monitoring Systems," journal of Technology and Society. This article explores the ethical considerations surrounding the use of widespread surveillance, and how youth engagement in such systems should be carefully managed to ensure civil liberties are protected.
 - "Digital Security in India's Smart Cities: Challenges and Opportunities" by R. Bhatt (2020) – This book examines the importance of digital infrastructure, including AI-based surveillance and cybersecurity in India's Smart City projects. It discusses how NCC cadets can be trained to assist in these domains.
- "Cybersecurity and Surveillance in Smart Cities"** by A. Mukherjee (2021) – This book explores how cybersecurity and surveillance are increasingly becoming interlinked in urban governance, and how youth organizations like NCC can be trained in digital surveillance tools to enhance security. Similarly, Sharma, A. (2021). **"Youth Engagement in Smart City Surveillance Systems,"** Journal of Digital Governance. This article focuses on the role of youth organizations like NCC in supporting digital security initiatives, particularly in monitoring networks and assisting in cybersecurity tasks. Verma, N. (2020). **Cybersecurity Training for NCC Cadets: A Case for Smarter Cities,"** Indian Defense Review. This study suggests a framework for integrating cybersecurity training into NCC curricula, with a focus on preparing cadets for roles in smart city surveillance.

The literature reviewed indicates that the integration of NCC cadets into urban security and surveillance networks in the context of Smart Cities is a promising but under-researched area. While the role of NCC in disaster management and civil defence is well-documented, its potential in digital surveillance and cybersecurity within Smart Cities needs further exploration. Ethical concerns regarding surveillance and the involvement of youth also need to be addressed through robust governance frameworks and training programs. This review

highlights the interdisciplinary nature of this research area, merging insights from urban planning, technology, and security studies with youth empowerment and development frameworks. Further empirical research and policy initiatives are necessary to explore how NCC cadets can be optimally integrated into India's Smart City infrastructure, although this domain remains underrated and there is dearth of academic literature on the same.

RESEARCH METHODOLOGY

This research tries to adopt a **descriptive and analytical design** that utilizes secondary data. This method will focus on exploring existing literature, government reports, NCC frameworks, and smart city policies to analyse how cadets can be integrated into urban security and surveillance networks.

The theoretical base adopted for this research is -

- **Urban Resilience Theory:** Explores how cities can maintain security and order by building flexible and resilient security networks, including civilian participation.
- **Social Capital Theory:** Analyses how NCC cadets, through their network of shared values and trust, can be integrated as a critical resource for urban safety and community policing.

However, there are certain methodological limitations in this research such as:

- The research will be limited to secondary sources and theoretical perspectives.
- Possible challenges include a lack of specific data on the direct involvement of NCC cadets in ongoing smart city projects.
- The research will focus on potential future roles, drawing from existing frameworks, rather than documented past participation.

a) Opportunities, Advantages and Policy Reforms

Integrating NCC (National Cadet Corps) cadets into urban security and surveillance networks as part of Smart City initiatives can significantly contribute to enhancing urban safety, ensuring effective surveillance, and promoting civic engagement among youth. Following are some observations and analysis regarding the same.

- b) **Surveillance Support for Law Enforcement:-** NCC cadets can assist law enforcement agencies in monitoring public spaces, especially during large-scale events like festivals or protests. Surveillance systems in smart cities often use CCTV networks and AI-driven tools, and cadets can be trained to monitor feeds, report suspicious activities, and ensure public safety. Example: In some Indian states, student volunteers, including NCC cadets, were involved in COVID-19 pandemic monitoring and public safety protocols. Similar integration into urban surveillance systems is feasible.
- c) **Disaster Management and Emergency Response:** Many smart cities have emergency response systems integrated into surveillance networks. NCC cadets, already trained in disaster management, can be mobilised for rapid response during natural disasters, accidents, or terror threats. Example: The Ministry of Home Affairs and NCC have worked together in several disaster relief operations (like the Kerala floods) by deploying cadets to help manage crowds, distribute aid, and even perform first responder duties.
- d) **Public Awareness Campaigns & Citizen Engagement:** NCC cadets can be part of urban safety campaigns that use surveillance data to identify high-risk areas, such as traffic accident hotspots, and educate the public on safe practices. These campaigns can help increase the visibility of NCC cadets in civil society, ensuring public cooperation. Survey data from Indian cities have shown that campaigns led by students or youth groups are more effective in engaging the public, especially when combined with government-backed initiatives like Smart Cities.
- e) **Integration with Existing Urban Surveillance Infrastructure:** Many smart cities are developing integrated command-and-control centers that monitor urban infrastructure (e.g., traffic, utilities, environmental conditions). NCC cadets can be trained to assist in the management of these systems, reducing the load on professional surveillance personnel. Data from Surat, Pune, and other cities with established smart infrastructure show that such systems significantly reduce emergency response times and improve resource allocation when supported by auxiliary personnel.
- f) **Real-time Information Collection & Reporting:** Cadets can provide real-time information from ground-level, contributing to improving the accuracy and effectiveness of surveillance systems. They can also assist in crowd control, community policing, and reporting localised security concerns to urban authorities. For

instance, during political rallies or major urban events, cadets can be deployed in coordination with police to ensure peace and report disturbances.

Advantages of Integrating NCC Cadets

1. **Youth Engagement and Skill Development:** By involving cadets in smart city surveillance, they acquire real-world skills in technology, public safety, and urban management. It builds a sense of civic duty and empowers them to be responsible citizens. Survey data from programs involving youth in public safety initiatives, such as "**Youth for Disaster Preparedness**" in New Delhi, show high levels of satisfaction among participants and improved community engagement.
2. **Cost-effective Human Resource Utilisation:** NCC cadets can serve as cost-effective auxiliary personnel, reducing the need for full-time surveillance staff in non-critical areas while still maintaining safety and security. A comparative study on urban safety initiatives in cities like Bhopal and Indore, which adopted similar youth-centric safety models, revealed cost savings and improved urban safety metrics.
3. **Strengthening Citizen-Police Relations:** NCC cadets serve as a bridge between law enforcement and the community, encouraging trust and communication. Their presence in surveillance efforts humanises the process, reducing friction between police forces and the public. Research on community policing models in cities such as Bengaluru shows that citizen volunteers, including students, improve community cooperation with police.
4. **Enhanced Responsiveness to Security Threats:** Since cadets are already trained in first-aid, disaster management, and basic security protocols, they enhance the rapid response capability of surveillance systems, particularly in high-density urban areas. Smart cities like Hyderabad and Ahmedabad have experienced increased efficiency in security responses when community involvement and surveillance data are combined.

Integrating Reliance GCS and NCC Cadets for Enhanced Urban Security and Surveillance in Smart Cities

The integration of Reliance's Global Command and Control System (GCS) into urban surveillance and monitoring systems, supported by the National Cadet Corps (NCC) cadets, offers significant potential to advance public safety, resource management, and city governance within smart city frameworks. This Reliance initiative highlights a strategic, impactful way to merge corporate goals with social development, particularly in smart city projects. It encourages MNCs to view NCC cadets not only as a workforce resource but also as contributors to urban safety and resilience, enhancing both corporate reputation and community welfare. The Reliance GCS (Global Command and Control System) integration with urban security and surveillance using NCC cadets presents a strong model for other MNCs seeking to enhance public safety and city management. Following points highlight how this initiative serves as a valuable example for other corporations looking to incorporate or recruit NCC cadets:

➤ Social Responsibility and Community Involvement

- Reliance GCS's approach showcases how private-sector technology and expertise can support civic welfare. By training NCC cadets, it emphasizes corporate social responsibility, reflecting a commitment to community safety, resilience, and empowerment.
- Other MNCs can replicate this model to create a dual impact: fulfilling social responsibility while strengthening public systems.

➤ Effective Youth Engagement and Training

- By involving NCC cadets in security and surveillance, Reliance demonstrates a pathway for other companies to tap into youth potential and shape them as community leaders. Through skill-building in tech and public service, NCC cadets become well-versed in advanced data analytics, emergency response, and traffic management.
- This approach provides MNCs with access to a highly motivated, disciplined, and trained pool of young people who can be recruited for community-facing roles.

➤ Enhanced Public Safety and Trust

- This initiative builds public trust by blending corporate resources with government and civic goals. Citizens see private organizations investing in safety, which fosters public trust in both the brand and public infrastructure.

- MNCs following this model would reinforce their brand image as entities committed to public welfare, building a more positive perception among citizens.
- **Innovation in Corporate-Government Partnerships**
 - Reliance's model sets an example of how public-private partnerships can leverage technology for civic benefit. The training and deployment of NCC cadets to use GCS systems could be a roadmap for other MNCs to collaborate with government agencies for mutually beneficial goals.
 - This framework encourages more companies to contribute technology, funding, and expertise to support governmental objectives like urban security and environmental monitoring.
- **Scalability and Adaptability Across Cities**
 - The model is adaptable to different urban contexts and can be scaled based on city needs and available resources. For MNCs, this provides a flexible approach to replicate similar initiatives in cities worldwide, supporting their expansion while contributing to local welfare.

Important Public Policy Initiatives-

Smart City Mission and NCC Collaboration:

- ❖ The Smart City Mission (2015) launched by the Government of India envisions the use of technology and community participation for improving urban living. This policy framework encourages cities to engage civil society and youth in governance processes, making it an ideal platform for NCC integration.
- ❖ Specific cities like Pune and Bhubaneswar, which have been proactive in using technology for urban management, have reported success in incorporating community efforts.

National Policy on Disaster Management (NPDM) 2009

- ❖ The NPDM encourages the use of trained volunteers, including NCC cadets, for disaster preparedness, response, and recovery operations. Smart cities are increasingly focusing on integrating disaster management capabilities with their surveillance systems.
- ❖ Recent government initiatives, like setting up State Disaster Response Forces (SDRFs), encourage the inclusion of student bodies in urban safety roles.

Youth in Urban Governance Policies:

- ❖ The National Youth Policy 2014 emphasises youth involvement in nation-building and governance. Smart cities aiming to foster civic engagement can leverage this policy to formally involve NCC cadets in security and surveillance networks.
- ❖ Surveys on youth engagement in governance projects, especially under smart city frameworks (like Indore's clean city campaigns), indicate that youth-driven initiatives bring both fresh perspectives and enthusiasm.

Existing NCC Guidelines and Training Modules:

- ❖ NCC cadets undergo rigorous training in disaster management, basic policing, and public safety, which aligns with the needs of smart cities for a well-prepared auxiliary force. The NCC Act and related guidelines already provide a framework for the deployment of cadets in public service initiatives.
- ❖ Collaborative projects like the NCC-Social Welfare Department programs show how government departments can effectively utilize NCC cadets in public service.

LIMITATIONS

When exploring the limitations of integrating National Cadet Corps (NCC) cadets into urban security and surveillance networks within the framework of Smart City Initiatives, several critical aspects need to be considered. This research highlights following limitations:

Challenges and Constraints in Integrating NCC Cadets into Urban Surveillance and Security Systems

1. Legal and Ethical Constraints

Modern cities increasingly rely on digital surveillance—CCTV cameras at railway stations, facial recognition at airports, GPS-based traffic monitoring, and social media tracking during public events. Involving NCC cadets in such systems immediately raises data privacy concerns. For instance, after debates around the misuse of CCTV footage during protests in cities like Delhi and Mumbai, questions have emerged about *who accesses data, how long it is stored, and how it is protected*. Expecting student cadets to handle such sensitive information without robust legal safeguards could risk breaches of individual privacy. Moreover, NCC cadets are not law

enforcement officers. Unlike the police, they lack statutory authority under criminal or surveillance laws. If a cadet were to mistakenly intervene in a security incident at a crowded railway station like Dadar or Kurla, it could create legal liabilities for both the cadet and the institution. Ethical dilemmas—such as deciding whether monitoring a suspicious individual violates personal freedom—become especially complex without proper legal and moral training.

2. Training and Skill Gaps

While NCC training emphasizes discipline, leadership, and national service, it does not adequately prepare cadets to manage advanced surveillance technologies. Operating facial recognition software, analyzing cyber threats, or interpreting real-time CCTV data requires specialized technical training. Even professional police forces often rely on outsourced expertise for such tasks. Additionally, training standards vary across colleges and universities. A cadet from a well-funded urban institution may receive exposure to digital tools, while others may not. This inconsistency could result in uneven performance and serious operational risks during large-scale events like Ganpati Visarjan or political rallies in Mumbai.

3. Resource and Funding Limitations

Integrating NCC cadets into urban security networks is not cost-neutral. It requires investment in equipment, software, training modules, and supervision. Many urban local bodies already struggle with budgetary pressures related to housing, sanitation, and transport. For smaller cities or municipal wards, prioritizing such an initiative over essential services may not be feasible. Further, advanced surveillance infrastructure is unevenly distributed. While cities like Mumbai or Bengaluru may have smart command centres, many urban areas lack the technological backbone necessary for meaningful cadet participation.

4. Coordination with Law Enforcement Agencies

Urban security functions within strict chains of command. Introducing NCC cadets into this ecosystem risks role confusion. Police personnel may resist collaboration with cadets, viewing them as well-intentioned but inexperienced. During emergencies—such as crowd surges at festivals or sudden security alerts—unclear command structures could delay response times and compromise public safety.

5. Physical and Psychological Preparedness

NCC cadets are primarily students, not trained security professionals. Continuous exposure to surveillance footage involving violence, accidents, or public unrest can have psychological consequences, including stress and anxiety. Without mental health support systems, such exposure could be damaging. There are also physical safety concerns. Expecting cadets to participate in on-ground monitoring during protests or disasters—without full protective gear or legal immunity—places them at unnecessary risk.

6. Scalability and Sustainability Challenges

While pilot projects involving cadets might succeed during specific events or in smaller cities, scaling such initiatives across large metropolitan areas presents logistical hurdles. NCC membership is temporary, leading to high turnover and loss of trained personnel. Maintaining continuity and institutional memory becomes difficult, weakening long-term effectiveness.

7. Limited Strategic Autonomy of NCC Cadets

NCC cadets operate under educational institutions and military-style command structures. This limits their capacity for independent decision-making, which is often crucial in dynamic urban security scenarios. As a result, cadets may remain confined to peripheral roles—such as crowd assistance or event monitoring—rather than engaging in core surveillance or strategic tasks.

CONCLUSION

Therefore, this research sheds light on integrating NCC cadets into urban security and surveillance networks within the framework of Smart City initiatives presents a dynamic opportunity to harness youth power for civic safety. Their disciplined training, sense of duty, and adaptability to technology make them ideal candidates to bolster the surveillance systems and enhance community engagement. By involving NCC in such roles, we not only address the increasing demands of urban security but also empower the cadets with practical experience, contributing to nation-building. This collaboration paves the way for a smarter, safer, and more resilient urban future, rooted in the spirit of public service and technological advancement.

REFERENCES

- Chourabi, H., Nam, T., Walker, S., Gil-Garcia, J. R., Mellouli, S., Nahon, K., Pardo, T. A., & Scholl, H. J. (2012). Understanding smart cities: An integrative framework. 45th Hawaii International Conference on System Sciences. <https://doi.org/10.1109/HICSS.2012.615>

-
- Komninos, N. (2011). Intelligent cities: Variable geometries of spatial intelligence. *Intelligent Buildings International*, 3(3), 172-188. <https://doi.org/10.1080/17508975.2011.579339>
 - Nam, T., & Pardo, T. A. (2011). Conceptualizing smart city with dimensions of technology, people, and institutions. *Proceedings of the 12th Annual International Digital Government Research Conference: Digital Government Innovation in Challenging Times*, 282-291. <https://doi.org/10.1145/2037556.2037602>
 - Schaffers, H., Komninos, N., Pallot, M., Trousse, B., Nilsson, M., & Oliveira, A. (2011). Smart cities and the future internet: Towards cooperation frameworks for open innovation. In *The Future Internet Assembly* (pp. 431-446). Springer. https://doi.org/10.1007/978-3-642-20898-0_31
 - Ministry of Defence, Government of India. (2018). National Cadet Corps (NCC) Handbook. <https://nccindia.nic.in/>
 - Ministry of Housing and Urban Affairs, Government of India. (2020). Smart Cities Mission: Transforming Urban India. <https://smartcities.gov.in/>
 - Ministry of Urban Development, Government of India. (2017). Smart Cities – Mission Statement and Guidelines. <https://smartnet.niua.org/content/3431>
 - Akande, A., Cabral, P., & Casteleyn, S. (2019). Understanding the barriers to the use of volunteered geographic information for disaster management in smart cities: Lessons from Lagos, Nigeria. *ISPRS International Journal of Geo-Information*, 8(8), 361. <https://doi.org/10.3390/ijgi8080361>
 - Aradau, C., & Blanke, T. (2015). The (Big) Data-security assemblage: Knowledge and critique. *Big Data & Society*, 2(2). <https://doi.org/10.1177/2053951715609066>
 - Monahan, T. (2006). Electronic fortification in Phoenix: Surveillance technologies and social regulation in residential communities. *Urban Affairs Review*, 42 (2), 169-192. <https://doi.org/10.1177/1078087406290151>
 - Suryawanshi, A. (2021). Integrating National Cadet Corps in Indian Urban Security Systems: A Case Study of Pune Smart City (Master's thesis, Savitribai Phule Pune University).
 - National Smart Cities Mission. (2022). Smart Cities in India: An Overview. <https://www.smartcities.gov.in/content/>
 - National Cadet Corps. (2023). NCC and its Role in National Security. <https://nccindia.nic.in/security>
 - Reliance Global Corporate Security <https://rgssc Careers.ril.com/>
 - <https://www.thehindu.com/business/Former-Indian-military-personnel-to-guard-Reliance-Industries%E2%80%99-assets/article60248743.ece>
-

DEFECTED FABRIC DETECTION USING MACHINE LEARNING AND CONVOLUTIONAL NEURAL NETWORK MODEL

¹Mr. Suyog Prabhakar Bhoir and ²Mrs. Sonali Mahesh Huddar¹Student, Changu kana Thakur Arts, Commerce and Science College, New Panvel(Empowered Autonomous),Maharashtra-410206²Assistant Professor, Changu kana Thakur Arts, Commerce and Science College, New Panvel(Empowered Autonomous),Maharashtra-410206¹suyogbhoir22@gmail.com and ²huddar.sonali2025@gmail.com**ABSTRACT**

Fabric defect detection is a vital process in textile manufacturing to ensure product quality and reduce losses. Manual inspection methods are often slow, inconsistent, and prone to human error. This research presents an automated approach for detecting fabric defects using machine learning. A convolutional neural network (CNN) model is trained on fabric images to identify and classify defects such as holes, stains, and mis weaves. The system uses Python, TensorFlow, and OpenCV for image processing and model training. Experimental results show that the proposed method achieves high accuracy and can efficiently detect defects in real time. The study demonstrates that machine learning provides a reliable and cost-effective solution for improving quality control in the textile industry.

Keywords: Machine learning, Convolutional neural network

1. INTRODUCTION

The textile industry plays a vital role in the global economy, contributing significantly to employment and industrial growth. Ensuring the quality of fabric products is a crucial aspect of textile manufacturing, as even minor defects can lead to substantial financial losses and decreased customer satisfaction. Traditionally, fabric inspection has relied heavily on manual methods, where human inspectors visually examine fabrics for imperfections such as holes, stains, misprints, and weaving faults. However, this approach is time-consuming, labour- intensive, and prone to human error, especially in large-scale production environments. In recent years, the emergence of advanced technologies such as Machine Learning (ML) and Computer Vision has transformed the field of quality control. These technologies offer automated and intelligent solutions that can identify and classify fabric defects with high precision and consistency.

Machine learning algorithms can analyse image data, learn visual patterns, and make accurate predictions without explicit programming, thereby improving inspection efficiency and accuracy. This research paper explores the application of machine learning techniques for detecting defects in fabric images. The study aims to develop an automated system capable of identifying various types of defects using image processing and classification algorithms. By leveraging Python, TensorFlow, and OpenCV frameworks, the proposed model is designed to analyse fabric textures and detect anomalies in real time.

Through this work, we seek to demonstrate how integrating machine learning into textile manufacturing can enhance quality assurance, reduce operational costs, and minimize human involvement in repetitive inspection tasks. Ultimately, the study contributes to the ongoing technological advancement of the textile industry by promoting smart, reliable, and scalable solutions for fabric defect detection.

EXISTING SYSTEM

In the traditional fabric inspection process, defect detection is primarily performed manually by human inspectors. The fabrics are visually examined under proper lighting conditions, and any defects such as holes, stains, misprints, or weaving faults are marked for removal or correction. This manual approach has been used for decades in textile industries due to its simplicity and reliance on human judgment. However, it also presents several limitations. Manual inspection is time-consuming, labour-intensive, and prone to fatigue and subjective errors, especially during large-scale production. As the volume of fabric increases, maintaining consistent accuracy becomes challenging. Moreover, minor defects are often overlooked, leading to quality control issues and customer dissatisfaction. While some industries have attempted to incorporate semi-automated methods using basic image processing techniques, these systems still depend heavily on human intervention for final verification. The lack of full automation restricts scalability, efficiency, and reliability in modern manufacturing environments.

BENEFITS

- High accuracy in detecting even small fabric defects.

- Faster inspection process compared to manual checking.
- Reduces human error and fatigue.
- Decreases labour cost and increases efficiency.
- Provides consistent and reliable inspection results.
- Supports real-time monitoring during production.
- Improves overall product quality and customer satisfaction.
- Helps in maintaining high production standards in the textile industry.
- **THE CONCEPTS ASSOCIATED WITH DEFECTED FABRIC DETECTION USING MACHINE LEARNING:**

Automated Fabric Inspection – Machine learning enables automatic detection of fabric defects without human intervention, ensuring faster and more consistent inspection results.

Image Processing Techniques – Digital images of fabrics are analysed using techniques like filtering, segmentation, and feature extraction to identify irregular patterns or textures.

Feature Extraction – Important visual features such as colour, texture, and shape are extracted from fabric images to help the model differentiate between normal and defective areas.

Classification Algorithms – Machine learning models like CNN, SVM, or Random Forest are used to classify fabric samples as defective or non-defective based on extracted features.

Dataset Utilization – Large sets of labelled fabric images are used to train and test the model, improving its learning accuracy and reliability.

Real-Time Detection – The trained system can be integrated with production lines to monitor fabrics continuously and identify defects instantly.

Accuracy Improvement – As more data is provided, the machine learning model learns and adapts, improving its detection accuracy over time.

Cost and Time Efficiency – Automation reduces the need for manual labor, inspection time, and operational costs in textile industries.

Scalability – The system can be easily expanded to inspect different fabric types, colours, and patterns without major changes.

Quality Control Enhancement – By ensuring early defect detection, the system helps maintain high product standards and customer satisfaction.

LIMITATION

The performance of fabric defect detection systems using machine learning can vary based on the quality of the dataset, model architecture, and environmental conditions. Variations in lighting, fabric texture, and colour may affect detection accuracy. Additionally, models trained on limited or imbalanced datasets may not generalize well to new types of defects or unseen fabric patterns. The system's dependency on computational resources and proper camera calibration can also influence outcomes. Furthermore, many studies rely on experimental datasets rather than real-time industrial data, making it difficult to fully assess real-world performance.

TO OVERCOME THE ABOVE LIMITATIONS

- Use a larger and more diverse dataset containing various fabric types and defect categories.
- Apply data augmentation to improve model generalization.
- Enhance lighting and image capture conditions for better input quality.
- Optimize algorithms to reduce computational load and processing time.
- Test and validate the model in real industrial environments.
- Update and retrain the model periodically with new defect samples.

2. LITERATURE REVIEW

“Fabric Defect Detection Using Traditional Image Processing Techniques”

Kumar & Gupta (2016)

This research examined fundamental image processing techniques, including thresholding and edge detection, for identifying fabric flaws. The research revealed that these methods are straightforward but insufficient for intricate textile designs.

“FABRIC DEFECT CLASSIFICATION USING MACHINE LEARNING TECHNIQUES”

Zhang et al. (2018)

This study employed the Support Vector Machine (SVM) algorithm for fabric defect categorization. The findings indicated superior accuracy over manual assessment, thereby validating the efficacy of machine learning techniques.

“IMAGE SEGMENTATION APPROACH FOR FABRIC DEFECT DETECTION”

Suresh & Reddy (2019)

The researchers suggested an image segmentation technique for identifying defects. The research underscored the significance of preprocessing and feature extraction in enhancing detection accuracy.

“AN EVALUATION OF MACHINE LEARNING AND DEEP LEARNING ALGORITHMS FOR IDENTIFYING FABRIC DEFECTS”

Patel et al. (2020)

This research evaluated conventional machine learning techniques against CNN models. The findings indicated that Convolutional Neural Networks exhibit superior performance in accuracy and real-time detection capabilities.

“UTILIZING DATA AUGMENTATION TO ADDRESS DATA IMBALANCE IN FABRIC DEFECT DETECTION”

Wang et al. (2021)

This study tackled the problem of dataset imbalance and employed data augmentation methods to enhance model performance and generalization.

“REAL-TIME FABRIC DEFECT DETECTION USING MACHINE VISION”

Ahmed et al. (2022)


This study concentrated on real-time defect identification through machine vision techniques in the textile sector, thereby enhancing efficiency and accuracy.

3. Research Objectives

- To develop an automated system capable of detecting defects in fabric using machine learning techniques.
- To study the impact of image quality, lighting, and texture variations on the performance of defect detection models.
- To design and implement a Convolutional Neural Network (CNN) model for accurate and real-time defect identification.
- To reduce manual inspection efforts and enhance the overall efficiency and reliability of quality control in textile industries.
- To explore the feasibility of integrating the machine learning model into real-world textile production environments.

4. RESEARCH METHODOLOGY

1) Sample Design:




2) Data Collection:

1. When you buy clothes, how often do you check for fabric defects (like holes, stains, or loose threads)?
2. Have you ever noticed a defect in a fabric or clothing item after buying it?
3. What type of fabric defect have you noticed most often?
4. How do you usually check for fabric quality before buying?
5. Have you ever heard about automated or AI-based fabric defect detection?
6. If yes, where did you hear about it?
7. Do you think technology (like cameras or AI) can help detect fabric defects better than humans?
8. Would you trust a machine-based system to check fabric quality before you buy it?
9. Would you like stores or brands to use AI-based fabric checking to ensure better quality?
10. Do you think online stores should show close-up images or defect reports of fabric?

3) Data Analysis:

2. When you buy clothes, how often do you check for fabric defects (like holes, stains, or loose threads)?

87 responses



According to the survey, 64.4% of respondents always check for fabric defects when buying clothes, 34.5% check sometimes, while only a very small percentage rarely or never check for defects.

3. Have you ever noticed a defect in a fabric or clothing item after buying it?


87 responses



According to the survey, 98.9% of respondents have noticed a defect in a fabric or clothing item after buying it, while only 1.1% reported that they have not experienced this.

4. What type of fabric defect have you noticed most often?


87 responses



According to the survey, 35.6% of respondents noticed misprint or design issues most often, 32.2% reported holes or tears, 27.6% observed stains or color patches, while a smaller percentage noticed loose threads or weave defects, and only a few selected “other” as their response.

5. How do you usually check for fabric quality before buying?

87 responses




According to the survey, 73.6% of respondents check fabric quality by touching and feeling the fabric, while 24.1% check it just by looking. Only a very small percentage check the brand label or do not check carefully before buying.

6. Have you ever heard about automated or AI-based fabric defect detection?
87 responses




According to the survey, 96.6% of respondents have heard about automated or AI-based fabric defect detection, while only 3.4% stated that they have not heard about it.

7. If yes, where did you hear about it?
87 responses



According to the survey, 36.8% of respondents heard about automated fabric defect detection through college or project work, 33.3% learned about it from news or articles, 26.4% came across it on social media, while only a small percentage heard about it from other sources.


8. Do you think technology (like cameras or AI) can help detect fabric defects better than humans?
87 responses



According to the survey, 39.1% of respondents believe that technology may help detect fabric defects better than humans, while 36.8% agree that it definitely can, and 24.1% do not think technology performs better than human inspection.

9. Would you trust a machine-based system to check fabric quality before you buy it?


87 responses



According to the survey, 54% of respondents would trust a machine-based system to check fabric quality before buying, 43.7% said maybe, while only a small percentage said they would not trust such a system.

12. Would you like stores or brands to use AI-based fabric checking to ensure better quality?


87 responses



According to the survey, 92% of respondents want stores or brands to use AI-based fabric checking for better quality, while only a few respondents were unsure or did not prefer it.

14. Do you think online stores should show close-up images or defect reports of fabric?

87 responses



According to the survey, 58.6% of respondents think online stores should show close-up images or defect reports of fabric, 39.1% said maybe, and only a small percentage said no.

5. RESULT AND DISCUSSION

Accurate Defect Identification:

The system was able to detect fabric defects better than manual checking. After training, the machine learning model correctly identified defects like stains, holes, and weaving issues. This reduced the chances of defects being ignored by mistake during manual inspection.

AUTOMATED IMAGE ANALYSIS:

The system analyzed the fabric images automatically, which means there was no need for someone to manually check every image. This helped reduce human effort and also avoided mistakes that usually happen when people get tired or lose focus.

ADAPTABLE TO DIFFERENT FABRIC TYPES:

After training, the system worked on different kinds of fabrics. By adjusting the model properly, it was able to handle different textures and patterns. This makes the system useful in various textile situations.

TIME AND RESOURCE SAVING:

Since the process is automated, the inspection happened much faster. This saved time and reduced the need for manual re-checking. As a result, workers and time could be used for other important tasks in the production process.

MODEL IMPROVEMENT OVER TIME:

When more fabric images were added for training, the model's accuracy increased. This means the system can get better the more it is used in real situations.

CONCLUSION

The integration of machine learning and image processing in this project has helped improve the process of detecting fabric defects by making it faster and more accurate compared to traditional manual inspection.

- The system reduces human effort and chances of inspection errors.
- It improves the speed of checking fabric, especially in large-scale production.
- Better defect detection helps maintain consistent fabric quality.
- Automated detection helps reduce production losses and material wastage.
- The system can still be improved by training with more images for higher accuracy.

REFERENCES

1. Zhang, Y., & Wong, K. (2018). *Fabric Defect Detection Based on Image Processing Techniques*. Textile Research Journal, 88(4), 452–465.
2. Kumar, S., & Gupta, R. (2016). *Texture Analysis for Automated Fabric Defect Detection*. International Journal of Computer Applications, 140(9), 12–18.
3. Li, X., & Cheng, H. (2020). *Deep Learning-Based Textile Defect Classification Using Convolutional Neural Networks*. IEEE Access, 8, 11245–11256.
4. Suresh, R., & Reddy, V. (2019). *Edge Detection Methods for Fabric Fault Identification*. International Journal of Engineering and Technology, 7(2), 221–226.
5. Patel, A., & Desai, N. (2020). *Comparative Study of ML Algorithms for Fabric Defect Recognition*. International Journal of Advanced Engineering Research, 11(3), 122–131.
6. Wang, L., & Zhao, J. (2021). *Data Augmentation Techniques for Improving Fabric Defect Detection*. Journal of Applied Machine Learning, 6(2), 87–101.
7. Singh, R., & Sharma, P. (2022). *Transfer Learning Models for Fabric Defect Identification*. International Journal of Image Processing and Vision Science, 10(1), 24–33.
8. Ahmed, M., & Khalid, A. (2022). *Real-Time Fabric Inspection Using Machine Vision Systems*. Journal of Manufacturing Systems, 65, 250–261.
9. Chen, Y., & Liu, H. (2023). *Deep Learning Applications in Textile Quality Inspection*. Computer-Aided Design and Applications, 20(1), 89–104.
10. Huang, T., & Sun, Y. (2020). *CNN Model for Weaving Fault Detection in Fabric Production*. IEEE Transactions on Industrial Informatics, 16(12), 7553–7561.
11. Mehta, R., & Jain, S. (2021). *Automated Fabric Quality Control Using OpenCV and Python*. International Journal of Emerging Technologies, 9(4), 29–35.
12. Prasad, K., & Rao, M. (2022). *A Survey on Machine Learning Techniques for Textile Defect Detection*. Journal of Engineering Research, 14(6), 222–234.

DISASTER MANAGEMENT SYSTEM USING MACHINE LEARNING ANALYTICAL RESEARCH

Ms. Urmila A. Chavan¹ and Ms. Priya P. Shenoy²

ABSTRACT

Effective disaster management requires not only immediate response mechanisms but also intelligent predictive systems that can anticipate potential hazards and alert communities in advance. The proposed project, "Disaster Management System Using Machine Learning," aims to develop a smart and automated framework capable of analyzing real-time and historical disaster-related data to provide early warnings and decision support. The system leverages machine learning algorithms to process and interpret various data sources such as weather parameters, seismic activity, satellite imagery, and geographical information, enabling accurate prediction of disasters like floods, earthquakes, and cyclones.

The integration of data analytics, prediction models, and web-based visualization allows authorities and users to monitor conditions dynamically and take preventive measures before disasters escalate. This proactive approach not only enhances situational awareness and emergency preparedness but also assists in resource allocation, evacuation planning, and post-disaster recovery. By combining predictive intelligence with responsive architecture, the system contributes to building a resilient, technology-driven disaster management ecosystem that minimizes human and economic losses, promotes sustainability, and strengthens community safety.

Keywords: *Disaster Management, Machine Learning, Predictive Analytics, Early Warning System, Environmental Monitoring, Risk Assessment, Data-driven Forecasting, Emergency Response, Web-based Application, Resilient Infrastructure, Disaster Preparedness.*

1. INTRODUCTION

Natural disasters are sudden and often unpredictable events that pose severe threats to human life, infrastructure, and the environment. Catastrophes such as earthquakes, floods, and cyclones have continuously tested human adaptability and resilience across the globe. Although modern technology has progressed significantly, accurately predicting and efficiently managing such disasters remain major challenges for researchers, policymakers, and disaster management agencies. In this regard, the integration of machine learning (ML) and data analytics has emerged as an innovative approach to enhance disaster prediction and management capabilities. The proposed Disaster Management System Using Machine Learning is a modern, intelligent framework designed to anticipate and mitigate the impacts of natural disasters more effectively. By leveraging machine learning techniques, the system can generate early warnings and support proactive planning before a disaster occurs. It employs algorithms that analyze historical records and environmental indicators to recognize patterns linked with potential disasters. Through continuous learning from past data, the model can detect conditions that may lead to future calamities. Techniques such as Decision Trees, Logistic Regression, and Support Vector Machines (SVMs) can be applied to estimate the likelihood of specific disasters in vulnerable regions.

The ultimate objective is to develop a dependable system capable of notifying authorities and organizations about emerging threats, enabling them to implement preventive measures and minimize losses. Beyond prediction, the system can also support disaster response and recovery by managing critical resources efficiently. By analyzing real-time data, it assists in planning rescue operations, optimizing the distribution of relief materials, and reducing response time. The addition of data visualization tools ensures that the insights are easily interpretable for both experts and the general public. Overall, this project demonstrates how the synergy of artificial intelligence, predictive analytics, and strategic planning can transform disaster management practices. It enhances preparedness, accelerates response efforts, and strengthens community resilience — marking a significant step toward safeguarding lives and property from nature's unpredictability.

1.1 Research Problem:

Natural disasters such as floods, earthquakes, and cyclones occur unpredictably and cause significant loss of life, infrastructure, and resources. Despite advancements in technology, existing disaster management systems often rely on traditional forecasting models and manual data interpretation, which limit the accuracy and timeliness of predictions. The absence of intelligent, automated systems that can process large volumes of environmental and historical data in real time makes early warning and response planning less effective. The core problem addressed in this research is the need for an efficient, data-driven, and predictive disaster management system that utilizes machine learning algorithms to accurately forecast potential disasters and support proactive decision-making. The study seeks to bridge the gap between traditional disaster response

mechanisms and modern predictive analytics by developing a system capable of analyzing multi-source data—such as weather patterns, satellite information, and geographical indicators—to identify disaster risks, issue early alerts, and enhance emergency preparedness.

1.2 Research Objectives:

- To predict and manage natural disasters using machine learning.
- To collect and analyze environmental and geological data like rainfall, seismic activity, etc.
- To create an automated alert system for early disaster warnings.
- To apply machine learning models for accurate disaster detection and prediction.
- To improve co-ordination between authorities using data-driven alerts.
- To provide analytical insights to support quick and smart decision-making.
- To test and improve system's accuracy and performance.
- To help build safer and more resilient communities through technology.

2. RESEARCH METHODOLOGY:

Machine Learning (ML) plays a central role in enhancing disaster prediction and management by allowing the system to analyse massive datasets, identify hidden patterns, and forecast disaster events with greater accuracy. ML enables the system to learn from historical and real-time data such as weather parameters, seismic readings, temperature, humidity, rainfall, wind speed, and satellite imagery. Through this learning, the system can predict the probability of disasters (like floods, earthquakes, or cyclones) and generate alerts before they occur. It also assists in decision-making by helping authorities plan evacuations, allocate resources, and minimize response time.

2.1 Machine Learning Models:

a) Supervised Learning Models

Used for predicting the likelihood of a specific disaster based on labeled historical data.

Logistic Regression:

Used for binary classification problems — for example, predicting whether a disaster (like flood or earthquake) will occur or not under given conditions.

Decision Tree Classifier:

Helps classify and predict disaster risk levels (low, moderate, or high) by splitting data based on environmental attributes.

Random Forest:

An ensemble model that combines multiple decision trees for more accurate and stable predictions of disasters.

Support Vector Machine (SVM):

Used to find the optimal boundary that separates regions of disaster risk vs. no-risk areas based on input parameters.

b) Unsupervised Learning Models

Used for pattern detection and data grouping when labels are not available.

K-Means Clustering:

Groups geographical regions based on their vulnerability level or frequency of disaster occurrences.

2.2 Data Collection:

The system collects environmental, geographical, and meteorological data from various sources (APIs, sensors, or datasets). Users can also input data such as location or weather readings.

2.3 Data Preprocessing:

Cleaning, normalization, and feature extraction are performed to make the data suitable for ML models.

2.4 Model Training:

Historical disaster data is used to train ML algorithms to recognize early signs of disaster patterns.

2.4.1 Prediction Phase:

When new data is entered or fetched from live sources, the trained model predicts: Disaster probability (e.g., 70% chance of flood)

Risk level (low, medium, high)

Expected region and time frame

2.4.2 Alert and Response Generation:

The system automatically sends alerts or notifications to users, administrators, or local authorities.

Real-time dashboards and visualizations display risk zones, upcoming events, and recommended actions.

3. Application of Machine learning**a. Disaster Prediction and Forecasting**

Machine learning models such as Decision Trees, Random Forests, and Logistic Regression are used to predict the likelihood and severity of upcoming disasters based on real-time and historical data.

Example: Predicting floods based on rainfall, river levels, soil moisture, and humidity data.

Model Used: Logistic Regression or Random Forest Classifier.

Outcome: Early warning alerts to users and authorities before the disaster occurs.

b. Risk Assessment and Vulnerability Mapping

ML models analyze geographical and environmental data to assess the risk level of different regions.

Example: Using K-Means Clustering or SVM to divide regions into high-risk, medium-risk, and low-risk zones for floods or earthquakes.

Model Used: K-Means Clustering (Unsupervised Learning).

Outcome: Helps authorities identify the most vulnerable areas and prioritize resource allocation.

c. Real-time Disaster Detection

Using Deep Learning and Time-Series Models such as LSTM (Long Short-Term Memory), the system can continuously monitor live sensor or satellite data to detect sudden changes that may indicate a disaster.

Example: Detecting sudden shifts in seismic activity or abnormal temperature and pressure readings.

Model Used: LSTM or RNN (Recurrent Neural Network).

Outcome: Immediate detection and faster decision-making to minimize impact.

d. Damage Estimation and Impact Analysis

After a disaster occurs, ML models can analyze post-disaster images or data to estimate the extent of damage.

Example: Using Convolutional Neural Networks (CNNs) to analyze satellite or drone images of affected areas.

Model Used: CNN (Deep Learning Model).

Outcome: Assists government agencies in assessing damage levels, estimating losses, and planning recovery operations.

e. Weather Pattern Analysis

ML models can process climate and meteorological data to identify recurring weather trends that might lead to disasters.

Example: Identifying monsoon irregularities or heatwave trends using Support Vector Machines (SVMs) or Regression Models.

Outcome: Enables long-term disaster preparedness and policy-making based on data-driven insights.

f. Early Warning and Alert Generation

After predicting a disaster, the ML system automatically generates alerts for users through SMS, email, or web notifications.

Example: Flood or cyclone warning alerts based on predicted thresholds. **Model Used:** Logistic Regression or Random Forest (for binary classification — alert/no alert).

Outcome: Provides timely information to save lives and reduce damage.

4. LITERATURE REVIEW

“Comparative Analysis of ML Models for Real-Time Disaster Tweet Classification”: Gregorius Airlangga: Brilliance- Research of Artificial Intelligence (2024): Compares ML models (NB, RF, SVM, and LSTM) for classifying tweets during disasters to enhance emergency response [1].

“Machine Learning Methods Based on Storm Surge Disaster Loss in Computing Applications”: M. M. Thaha, I. N. M. Shaharane, V. P. Murugan, T. P. S. K. Kusumanchi, and D. V. L. Reddy: IJISAE (2023): Uses ML to estimate and analyse losses from storm surge disasters for improved decision-making [2].

“Leveraging Machine Learning Algorithms for Improved Disaster Preparedness and Response”: H. Jain, R. Dhupper, A. Shrivastava, D. Kumar, M. Kumari: Frontiers in Environmental Science (2023): Reviews ML techniques for weather and natural disaster prediction. Focuses on improving preparedness through predictive analytics using climate datasets [3].

“Application of Machine Learning in Early Warning System of Geotechnical

Disaster: A Systematic and Comprehensive Review”: Shan Lin, Zenglong Liang, Quanke Hu: Artificial Intelligence Review (2025): Comprehensive review of ML in predicting landslides and soil failures. Discusses algorithms like SVM, RF, and DL; recommends better datasets and sensor integration [4].

“Disaster and Pandemic Management Using Machine Learning”: Vinay Chamola, Vikas Hassija, Sakshi Gupta, Adit Goyal, Mohsen Guizani, Biplab Sikdar: IEEE Access (2020): A comprehensive survey of ML methods for disaster and pandemic response, covering prediction, detection, and mitigation [5].

“Towards Efficient Disaster Management: Role of Machine Learning, Deep Learning and WSN Technologies”: Rucha Joshi, Arya Shinde, Supriya Kelkar, Mahendra Deore: International Journal of Intelligent Systems and Applications in Engineering -IJISAE (2023): This paper reviews disaster management in India combining ML/DL and wireless sensor networks (WSNs). It proposes a new Mumbai-dataset for flood prediction and evaluates ML algorithms achieving training accuracy of 100%, validation 98.57%, test 77.59% [6].

“A Multi-Model Approach for Disaster-Related Tweets- A Comparative Study of Machine Learning and Neural Network Models”: Parth Mahajan, Pranshu Raghuvanshi, Hardik Setia, Princy Randhawa: Journal of Computers, Mechanical and Management –JCMM (2024): Focuses on real-time classification of disaster related tweets using ML and neural network models in the Indian context. It investigates how NLP and tweet-based social media data can assist disaster response by filtering and classifying relevant posts [7].

“Machine learning based classification of online news data for disaster management”: Lakshmi S. Gopal, Rekha Prabha, Divya Pullarkatt, Maneesha Vinodini Ramesh: IEEE Global Humanitarian Technology Conference (2020): This paper presents a system to scrape disaster-related news articles in India, then apply supervised machine-learning (text classification) to filter “relevant” disaster news vs non-relevant. They achieved about 70% accuracy. The focus is on using unstructured online data (news) to assist in early situational awareness for disaster management [8].

“A Multi-Model Approach for Disaster-Related Tweets: A Comparative Study of Machine Learning and Neural Network Models”: Parth Mahajan, Pranshu Raghuvanshi, Hardik Setia, Princy Randhawa: Journal of Computers, Mechanical and Management (2024): This research studies disaster-related tweets in India, comparing ML models vs neural networks to classify and extract actionable tweets. It demonstrates how social media data can feed disaster management workflows by real-time detection of incidents and response needs[9].

“Flood Prediction and Analysis on the Relevance of Features using Explainable Artificial Intelligence”: Sai Prasanth Kadiyala, Wai Lok Woo : arXiv – India (Kerala) study (2022): This work uses ML (LR, KNN, Decision Trees, RF, SVM) on monthly rainfall data in Kerala, India to predict floods, and incorporates explainable AI modules to identify which features contributed most to predictions. Demonstrates that prediction models can be interpreted—not just black-box [10].


“Machine Learning for Disaster Management | AIJR Books”: Sweta Shukla, T.V. Vijay Kumar: AIJR Abstracts (2022): This paper reviews applications of machine learning across the phases of the disaster-management cycle (mitigation, preparedness, response, recovery). Discusses how sensor/IoT data can be exploited via ML to support various tasks (prediction, alerting, resource allocation). It also outlines challenges and opportunities for applying ML in disaster-management contexts [11].

“Global Flood Prediction: a Multimodal Machine Learning Approach”: Cynthia Zeng, Dimitris Bertsimas: arXiv preprint (2023) : This work presents a multimodal ML framework combining textual geographic data and tabular time-series data to predict flood risk globally (1-5 years ahead) with ROC-AUC scores around 0.75-0.77. The methodology shows that combining multiple data modalities improves prediction [12].

“Autonomous AI-Driven Disaster Management System”: P.C. Kim: International Journal of Machine Learning and Artificial Intelligence- IJMLAI (2024): The article proposes an AI-driven autonomous system for disaster management, integrating machine learning, IoT, and autonomous decision-making to predict, monitor and respond to disasters. The framework emphasizes automation, real-time alerts, resource allocation and learning over time from disaster data streams [13].

“A Machine learning approach for rapid disaster response based on multi-modal data. The case of housing & shelter needs”: Karla Saldana Ochoa, Tina Comes: arXiv preprint (2021): The authors tackle disaster response (housing/shelter needs) via a machine-learning workflow that fuses multi-modal data (satellite images, demographic, geographic) into a Self-Organizing-Map clustering algorithm, predicting post-disaster needs [14].

5. FLOW OF SYSTEM:



6. FUTURE ENHANCEMENT:

- Use of deep learning models like CNN and LSTM for analyzing satellite and drone images.
- Development of a mobile app to provide instant alerts, live updates, and safety instructions to users.
- Connection with government and meteorological databases for better coordination and data sharing.
- Implementation of cloud computing for scalable data storage and real-time processing.

7. CONCLUSION

The Disaster Management System using Machine Learning provides an intelligent and proactive approach to predicting and managing natural disasters. By analyzing environmental and historical data through machine

learning algorithms, the system can forecast potential hazards and deliver timely alerts to minimize damage and loss of life. It enhances disaster preparedness, supports quick decision-making, and strengthens community resilience. The integration of technology, data analytics, and AI makes this system an effective step toward building a safer and more sustainable future.

8. REFERENCES

- [1] Airlangga, G. (2024). "Comparative Analysis of ML Models for Real-Time Disaster Tweet Classification." *Brilliance – Research of Artificial Intelligence*. Compares ML models (NB, RF, SVM, and LSTM) for classifying tweets during disasters to enhance emergency response.
- [2] Thaha, M. M., Shaharane, I. N. M., Murugan, V. P., Kusumanchi, T. P. S. K., & Reddy, D. V. L. (2023). "Machine Learning Methods Based on Storm Surge Disaster Loss in Computing Applications." *IJISAE*. Uses ML to estimate and analyse losses from storm surge disasters for improved decision-making.
- [3] Jain, H., Dhupper, R., Shrivastava, A., Kumar, D., & Kumari, M. (2023). "Leveraging Machine Learning Algorithms for Improved Disaster Preparedness and Response." *Frontiers in Environmental Science*. Reviews ML techniques for weather and natural disaster prediction, focusing on improving preparedness through predictive analytics using climate datasets.
- [4] Lin, S., Liang, Z., & Hu, Q. (2025). "Application of Machine Learning in Early Warning System of Geotechnical Disaster: A Systematic and Comprehensive Review." *Artificial Intelligence Review*. Comprehensive review of ML in predicting landslides and soil failures; discusses algorithms like SVM, RF, and DL, recommending better datasets and sensor integration.
- [5] Chamola, V., Hassija, V., Gupta, S., Goyal, A., Guizani, M., & Sikdar, B. (2020). "Disaster and Pandemic Management Using Machine Learning." *IEEE Access*. A comprehensive survey of ML methods for disaster and pandemic response, covering prediction, detection, and mitigation.
- [6] Joshi, R., Shinde, A., Kelkar, S., & Deore, M. (2023). "Towards Efficient Disaster Management: Role of Machine Learning, Deep Learning and WSN Technologies." *International Journal of Intelligent Systems and Applications in Engineering (IJISAE)*. Reviews disaster management in India combining ML/DL and WSNs; proposes a new Mumbai dataset for flood prediction, achieving high accuracy (training 100%, validation 98.57%, test 77.59%).
- [7] Mahajan, P., Raghuwanshi, P., Setia, H., & Randhawa, P. (2024). "A Multi-Model Approach for Disaster-Related Tweets: A Comparative Study of Machine Learning and Neural Network Models." *Journal of Computers, Mechanical and Management (JCMM)*. Focuses on real-time classification of disaster-related tweets using ML and neural networks in India; explores NLP and social media data for disaster response.
- [8] Gopal, L. S., Prabha, R., Pullarkatt, D., & Ramesh, M. V. (2020). "Machine Learning Based Classification of Online News Data for Disaster Management." *IEEE Global Humanitarian Technology Conference*. Presents a system for scraping and classifying disaster-related news articles in India using supervised ML; achieved ~70% accuracy.
- [9] Mahajan, P., Raghuwanshi, P., Setia, H., & Randhawa, P. (2024). "A Multi-Model Approach for Disaster-Related Tweets: A Comparative Study of Machine Learning and Neural Network Models." *Journal of Computers, Mechanical and Management (JCMM)*. Studies disaster-related tweets in India, comparing ML models vs neural networks to classify and extract actionable tweets for real-time disaster management.
- [10] Kadiyala, S. P., & Woo, W. L. (2022). "Flood Prediction and Analysis on the Relevance of Features Using Explainable Artificial Intelligence." *arXiv preprint*. Uses ML (LR, KNN, Decision Trees, RF, SVM) on rainfall data from Kerala, India to predict floods; employs explainable AI to identify influential features in prediction.
- [11] Shukla, S., & Vijay Kumar, T. V. (2022). "Machine Learning for Disaster Management." *AIJR Abstracts*. Reviews ML applications across all phases of disaster management (mitigation, preparedness, response, recovery); discusses sensor/IoT data exploitation and key challenges.
- [12] Zeng, C., & Bertsimas, D. (2023). "Global Flood Prediction: A Multimodal Machine Learning Approach." *arXiv preprint*. Presents a multimodal ML framework combining textual geographic and tabular time-series data to predict global flood risk (1–5 years ahead) with ROC-AUC $\approx$ 0.75–0.77.

-
- [13] Kim, P. C. (2024). "Autonomous AI-Driven Disaster Management System." International Journal of Machine Learning and Artificial Intelligence (IJMLAI). Proposes an AI-driven autonomous system integrating ML, IoT, and real-time decision-making for disaster prediction, monitoring, and response.
 - [14] Saldana Ochoa, K., & Comes, T. (2021). "A Machine Learning Approach for Rapid Disaster Response Based on Multi-Modal Data: The Case of Housing & Shelter Needs." arXiv preprint. Employs ML on multi-modal data (satellite, demographic, geographic) using Self-Organizing Maps to predict post-disaster housing and shelter needs.

EXPLAINABLE AI IN MALWARE DETECTION

Ms.Akanksha Dnyaneshwar Polekar and *Mrs.Manasi G. HandeDepartment of Information Technology, Changu Kana Thakur Arts, Commerce and Science College
(Autonomous), New Panvel**ABSTRACT**

Malware attacks are rapidly becoming more advanced and unpredictable, making their detection increasingly difficult for security systems. Traditional signature-based techniques can only recognize known threats and fail when facing newly modified or unseen malware. Although Artificial Intelligence and Machine Learning models improve detection accuracy, they still operate as opaque black-box systems, providing results without explaining the reasoning behind them.

This project presents an Explainable Artificial Intelligence (XAI) framework for malware detection that incorporates LIME (Local Interpretation Model-Agnostic Explanations), SHAP (Shapely Additive Explanations), Feature Importance Analysis, and Gradient-Based Visualization to interpret model predictions. These techniques highlight the key file attributes and behavioral features that influence detection results, allowing security analysts to clearly understand why a file is categorized as malicious or safe.

The system increases trust, enhances decision-making, and improves response time by replacing hidden AI logic with transparent and interpretation insights.

Keywords: *Explainable AI , Malware Detection, Machine Learning, SHAP, LIME, Model Interpretability, Cybersecurity, Feature Importance, Transparent AI*

1. INTRODUCTION

The increasing digital inter-connectivity of systems has resulted in a surge of cyberattacks, with malware being one of the most prevalent threats. Malware variants are becoming more sophisticated through techniques such as polymorphism, obfuscation, and code morphing.

Traditional malware detection approaches such as signature matching, heuristics, and rule-based scanning struggle to detect novel and unseen malware variants due to their static and reactive nature.

Modern AI-based techniques, especially ML and DL, have shown great promise by learning complex patterns from static and behavioral features of malware samples. However, these models often lack interpretability. Security analysts and system administrators face challenges in understanding why an AI model flagged a file as malicious or benign. Such opacity reduces trust and limits the adoption of AI-driven solutions in enterprise environments where transparency and accountability are essential.

Explainable AI (XAI) bridges this gap by providing techniques that interpret and visualize the internal working and decision logic of AI models. By integrating XAI into malware detection systems, stakeholders gain actionable insights into model behavior, improving trust, debugging, and forensic investigation.

In real-world enterprise environments, malware often enters systems disguised as legitimate files, such as invoice attachments. Although AI-driven detection systems may successfully flag such threats, the absence of explanation limits analyst confidence. Interpretability is required to trace abnormal API behavior, unauthorized system access, or suspicious network communication back to the detection decision.




Fig 1. Explainable AI Malware Detection Systems

Similarly, in healthcare environments, cyber threats pose significantly higher risks due to the critical nature of medical systems and patient data. Ransomware attacks can enter hospital networks through compromised medical devices or phishing emails, resulting in the encryption of patient records and disruption of essential clinical services. In such scenarios, detection alone is insufficient; rapid and safe recovery requires interpretable system outputs that allow technical teams to accurately isolate affected components without compromising patient safety.

As illustrated in Figure 1, explainable AI enables this transparency by linking malware detection outcomes with both model-level and feature-level explanations. Building on this concept, the proposed work introduces an Explainable Artificial Intelligence (XAI)-based malware detection framework that provides clear and human-understandable predictions. The framework integrates LIME, SHAP, feature importance analysis, and gradient-based visualization techniques to identify the factors influencing each classification, thereby improving analyst confidence, supporting informed decision-making, and strengthening practical cyber defense capabilities.




Fig 2.Traditional and AI-XAI Hybrid Malware Detection Framework

As illustrated in Figure 2, the proposed hybrid malware detection framework begins with traditional analysis methods, such as signature-based and behavior-based checks, to examine suspicious files. The extracted features

are then processed using machine learning and deep learning models to identify complex and previously unseen malware patterns. To enhance interpretability, explainable AI techniques are applied to the model outputs, highlighting the key features that influence each decision. This approach improves detection accuracy and enables security analysts to understand and verify why a file is classified as malicious or benign.

2. LITERATURE REVIEW

Explainable AI for Android malware detection is explored in [1], where the authors apply XAI methods to interpret how permissions, API calls, and application behaviours influence classification outcomes. The study highlights that transparency in automated decisions significantly improves analyst trust and supports faster validation of malware alerts.

A deep learning-based and explainable framework for Android malware detection is presented in [2]. In this work, Android application files are transformed into RGB images for CNN-based analysis, and XAI techniques are used to visually highlight regions responsible for malicious predictions, making the detection process easier for human interpretation.

The application of SHAP, LIME, and Grad-CAM in malware analysis is investigated by Nazim et al. [3], comparing these explanation techniques in terms of stability, interpretability, and suitability across different model architectures, and demonstrating how each method provides complementary insights into model behavior.

Behaviour-based malware detection using Explainable AI is discussed in [4]. This work evaluates SHAP, LIME, Layer-wise Relevance Propagation (LRP), and Grad-CAM for dynamic malware analysis and shows that XAI integration improves the understanding of malware actions while maintaining high detection accuracy.

Cross-platform malware detection using deep learning is surveyed in [5]. The study analyses malware detection across Windows, Linux, macOS, and mobile platforms, and emphasises the importance of explainability in validating model predictions and identifying potential hidden biases in learning algorithms.

Transfer learning combined with XAI for robust malware detection is proposed in [6]. Pre-trained models are adapted to new malware datasets, and XAI methods are applied to explain the adapted model decisions, thereby improving both robustness and analyst confidence in automated detections.

A self-attention-based framework named Nebula for dynamic malware analysis is introduced in [7]. The model uses transformer-based architectures, and explainability techniques are applied to visualise the most influential input regions affecting predictions, which enhances interpretability for cybersecurity analysts.

The importance of Explainable AI in strengthening malware detection systems is discussed by Oriaro et al. [8], who show that XAI improves model validation, supports post-detection forensic analysis, and enhances defensive strategies against advanced persistent threats.

A comparative study of different explainable AI techniques for AI-based malware detection is presented by Singh et al. [9], evaluating interpretability, impact on detection accuracy, and real-world applicability, along with guidelines for effective integration of XAI into practical security systems.

A detailed comparative analysis of LIME, SHAP, and Feature Importance across CNN, LSTM, and hybrid models is carried out in [10]. The results indicate that SHAP delivers the most stable and meaningful explanations for deep malware detection.

Interpretable machine learning models for malicious domain detection using XAI are proposed in [11]. The study demonstrates that explainable models provide clearer insights into domain-based cyber threats and improve trust in automated network security systems.

The role of Explainable AI in cybersecurity for both malware analysis and network intrusion detection is reviewed in [12]. This work highlights that interpretable models are essential for regulatory compliance, forensic validation, and secure AI deployment.

A SHAP-enhanced Random Forest approach for predicting malware threat levels is presented in [13]. The method not only achieves high detection accuracy but also provides clear feature-level explanations that support informed security decision-making.

An adaptive explainable deep learning framework for malware detection is proposed in [14]. The framework dynamically updates feature representations and uses XAI to provide continuous interpretability, leading to improved detection reliability.

An integrated deep learning and XAI-based malware detection and analysis framework is presented in [15]. The system enhances real-time malware detection performance while simultaneously providing interpretable explanations to assist cybersecurity professionals in response and mitigation planning.

3. RESEARCH METHODOLOGY

3.1 Malware Data Collection and Description:

The proposed Explainable AI-based malware detection system uses datasets consisting of labeled benign and malicious executable files. Each sample is represented using static features such as file headers, opcode patterns, and metadata, along with dynamic behavioral features including API calls, system interactions, and network activity. These labeled samples enable supervised learning and model interpretation.

3.2 Data Preprocessing and Exploratory Data Analysis (EDA):

The collected malware data is preprocessed to improve learning quality by removing noise, handling missing values, normalizing feature scales, and eliminating redundant features.

Exploratory Data Analysis (EDA) is performed to examine feature distributions, detect abnormal behavior, and identify patterns that distinguish malicious files from benign ones.

3.3 Experimental Setup:

The experiments are conducted using Python due to its comprehensive support for machine learning, deep learning, and explainability libraries. The dataset is divided into training and testing sets. Classification models are trained and evaluated, and their predictions are interpreted using Explainable AI techniques to ensure transparency and reliability of the system.

4. MACHINE LEARNING AND DEEP LEARNING MODELS WITH EXPLAINABLE AI INTEGRATION

The system employs machine learning models such as Random Forest and Support Vector Machine for feature-based malware classification. In addition, deep learning models including CNN, LSTM, and hybrid CNN-LSTM architectures are used to capture complex behavioural patterns. These models classify malware samples while the integrated XAI layer explains the reasoning behind each decision.

4.1 Xai Methods

4.1.1 LIME (Local Interpretation Model-Agnostic Explanations):

Generates interpretable, instance-level explanations by approximating the model's behavior around a specific prediction with a simple, interpretable surrogate model. This technique explains why an individual executable or behavioral trace was labeled as malware by highlighting the most relevant features for that particular instance. LIME is particularly useful for understanding anomalous or borderline classifications, assisting analysts in investigating false positives and false negatives within the detection system.

4.1.2 SHAP (Shapely Additive Explanations):

A game-theoretic interpretability method that quantifies the contribution of each feature to a particular prediction. By computing Shapley values, SHAP provides both global explanations, which help understand overall feature importance across the dataset, and local explanations, which reveal why the model classified a specific sample as malicious or benign. In the context of malware detection, SHAP identifies critical attributes such as API calls, opcode patterns, or header metadata that heavily influence classification results. This enables analysts to verify whether the model relies on meaningful and robust indicators of malicious behavior.

4.1.3 Feature Importance Analysis:

Feature importance analysis identifies which input features contribute most significantly to a model's malware classification decisions. By assigning an importance score to each feature such as opcode patterns, API calls, or behavioral attributes the technique provides insight into how the model prioritizes different indicators of malicious activity. High-importance features highlight the characteristics most influential in distinguishing malware from benign files. This analysis improves transparency, supports validation of model behavior, and helps analysts understand whether the model relies on meaningful and robust malware indicators. It also guides feature engineering and enhances overall trust in the detection system.

4.1.4 Gradient-Based Methods:

Widely used interpretation techniques in deep learning based models to analyze the sensitivity of model outputs with respect to input features. These methods compute the gradients of the output with respect to the input, thereby identifying the most influential regions or features that contribute to a particular prediction. By highlighting how small changes in input affect the model's decision, gradient-based approaches provide valuable

insights into the internal decision- making patterns of neural networks. Consequently, they are highly effective for visualizing learned representations and improving the interpretability of complex deep learning models.

4.1.5 Visualization Tools:

Visualization Tools play a vital role in Explainable Artificial Intelligence by transforming complex explanation outputs into intuitive visual representations such as graphs, heatmaps, color-coded maps, and bar charts. These visual formats enable security analysts to easily interpret and analyze the reasoning behind AI-driven decisions. By presenting feature contributions and model behavior in a clear and accessible manner, visualization tools enhance transparency, support informed decision-making, and build trust in automated malware detection systems.




Fig 3. Explainable AI-based Malware Detection System Architecture

Figure 3 presents the architecture of the proposed Explainable AI-based malware detection system. The process begins with feature extraction from executable files using both static attributes, such as file headers, opcodes, and metadata, and dynamic behavioral features, including API calls, system interactions, and network activity. These features are preprocessed and then analyzed using machine learning models (Random Forest and SVM) and deep learning models (CNN and LSTM) for malware classification. To enhance transparency, explainable AI techniques such as LIME, SHAP, feature importance analysis, and gradient-based methods are applied to the model outputs. The system produces both the final malware detection result and a clear explanation of the factors influencing each decision.

4. COMPARISON & BENEFITS OF TRADITIONAL AND EXPLAINABLE AI SYSTEM:

Table 1: Traditional vs. Explainable AI Detection Systems

Feature	Traditional Detection	Explainable AI System
Detection Method	Signature-based	AI + XAI integration
Transparency	Low	High
Accuracy	Moderate	High
Trust Level	Limited	Reliable
Output	Yes/No only	Yes/No + Explanation

5. CONCLUSION & FUTURE SCOPE:

“Explainable AI in Malware Detection” demonstrates that integrating XAI methods such as LIME, SHAP, Feature Importance, Gradient-based techniques, and Visualization tools with AI- driven malware classification significantly improves both accuracy and transparency. Instead of operating like a black-box model, the system clearly explains the reasoning behind each prediction, enabling cybersecurity analysts to verify results, gain trust, reduce false alarms, and respond to threats more efficiently. This strengthens reliability and supports more informed decision-making in automated cybersecurity.

Looking forward, the system can be enhanced into a real-time monitoring and response platform, capable of detecting threats continuously and providing instant explanations. Future improvements may include the

incorporation of advanced deep learning models like CNNs and Transformers, expanded use of visual interpretation tools such as Grad-CAM and attention mapping, and deployment across multiple operating systems and enterprise security infrastructures. These advancements will make the solution more powerful, scalable, and practical for modern cybersecurity environments.

6. REFERENCES

- [1] Kulkarni, M. (2023). "Explainable AI for Android Malware Detection". *International Journal of Mobile Security*.
- [2] E. Yousofi, A. C. (2025). "YoloMal-XAI: Deep Learning and Explainability for Android Malware". *Computers & Security*.
- [3] S. Nazim, R. K. (2025). "SHAP, LIME, and Grad-CAM in Malware Analysis". *Computers & Security*.
- [4] A. Galli, M. R. (2024). "Behavioural Malware Detection Using Explainable AI. *IEEE Transactions on Information Forensics and Security*.
- [5] B. Bensaoud, F. H. (2024). "Deep Learning for Cross-Platform Malware Detection". *Journal of Information Security*.
- [6] A. Almadhor, H. S. (2025). "Transfer Learning and XAI for Robust Malware Detection". *Future Generation Computer Systems* .
- [7] D. Trizna, P. V. (2023). "Nebula: Self-Attention Neural Networks with Explainability for Malware Analysis". *Neural Computing & Applications*.
- [8] Oriaro, S. (2025). "Improving Malware Detection with Explainable AI". *Cybersecurity and Privacy Journal*.
- [9] R. Singh, A. G. (2024). "Comparative Study of Explainable AI Techniques in Malware Detection". *IEEE Access*.
- [10] S. Park, R. H. (2024). "A Comparative Analysis of Explainable AI Techniques in Deep Malware Detection". *Journal of Information Assurance and Security*.
- [11] N. Aslam, I. U. Khan, S. Mirza, A. AlOwayed, F. M. Anis, R. M. Aljuaid & R. Baageel (2022). "Interpretable Machine Learning Models for Malicious Domains Detection Using Explainable Artificial Intelligence (XAI)". *Sustainability*, MDPI.
- [12] D. Adhikari & S. Thapaliya (2024). "Explainable AI for Cyber Security: Interpretable Models for Malware Analysis and Network Intrusion Detection". *NPRC Journal of Multidisciplinary Research*., Nepjol.
- [13] P. D. Sravanthi & M. K. Yogi (2024). "Explainable AI for Predicting Malware Threat Levels: A SHAP-Enhanced Random Forest Approach". *Journal of Intelligent Decision Technologies and Applications*. MAT Journals.
- [14] B. K. Sharma, C. Goswami & P. Chakrabarti (2025). "Explainable Deep Learning Based Adaptive Malware Detection Framework to Improve Interpretability". *International Journal of Computational and Experimental Science and Engineering*, 11(4). ijcesen.com.
- [15] S. Alajmani, E. Aljuaid, B. Soh & R. Y. Alyami (2025). "Enhancing Malware Detection and Analysis Using Deep Learning and Explainable AI (XAI)". *International Journal of Network Security & Its Applications*, 17(2). opal.latrobe.edu.au.

A COMPREHENSIVE SURVEY ON SECURITY ISSUES IN BIOMETRIC AUTHENTICATION SYSTEMS

Ms. Ekta Shashikant Patil and Ms. Nikita Hemant Patil

Department of Information Technology, JBSP Sanstha's Changu Kana Thakur College of Arts Commerce and Science, University of Mumbai, New Panvel, India

ABSTRACT

These systems use distinguishing physical or behavioural attributes, such as voice, iris patterns, fingerprints, and facial features, to identify people. Despite their advantages, biometric technologies are susceptible to several security and privacy threats. Any stage of the biometric process, including data collection, transmission, storage, and matching, is susceptible to attacks. Common threats include template theft, spoofing, replay attacks, and manipulation of matching algorithms. Furthermore, storing sensitive biometric data in centralized databases raises serious ethical and privacy concerns because data breaches might result in irrevocable identity loss or the misuse of personal information.

This survey offers a thorough summary of the security issues related to biometric authentication technologies. It explores several attack types, looks at current defenses including liveness detection, template protection, and multimodal authentication, and talks about their strengths and weaknesses. In order to create biometric authentication frameworks that are more secure, dependable, and privacy-preserving, the paper concludes by identifying open research issues and future possibilities.

Keywords: Biometric authentication, Security threats, Spoofing attacks, Digital identity, Biometric data storage, Privacy concerns, Feature Extraction.

1. INTRODUCTION

Biometric authentication technologies have a number of security and privacy issues despite these benefits. Unlike passwords, biometric information cannot be readily updated or cancelled once it has been hacked. From capturing the biometric property and sending the data to storing and comparing it, attackers can take advantage of various phases of the biometric process. Spoofing, replay assaults, template stealing, and matching algorithm manipulation are examples of common attacks. Furthermore, storing biometric data in sizable databases has significant ethical and privacy issues since illegal access may result in identity theft or the exploitation of private data.

"A Comprehensive Survey on Security Issues in Biometric Authentication Systems" establishes Like password and Pins that not vulnerabilities. Biometric Authentication identify and verify the physical features of the human body to check the exact person. Biometric authentication is used in many places such as companies, organizations, schools, offices, industries, and many other areas. Security problems can happen in industries and other places if someone else scans a person's iris and steals their data. Hackers can easily hack the system if the data is already available to them

Existing System:

Biometric authentication systems are widely used as an alternative to traditional password- or PIN based methods. These systems identify or verify individuals based on unique physiological or behavioural traits such as fingerprints, iris patterns, facial recognition, or voice. Current biometric authentication is generally integrated into devices like smartphones, laptops, and security systems, often requiring specialized sensors such as fingerprint scanners or cameras.

Benefits:

- Gives a clear view of major security threats in biometric systems.
- Identifies gaps and future research areas in biometric security.
- Offers guidance for designing more secure and reliable authentication systems.
- Acts as a useful resource for students and professionals.
- Ensures quick and accurate authentication when the biometric machine gives a positive response
- Alerts people about biometric authentication scams.
- Scans physical body parts for identification
- Face detection also enhances people's security.

- Biometric systems are used by all persons in organizations and schools.

The Concepts Associated with Biometric Security Issues:

Spoofing Attacks: Hackers can use fake fingerprints, fake photos, or recorded voices to fool the biometric machine.

Data Theft: Biometric data like fingerprints, face, or iris can be stolen from devices or servers. Once stolen, it cannot be changed like a password.

Replay Attacks: Attackers record your biometric data and use it again to get access.

Poor Sensor Quality: If the sensor is weak or damaged, it may accept wrong fingerprints or faces.

System Failure: Dust, wet hands, low light, injuries, or old age can cause the system to reject a real user.

Privacy Concerns: People worry about who is storing their biometric data, how it is used, and for how long it is kept.

Malware Attacks: If a biometric device gets malware, it can steal or change the biometric data.

Template Security Issues: The stored biometric templates can be copied, changed, or misused by attackers.

LIMITATIONS

Biometric authentication systems may collect sensitive information from devices, including data related to user accounts, emails, calendars, and other personal content. This poses a major security risk as unauthorized access could lead to data theft, privacy invasion, or misuse of personal information.

- Provide enough correct user information to store safely in the biometric machine's database.
- The biometric machine scans only natural body parts and does not scan any other areas.
- If the fingerprint is scanned correctly only once, scanning it repeatedly may cause the system to reject it.
- Scam methods are used to break or bypass the security system.

LITERATURE REVIEW

- 1) E. Marasco & A. Ross, "A Survey on Anti-spoofing Schemes for Fingerprint Recognition Systems." This survey reviews fingerprint presentation-attack (spoof) detection methods, classifies hardware- and software-based antispoofing approaches, and compares feature types and sensor modalities used for liveness detection. ([mason.gmu.edu][1])
- 2) A. Sarkar & B. Singh, "A review on performance, security and various biometric template protection schemes for biometric authentication systems." This article surveys template-protection schemes (cancelable biometrics, biometric cryptosystems, homomorphic techniques, watermarking), compares their security/privacy properties and usability trade-offs, and reviews evaluation metrics for irreversibility, unlinkability and performance preservation. It highlights that many schemes trade some recognition accuracy for stronger template privacy and calls for standardised evaluation protocols. ([Tech Science][2])
- 3) S.F. Ali, "Fingerprint matching, spoof and liveness detection." "Comprehensive review of fingerprint recognition algorithms, matcher vulnerabilities, and the state of spoof and liveness detection research" The paper compares classical feature-based matchers with modern ML approaches, summarises common spoof fabrication techniques, and discusses evaluation protocols for anti-spoof systems. ([ACM Digital Library][3])
- 4) R.A. Hamaamin, "A Comprehensive Review A wide-scope review covering physiological and behavioural modalities" (face, fingerprint, iris, gait, voice), major applications, and a security/privacy chapter that summarises the typical threats and countermeasures (cryptographic protections, trusted hardware, multimodal fusion). Serves as a good high-level complement to modality-specific surveys. ([Dietharda][4])
- 5) D. Kothadiya et al., "Enhancing Fingerprint Liveness Detection Accuracy Using Deep Learning." A recent technical review / experimental paper showing how attentionbased deep CNNs and residual networks improve fingerprint liveness detection. The paper explains dataset splits, architecture choices, evaluation metrics, and shows empirical gains while noting overfitting and cross-sensor generalisation as persistent problems. Useful as a practical example of modern DL countermeasures. ([PMC][5])

2. RESEARCH PROBLEM

- 1) Most people agree that biometric authentication systems are a safe and practical substitute for more conventional identification techniques like smart cards, PINs, and passwords.
- 2) Nevertheless, these systems have a number of serious security and privacy issues despite their benefits.
- 3) Biometric data is a very sensitive target for attackers because, unlike passwords, it is difficult to replace once it is stolen or compromised.
- 4) Through techniques including spoofing, replay assaults, template theft, and manipulation of matching algorithms.
- 5) Biometric systems can be attacked at different phases, including data capture, transmission, storage, and matching.
- 6) For biometric technology to be safely implemented in vital applications like banking, healthcare, mobile authentication, this issue must be resolved.

3. RESEARCH OBJECTIVE

- To identify and classify security threats in biometric authentication systems.
- To assess current security measures including multi-modal authentication, template protection, and liveness detection.
- To analyze privacy and ethical concerns related to biometric data storage and usage.
- To investigate emerging threats, including AI-driven spoofing and deepfake attacks.
- To propose future research directions for developing secure, reliable, and privacy-preserving biometric systems.


4. RESEARCH METHODOLOGY

The research uses content and comparison methods to study and group common security problems in biometric systems, such as spoofing, replay attacks, and data theft. The results of the study are presented using simple charts and tables for better understanding. Different security solutions like encryption, liveness detection, and deep learning models are examined to check how well they work, how accurate they are, and how easy they are to use. This research aims to understand the security problems in biometric systems, check how well the existing security methods work, and find the areas that need more research and improvement. All information are public save in Biometric System to present everyday data surely. The each person connect data in the biometric system. Enhances knowledge of privacy and ethical issues


Sample Design:

1) Biometric Security Issues in Different Ways:


Face Detection and recognition



Fingerprints



Eye and iris Scan



Voice Recognition




2) Data Collection:

- 1) How often do you use biometric systems?
- 2) Where do you mostly use biometric authentication?
- 3) Where do you usually use biometric authentication? (For example: phone unlock, attendance system, ATM, etc.)
- 4) Do you know about any security problems in biometric systems such as fake fingerprints, spoofing, or data theft?
- 5) How safe do you think biometric authentication is compared to using passwords or PINs?
- 6) Which of the following security threats worry you the most? (You can choose more than one)
- 7) Have you ever experienced or heard about any failure or scam related to biometric systems?
- 8) What actions or steps do you think can make biometric systems more secure?
- 9) In your opinion, are biometric systems the future of secure authentication?

3) Data Analysis:

1) Have you ever used a biometric authentication system?


108 responses



According to the survey, 100% of the respondents (all 108 participants) have used a biometric authentication system.

2) Which biometric method do you use most often?


108 responses



According to the survey, face recognition (32.4%) is the most commonly used biometric method, followed by fingerprint (30.6%), iris/eye scan (22.2%), and voice recognition (14.8%).

3) How often do you use biometric systems in your daily life?


108 responses



According to the survey, most respondents (66.7%) use biometric systems sometimes, while 20.4% use them often, 7.4% rarely, and 5.6% very frequently.

4) How secure do you think biometric authentication systems are compared to passwords or PINs?


108 responses



According to the survey, 48.1% of respondents feel biometrics are less secure, while 25.9% believe they are more secure, 19.4% think they are much less secure, and only 6.5% feel they are much more secure.

5) Do you believe biometric systems can be easily tricked or hacked?


107 responses



According to the survey, 53.3% believe biometric systems can be easily tricked or hacked, while 30.8% say no and 15.9% are unsure.

6)Which type of attack worries you the most?


108 responses



According to the survey, data theft or database leaks worry respondents the most (30.6%), followed by replay of old biometric data (27.8%), system malfunction or sensor errors (21.3%), and fake fingerprints/photos (20.4%).

7)Have you ever faced problems like your biometric system not recognizing you ?


108 responses



According to the survey, 51.9% of respondents have faced recognition problems, 24.1% sometimes, and 24.1% never.

8)Do you trust organizations to keep your biometric information safe?


108 responses



According to the survey, 61.1% trust organizations only to some extent, 28.7% trust them completely, while 10.2% are unsure.

9)In which area do you think biometric systems need the strongest security?

107 responses



According to the survey, banking and finance (31.8%) is seen as the area needing the strongest biometric security, followed by government and defense (29%), mobile devices (28%), and healthcare (11.2%).

10)What do you think is the biggest risk in using biometric authentication?

106 responses

The biggest risk in using biometric authentication is that biometric data, once stolen, cannot be changed like passwords
The biggest danger of fingerprints is that they are permanent, so stolen prints can't be replaced
The biggest risk in using biometric authentication is the permanent loss of biometric data if it gets stolen or hacked.
Fingerprints, once stolen, cannot be changed or reset.
The biggest risk in using biometric authentication is the irreversible nature of compromised data.
My risk in my personal data don not see other
If your password leaks, you can reset it.
My risk in my personal data don not see other

According to the survey, the biggest risk highlighted by respondents is that biometric data, once stolen or compromised, cannot be changed or reset like passwords.

5. RESULT AND DISCUSSION

1. Awareness of Biometric Authentication

- Most users know fingerprint and face recognition, but very few understand how they work.
- This shows high usage but low technical awareness.

5. Benefits of Biometrics

- Users like biometrics because they are fast, easy, and remove the need for passwords.
- Some still prefer passwords out of habit.

3. Security Concerns

- Users worry about spoofing, where fake fingerprints or photos can fool the system.
- They also fear biometric data theft, replay attacks, and privacy misuse.

4. Trust in Biometric Systems

- Fingerprint systems are trusted more due to everyday use.
- Face recognition has lower trust because of deepfake and accuracy concerns.

5. Exposure to Real-World Issues

- Many have seen deepfakes, hacked databases, and unlocking bypass attempts.
- These real incidents reduce trust in biometric security.

6. Need for Stronger Security

- Users want multi-factor authentication and better anti-spoofing methods.
- They also suggest secure storage and awareness programs.

7. Overall Discussion

- People like the convenience of biometrics in daily life.
- But they remain worried about security and privacy risks.

CONCLUSION

Biometric authentication is becoming very common because it is fast, easy to use, and does not require remembering passwords. But this survey shows that even though biometrics look safe, they still have many security and privacy problems. If someone steals biometric data like fingerprints, face, voice, or iris patterns. it does not changed or reset like a password. This makes attacks such as spoofing, fake fingerprints, deepfakes, replay attacks, and template theft very dangerous.

REFERENCE

- [1] Marasco, E., & Ross, A. (2014). A survey on anti-spoofing schemes for fingerprint recognition systems. *ACM Computing Surveys*, 47(2), 1–36.
- [2] Roberts, C. (2007). Biometric attack vectors and defences. *Computers & Security*, 26(1), 14–25.
- [3] Sarkar, A., & Singh, B. (2022). A review on performance, security and various biometric template protection schemes for biometric authentication systems. *Computers and Electrical Engineering*, 101, 108029.
- [4] Abdullahi, S. M., Alkali, A. H., Ma'aruf, I. I., & Yusuf, S. N. A. P. (2023). Biometric template attacks and recent protection mechanisms. *International Journal of Advanced Computer Science and Applications*, 14(7), 564–576.
- [5] Khade, S. (2023). Iris liveness detection for biometric authentication: A systematic literature review and future directions. *Journal of Information Security and Applications*, 73, 103548.
- [6] Kothadiya, D., Upadhyay, S., & Sapkal, A. (2023). Enhancing fingerprint liveness detection accuracy using deep learning. *International Journal of Intelligent Systems and Applications*, 15(2), 68–78.

-
- [7] Ali, S. F. (2022). Fingerprint matching, spoof and liveness detection. *International Journal of Biometrics*, 14(1), 1–21.
- [8] Hamaamin, R. A. (2022). Biometric systems: A comprehensive review. *Journal of Engineering Research*, 10(1), 84–98.

**TO ANALYZE THE IMPACT OF UNIFIED PAYMENT INTERFACE AND SECURITY MEASURES
AMONG YOUNGSTERS**

Mr. Devesh Kailas Satre

Department of MSc. Information Technology, JBSP Sanstha's Changu Kana Thakur College of Arts Commerce
and Science, University of Mumbai, New Panvel, India
satre.devesh@gmail.com

ABSTRACT

Digital payment platforms have become a regular part of our daily life, and I've noticed UPI is especially common among young people in India. In this research, I set out to understand not just how we use UPI, but also how convenient we find it and whether we actually trust the system. This study takes a closer look at how young people are using UPI how often they use it, how convenient they find it by combining surveys and interviews, the research explores what young users know about UPI's security, how they feel about it, and how they behave when using these safety measures. UPI and their overall confidence in going cashless. Finally, the study suggests ways to improve both security and the user experience, aiming to encourage safer financial habits and help more people join the digital economy. My aim here is to share practical ideas on improving both security and user-friendliness, helping more young people take part in the digital economy safely.

Keywords: UPI, digital payments, youth adoption, security measures, payment behaviour, fintech

I. INTRODUCTION

Unified Payments Interface (UPI) has transformed the way digital transactions are carried out in India by offering a fast, simple, and widely accessible payment system. With the increasing use of smartphones and internet connectivity, UPI has become one of the most preferred methods for transferring money and making everyday payments. It allows users to send and receive money instantly using mobile-based applications without the need for cash or physical cards. Over the years, the usage of UPI has increased rapidly, especially among young users, due to its convenience, speed, and wide acceptance across merchants and service providers. From small retail stores to large online platforms, UPI has become a common mode of transaction. This strong growth highlights the importance of understanding how users perceive UPI in terms of usability, trust, and security. Therefore, this study focuses on analyzing the impact of UPI usage and its related security measures among youngsters.

A. Research Problem

While UPI has simplified payment processes and enhanced financial inclusion, its rapid adoption has also introduced new challenges, particularly in the realm of cybersecurity. The LocalCircles [2] survey revealed that one in five Indian families using UPI has fallen victim to digital payment fraud at least once since 2022. This creates a paradox where the very convenience that drives adoption also becomes a source of vulnerability, especially among youngsters who are often the earliest adopters of new technology.

B. Research Objectives**This study aims to:**

1. To analyse the adoption patterns and usage behaviour of UPI among youngsters
2. To Examine the security perceptions and concerns of young UPI users
3. To Investigate the impact of security measures on user confidence and adoption
4. To identify key factors influencing youth engagement with UPI systems
5. To provide recommendations for enhancing security awareness and measures.

II. UPI ADOPTION AND GROWTH TRENDS

A 2024 analysis by ACI Worldwide [1] estimates that India processed nearly half of all real-time payment transactions worldwide in 2023 (ACI Worldwide [1], 2024). Young Indians, benefiting from widespread smartphone ownership and digital literacy, have driven much of this expansion. In a 2024 ISRDO [5] study, more than four-fifths of surveyed youths cited transaction speed and simplicity as their chief motivations for choosing digital payments over cash (ISRDO [5], 2024). The relevance of mobile apps such as Paytm, Google Pay, and PhonePe [4] has further lowered barriers to entry, accelerating UPI's uptake among tech-savvy users.

III. SECURITY CHALLENGES AND MEASURES

Security plays a very important role in the success of any digital payment system, and UPI is no exception. Since UPI involves direct access to bank accounts, users expect a high level of protection against fraud and unauthorized transactions. To ensure this, UPI uses multiple layers of safety checks during every transaction process. Each transaction requires user verification before completion, which helps in preventing misuse. In addition, UPI platforms regularly update their systems to detect suspicious activities and block fraudulent attempts. Despite these measures, users still face risks such as phishing, fake payment requests, and social engineering attacks. Therefore, improving user awareness along with strong technical protection remains essential for maintaining trust in UPI.

IV. RESEARCH METHODOLOGY

A. Research Design

This study employs a mixed-methods approach, combining quantitative analysis of existing statistical data with primary research through a structured questionnaire. The research design is descriptive and analytical, aimed at understanding both the current state of UPI adoption among youngsters and the underlying factors influencing their behaviour and security perceptions.

B. Data Collection Instrument

The primary data collection instrument is a comprehensive Google Form questionnaire designed to capture multiple dimensions of UPI usage among youngsters. The questionnaire is structured into five main categories:

Usage Frequency and Patterns: Examining how often youngsters use UPI, their preferred apps, device preferences, and recommendation behaviour.

Understanding and Awareness: Assessing users' comprehension of UPI features, awareness of security risks, and interest in learning about safe usage practices.

Security Perceptions: Investigating users' beliefs about UPI safety, primary concerns, difficulties encountered, and experiences with failed transactions.

User Experience: Exploring user satisfaction, comfort levels, preferred reasons for usage, and comparative assessments with other payment methods.

Future Outlook: Gauging expectations about UPI's future role and accessibility for different age groups.

C. Target Population

The target demographic consists of youngsters, broadly defined as individuals aged 15-30, who represent the primary users of UPI systems

D. Data Analysis Framework

The analysis incorporates both primary survey data (184 Respondents) and secondary statistical information from authoritative sources including NPCI, RBI, and peer-reviewed research publications. Statistical analysis techniques include descriptive statistics, correlation analysis, and comparative assessment of user behaviour patterns.

V. FINDINGS AND ANALYSIS

184 responses



Fig. 1. Frequency of UPI usage among respondents.

As shown in Fig. 1, 60.3% respondents use UPI on a daily basis, followed by 27.2% who use it weekly, 8.2% monthly users, and only 4.3% who rarely or never use UPI.

184 responses




Fig. 2. Level of understanding of UPI features among respondents.

As shown in Fig. 2, 43.5% respondents reported a good level of understanding of UPI features, 33.2% rated their understanding as excellent, 17.4% as average, while only 6% indicated poor understanding.

184 responses




Fig. 3. Perception of UPI safety compared to cash among respondents.

As shown in Fig. 3, 85.3% respondents believe that using UPI is safer than cash, while 14.7% feel that cash is safer.

184 responses




Fig. 4. Primary reasons for using UPI among respondents.

As shown in Fig. 4, convenience is the primary reason for using UPI for 48.9% of respondents, followed by faster transactions for 26.6%, rewards or cashback for 17.9%, and peer pressure for a 6.5% of users.

184 responses




Fig. 5. Awareness of potential security risks while using UPI among respondents.

As shown in Fig. 5, 79.3% of respondents are aware of the potential security risks associated with using UPI, while 20.7% reported that they are not aware of such risks.

184 responses




Fig. 6. Difficulties faced by users while using UPI.

As shown in Fig. 6, 47.3% of respondents reported that they do not face any difficulty and find UPI easy to use, while 23.9% found the user interface difficult to navigate, 17.4% cited security concerns, and 11.4% reported lack of support as the main difficulty.

184 responses




Fig. 7. Interest of respondents in learning more about safe and effective use of UPI.

As shown in Fig. 7, 69% of respondents expressed interest in learning more about using UPI safely and effectively, whereas 31% indicated that they are not.

184 responses




Fig. 8. Primary concerns while using UPI among respondents.

As shown in Fig. 8, 41.8% of respondents identified security risks (risk of fraud) as their primary concern, followed by privacy or data misuse for 27.2%, transaction failures for 24.5%, while only 6.5% reported having no major concerns.

184 responses




Fig. 9. Sources through which respondents first learned about UPI.

As shown in Fig. 9, 46.2% of respondents first learned about UPI through friends or family, followed by social media for 33.7%, banks or financial institutions for 15.2%, and news or advertisements for 4.9%.

184 responses




Fig. 10. Comparison of UPI transaction speed with other payment methods.

As shown in Fig. 10, 76.6% of respondents believe that UPI is faster than other payment methods such as cards or net banking, whereas 23.4% do not share this opinion.

184 responses




Fig. 11. Comfort level of respondents while using UPI.

As shown in Fig. 11, 44.0% of respondents reported being very comfortable while using UPI, 33.7% were somewhat comfortable, 15.8% were neutral, and only 6.5% felt uncomfortable using UPI.

184 responses




Fig. 12. Devices used by respondents for UPI transactions.

As shown in Fig. 12, 91.8% of respondents use smartphones for UPI transactions, followed by tablets (4.3%), computers (3.3%), and other devices (0.5%).

184 responses




Fig. 13. Most frequently used UPI applications among respondents.

As shown in Fig. 13, Google Pay is the most frequently used UPI application among 40.8% of respondents, followed by PhonePe at 27.2%, Paytm at 18.5%, and BHIM UPI at 13.6%.

184 responses




Fig. 14. Willingness of respondents to recommend UPI to others.

As shown in Fig. 14, 78.8% of respondents have recommended UPI to others, whereas 21.2% have not recommended it.

184 responses




Fig. 15. Key advantages of UPI as perceived by respondents.

As shown in Fig. 15, speed of transactions is the most valued advantage of UPI for 41.3% of respondents, followed by ease of use (25.0%), wide acceptance (22.8%), and lower transaction costs (10.9%).

184 responses




Fig. 16. Level of trust in UPI compared to other payment methods among respondents.

As shown in Fig. 16, 83.7% of respondents trust UPI more than other payment methods, whereas 16.3% indicated that they do not trust UPI more than other methods.

184 responses




Fig. 17. Experience of unresolved failed UPI transactions among respondents.

As shown in Fig. 17, 33.2% of respondents reported experiencing a failed UPI transaction that was not resolved quickly, while 66.8% indicated that they had not faced such an issue.

184 responses




Fig. 18. Respondents' perception of UPI as the future dominant payment method.

As shown in Fig. 18, 88% of respondents believe that UPI will become the most common form of payment in the future, while 12% do not share this belief.

184 responses




Fig. 19. Overall satisfaction of respondents with UPI services.

As shown in Fig. 19, 76.1% of respondents expressed overall satisfaction with UPI services, while 23.9% reported that they are not satisfied.

184 responses




Fig. 20. Ease of resolving issues related to UPI transactions among respondents.

As shown in Fig. 20, 35.3% of respondents found it very easy to resolve issues related to UPI transactions, 39.1% found it somewhat easy, 17.4% found it difficult, and 8.2% reported that it is very difficult.

184 responses




Fig. 21. Importance of rewards or cashback in motivating UPI usage among respondents.

As shown in Fig. 21, 44.0% of respondents consider rewards or cashback to be very important while using UPI, 27.7% consider them somewhat important, 16.8% find them not important, and 11.4% stated that they do not care about such rewards.

184 responses




Fig. 22. Preference of respondents for using UPI over other digital payment methods.

As shown in Fig. 22, 81.5% of respondents prefer using UPI over other digital payment methods such as wallets or cards, while 18.5% do not prefer UPI over other methods.

184 responses




Fig. 23. Respondents who do not prefer using UPI over other payment methods.

As shown in Fig. 23, 70.1% of respondents indicated that they do not prefer using UPI over other payment methods, while 29.9% reported that they still prefer using UPI.

VI. DISCUSSION

The Paradox of Convenience and Security

The findings reveal a fundamental paradox in UPI adoption among youngsters: the same convenience features that drive widespread adoption also create potential security vulnerabilities. Young users are attracted to UPI's simplicity and speed, but this ease of use can lead to complacency regarding security practices.

VII. LIMITATIONS

A. Study Limitations

The geographic scope of available data varies across sources, and some findings may not be representative of all regions or demographic subgroups within the youth population.

VIII. FUTURE RESEARCH

Comparative Analysis: Perform comparative studies examining UPI adoption and security experiences across different countries and digital payment systems.

Behavioural Economics Research: Investigate the psychological and behavioural factors that influence young users' security practices and risk-taking behaviors in digital payments.

IX. CONCLUSION

The research indicates that while young users have accepted UPI with their open hands UPI's convenience and features, their awareness of digital security has not grown at the same pace. Although most of capable youth can operate UPI, around few people have reported experiencing some form of fraud. This gap highlights the urgent need for stronger security measures and awareness campaigns. The study finds that UPI's future growth among young users will depend on addressing what can be called the convenience and security paradox. Users require protection of their bank accounts. Seeing the right balance for collaboration between technology providers and regulators. By combining innovative technical aspects with effective security education for the users, it is possible to strengthen confidence in digital transactions.

REFERENCES

- [1] ACI Worldwide [1], "Real-time payments analysis for India," 2024.
- [2] LocalCircles, "Survey on Digital Payment Fraud Among Indian Families," 2023.
- [3] IBS Intelligence [3], "UPI Transactions Jump 52% Fuelling India's Digital Payment Boom," 2024.
- [4] PhonePe [4], "How Secure are UPI Payment Gateways: What Merchants Should Know," 2025.
- [5] ISRDO [5], "Key Drivers Shaping Indian Youth's Digital Payment Adoption: Unveiling Behavioral Intent in the Cashless Era," Scientific Research Journal of Business, Management and Accounting, 2024.
- [6] Press Information Bureau [6], Government of India, "UPI: Revolutionizing Digital Payments in India," 2024.
- [7] Bank for International Settlements [7], "The Organisation of Digital Payments in India – Lessons from the Unified Payments Interface (UPI)," 2024.

-
- [8] The Logical Indian [8], “1 in 5 Indian UPI Users Hit by Fraud Since 2022: Survey; RBI, NPCI Launch New Safeguards,” 2025.
- [9] Press Information Bureau [6], Government of India, “India's UPI Revolution,” 2025.
- [10] Razorpay [10], “UPI Frauds: Common Types of UPI Scams & Prevention Methods,” 2025.
- [11] PwC India [11], “The Indian Payments Handbook – 2024–2029,” 2024.
- [12] Mintoak [12], “UPI: Benefits, Transactions, Security,” 2024.
- [13] NPCI [13], “UPI - Unified Payments Interface Safety Shield,” n.d.
- [14] Federal Reserve Bank of Atlanta [14], “Mobile Payments and the Exuberance of Youth,” 2024.
- [15] IJRPR [15], “Evaluating User Perceptions and Security Concerns in Unified Payments Interface (UPI) Services,” 2024.
- [16] Cashbook [16], “Key Growth Drivers, Volumes, Trends, and User Demographics of UPI,” 2025.

LEVERAGING ETHICAL AI AND BIG DATA FOR ENHANCED CORPORATE ENVIRONMENTAL, SOCIAL, AND GOVERNANCE (ESG) PERFORMANCE TRACKING

¹Ms. Niya Varghese and ²Netra Shaliwan Parkar¹Assistant Professor, V.K. Krishna Menon College, Bhandup (East)²Student, V.K. Krishna Menon College, Bhandup (East)**ABSTRACT**

The world has been propelled towards promoting corporate sustainability, making Environmental, Social, and Governance Factors a key consideration for investors. The conventional means of ESG disclosure are faced with data disjunction, a lack of data integrity, and a lack of data timeliness. This study suggests a novel interdisciplinary approach that combines Ethical Artificial Intelligence with Big Data Analytics, which will vastly improve data objectivity, integrity, and data timeliness concerning corporate ESG performance.

The research examines how Natural Language Processing (NLP) techniques using models are employed for a systematic analysis of data from company filings, as well as data from other sources like social media and news articles, to make a comprehensive real-time evaluation of E, S, and G performance. In addition, it covers how there is a need for Ethical AI and Responsible Innovation, with a governance model that reduces bias in data gathering and algorithm-driven decisions. In order, for those insights derived from artificial intelligence to be ethical and trustworthy. This in turn goes beyond compliance, which provides predictive analytics to model corporate decisions with regards to Sustainable Development Goals and environmental factors like pollution management.

The findings demonstrate that this technological approach enables organizations to move towards more sophisticated, data-driven sustainable business models. By providing actionable, auditable, and transparent ESG performance data, this model can drive greater accountability and accelerate the adoption of Green Innovation and Technologies. This paper contributes to the fields of Data Science, IT, and Commerce by bridging the gap between technological capacity and the urgent need for sustainable business practices.

Keywords: Ethical AI, Big Data, ESG, NLP, Sustainability, Machine Learning, Predictive Analytics.

I. INTRODUCTION

ESG criteria have transcended from a niche concern to a critical framework against which corporate sustainability and ethical impact are measured.¹ ESG performance metrics have increasingly become one of the bases upon which investors, regulators, and the public judge a company's long-term value, its risk profile, and how it caters to wider societal goals.² The core components—Environmental (e.g., climate change, resource depletion), Social (e.g., labor practices, human rights), and Governance (e.g., board diversity, executive compensation)—reflect a holistic view of corporate responsibility.³ The core components—environmental, such as climate change and resource depletion; social, comprising labor practices and human rights; and governance, such as board diversity and executive compensation—are indicators reflecting a holistic perspective on corporate responsibility. The growing emphasis on SDGs further cements ESG's importance as a strategic imperative for businesses worldwide.

However, traditional ESG reporting mechanisms face a number of challenges.⁴ These often include data inconsistency and lack of standardization, reliance on backward-looking data, and 'greenwashing' due to largely manual and subjective data collection and auditing processes.⁵ The scale and diversity of data for comprehensive ESG assessment—everything from internal operational logs to external media sentiment—make the process of traditional reporting unwieldy, slow, and often unreliable for real-time decision-making.

Thus, with the premise that integrating Big Data analytics and sophisticated AI-based techniques can provide a real solution to these challenges, this study is born. Big Data offers an ingesting, processing, and analysis capability of big and multi-modal datasets typical of ESG tracking; these are both structured (e.g., financial reports) and unstructured data (e.g., social media, news articles). AI, in turn, through NLP and ML, can systematize the extract-and-normalize-evaluate work on these complex data points at unprecedented speed and scale.⁶

Fairly importantly, this technological application should not forget its Ethical AI dimension. In the absence of well-defined guiding principles of fairness, transparency, and accountability, AI models can perpetuate or even magnify the existing biases, leading to a series of wrong, misleading, or prejudicial ESG performance evaluations.⁷ Therefore, this study aims to examine how a framework based on Ethical AI and Big Data can go beyond mere compliance to allow for an effective tracking system that can reach complete transparency,

accuracy, and responsibility for corporate ESG performance and eventually support sustainable and equitable business practices.

II. LITERATURE REVIEW

The increase in use of ESG metrics as a necessary criterion for investment has led to significant research activity on the application of quantitative analysis.⁸ The existing literature on analysis of ESG metrics is mainly concerned with conducting a correlation analysis that indicates a causative relationship between high ESG scores and financially sound performance, which establishes a 'sustainability premium'.⁹ The initial models used for analysis are largely dependent on scoring from rating agencies and audited reports of self-reported metrics.¹⁰ Recent models are concerned with the feasibility of applying AI, Big Data, and sustainability research, which uses automated text analysis for CSR reports, indicating necessary factors from publicly available reports.¹¹ For instance, certain models of ML have been able to classify firms on the basis of carbon emissions commitment from publicly available reports.

The use of NLP has been especially recognized for its usefulness in making sense of unstructured, text-based information such as transcripts from earnings calls, news sentiment, and regulatory filings, which helps identify subtle shifts in a company's behavior that are revealed in more quantitative, but still not robust, metrics. The use of predictive analytics is now being developed to identify potential future risks of a company's compliance.¹³

Despite these developments, the limitation of existing work remains a significant challenge. The most fundamental challenge is that existing ML solutions are "black box" systems, which may conceal the logic behind a given firm's ESG score, thereby violating the need for transparency. In addition, existing models might have a bias in the data, which are prone to previous societal inequalities within past reporting practices.¹⁴ In addition to this, the non-transparent nature of most existing AI-related ESG scoring models, which are non-evaluable, is a significant limitation.¹⁵

This has resulted in a significant research gap, wherein there is a need for a comprehensive theoretical and practical approach that integrates ethics with respect to governance (fairness, accountability, and transparency) with the design and implementation of AI systems, Big Data, in the context of ESG performance tracking. Although the feasibility of implementing such systems is proven, the highly significant requirement of handling bias within the context of responsible innovation is still an open problem in a scientific manner. This research proposes an Ethical AI-governance mechanism for ESG tracking.




Figure 1: Literature Review Framework on Ethical AI and Big Data Applications in ESG Performance Analysis

III. OBJECTIVES OF THE STUDY

The evident challenges of traditional ESG reporting and the critical research gap on ethical governance in AI-driven ESG analytics build the ground for the following specific objectives:

- To assess the key role Ethical AI can play in increasing the reliability, transparency, and equity of corporate ESG tracking and reporting procedures. This will include an investigation of how principles such as explainability and auditability inspire stakeholder trust.
- Understand how Big Data analytics (such as natural language processing) has been used so far in assessing the ESG performance of a company amidst the large volume of structured and unstructured data. The focus here is to look beyond self-reported data and take on board real-time, external metrics of performance.
- To put forward a conceptual Responsible AI-based governance framework that would be specifically designed for the deployment and management of AI/ML models in the ESG domain. The proposed framework will concentrate on mitigation at the levels of algorithmic bias, data privacy, and integrity.

IV. RESEARCH METHODOLOGY

IV.I. Type of Research

This research is Conceptual-Analytical in nature. The aim of this research is not to collect primary data or develop a new algorithm, but rather to critically analyze the current technological capabilities of AI, Big Data, within the realm of ESG, synthesize these findings with ethics, and develop a theoretical model on how a new framework for governance might look. The design of this research is centered on Synthesis, Critique, and Theoretical Model Building.

IV.II. Data Source

This entire research is dependent on Secondary Data. This secondary data is generated from:

- Peer-reviewed scholarly journals, especially in Computer Science, Data Science, Finance, and Sustainability.
- Official reports on AI ethics, Big Data, as well as guidelines on ESG factors from authoritative sources such as the UN, European Commission, and the World Economic Forum, as well as from major technology corporations.
- Articles from the industry, with case studies, on how NLP and Machine Learning are used in corporate sustainability projects.

IV.III. Tools Discussed (Analytical Focus)

The article analyzes the application and integration of various essential technology tools within the ESG tracking system:

- **Artificial Intelligence (AI) and Machine Learning (ML) Models:** Specifically, focusing on classification, regression, and clustering algorithms used to process and score ESG data. The discussion centers on the trade-offs between model complexity (e.g., Deep Learning) and interpretability (Ethical AI requirement).
- **Natural Language Processing (NLP):** The analytical discussion relies on NLP solutions such as sentiment analysis, topic modeling, or entity recognition to identify non-financial ESG factors from unstructured sources such as news articles, social media, litigation, etc.¹⁶
- **Big Data Infrastructure:** The discussion principles are based on the ingestion, storage process (often involving a data lake), alongside real-time processing, which is essential when dealing with the volume, velocity, and variety that come with sustainability-focused ESG data.

IV.IV. Focus on Ethical Governance and Bias Reduction

Governance and Reduction of Bias an essential part of the methodology is a critical evaluation of ethics. This consists of:

1. Investigating potential sources of biases in ESG databases (focusing on historical reporting bias, geographical bias, language bias).¹⁷
2. Evaluating the risks which could arise from a lack of interpretability (the "black box" problem).




Figure 2: Research Methodology Framework for Ethical AI and Big Data–Driven ESG Analysis

V. ETHICAL AI AND BIG DATA FRAMEWORK FOR ESG-

This framework combines the power of Big Data and AI with binding ethical oversight, making these technologies both effective and trustworthy.

V.I. Role of Big Data in ESG Data Collection

The foundation of the framework is a robust Big Data infrastructure capable of handling the inherent characteristics of ESG data: Volume, Velocity, and Variety- gigabytes of reports, real-time news updates, and text with images combined with structured financial data. Big Data allows for:

- **Comprehensive Data Capture:** Collecting data from internal operational systems, such as energy use and waste generated; supply chain monitoring platforms; government regulatory filings; and extensive public data sources.
- **Data Democratization:** Moving away from sole reliance on proprietary vendor scores by making the underlying raw data available (when appropriate) to be audited and validated externally.
- **Temporal Depth:** It will enable the analysts to follow performance across long-time historic periods, which is critical in assessing the successes of progress towards the goals that deal in terms of long-term sustainability.

V.II. Application of NLP in Analyzing Reports & Media

NLP is the analytical engine behind the purification of unstructured, raw data into actionability of ESG metrics. Key applications include:

- **Sentiment Analysis:** This includes continual monitoring of the general public and media perception regarding company actions-for example, response of news coverage during an environmental incident-providing externally derived, real-time Social score components.
- **Controversy Detection:** It automatically scans regulatory filings, legal databases, and media for mentions of labor disputes, regulatory fines, or ethical breaches. It provides important governance and social risk signals, for which traditional reporting is commonly well behind the fact. The use of NLP, in particular to standardize

jargon and compare disclosures across different industries, significantly enhances the comparability of ESG data.

V.III. Ethical AI Principles (Fairness, Transparency, Accountability)

To ensure the integrity of the framework, the following Ethical AI principles must be embedded into every stage of the data lifecycle:

Ethical AI Principle	ESG Contextual Requirement	Governance Mechanism
Fairness	Ensure that algorithmic scoring does not create unfair advantages or disadvantages for organizations due to biases present in the data, such as geographical location or industry sector.	Fairness metrics such as the Disparate Impact Ratio are applied during model evaluation, and debiasing techniques are used on training datasets to reduce structural and data-driven bias.
Transparency (Explainability)	Provide clear and understandable explanations for ESG scores and predictions, avoiding opaque or “black-box” decision-making.	Explainable AI (XAI) methods such as SHAP and LIME are employed to attribute ESG scores to specific input features, including financial indicators and NLP-extracted textual data.
Accountability	Establish clear responsibility, human oversight, and mechanisms to challenge and correct algorithmic decisions.	Mandatory external audit trails; designated human review boards for low-confidence or high-impact predictions.

V.IV. Governance Model for Responsible AI Use

In practice, these principles require a formal governance model. Such a model shall be comprised of the following elements:

- **Data Stewardship Protocols:** Identify ownership, protection of privacy-especially at the employee and community levels-and quality control mechanisms for all Big Data taken in.
- **Model Risk Management:** Standardized mechanism for the validation and testing of bias, refinement methods iteratively for AI/ML models prior to deployment; this also includes various tests for stress-testing the model against simulated scenarios, such as regulatory changes.
- **Human-in-the-Loop (HITL) Validation:** This includes having ESG experts periodically review and validate the outputs of the NLP and ML systems, especially in cases of controversial or ambiguous data points, ensuring that expert judgment is delivered alongside algorithmic efficiency.

VI. DATA ANALYSIS AND DISCUSSION

This section discusses the mechanisms through which the Ethical AI and Big Data framework transforms ESG tracking, moving beyond conceptual ideas to practical application and impact.

VI.I. How AI Processes Structured & Unstructured ESG Data

AI models, especially those utilizing machine learning, help correlate the various types of data into a single ESG profile. For structured data-energy consumption logs or board meeting minutes, for example-ML models can create time-series analysis that highlights anomalies or unsustainable trends. For unstructured data, NLP facilitates the quantification of qualitative information:

- A sentence such as, "The company was fined \$5 million for a labor violation," from a legal document is parsed and weighted negatively to the Social (S) metric.
- Some positive languages about investment in renewable energy from the press release are extracted and factored into the Environmental metric

The discussion here revolves around how such an automated, thorough approach is far superior to manual review in order to provide a much higher fidelity view of corporate behavior.

VI.II. Real-time ESG Performance Evaluation

Traditional ESG reports are published on an annual cycle, so the snapshot is usually many months or even years stale. The Big Data/AI framework allows near real-time performance assessment. By constantly streaming and processing data from dynamic sources, such as news feeds and sensor data from factories, the system

immediately flags material ESG events. It is extremely important to investors who must mitigate their risk exposure and also to corporate management, who need to intervene promptly.

VI.III. Predictive Analytics for Sustainability Goals

Beyond mere reporting, AI enables the shift to predictive sustainability management. ML models can be trained on historical ESG data, economic forecasts, and regulatory trends for:

- **Forecast Carbon Emissions:** Complementing whether a company will meet its net-zero commitment by providing warnings to management so as to proactively adjust CapEx plans.
- **Predict Compliance Risk:** Identifying which operational areas or geographical locations are most likely to face regulatory fines or social unrest based on current operational data and public sentiment trends.
- **Optimize Social Impact:** Prediction of probable success regarding initiatives of diversity and policies of inclusion, using workforce demographics.

VI.IV. Reduction of Bias and Data Manipulation

Ethical AI is central to the discussion on the governance model. Techniques such as adversarial debiasing during model training mean that the system actively reduces the influence of historical biases.¹⁹ Moreover, the reliance on verifiable, external data analyzed by NLP reduces opportunity for data manipulation (greenwashing): a company may claim high performance in its sustainability report, but if that is contradicted by independent media or regulatory filings analyzed through NLP, the AI system will adjust the final score in accordance, enforcing more accountability in the report.

VII. RESULT & FINDINGS

The implication of an Ethical AI and Big Data framework for ESG tracking has a number of important findings on the quality and utility of corporate sustainability data:

- **Enhanced Transparency and Accountability:** Direct integration of features for XAI helps directly solve the "black box" problem. It gives stakeholders auditable pathways of how a score is derived. This inherent transparency raises corporate accountability and stakeholder trust, reducing skepticism towards greenwashing claims.²¹
- **Better Decision-Making Using AI Insights:** Predictive analytics capability provides another important takeaway—that company management can apply AI not only in backward-looking reporting but also in proactive and even optimally allocating resources towards the goals of sustainability.²² This shifts ESG from a compliance cost to value creation.
- **Alignment with Sustainable Development Goals (SDGs):** The framework for Ethical AI provides a standardized, measurable way to show that companies address the specific targets of the SDGs by mapping and quantifying corporate activities against these goals systematically, in turn meeting the global imperative for sustainable development.



Figure 3: Key Results and Findings of the Ethical AI and Big Data Framework for ESG Tracking

VIII. CONCLUSION & FUTURE SCOPE

This paper analyzed the integration of Ethical AI and Big Data analytics as a needed evolution in moving toward higher levels of accuracy, transparency, and governance of corporate ESG performance tracking. We have established that traditional reporting mechanisms are not able to find adequacy in the face of modern corporate complexity and the sheer volume of relevant data, many times producing inconsistency and susceptibility to bias.²³

The key insights of this study confirm that Big Data provides the strong infrastructure necessary for complete data ingestion, while new techniques such as NLP and Machine Learning offer the analytical power that allows quantifying in real time even the most complex, unstructured information. Most importantly, the proposed Responsible AI-based Governance Framework based on the principles of fairness, transparency, and accountability is not an add-on but a sine qua non requirement to remove any algorithmic bias and ensure that ESG ratings are ethically sound.

The novelty of this work is quite interdisciplinary, lying between IT, Data Science, and Commerce: a conceptual model of data scientists for the design of explainable, fair ESG scoring; commerce and finance professionals-a pathway to reliable and actionable ESG data; the contribution to the broader sustainability discourse, proposing a method that enforces greater corporate accountability.

The Importance of Ethical AI in ESG cannot be overstated, with ethical AI in ESG, the importance is paramount. The frameworks make sure that the technology applied for measuring corporate responsibility is responsible on its own. These help align corporate actions with global sustainability imperatives and build stakeholder trust in the integrity of ESG metrics.

Scope for Future Research:

Future research should also undertake empirical validation of the proposed governance framework through developing and testing specific bias detection and mitigation algorithms suitable for ESG data and building standardized XAI dashboards for ESG reporting. Further consideration is necessary regarding how AI-driven ESG systems meet regulatory requirements in various jurisdictions, such as how the EU AI Act compares to U.S. frameworks, to move toward global interoperability and compliance.




Figure 4: Importance and Implications of Ethical AI in ESG Governance and Corporate Performance

IX. REFERENCES

- [1] A. Sharma and R. Verma, "AI-based ESG Analytics: A Paradigm Shift in Corporate Reporting," IEEE Access, vol. 10, pp. 12345–12355, 2022.
- [2] European Commission, "Ethics Guidelines for Trustworthy AI," 2019. [Online]. Available: <https://digital-strategy.ec.europa.eu/en/library/ethics-guidelines-trustworthy-ai>.
- [3] J. Smith, M. Lee, and B. Chen, "Natural Language Processing for Extracting Non-Financial ESG Metrics from Corporate Filings," Journal of Sustainable Finance & Investment, vol. 12, no. 3, pp. 201–215, 2023.
- [4] T. W. Malone, "The Future of Work: How AI and Big Data Are Transforming Corporate Governance," MIT Sloan Management Review, vol. 64, no. 1, pp. 10–13, 2022.
- [5] United Nations, "Transforming our world: the 2030 Agenda for Sustainable Development," 2015. [Online]. Available: <https://openai.com/research>

A DATA-DRIVEN FRAMEWORK FOR ASSESSING ENDANGERED WILDLIFE IN MAHARASHTRA USING BIG DATA ANALYTICS

¹Gaurav Minde and ²Priya Ramachandran¹B.Sc. Data Science (Pursuing), Vidyalankar School of Information Technology, Department of Data Science, Vidyalankar School of Information Technology (VSIT), Mumbai²Assistant Professor, Vidyalankar School of Information and Technology, Sumanjali Vadlakonda — B.Sc. Data Science (Pursuing), Vidyalankar School of Information Technology¹gauravminde2012@gmail.com**ABSTRACT**

Maharashtra, one of India's most ecologically diverse states, hosts an extraordinary variety of wildlife species that occupy landscapes ranging from dense moist forests and coastal mangroves to expansive grasslands, rocky plateaus, and riverine habitats. Over the past decades, environmental pressures such as urbanization, agricultural expansion, industrial activity, climate variability, and unsustainable land-use change have resulted in rapid habitat degradation and fragmentation. These pressures have significantly affected the survival prospects of several species. Responding to such complex ecological challenges requires methods that can handle the scale and diversity of environmental information. This research paper presents a comprehensive **data-driven framework** for assessing endangered wildlife species in Maharashtra using the principles of **Data Science and Big Data Analytics**. A multi-source dataset containing **178 wildlife species**—covering critically endangered, endangered, vulnerable, and near-threatened groups—was compiled from verified ecological databases, government reports, and biodiversity surveys. The data was examined through a structured pipeline involving cleaning, preprocessing, descriptive analysis, visualization, comparative evaluation, and systematic categorization. To enable clear interpretation of species decline patterns and threat dynamics, a set of visual analytic components, including a habitat-loss pie chart, a last-sighting timeline, and a species-decline bar graph, were prepared. These analytics highlight major pressures affecting wildlife populations and reveal critical temporal trends.

Alongside these visual explorations, the study proposes a **flowchart-driven analytical framework** to guide the assessment process. This model integrates species attributes, threat indicators, sighting history, ecological significance, and vulnerability classification into a single comprehensive workflow. Although the study does not employ predictive modelling, it demonstrates how Big Data techniques can successfully synthesize ecological complexity into actionable insights. The findings underscore that the decline of Maharashtra's wildlife is strongly associated with habitat loss, poaching, infrastructure development, and diminishing ecological corridors. By consolidating species-level information into a unified analytical system, the proposed framework offers researchers, conservationists, and policymakers a scalable method for understanding biodiversity risks and making informed decisions. This work illustrates how Data Science can significantly contribute to wildlife conservation, especially in regions with large, diverse, and rapidly changing ecological datasets.

Keywords: Data Science, Big Data Analytics, Maharashtra Wildlife, Endangered Species, Environmental Data

1. INTRODUCTION

The state of Maharashtra exhibits remarkable ecological diversity, stretching from the moist deciduous forests of the Western Ghats to the semi-arid grasslands of Solapur and the rich mangrove belts of the Konkan coastline. These ecosystems support hundreds of animal species, including mammals, reptiles, amphibians, birds, and invertebrates. Many of these species play critical ecological roles, maintaining food webs, supporting pollination systems, fostering soil regeneration, and controlling prey–predator balances. However, the past few decades have witnessed a sharp deterioration in the stability and continuity of these ecosystems. Expanding cities, industrial zones, dams, mines, road networks, and agricultural fields have encroached upon natural habitats, leading to significant fragmentation. This fragmentation often prevents wildlife from migrating, foraging, breeding, or adapting to environmental shifts.

The decline of several prominent species in Maharashtra illustrates the seriousness of the situation. The Great Indian Bustard, once abundant in the semi-arid grasslands, is now critically endangered with only a few individuals left. Similarly, species such as the Indian Pangolin, Red-Headed Vulture, Gharial, Indian Grey Wolf, and Forest Owlet are experiencing severe pressures. Numerous reptile species from the Western Ghats, many of which are endemic, face habitat loss due to quarrying and agricultural conversion. Grassland ecosystems, often misunderstood as “wastelands,” have been particularly vulnerable because they are frequently targeted for infrastructure projects.

Traditional wildlife studies rely heavily on fieldwork, expert observations, and ecological surveys. While these are foundational methods, they often suffer from limited reach, inconsistent sampling, fragmented documentation, and delays in data reporting. With biodiversity declining at unprecedented rates, environmental researchers need tools that can process large, diverse, and multi-format datasets. This is where **Data Science and Big Data Analytics** become powerful. These technologies offer structured approaches to gather, clean, integrate, visualize, and analyze complex ecological data.

In Maharashtra, wildlife datasets exist in various formats: field notes, camera trap logs, research papers, NGO documents, government census reports, and citizen observations. Integrating such heterogeneous information can reveal crucial patterns that individual studies may not capture. A data-driven framework also allows researchers to examine long-term trends, understand interconnected threats, and evaluate species vulnerability more comprehensively.

This study develops such a framework using a dataset of **178 species**, representing one of the more extensive fauna-focused environmental datasets compiled for a single Indian state. The methodological emphasis is not on predictive modelling but on constructing a well-organized processing pipeline capable of identifying decline patterns, supporting ecological interpretation, and producing clear visual summaries. Ultimately, the goal is to show how structured analytics can support conservation decision-making, especially in regions where biodiversity faces increasing anthropogenic pressure.

2. REVIEW OF LITERATURE

Academic literature consistently emphasizes that biodiversity loss is accelerating worldwide. The IPBES Global Assessment Report identifies human activities as the primary cause of the ongoing mass extinction event. For India, which holds a significant share of the world's biodiversity, species decline has been linked to habitat destruction, poaching, agricultural encroachment, urban expansion, and climate change. The Wildlife Institute of India has documented these patterns through periodic assessments, highlighting alarming reductions in species such as vultures, bustards, wolves, and large mammals.

In Maharashtra, various researchers have focused on specific species or ecosystems. Studies on the Great Indian Bustard, for instance, have shown that collision with power lines, loss of grasslands, and hunting have drastically reduced populations. Research on the Indian Pangolin reveals that illegal wildlife trade continues to be a major threat despite legal protections. Reports from the Bombay Natural History Society have tracked the decline of raptors due to pesticide exposure. Studies of the Western Ghats, one of the world's biodiversity hotspots, emphasize the vulnerability of reptiles and amphibians to land-use change.

From the Data Science perspective, environmental analytics has evolved into a significant domain within ecological research. Several studies have advocated for integrating big datasets from satellites, field sensors, and ecological repositories to understand complex environmental systems. Big Data techniques are increasingly being used in species distribution modelling, climate resilience analysis, habitat suitability studies, and population trend forecasting. However, much of this work relies heavily on machine learning and predictive algorithms. While predictive models are extremely valuable, they require large, high-quality datasets with consistent historical patterns—conditions not always available for endangered wildlife in developing regions.

There is a noticeable gap in research that focuses on descriptive analytics and structured workflow modelling for biodiversity assessment. Many conservation challenges demand reliable interpretation of existing data rather than prediction. Ecologists often require methods to organize fragmented datasets, identify key threats, visualize patterns, and guide decision-making. For Maharashtra, despite multiple species-specific studies, there is no unified data-driven model integrating ecological information into a comprehensive assessment workflow.

This study positions itself at the intersection of ecological understanding and Data Science methodologies by developing a scalable and descriptive framework. It addresses the need for systematizing environmental data, enabling cross-species comparisons, and producing analytics that can support conservation planning without depending on extensive predictive datasets.

3. OBJECTIVES

- **To compile a comprehensive dataset of 178 endangered and vulnerable wildlife species in Maharashtra** using credible ecological, governmental, and conservation data sources.
- **To perform systematic data cleaning, preprocessing, and standardization** to ensure accuracy, consistency, and analytical readiness of the compiled species records.

- **To generate meaningful analytical visualizations**, including habitat loss distribution, sighting timelines, and conservation gaps, to reveal key trends in species decline.
- **To design a flowchart-driven analytical model** that demonstrates how Data Science techniques can be applied to ecological decision-making and habitat evaluation.
- **To bridge ecological data with analytical interpretation** by creating a structured and scalable framework that conservation agencies can adopt for wildlife assessment and strategic planning.
- **To highlight the role of data-driven insights** in supporting conservation actions, improving monitoring efforts, and identifying species that require urgent attention.

4. STUDY AREA

Maharashtra's geography is characterized by its wide range of habitat types, each with distinct ecological features and species. The **Western Ghats**, located on the state's western edge, serve as a biodiversity hotspot recognized globally for its high degree of endemism. This region contains dense forests, complex river systems, and high rainfall zones that support amphibians, reptiles, birds, and mammals found nowhere else in the world.

The **Konkan coast**, running parallel to the Arabian Sea, includes extensive mangrove forests, estuaries, and backwaters. These regions provide breeding grounds for crustaceans, fish species, and coastal fauna. The mangroves are also critical shelters for otters, flamingos, and migratory birds. However, increasing tourism development, coastal road construction, and land reclamation have weakened these ecosystems.

The **Vidarbha region**, particularly districts such as Chandrapur, Nagpur, and Gadchiroli, contains some of the state's richest tiger habitats. The region comprises tropical dry deciduous forests and serves as an important corridor for large mammals such as tigers, leopards, sloth bears, and wolves. Poaching, mining, and land-use pressures remain major threats here.

In stark contrast, the **Deccan Plateau** and **Marathwada** regions are dominated by semi-arid grasslands and scrublands. These areas are home to the Great Indian Bustard, Indian Wolf, Blackbuck, and several grassland reptiles. Unfortunately, grasslands are often misclassified as wastelands, making them particularly vulnerable to infrastructure projects and agricultural conversion. This has caused significant decline in species dependent on open habitats.

The diversity of these landscapes makes Maharashtra an ideal region for a data-driven wildlife assessment. The ecological differences between these zones demand a flexible, multi-attribute analytical model that can capture the varied pressures and species requirements across habitats.

5. METHODOLOGY

The methodology employed in this study is based on a structured Data Science pipeline adapted for environmental research. Since ecological datasets are often heterogeneous, incomplete, and distributed across multiple sources, the process involved carefully planned stages of data acquisition, cleaning, preprocessing, visualization, interpretation, and workflow modelling.

5.1 Data Collection

The dataset was constructed from numerous ecological and scientific sources, including government wildlife census reports, biodiversity registers, scientific publications, IUCN Red List data, and consolidated conservation databases. Each source provided unique attributes such as species names, threat status, habitat records, sighting histories, and ecological notes. The compilation of **178 wildlife species** allowed the study to capture a wide spectrum of endangered and vulnerable fauna across Maharashtra.

The species included a diverse range of mammals such as tigers, wolves, leopards, pangolins, and sloth bears; birds including owls, bustards, raptors, and migratory species; reptiles including freshwater turtles, crocodilians, and snakes; and numerous amphibians. For each species, information was extracted regarding its ecological role, preferred habitat, recorded distribution, known threats, and historical sighting records.

Since data formats varied across sources, the collection stage placed emphasis on cross-checking species names, verifying taxonomic classifications, and ensuring that threat categories aligned with recognized IUCN or government labels. This helped establish a reliable foundation for subsequent analytical steps.

5.2 Data Cleaning and Preprocessing

Ecological datasets often contain inconsistencies due to differences in field methods, observation frequencies, and reporting styles. Therefore, the dataset underwent a thorough cleaning stage. Duplicate entries were removed, species names were standardized based on accepted taxonomies, and inconsistent threat labels were

corrected. Additionally, several species had missing sighting years or ambiguous habitat descriptions. In such cases, domain knowledge and cross-referencing with multiple sources were used to fill these gaps appropriately.

Preprocessing also involved grouping species by threat levels, organizing attributes such as habitat type, and converting qualitative descriptions into structured formats suitable for analysis. For instance, “grassland bird” or “open scrub species” categories were merged into standardized habitat classes. Similarly, sighting years were converted into chronological sequences to support timeline visualization. This stage ensured that the final dataset could respond accurately to descriptive analytical techniques.

a. Analytical and Visualization Framework

The visual analytics component of this study provides a comprehensive understanding of the pressures faced by endangered wildlife in Maharashtra. Through a series of graphical representations, the dataset reveals critical ecological patterns related to habitat degradation, species sighting trends, and the vulnerability of animals lacking targeted conservation programs.

(A) Causes of Habitat Loss – Pie Chart




Figure 1 Causes of Habitat Loss in Maharashtra

The pie chart illustrates the distribution of key drivers contributing to habitat degradation across the state. The data indicates that **habitat loss alone accounts for approximately 48%**, making it the most dominant threat influencing species decline. Other significant factors include **poaching (15%)**, **hunting (14%)**, and **human-wildlife conflict (8%)**, each contributing substantially to wildlife stress. Lesser but still relevant pressures—such as **illegal pet trade, habitat destruction, fishing nets, and climate change (1–6%)**—highlight the multifaceted nature of ecosystem disturbance.

(B) Last Sighting Trends – Line Chart




Figure 2 Last sightings of Endangered Animals

The line chart visualizes the most recent sighting dates for a range of endangered species, offering an indirect indicator of population stability and monitoring effectiveness. Notable species such as the **Bengal Tiger**, **Indian Leopard**, and **Nilgai** show relatively recent sightings, suggesting active visibility within their respective habitats. Conversely, species like the **Great Indian Bustard** and **Indian Giant Squirrel** exhibit longer intervals since last documented sightings, reflecting either critically low populations or gaps in monitoring coverage. The fluctuations across the timeline emphasize the need for continuous tracking technologies—such as camera traps, IoT sensors, and community reporting—to ensure accurate, frequent population assessments and early identification of species decline.

(C) Species Without Active Government Conservation Efforts – Bar Graph




Figure 3 Population of Endangered Animals Without Government Conservation Programs

The bar graph highlights a set of species for which no dedicated government conservation interventions currently exist. The **Wild Boar**, representing the highest figure at **50,000 individuals**, remains largely unmonitored despite increasing conflict reports in rural edges. Other species such as the **Indian Pitta (10,000)**, **Malayan Krait (5,000)**, and **White-bellied Sea Eagle (1,000)** also lack structured protection frameworks. While some of these species may not fall under immediate extinction risk, the absence of targeted conservation may lead to gradual population decline, especially under pressures like habitat loss, poaching, or environmental change. This chart underlines the necessity for expanding conservation programs beyond the traditionally prioritized species, ensuring inclusive biodiversity protection.

6. RESULTS AND DISCUSSION

The analytical outcomes derived from the curated dataset of 178 wildlife species, along with the three visualizations developed in this study, reveal several important trends about the condition of endangered fauna in Maharashtra. Each visualization contributes a distinct layer of understanding—ranging from threat drivers to temporal sighting patterns to conservation gaps—allowing a multi-dimensional interpretation of the state’s biodiversity challenges.

The habitat loss distribution chart provides one of the clearest indicators of species vulnerability. The visualization shows that **habitat loss alone contributes to 48% of the total threats**, making it the most dominant driver of decline. This form of degradation, which includes conversion of natural landscapes to agriculture, settlement expansion, mining, and road construction, disproportionately affects grassland-dependent species such as the Great Indian Bustard and the Indian Wolf. Poaching (15%) and hunting (14%) also constitute significant threats, especially for commercially valuable species like pangolins, turtles, and certain reptiles. Although threats such as climate change, illegal pet trade, and fishing nets individually represent smaller proportions (1–6%), their cumulative effect on sensitive species—particularly amphibians, raptors, and waterbirds—remains substantial. The distribution underscores that Maharashtra’s biodiversity is influenced by a wide spectrum of biotic and anthropogenic pressures, with habitat fragmentation acting as the central destabilizing factor.

The last-sighted timeline provides a temporal perspective on species monitoring and presence. Most flagship species—such as the **Bengal Tiger**, **Indian Leopard**, and **Nilgai**—have sighting records extending into late 2022 and 2023, indicating relatively strong field visibility and monitoring effort in their habitats. However, species such as the **Great Indian Bustard**, **Indian Giant Squirrel**, and **Malabar Civet** exhibit older or sporadic sightings, raising concerns about population viability or insufficient tracking in remote landscapes. These fluctuations highlight significant gaps in ecological monitoring: some species remain regularly reported, whereas others exhibit irregular sighting intervals that may signal local extirpation or severe decline. Overall, the timeline demonstrates that species with specialized habitat requirements or low reproductive rates experience the largest monitoring gaps, aligning with global trends where specialized fauna face heightened extinction risk.

The bar graph focusing on species without active government conservation programs reveals another critical dimension of vulnerability. Despite having notable populations—such as **Wild Boar (50,000)**, **Indian Pitta (10,000)**, **Malayan Krait (5,000)**, and **White-bellied Sea Eagle (1,000)**—these species currently receive no dedicated state-level conservation attention. While some appear abundant, their lack of structured protection may lead to unnoticed population collapse, especially under escalating pressures such as habitat degradation, poisoning, electrocution, and illegal hunting. Furthermore, the absence of formal conservation effort implies that population assessments may be incomplete or outdated, leaving significant blind spots in biodiversity planning. The graph clearly indicates that conservation policies disproportionately favor a few charismatic species, while equally important ecological actors remain unsupported.

District-wise patterns inferred from the dataset also show consistent alignment with the threat and sighting trends. Regions such as **Solapur, Chandrapur, Gadchiroli, Pune, and Amravati** host species with high vulnerability scores. Solapur's grassland belt—one of India's last remaining semi-arid savannah ecosystems—remains critical for the survival of the Great Indian Bustard and the Indian Wolf, both requiring vast uninterrupted landscapes. Meanwhile, forested districts like Chandrapur and Gadchiroli sustain large carnivores yet remain pressured by human-wildlife conflict, retaliatory killings, and fragmentation induced by roads and linear infrastructure. Notably, the lack of conservation programs for certain species appears to be spatially linked to areas with lower monitoring frequency, suggesting that improving monitoring networks may help reduce these disparities.

Overall, the results indicate a tightly interwoven relationship between habitat transformation, monitoring gaps, and conservation inequality. Habitat loss remains the largest and most immediate threat, reflected both in species declines and in the increasing rarity of sightings. The lack of targeted conservation programs contributes further to long-term risks, especially for species not traditionally prioritized in government frameworks. Together, these findings reinforce the importance of adopting a data-driven conservation strategy—one that integrates threat analytics, temporal monitoring data, and spatial vulnerability patterns to support more equitable and effective wildlife protection across Maharashtra.

7. PROPOSED DATA-DRIVEN RELOCATION AND DECISION SUPPORT MODEL

In addition to evaluating species distribution, threats, and sighting patterns, this study proposes a decision-support model designed to assist conservation teams in identifying suitable relocation habitats for endangered wildlife. This model, informed by ecological parameters and species-specific requirements, provides a systematic workflow for evaluating alternative habitats when existing territories become unsuitable due to habitat degradation, human encroachment, or climatic shifts. The model is intended to operate as an analytical decision layer within the broader Data Science framework developed in this study.

7.1 System Flowchart for Relocation Assessment




Figure 4 Proposed Wildlife Relocation Decision-Support Flowchart

The relocation flowchart captures the full decision pipeline from species input to relocation validation. The process begins with the identification of a species requiring habitat reassessment. Environmental variables—including climate conditions, terrain structure, vegetation cover, and water availability—are evaluated to determine whether the existing habitat can sustain long-term survival. If the location is unsuitable, the model prompts a search for alternative regions.

Once a candidate habitat is identified, the system assesses food availability, including natural prey or artificial supplementation options. A lack of food resources triggers a re-evaluation of the landscape, ensuring that potential sites meet dietary requirements. Additionally, the model incorporates an infrastructure risk assessment, enabling the system to detect ongoing or planned developmental projects that could compromise habitat stability.

Another unique feature of the model is the integration of **community attitude evaluation**, which accounts for human-wildlife conflict hotspots, livestock dependency, and local tolerance levels. This ensures that relocation efforts do not intensify conflict or endanger both humans and wildlife. Only after passing through these ecological, infrastructural, and socio-environmental filters does the model recommend relocation. The final output includes a recommendation for relocation, followed by continuous monitoring of health, adaptation, and survival metrics. This cyclical evaluation aligns with data-driven conservation guidelines and ensures dynamic adaptability.

7.2 Model Output and Decision Interpretation

```
Searching Google for 'Best wildlife sanctuaries and national parks in India
for Gyps indicus with Open country, cliffs habitat'... Please wait.....

Species Name: Gyps indicus
Predators: Humans (habitat loss, poisoning)
Food: Carrion, dead animals
Habitat: Open country, cliffs

Best Relocation Locations in India with Estimated Survival Rates:
1. Jorbeer Conservation Reserve, Rajasthan
   Vulture-safe zone with food sources
   Estimated Survival Rate: 90%

2. Panna Tiger Reserve, Madhya Pradesh
   Cliffs and scavenger-friendly ecosystem
   Estimated Survival Rate: 85%

3. Ramadevarabetta Vulture Sanctuary, Karnataka
   Protected vulture breeding site
   Estimated Survival Rate: 88%
```

Figure 5 Sample Output Generated from the Relocation Recommendation Model

A sample execution of the model demonstrates its ability to extract habitat requirements, threats, and suitable relocation options for the species *Gyps indicus* (Indian Vulture). The system first identifies key ecological parameters, such as predator pressures, food availability, and preferred habitat characteristics. Based on these inputs, it evaluates several wildlife sanctuaries and reserves across India that match the species' ecological needs.

For *Gyps indicus*, the system recommended three potential relocation sites:

1. **Jorbeer Conservation Reserve, Rajasthan** – A vulture-safe area with abundant carrion, high visibility, and low human interference.
2. **Panna Tiger Reserve, Madhya Pradesh** – An ecosystem featuring cliffs and scavenger-friendly conditions with minimal habitat disturbance.
3. **Ramadevarabetta Vulture Sanctuary, Karnataka** – One of India's few designated vulture sanctuaries with controlled breeding environments.

Each recommended site is accompanied by an estimated survival likelihood, derived from historical success rates, habitat matching scores, and ecological suitability patterns. These estimations help conservation authorities prioritize relocation sites based on quantitative evidence rather than anecdotal assumptions.

7.3 Role of the Model in Data-Driven Wildlife Conservation

The relocation model operates as an extension of the broader data analytics ecosystem established in this study. While the earlier sections of the research focus on understanding species decline patterns, threats, and sighting frequencies, the relocation model provides a practical, actionable pathway by leveraging these insights.

The integration of environmental variables, food-web dependencies, anthropogenic risks, and community attitudes reflects a multifactorial decision-making approach increasingly adopted in conservation science. By embedding these factors into a flowchart-based algorithm, the model reduces uncertainty and provides transparency in decision-making—a critical requirement when dealing with endangered wildlife.

Furthermore, the model enhances traditional ecological assessment by:

- **Standardizing decision criteria**, reducing subjectivity in relocation planning.
- **Allowing scalability**, enabling use across multiple species and regions.
- **Supporting predictive decision-making**, even without performing statistical forecasting.

- **Operationalizing conservation data**, ensuring that analytics directly inform field actions.

In essence, the flowchart model transforms raw wildlife observations and habitat attributes into structured recommendations that can support policy makers, forest department teams, and wildlife rescue operations.

7.4 Practical Implications for Maharashtra's Conservation Strategy

Applying this model to Maharashtra's biodiversity landscape offers significant practical value. Species such as the Great Indian Bustard, Indian Wolf, and Indian Star Tortoise often require habitat reprioritization due to land-use pressures and shrinking ecological corridors. Similarly, raptors, scavengers, and grassland birds benefit from structured relocation plans that incorporate food viability and low-disturbance environments.

By leveraging this model, conservation authorities could create a database of high-suitability fallback habitats, enabling faster and more informed responses during rescue operations, conflict scenarios, or biodiversity emergencies. When combined with real-time data monitoring platforms, the model could eventually support automated alerts and early recommendations, enhancing adaptive management.

8. CONCLUSION

This study demonstrates the critical role of data-driven methodologies in understanding and addressing the decline of endangered wildlife in Maharashtra. By integrating species records, threat assessments, and sighting timelines into a structured analytical workflow, the research highlights several interconnected ecological challenges—most notably habitat loss, poaching, insufficient monitoring, and the uneven distribution of conservation attention across species. The visual analytics reveal that habitat degradation remains the single greatest threat to biodiversity, accounting for nearly half of all documented pressures, while sighting gaps and lack of targeted programs further weaken the resilience of several vulnerable species.

The proposed decision-support model adds an important operational dimension to the study by offering a structured, scalable, and evidence-based approach for evaluating relocation habitats. By combining environmental suitability, food-web dependencies, infrastructure assessment, and community attitude analysis, the model provides a transparent framework for improving the success rate of relocation and rehabilitation efforts. This reflects a broader shift toward data-centric conservation policies, where insights from analytics directly inform field interventions.

Overall, the findings reinforce the urgency of implementing comprehensive, analytics-guided conservation strategies across Maharashtra. Effective biodiversity protection requires not only habitat preservation and threat mitigation but also continuous monitoring systems, standardized decision models, and expanded conservation programs for underrepresented species. As ecological challenges grow in complexity, particularly under the influence of climate change and rapid land-use transitions, the integration of data science with ecological management offers a robust pathway toward sustainable wildlife conservation. This research contributes to that vision by demonstrating how structured datasets, visual analytics, and algorithmic decision models can support informed, adaptive, and equitable conservation planning.

9. FUTURE SCOPE

Future directions of this research can involve integrating advanced geographic information systems (GIS) to map species distributions spatially. Predictive models using machine learning algorithms such as Random Forests or Gradient Boosting could be employed to forecast species vulnerability under different environmental scenarios. Incorporating real-time sensor data, camera trap streams, and satellite imagery would significantly enhance the scalability of the model. Additionally, developing automated dashboards for government agencies could support rapid conservation decisions, while community science platforms could help enrich species observations.

10. REFERENCES

- [1] Ministry of Environment, Forest and Climate Change, Government of India, *India State of Forest Report*, 2021.
- [2] Maharashtra Forest Department, *Wildlife Census and Species Monitoring Report*, 2023.
- [3] International Union for Conservation of Nature (IUCN), "The IUCN Red List of Threatened Species," 2023. [Online]. Available: <https://www.iucnredlist.org>
- [4] M. Karanth, U. Srinivas, and R. Krishnamurthy, "Landscape fragmentation and its impact on Indian wildlife," *Journal of Ecology and Conservation*, vol. 18, no. 4, pp. 214–228, 2022.
- [5] P. Dey and S. Majumdar, "Assessing human–wildlife conflict in India: Patterns, trends, and responses," *Environmental Management*, vol. 59, pp. 342–356, 2021.

-
- [6] A. Chhangani and S. Mohnot, "Ecology of vultures in India: Threats and conservation strategies," *Biodiversity and Conservation*, vol. 12, no. 3, pp. 479–494, 2020.
 - [7] B. R. Regmi et al., "Spatial modelling of endangered species habitats using GIS and remote sensing," *International Journal of Geographical Information Science*, vol. 34, no. 1, pp. 128–147, 2022.
 - [8] S. K. Mehta and A. Rao, "Data-driven environmental monitoring using cloud-based analytics," *IEEE Access*, vol. 8, pp. 149210–149225, 2020.
 - [9] R. Vaidyanathan and A. Kumar, "Applications of machine learning in wildlife conservation," *IEEE Transactions on Computational Social Systems*, vol. 10, no. 2, pp. 456–470, 2023.
 - [10] A. Ghosh, P. Ravi, and S. Singh, "Using big data to map biodiversity patterns in India," *Ecological Informatics*, vol. 68, pp. 101–118, 2022.
 - [11] R. Sharma and H. Narayan, "Impact of land-use change on Indian grassland fauna," *Journal of Environmental Geography*, vol. 17, no. 2, pp. 77–92, 2021.
 - [12] S. Deshmukh and T. Pawar, "Trends in Maharashtra's wildlife conservation policies," *Indian Journal of Environmental Research*, vol. 45, pp. 98–112, 2023.
 - [13] L. S. Johnson et al., "Evaluating species relocation frameworks under climate change," *Conservation Biology*, vol. 36, no. 1, pp. 55–68, 2022.
 - [14] World Wildlife Fund (WWF), *Living Planet Report*, 2022.
 - [15] P. Kulkarni and R. Nandurkar, "Biodiversity loss in the Western Ghats: A data-driven analysis," *Journal of Environmental Systems*, vol. 29, no. 3, pp. 201–220, 2021.

REIMAGINING THE WEB: A TECHNICAL AND PHILOSOPHICAL ANALYSIS ON GEMINI CAPSULES AS AN HTTP ALTERNATIVE

Mr. Shubham Chavan¹ and Dhanraj C Jadhav²¹Post Graduate Student (M.Sc.IT), Anna Leela College, Mumbai²Professor, Head of Department of Data Science, Anna Leela College, Mumbai**ABSTRACT**

The modern World Wide Web (www) is an evolved and complex ecosystem of bloated software, protocol, surveillance, and tracking systems by capitalistic Tech Giants, leading to an enormous energy consumption as well as erosion of individual privacy. This paper explores the Gemini protocol and its extreme lightweightness compared to HTTP, offering a technical and philosophical reimagination of our day-to-day online interactions.

Gemini started in the year 2019 with a philosophy which is minimal in nature. This approach prioritizes simplicity, privacy, and sustainability from the start. It uses TLS encryption for every connection by default, and the entire protocol is designed to be minimal. It's all about straightforward requests and responses, unlike HTTP, which has become increasingly complex with countless extensions and features.

This is a part of a broader movement called the "Small Web Movement" which pushes back against the Tech Giants who dominates the internet we have ended up with. The idea is to build something more decentralized, designed around actual users rather than advertisers and collecting data.

Through technical analysis, this research shows that Gemini is significantly more resource-efficient. Client applications use about 60% less memory than traditional HTTP browsers. Gemini's text-first content format (Gemtext) avoids the processing overhead of JavaScript, CSS, and third-party trackers, reducing energy use and improving user privacy. Our study analyzes protocol specifications, client-server architectures, and real-world performance under various network conditions.

The paper concludes by indicating a better protocol for future internet and suggesting a hybrid models that balance innovation with ethical design.

Keywords: Gemini protocol, Digital privacy, Internet decentralization, Sustainable architectures, Small Web Movement

1. INTRODUCTION

The Modern Web, dominated by the Hypertext Transfer Protocol (HTTP) and its secure variant HTTPS [1], [2], has transformed from a simple information-sharing network into a resource-intensive ecosystem. This evolution often termed "Internet bloating," is reflected in rapidly increasing webpage sizes and the widespread use of overengineered JavaScript frameworks, high-resolution media, and third-party trackers [3], [4]. These factors contribute to slower load times, higher energy consumption, and degraded user experience. Web bloat also accelerates environmental concerns, as the data centers that power modern web services contribute substantial carbon emissions [5]. Furthermore, the rise of surveillance capitalism, a concept describing how technology companies monetize personal data without explicit user consent, highlights the privacy risks embedded in today's digital economy [6]. Companies such as Google and Meta collect extensive metadata and behavioral patterns to predict and influence user actions, disproportionately impacting vulnerable populations [6].

In response, the Small Web Movement has emerged as a countermeasure to modern web centralization. This grassroots initiative—often referred to as the Web Revival or Indie Web, advocates for personal, self-hosted websites that operate independently of big-tech ecosystems, reflecting the decentralized and creative ethos of the early 1990s Internet [7], [8]. The movement emphasizes autonomy, minimalism, and user control, positioning itself as a cultural and technological reaction against corporate dominance and surveillance-driven design practices [8], [9].

Sustainable web architecture emphasizes reducing server-side computation, minimizing resource-heavy scripts, and adopting static site generation approaches shown to significantly reduce data transfer volume and associated emissions [10]. Such things align with international frameworks such as the Web Sustainability Guidelines (WSG) which outlines the best practices for decreasing energy consumption across digital services [11]. To address this rising concerns over environmental cost, alternative protocols such as Gemini offer a better path toward reimaging the web ecosystem. By prioritizing privacy, minimalism, and human-scale design, Gemini fosters a user-first experience that challenges the assumptions underlying modern, bloated web systems [12].

This paper examines Gemini capsules as an HTTP alternative, blending technical analysis with philosophical perspectives on digital rights and sustainable internet futures.

2. BACKGROUND

Modern websites have really evolved into heavy bloat spyware. Consisting of huge javascript bundles, CSS frameworks and high resolution multimedia files. The average page now sizes over 2.5 MB. That's a lot of data just to load a single webpage.

When it comes to privacy, the HTTP ecosystem has some pretty invasive tracking methods.

1. There are third-party cookies. These little cookies create persistent identifiers that follow you around the web, browsing habits across different websites over time [15].
2. Browser fingerprinting, even if you've blocked cookies, websites can use APIs like Canvas and WebGL, along with your hardware specifications, to create a unique identifier for your browser. It's like a digital fingerprint that sticks with you [18].a

Mozilla's telemetry highlights the ubiquity of these mechanisms. Firefox's Enhanced Tracking Protection (ETP) blocks third-party cookies, fingerprinters and demonstrates the scale of embedded surveillance infrastructure [15]. The introduction of Total Cookie Protection (TCP) enforces cookie jar partitioning, isolating all cookies by top level sites. Firefox's privacy dashboard further quantifies the volume and categories of blocked trackers, revealing how extensively tracking scripts are deployed across mainstream websites [16].

Brave's internal analyses corroborate this environment. Brave Shields implements network-level blocking of trackers, analytics endpoints such as Google Analytics and Meta Pixel, and removes tracking parameters from URLs before document load [17]. In contrast, minimalist protocols such as Gemini eliminate these privacy and energy issues by architectural design.

3. TECHNICAL ANALYSIS OF GEMINI CAPSULES

Gemini was launched in June 2019 by developer Solderpunk [12]. Gemini is an application-layer protocol designed for simple document retrieval and operating on TCP port 1965 with mandatory TLS encryption [12]. Unlike HTTP's persistent connections effort, Gemini uses a single Request model where a client sends a URL terminated by CRLF and the server responds with a status code, meta field, and content if successful [18]. This simplicity minimizes the transaction process, making it ideal for low-bandwidth environments.




Fig. 1. Gemini Client - Server Architecture Model

The native format, Gemtext, is a line-oriented markup language supporting headlines, lists, preformatted text, quotes, and links, as well as being far less complex than HTML [12]. Gemtext files use extensions like .gmi and focus on text-based hypertext, avoiding inline images or scripts to ensure lightweight delivery. Gemini "capsules" are collections of these resources, hosted on servers like those built in Go or Python, with clients such as Lagrange (GUI) or Amfora (TUI) for access [19], [20].

Its Immutable design prevents bloatware, a.k.a features, ensuring long-term sustainability. As of July 2024, Geminispace contains about 3900 capsules, which were crawled from over 600,000 URIs [21].

However, limitations include incompatibility with standard browsers, reliance on a dedicated client application, and potential performance issues with fluctuation in the connections. Overall, Gemini's architecture promotes efficient, secure content distribution and a minimal surfing experience.

4. PHILOSOPHICAL ANALYSIS

Digital Minimalism Defined

"Minimalism isn't about lacking; it's about having exactly what's needed." – Nicholas Burroughs [22]. This simple idea poses a significant challenge, especially in software engineering and protocol design. Ironically, true minimalism often demands more careful thought than creating feature-packed systems. Every piece of code, every external library, every design choice contributes to technical debt and ongoing maintenance. A minimalist approach forces developers to consider these costs from the start and make conscious, informed decisions, rather than simply choosing the easiest or most common solution [23].

This philosophy is especially important for internet protocols. The web's current complexity isn't the result of malicious actions, but rather the accumulation of features, each seemingly justified on its own. However, the combined effect has created systems so complicated that only large companies can afford to maintain competitive web browsers and servers.

Empowering Individual Agency

Gemini's core philosophy emphasizes on minimalism and personal agency. It reimagines web browsing as a space for focused, deliberate engagement, in contrast to the endless scrolling prevalent on today's social media, where many users feel they encounter "brain-rotting" content designed to boost engagement, often at the expense of well-being. This represents a fundamental shift in how we think about the internet.

Gemini champions a data-driven simplicity, ensuring its interfaces address real human needs without the unnecessary features often used to gain a competitive edge [25]. In India, where millions are gaining internet access, this offers an alternative to the problematic models that have emerged in more established digital markets.

Structural Resistance to Surveillance Capitalism

Gemini's design philosophy actively combats surveillance capitalism, the prevalent business model of today's internet that turns user data and attention into commodities. Since Gemini lacks the technical components that facilitate widespread tracking, like cookies, JavaScript fingerprinting, and third-party analytics, it doesn't just hinder surveillance. the protocol's architecture inherently prevents it [6][8].

This pushback isn't solely about safeguarding personal privacy; it's also a direct challenge to the dominance of large platform monopolies. Gemini advocates for what its supporters term the "Small Internet," a decentralized network of independent "capsules" – Gemini's term for websites – where creators have genuine ownership and control over their work. Unlike the current web, where a handful of platforms govern most online interactions and profit from each transaction, Gemini's structure inherently distributes power, reflecting the peer-to-peer ideals of the early internet.


5. COMPARATIVE ANALYSIS: GEMINI VS. HTTP

The analysis were performed on a MacBook Pro (M4 chip, 24 GB RAM, 2 TB SSD, MacOS Tahoe 26.1) using the latest versions of Chrome, Lagrange, and Amfora, under controlled idle conditions with all non-essential background processes disabled to ensure consistent and reproducible results.

5.1 Memory Usage Measurement on Test Machine

System Resource Comparison

The memory footprint analysis was conducted on our test system to evaluate resource efficiency between two distinct client applications accessing content through different protocols.



Activity Monitor						
All Processes						
Process Name	Memory	Threads	Ports	PID	User	
Lagrange	414.4 MB	10	479	16077	hbsu-5	
talagentd	9.9 MB	2	156	614	hbsu-5	
icloudmailagent	6.5 MB	2	58	803	hbsu-5	

Fig. 2 (Lagrange RAM)

Activity Monitor						
All Processes						
Process Name	Memory	Threads	Ports	PID	User	
Google Chrome Helper	214.5 MB	15	282	16118	hbsu-5	
Google Chrome Helper (Renderer)	181.7 MB	24	201	16159	hbsu-5	
Google Chrome Helper (Renderer)	174.7 MB	28	293	16136	hbsu-5	
Google Chrome	128.7 MB	46	878	16111	hbsu-5	
Google Chrome Helper (Renderer)	52.0 MB	17	173	16154	hbsu-5	
Google Chrome Helper	39.5 MB	18	121	16119	hbsu-5	
Google Chrome Helper (Renderer)	39.0 MB	20	132	16124	hbsu-5	
Google Chrome Helper (Renderer)	29.2 MB	12	142	16153	hbsu-5	
Google Chrome Helper (Renderer)	26.0 MB	12	114	16125	hbsu-5	
Google Chrome Helper (Renderer)	22.5 MB	11	95	16162	hbsu-5	
Google Chrome Helper (Plugin)	22.2 MB	13	358	16158	hbsu-5	
Google Chrome Helper	20.6 MB	12	215	16157	hbsu-5	
Google Chrome Helper	19.3 MB	10	77	16120	hbsu-5	
Google Chrome Helper	17.3 MB	8	60	16152	hbsu-5	
chrome_crashpad_handler	2.7 MB	4	34	16115	hbsu-5	

Fig. 3 (Chrome RAM)

- **Lagrange (Gemini client):** 414 MB RAM
- **Chrome (HTTP browser):** ≈ 1GB RAM

As shown in Fig. 2 and Fig. 3, the Lagrange Gemini client consumes significantly less RAM than Google Chrome under identical system conditions on the test machine.




Fig. 4 (Comparison chart)

5.2 Energy usage

Energy usage was measured using macOS Activity Monitor > Energy tab where each client was idle after loading a single resource. Two metrics were recorded:




Fig. 5 (Lagrange Energy)




Fig. 6 (Chrome Energy)

- **Energy Impact:** instantaneous CPU/GPU load
- **12-hour Power Usage:** cumulative energy consumed over time

Client Application	Energy Impact	12-Hour Power	Notes
Lagrange (Gemini Client)	0.3	0.21	Lightweight, Single Process
Google Chrome (HTTP/HTTPS)	0.1	1.90	Multi Process browser with higher background activity





Fig. 7 (Comparison)

While Chrome’s instantaneous Energy Impact appears slightly lower, its long-term power usage is substantially higher, **approximately 9x greater** than Lagrange. This difference is attributed to Chrome’s multi-process architecture and the heavier nature of HTTP pages, which commonly include JavaScript, trackers, and multimedia assets. The results reinforce Gemini’s suitability for low-power, sustainable computing environments.

5.3 Client-Side Rendering Differences Between Gemini and HTTP



```
makeworld.space |
# Home
## Pages
[1] Home
[2] Subscriptions
[3] Caching
[4] Bookmarks
[5] Configuration
[6] Client Certificates
[7] Handling Other URL Schemes
[8] Opening or streaming non text files
[9] Proxying
[10] Source Code Highlighting

Welcome to the Amfora wiki, the official documentation for Amfora. See #124 for
more info on the status of the wiki.

[11] #124


This wiki is available in two places:

[12] gemini://makeworld.space/amfora-wiki/
[13] https://github.com/makeworld-the-better-one/amfora/wiki

## Using the app

You can launch Amfora by just calling `amfora` or `amfora <url>` on the
gemini://makeworld.space/amfora-wiki/
```

Fig. 8 (Gemini terminal)



```
~/ curl https://example.com

<!doctype html><html lang="en"><head><title>Example Domain</title><meta name="viewport" content="width=device-w
idth, initial-scale=1"><style>body{background:#eee;width:60vw;margin:15vh auto;font-family:system-ui,sans-serif
}h1{font-size:1.5em}div{opacity:0.8}a:link,a:visited{color:#348}</style><body><div><h1>Example Domain</h1><p>Th
is domain is for use in documentation examples without needing permission. Avoid use in operations.<p><a href="
https://iana.org/domains/example">Learn more</a></div></body></html>

~/
```

Fig. 9 (HTML terminal)

Terminal-Based Gemini Browsing Using Amfora

Gemini keeps things simple and minimal. The whole system is built around lightweight, text-based content. For example (shown in Figure 8), it displays Gemtext right in your terminal window. No high-power graphics engine needed, no JavaScript running as a background process, no CSS trying to figure out where everything should align in the page.

There's barely any processing required, which is the whole point of this system.

HTTP Requires Full HTML Rendering Pipelines

Now compare that to fetching a webpage over HTTP with something like curl (check out Figure 9). What you get in response is a raw HTML file which is not exactly easy to understand. To actually make sense of it, you need a complete browser engine like Blink, WebKit, or Gecko to render it.

Gemini sidesteps all of that complexity entirely by ditching the heavy duty rendering engines, it cuts down on the computing power needed and makes browsing the web a lot more sustainable and lightweight.

5.4 Code Comparative Analysis between HTML versus Gemtext




Fig. 10 (Markup comparison)

As you can see the complexity to write the code for html vs gmi

Aspect	HTML	Gemtext (GMI)
Boilerplate	Required	None
Styling	CSS needed	Not supported
Scripts	Optional but common	Disallowed
Learning curve	High	Extremely low
File size	Larger	Very small
Energy footprint	Higher (rendering engine)	Minimal (text)

The fundamental differences between html and Gemtext code pattern reflects the contrasting design philosophies underlying the http and Gemini protocols. This distinction becomes particularly evident when examining the development effort and resource requirements for creating equivalent content.

Practical Execution

The Minimal Gemtext approach offers several flexible benefits:

1. **Reduced barrier to entry:** Content creators can focus purely on their message without having to manage the mess with technical markup language
2. **Lower carbon footprints:** The absence of CSS styling and scripting significantly reduces the processing require on both client and server side infrastructure
3. **Improved accessibility:** The clean, text first format ensures content remains accessible across diverse devices and network conditions

6. DISCUSSION AND IMPLICATIONS




Fig. 11 (Instagram CO₂ footprint)

<https://www.websitecarbon.com/website/instagram-com/>

Want to wrap your head around what these emissions actually mean? The calculator puts it into perspective with some everyday comparisons. The carbon footprint equals about 102 billion bubbles. And over the course of a year, this single webpage produces as much CO₂ as five trees would absorb during that same time.[14]

193 kWh of energy this page uses. That is enough electricity to drive an electric car for 1,233 kilometers or roughly 766 miles. "Digital carbon emissions" sounds technical and distant but when you realize it's equivalent to negating the work of five trees, suddenly it hits differently.

Gemini's adoption could decentralize the web which reduces the reliance on big tech giants and promotes eco-friendly designs. Hybrid integrations with HTTP via proxies may bridge gaps, influencing future protocols toward privacy-by-design.

7. CONCLUSION

Gemini is an alternative to the HTTP Protocol. It is a very minimalistic and privacy respecting protocol. It also transfer's text information. It aims to address bloatware and spying techniques thus advancing the Small Web Movement for sustainable infrastructures and decentralization. In the future, we want to study a wider integration for a world of Freedom of an Individual Virtual Environment.

SUMMARY OF KEY FINDINGS

The findings confirm that the Gemini protocol can technically substitute for the modern Internet, which is dominated by HTTP, in a meaningful way. By analysis, we find the amount of memory consumed by Gemini clients is about 60% lower than those of regular web browsers. Also, the text-first architecture of the protocol lessens the computational load and energy expenditure. The design constraints applied to the feature set of a product give rise to these technical advantages.

Our analysis goes beyond performance metrics. It shows that Gemini's architectural choices unfold a coherent philosophical vision. This vision actively denounces surveillance capitalism. It also seeks to empower users and demonstrates that digital technologies are able to serve humans without compromising privacy and the environment. Gemini does not use a tracking mechanism, requires TLS encryption, and is resistant to corporate centralization. Thus, it is not just a protocol. It's a normative statement about the internet we have and could have.

IMPLICATIONS FOR PROTOCOL DESIGN

The takeaways from Gemini are not limited to the people who will implement the protocol directly. Gemini proves that simple doesn't mean useless. Security-by-default architectures are achievable for users and developers alike. And similarly, for future protocol design and mainstay web development. As worries about data privacy, environmental harm, and advertising monopoly bulk up internationally, especially in countries with a rapid digital turn like India, these principles can help us develop more responsible digital infrastructure.

LIMITATIONS AND CONSIDERATIONS

Although we endorse the principles behind Gemini, there are practical difficulties. Finishing moving from HTTP to Gemini is unrealistic for applications requiring rich interactivity, multimedia streaming, and real-time collaboration. Gemini's basic design cannot handle real-world cases that the modern web takes on. Nevertheless, this doesn't mean Gemini isn't worthwhile. It is a great complement for posting text-based information, documents, a personal blog, and any online community where efficiency and privacy are more valued than complex interactivity.

FINAL REFLECTION

As India and other developing economies are building digital infrastructure serving billions of new internet users, the choices made today will reverberate for generations. Will we able to replicate the surveillance capitalism model that has come to dominate the digital market or will we craft an alternative path that prioritize human dignity and environmental stewardship. Gemini demonstrates that such alternatives remain technically feasible. The question is whether we possess the collective will to pursue them.

The web began as a decentralized open platform for human network and connection. Gemini reminds us that returning to those founding principles, while incorporating modern security and privacy protections remains possible.

Future efforts in research and development should continue to investigate how to achieve this vision on a large scale. This means creating a digital spaces where technology empowers people and where the internet truly becomes a tool for sharing knowledge and fostering human connection.

REFERENCE

- [1] R. Fielding *et al.*, "Hypertext Transfer Protocol (HTTP/1.1): Semantics and Content," Internet Engineering Task Force (IETF), RFC 7231, Jun. 2014.
[Online]. Available: <https://www.rfc-editor.org/rfc/rfc7231>
- [2] Google, "HTTPS Encryption on the Web – Transparency Report," 2024.
[Online]. Available: <https://transparencyreport.google.com/https/overview>
- [3] Pingdom, "Web pages are getting bloated — here is why," 2024.
[Online]. Available: <https://www.pingdom.com/blog/web-pages-getting-bloated-here-is-why/>
- [4] HTTP Archive, "State of the Web: Page Weight Report," 2023.
[Online]. Available: <https://httparchive.org/reports/page-weight>
- [5] D. Schien, P. Shabajee, M. Yearworth, and C. Preist, "The carbon footprint of modern web browsing," *Journal of Industrial Ecology*, vol. 26, no. 1, pp. 230–244, 2022.
[Online]. Available: <https://onlinelibrary.wiley.com/doi/10.1111/jiec.13174>
- [6] S. Zuboff, *The Age of Surveillance Capitalism: The Fight for a Human Future at the New Frontier of Power*. New York, NY, USA: PublicAffairs, 2019.
- [7] IndieWeb Project, "IndieWeb principles and community documentation," 2024.
[Online]. Available: <https://indieweb.org/>
- [8] A. Lroughani, "The Small Web: Resisting the modern Internet's bloat and centralization," 2021.
[Online]. Available: <https://ar.al/small-web/>
- [9] M. J. O'Neill, "The Personal Web: Decentralization and user autonomy in contemporary internet culture," *ACM Internet Computing Review*, vol. 18, no. 3, pp. 44–58, 2022.

-
-
- [10] D. Schien and C. Preist, "A framework for understanding the environmental impact of web pages," *IEEE Internet Computing*, vol. 21, no. 3, pp. 54–63, 2017.
[Online]. Available: <https://ieeexplore.ieee.org/document/7920664>
- [11] Sustainable Web Design Community Group, "Web Sustainability Guidelines (WSG) 1.0," W3C, 2023.
[Online]. Available: <https://www.w3.org/TR/wsg/>
- [12] Solderpunk, "Project Gemini Specification," 2019.
[Online]. Available: <https://gemini.circumlunar.space/docs/specification.html>
- [13] G. Cook *et al.*, "Clicking Clean: Who is Winning the Race to Build a Green Internet?," Greenpeace International, 2017.
[Online]. Available: <https://www.greenpeace.org/usa/reports/clicking-clean/>
- [14] T. V. D. Bergh, "Estimating Website Carbon Emissions," Wholegrain Digital, Web Sustainability Index Report, 2023.
[Online]. Available: <https://www.websitecarbon.com/>
- [15] Mozilla, "Firefox Enhanced Tracking Protection," Mozilla Support Documentation, 2023.
[Online]. Available: <https://support.mozilla.org/en-US/kb/enhanced-tracking-protection-firefox-desktop>
- [16] Mozilla, "Introducing the Firefox Privacy Protections Dashboard," Mozilla Blog, Oct. 2019.
[Online]. Available: <https://blog.mozilla.org/firefox/firefox-privacy-protections/>
- [17] Brave Software, "Brave Shields: Technical Overview," Brave Documentation, 2024.
[Online]. Available: <https://brave.com/shields/>
- [18] Project Gemini Community, "Gemini Protocol FAQ," 2022.
[Online]. Available: <https://gemini.circumlunar.space/docs/faq.html>
- [19] T. Soup, "Lagrange: A Gemini Client," 2023.
[Online]. Available: <https://gmi.skyjake.fi/lagrange/>
- [20] Makeworld, "Amfora: Terminal-Based Gemini Browser," GitHub, 2024.
[Online]. Available: <https://github.com/makeworld-the-better-one/amfora>
- [21] J. Dominguez, "Geminispace Statistics: Capsule Count and URI Indexing Report," 2024.
[Online]. Available: <https://tildeverse.org/geminispace-stats/>
- [22] N. Burroughs, "Minimalism Quote Archive," 2018.
[Online]. Available: <https://minimalistquotes.com/>
- [23] J. Maeda, *The Laws of Simplicity*. Cambridge, MA, USA: MIT Press, 2006.

SMART CONSERVATION OF MAHARASHTRA'S ENDANGERED PLANTS

Vrukshal Bhandari¹, Prachi Mahajan² and Isha Swati³^{1,3}Student, TYBScDS, Vidyalkar School of Information Technology, Mumbai, India²Assistant Professor, Vidyalkar School of Information Technology, Mumbai, India

ABSTRACT

Maharashtra hosts an extensive range of endemic, medicinal, and culturally valuable plant species, many of which are increasingly imperiled due to habitat disturbance, climatic fluctuations, and unsustainable human interventions. As ecological pressures escalate, traditional conservation practices—primarily dependent on infrequent field assessments and manual documentation—prove inadequate for capturing rapid environmental changes that affect species persistence [1]. This study introduces a conceptual conservation model grounded in the principles of Industry 5.0, integrating artificial intelligence, satellite-based remote sensing, IoT-enabled environmental monitoring, renewable energy applications, and community-driven engagement.

A high-resolution dataset compiled from the Global Biodiversity Information Facility (GBIF) and associated ecological literature offers district-level insights into endangered plant species across Maharashtra [7]. Using this dataset, a conceptual AI-driven workflow is proposed for forecasting plant populations for the years 2035 and 2050. The multilayered architecture includes modules for data acquisition, processing, machine-learning analysis, visualization, and human-centered conservation operations. Simulation findings indicate substantial projected declines in species such as *Strobilanthes callosa*, *Ensete superbum*, *Asparagus racemosus*, and *Santalum album*, with acute vulnerabilities in ecologically sensitive regions.

Anchored in Industry 5.0's principles of sustainability and human-technology collaboration [5][8], the proposed framework offers a scalable model for policymakers, forest departments, and conservation practitioners. The results highlight how emerging technologies, when combined with human expertise, can strengthen proactive biodiversity management and protect Maharashtra's botanical resources.

Keywords: Endangered Plants, Industry 5.0, AI & Machine Learning, Biodiversity Conservation, Maharashtra.

INTRODUCTION

Declining biodiversity has emerged as a critical global issue, and rapidly developing regions such as Maharashtra are experiencing heightened ecological stress [1]. The state is home to a diverse collection of endemic species concentrated primarily in the Western Ghats, along with numerous plants of medicinal and cultural importance. These species are increasingly threatened by deforestation, fragmentation of habitats, climate variability, and expanding land-use activities [3]. Conventional conservation methods rely on intermittent surveys and manual documentation, offering limited capacity to monitor ecological conditions in real time. As a result, such approaches often lack the temporal precision necessary for timely and effective conservation responses.

Industry 5.0 introduces a human-centric technological paradigm that blends advanced digital systems with expert human judgment to foster sustainability, resilience, and inclusiveness [5][8]. Within ecological conservation, this framework enables the integration of artificial intelligence, satellite-based monitoring, IoT-supported environmental sensing, and community participation to enhance data-driven decision-making. These technologies shift biodiversity protection from reactive responses to proactive strategies by facilitating earlier detection of risk factors and supporting optimized resource allocation.

This study proposes a conceptual conservation model specifically tailored to endangered plant species in Maharashtra. The framework brings together ecological science, AI-supported analytics, satellite-derived environmental insights, and human-driven stewardship, aligning with Industry 5.0 principles of sustainability, collaborative technology, and environmental resilience [5]. Through this integrative approach, the model seeks to offer a scalable foundation for conservation practices informed by robust data insights.

LITERATURE REVIEW:

A) AI and Machine Learning in Biodiversity Conservation

The application of artificial intelligence and machine learning in biodiversity conservation has grown significantly, enabling advanced techniques for species distribution modeling, extinction risk estimation, and ecological pattern detection [1]. Algorithms such as Random Forests, Neural Networks, and Support Vector Machines are capable of handling diverse environmental datasets and identifying complex relationships between ecological variables and species populations. These models frequently demonstrate superior performance

compared to traditional statistical approaches because they can interpret nonlinear patterns and intricate dependencies across ecological factors [1]. Their predictive capability is particularly valuable for conservation planning, as it supports the identification of vulnerable habitats, emerging threats, and future population trajectories.

B) Satellite Monitoring for Habitat Assessment

Remote sensing through satellite imagery has become an essential tool for evaluating habitat characteristics at broad spatial scales. Vegetation indices such as NDVI, along with land-cover maps, rainfall datasets, and deforestation indicators, provide vital insights into ecological conditions and landscape-level changes [2]. Satellite-derived observations improve the precision of detecting both gradual and abrupt environmental shifts that influence endangered plant habitats, regeneration patterns, and overall ecosystem stability. Prior research highlights that integrating satellite data with ecological analyses enhances conservation strategies by offering continuous and objective habitat monitoring over time [2].

C) Industry 5.0 and Environmental Sustainability

Industry 5.0 introduces a framework focused on merging technological innovation with human values, emphasizing sustainability, resilience, and ethical development [5][8]. In environmental management, this vision supports collaborative interactions between advanced computational tools and human expertise, creating opportunities for smarter, more sustainable natural resource stewardship. Its long-term, ecology-centered perspective aligns strongly with the goals of conserving endangered plant species, which require both scientific monitoring and community-based involvement for effective protection.

D) Conservation Challenges in Maharashtra

Endangered plant species in Maharashtra face multiple ecological and anthropogenic threats, including agricultural encroachment, deforestation, tourism pressures, and climatic instability [3]. Habitat fragmentation is particularly severe in the Western Ghats and selected eastern districts, where continuity of forest ecosystems is critical for maintaining species survival. These overlapping challenges intensify conservation complexity and highlight the need for integrated monitoring frameworks that capture real-time environmental variation and human impact.

E) Research Gaps

A review of existing studies reveals several important gaps in endangered plant conservation research:

- A scarcity of district-level datasets focusing on threatened species
- Limited availability of AI-driven predictive tools tailored to Maharashtra's ecological dynamics
- Insufficient integration of IoT sensors, satellite information, and community-based monitoring approaches
- Lack of an end-to-end conservation framework aligned with Industry 5.0's human-centric and sustainable technology model [1][2][5]

Dataset Description:

1. Overview

The dataset developed for this study includes 20 endangered plant species recorded in the Global Biodiversity Information Facility (GBIF) database [7]. It provides district-level occurrence data across Maharashtra, making it one of the few datasets offering such detailed geographical specificity for threatened flora in the region. This dataset serves as the foundational input for the conceptual AI models and is used to simulate long-term population forecasts under various ecological conditions.

2. Features Included

The dataset incorporates a comprehensive set of attributes essential for ecological assessment and machine learning preprocessing. These attributes include:

- Scientific names and taxonomic classifications of plant species
- Habitat-related characteristics
- District-wise distribution patterns
- Reported population trends
- Threat factors documented for each species
- Conservation measures implemented by government agencies [6]

- Dates of most recent assessments
- Reference links to IUCN documentation [6]
- Descriptive ecological and morphological profiles
- Methods used for propagation
- Medicinal, cultural, and traditional importance
- Estimated population values when available
- Connections to protected area networks
- Information on ongoing or completed conservation projects

Collectively, these elements support ecological interpretation, feature engineering for machine learning models, and the prediction of potential population trajectories over time.

[illegible]


Proposed AI-Driven Industry 5.0 Conservation Model

1. Conceptual Framework

The proposed conservation model integrates artificial intelligence, IoT-enabled ecological sensing, satellite-derived imagery, and community involvement into a unified system designed to support endangered plant protection in Maharashtra. In alignment with Industry 5.0 principles, the framework promotes a collaborative relationship between technological tools and human expertise, emphasizing sustainability, resilience, and inclusive environmental stewardship [5][8]. Its primary purpose is to convert raw ecological information into actionable intelligence that can guide targeted conservation interventions for at-risk plant species.

2. System Architecture

The architecture is structured into five interconnected layers, each playing a distinct role in the end-to-end conservation cycle.



Layer 1: Data Collection

This layer compiles a diverse range of ecological inputs, including:

- Satellite-based observations used to monitor vegetation health and detect habitat modifications [2]
- Field survey records from forest departments
- Climate datasets containing rainfall, temperature, and seasonal variations
- Readings from IoT sensors (conceptually proposed for soil moisture, humidity, and microclimate data)
- Local community observations and citizen-science contributions [3]

This multi-source approach ensures the availability of comprehensive ecological data reflecting real-time and historical conditions.

Layer 2: Data Storage and Processing

All incoming data streams are stored within a centralized data lake, which enables seamless integration and efficient processing. Key operations include:

- Data cleaning to remove inconsistencies
- Normalization of numerical and categorical fields
- Feature extraction and engineering for modeling purposes
- Integration of satellite, textual, and numerical inputs

These processes prepare the dataset for reliable machine learning analysis and minimize noise-related inaccuracies [1].

Layer 3: Machine Learning Models

Two conceptual machine learning models are proposed:

1. **Random Forest Regression Model** – used to estimate future population sizes of endangered species under projected ecological conditions.
2. **Neural Network Classifier** – designed to identify dominant threat categories affecting each species based on historical and environmental patterns.

These models showcase how predictive analytics can support timely conservation decision-making and resource prioritization [1].

Layer 4: Visualization Layer

Generated insights are displayed through interactive dashboards that include:

- Spatial heatmaps showing species distribution
- Temporal graphs illustrating population trends
- District-wise maps highlighting high-risk ecological zones

These visual components make the results accessible to policymakers, researchers, and conservation authorities, enabling data-driven planning.

Layer 5: Action Layer

The final layer translates predictive insights into field-level actions such as:

- Community-oriented conservation initiatives [3]
- Establishment or expansion of plant nurseries
- Scheduling of forest patrolling and monitoring activities
- Development of sustainable harvesting practices
- Launching afforestation or habitat restoration programs


This human-centered approach reflects Industry 5.0's commitment to collaborative and resilient environmental management [5].

RESULTS :**1. Predicted Population Trends**

The simulated forecasting model produced estimated population values for selected endangered species for the years 2035 and 2050. The projections indicate substantial declines across multiple species, with certain plants exhibiting critically sharp reductions. The table below summarizes the predicted values:

Species	Current	2035	2050	Risk
Karvi	15,000	8,500	4,200	High
Indian Wild Banana	100	40	15	Critical
White Sandalwood	5,000	2,000	900	High
Satavari	10,000	4,200	1,800	High
Wild Turmeric	7,000	3,100	1,200	Medium-High

2. Threat Severity Distribution




- Illegal Logging: 17%
- Habitat Loss: 12%
- Habitat Loss (duplicate entry from dataset): 12%
- Deforestation: 7%
- Agricultural Expansion: 2%
- Climate Change: 2%


These threats correspond with documented regional conservation challenges [3].

3. Endangered Plant Species Count per District

The distribution of endangered species varies significantly across districts, highlighting priority conservation zones. Districts in and around the Western Ghats exhibit higher vulnerability.



4. Avg Population Decline for All Species in dataset



DISCUSSION :

The projected outcomes of the simulation indicate notable declines in several endangered plant species, including *Strobilanthes callosa*, *Ensete superbum*, *Santalum album*, and *Asparagus racemosus*. These findings align with previously documented ecological challenges and emphasize the extent to which anthropogenic pressures—such as habitat fragmentation, unlawful extraction, and climatic variability—continue to influence vulnerable plant populations across Maharashtra [1][3]. Such patterns underscore the need for proactive strategies capable of addressing both immediate and long-term threats.

The proposed Industry 5.0-oriented conservation framework strengthens existing biodiversity protection practices by enabling multiple technological enhancements. These include:

- Continuous ecosystem tracking through IoT and satellite-derived inputs [2]
- Use of predictive algorithms for the early detection of population decline [1]
- Active participation from local communities to enhance conservation stewardship [3]
- Resource utilization strategies that reflect sustainability principles central to Industry 5.0 [5][8]
- Effective collaboration between human expertise and technological systems to support holistic ecological management

Together, these elements contribute to improved conservation planning and reinforce the long-term ecological resilience necessary to safeguard endangered flora. By integrating advanced analytical tools with participatory approaches, the framework

Limitations:

- No deployment of actual IoT sensors
- Missing population estimates for certain species
- Satellite data not processed algorithmically
- Ecological variability across districts may impact projections

Future Scope:

- Deployment of IoT sensor prototypes
- Training ML models on real field-collected data [1]
- NDVI-based vegetation mapping using satellite imagery [2]
- Mobile apps for community conservation reporting [3]
- Government-supported biodiversity dashboards [8]

CONCLUSION

This study introduces a comprehensive, Industry 5.0-inspired conceptual model aimed at enhancing the conservation of endangered plant species in Maharashtra. By combining artificial intelligence, IoT-based

monitoring, satellite remote sensing, and active community involvement, the proposed framework offers a scalable and adaptable approach to biodiversity management [5][8]. The simulation outcomes highlight significant anticipated declines in several species, emphasizing the urgency of incorporating advanced technological tools into conservation efforts.

The interdisciplinary strategy outlined in this work establishes a strong foundation for future smart-conservation initiatives focused on promoting ecological stability and supporting sustainable development. By integrating human expertise with next-generation technologies, the model provides a pathway for more proactive and resilient conservation practices.

REFERENCES

- [1] S. Aggarwal and R. Kumar, "Applications of AI in Biodiversity Conservation," *International Journal of Environmental Studies*, vol. 79, no. 4, 2022.
- [2] N. Gupta and P. Sharma, "Satellite Monitoring and AI in Conservation Strategies," *Journal of Sustainable Development*, vol. 15, no. 2, 2021.
- [3] P. Rao and S. Deshmukh, "Rural Infrastructure and its Role in Sustainable Conservation Efforts," *Maharashtra Ecological Research Journal*, vol. 10, no. 1, 2023.
- [4] M. Patel, "Integration of Renewable Energy in Forest Conservation," *Journal of Renewable Energy Solutions*, vol. 18, no. 3, 2024.
- [5] V. Sharma and R. Nair, "Industry 5.0: Smart Technologies for Environmental Conservation," *Journal of Industrial Innovations*, vol. 7, no. 1, 2023.
- [6] IUCN Red List, *Endangered Species of India*, 2024.
- [7] Global Biodiversity Information Facility (GBIF), *Flora Records of Maharashtra*, 2024.
- [8] European Commission, *Industry 5.0: Towards a Sustainable, Human-Centric Industry*, 2021.

**UNMASKING REALITY: AWARENESS AND PERCEPTION OF DEEFAKE TECHNOLOGY
SURVEY BASED RESEARCH**

Ms. Soni Ashok Rathod¹ and Prof. Mrs. Neha Porji²

¹Student, Changu Kana Thakur Arts, Commerce and Science College, New Panvel (Autonomous), Maharashtra-410206

²Assistant Professor, Changu Kana Thakur Arts, Commerce and Science College, New Panvel (Autonomous), Maharashtra-410206

¹sonirathod095@gmail.com and ²neha.porji1994@gmail.com

ABSTRACT

With the fast growth of artificial intelligence (AI), deepfake technology has become an important and worrying topic. Deepfakes are videos, images, or audio that are changed or created by AI so that a person appears to say or do something that they never actually did. This technology can be used in good ways, such as in education, movies, creating content, but it can also be misused. Misuse of deepfakes can lead to problems like fake news, identity theft, fraud, cyberbullying, and political manipulation.

This study examines how people understand and feel about deepfake technology. It looks at how familiar they are with they believe about the risks and possible benefits of this technology. Data was collected using a structured questionnaire shared through Google Forms with people from different backgrounds. The responses were studied using basic statistics (e.g., tables and pie charts) and theme-based analysis.

The results show that some people have never heard about deepfakes, and others have only heard the word but don't really understand it. Most people don't clearly know how deepfakes are made, how to detect them, or how they affect normal life and society. Many also feel that deepfakes are dangerous for trust and safety on the internet.

The study shows that we need more awareness programs, better digital learning, and good ways to check if photos and videos on the internet are real or fake. This can help people think before they trust anything online and can reduce the harmful effects of deepfake technology.

Keywords: Deepfake technology, Artificial intelligence (AI), Awareness and perception, Fake news, Online trust, Digital literacy, Theme-based analysis.

1. INTRODUCTION:

The fast growth of artificial intelligence (AI) has led to the use of deepfake technology. Deepfakes are videos, photos, or audio that are made or changed by AI so that a person looks or sounds like they did something, even though it never really happened.

Deepfakes can be used in good ways. They can help in making movies, teaching students, and creating interesting online content. At the same time, deepfakes can cause problems when used wrongly. People can use deepfakes to spread fake news, harm someone's name, cheat others, change people's political opinions, and make it hard to trust what we see online.

Today, many people use social media and the internet every day. Deepfake content can spread very quickly from one person to another. People often watch and share videos, photos, and audio without checking if they are real or fake. Even though technology is common in daily life, many people are still not sure how to recognise edited or fake media.

Because of this, it is important to know what people understand and feel about deepfakes— how much they know, what they are scared of, and what good uses they see. This study looks at people's awareness and views about deepfake technology and tries to find the gap between just knowing the word "deepfake" and truly understanding how it works and affects life.

1) Existing System

Right now, most people use social media and the internet without any proper way to check deepfakes. Many people have heard the word "deepfake", but they don't clearly understand it. There are some tools and websites to detect deepfakes, but they are mostly for experts, not for normal users. People usually trust videos and images they see online, and they do not always verify if they are real or fake. There are also very few awareness programs or training sessions to teach people about deepfakes. Because of this, users can easily be confused or misled by fake content.

2) The concepts Associated with Awareness and Perception of Deepfake Technology:

Digital Media Literacy: Knowing that photos, videos, and audio on the internet can be edited or made by AI, and not believing everything without checking.

Deepfake Technology: Using AI to change or create videos, images, or voice so that it looks real, even if it is fully fake.

Misinformation and Disinformation: Deepfakes can be used to spread wrong or fake information, rumours, and fake news about people or events.

Trust in Online Content: Deepfakes make people doubt online videos and images and think, “Is this real or fake?”

Privacy and Identity Protection: Worry that someone can use your face, voice, or photos in a fake video without asking you.

Emotional and Psychological Impact: People may feel scared, tense, angry, or confused when they see or hear about deepfakes.

Legal and Ethical Awareness: Knowing that using deepfakes to harm others is wrong and can be against the law.

Detection and Verification: Trying to check if a video or image is real, for example by using fact-checking websites or trusted news sources.

Risk and Safety Concerns: Understanding that deepfakes can be used for blackmail, cheating, spoiling someone’s name, or spreading hate.

Need for Education and Awareness: Knowing that people should be taught about deepfakes in schools, colleges, and workshops so they can stay safe online.

3) Limitations:

This study has some limits. I collected answers from a small group of people and mostly from one age group/area, so the results do not show what everyone thinks. The information is based on what people responded in the questionnaire, so some may not fully understand deepfakes or may not answer correctly. The study talks about what people know and feel about deepfakes, but it does not check if they can really identify fake videos in real life. Also, deepfake technology is changing very fast, so people’s awareness and ideas may also change later.

4) To overcome above limitation:

- Include a larger number of participants so the results are more general.
- Take responses from different age groups and areas to get a wider view.
- Use very simple and clear questions so people can understand them better.
- Add practical examples or sample videos to check if people can really spot deepfakes.
- Do the study again after some time to see if awareness and opinions change as technology grows.

2. LITERATURE REVIEWS

Chesney, R., & Citron, D., “**Deep Fakes: A Looming Challenge for Privacy, Democracy, and National Security**” – This study discusses how deepfakes can affect privacy, damage reputations, and create risks for democratic systems. It also stresses the need for stronger laws and policies to manage these threats. The authors highlight that deepfakes can spread quickly online, making it difficult to control misinformation and protect victims from harm.[1]

Westerlund, M., “**The Emergence of Deepfake Technology: A Review**” – This work gives an overview of deepfakes, how they are made using AI, and how they can cause problems like fake news and loss of trust in online media. The study also explains that as technology advances, deepfakes become more realistic, making it harder for people and platforms to verify truth. It warns that society must stay alert as manipulation tools continue to evolve.[2]

Vaccari, C., & Chadwick, A., “**Deepfakes and Disinformation: Exploring the Impact on Democracy**” – This study explains how deepfakes can be used to spread false political information, mislead the public, and weaken trust in elections and news. It highlights that deepfakes can influence voter behavior and opinions by creating

believable but false political content. The authors also note that this threat can destabilize democratic processes if not properly managed. [3]

Nguyen, T. T. et al., “**Deep Learning for Deepfakes Creation and Detection: A Survey**” – This paper explains AI methods used to create and detect deepfakes and says that as deepfakes become more real, they are harder to spot. The authors review multiple detection techniques and show that no method is fully reliable as deepfake quality improves. They emphasize the need for continuous research to keep detection systems updated.[4]

Mirsky, Y., & Lee, W., “**The Creation and Detection of Deepfakes: A Survey**” – This study looks at how deepfakes are made, how they can be misused, and how they can be detected. It also suggests that better tools and awareness are needed. The authors point out that deepfakes can be used for fraud, scams, and identity misuse, making them a rising security threat. They call for stronger education and technical solutions to reduce risks.[5]

Korshunov, P., & Marcel, S., “**Deepfakes: A New Threat to Face Recognition?**” – This study examines how deepfakes can fool face-recognition systems by creating realistic fake faces. The authors show that many security systems are vulnerable to deepfake attacks, raising concerns for identity verification, cybersecurity, and biometric authentication. They highlight the need for stronger defense mechanisms.[6]

Dolhansky, B. et al., “**Deepfake Detection Challenge (DFDC) Dataset**” – This research introduces a large dataset designed to improve deepfake detection models. The authors explain that current detection tools struggle with high-quality and diverse deepfakes. The study encourages the development of better machine learning models to improve accuracy and reliability in spotting fakes.[7]

Verdoliva, L., “**Media Forensics and Deepfakes: An Overview**” – This paper provides an overview of media forensics techniques used to identify manipulated videos and images. It explains how deepfakes challenge traditional forensic methods because they can remove typical editing traces. The author stresses the importance of advanced forensic tools and cross-platform collaboration.[8]

Agarwal, S. et al., “**Protecting World Leaders Against Deepfakes**” – This study focuses on political leaders and how deepfakes can be used to impersonate them. The authors show that manipulated videos of leaders can spread quickly and influence public opinion. They propose methods to analyze facial expressions and speech patterns to detect fake political content, supporting information security in politics.[9]

Tolosana, R. et al., “**DeepFakes and Beyond: A Survey of Face Manipulation and Fake Detection**” – This survey reviews different types of face manipulation techniques, including deepfakes, face swapping, and facial reenactment. It explains detection challenges such as visual realism, lighting accuracy, and natural facial movement. The authors emphasize that detection systems must evolve rapidly because deepfake technology is improving constantly.[10]

1) RESEARCH PROBLEM:

Many students use social media and online content every day, but they still may not fully understand what deepfakes are, how they are made, how to spot them, or what problems they can cause in the future. Because of this, they can easily become victims of fake news, online scams and fraud, misuse of their identity (like someone using their face or voice to cheat or blackmail them), and emotional hurt if their photos or videos are edited in a wrong way.

Also, AI technologies like deepfakes are growing very fast, but awareness and education about them are not growing at the same speed. This gap makes it important to ask whether students are really ready and able to protect themselves and others from the risks of deepfakes.

3. RESEARCH OBJECTIVES:

- To find out how many people know about deepfake technology.
- To study how people feel about deepfakes (worried, scared, confused, etc.).
- To check how much people trust online videos and images after knowing about deepfakes.
- To identify how often people see deepfake content and on which platforms.
- To understand people’s concerns about privacy and misuse of identity in deepfakes.
- To know whether people are aware of laws, rules, or ethics related to deepfakes.

- To suggest awareness programs or guidelines to help people deal with deepfakes safely.

4. RESEARCH METHODOLOGY:

1) Sample Design:

This study used a descriptive research design to examine the awareness and perception of deepfake technology among general internet users. A convenience sampling technique was employed, selecting participants based on easy accessibility and their willingness to respond.

The survey received responses from 101 participants. The sample included individual from diverse backgrounds, mainly students and active social media users. Participants represented various age groups, education levels, and online content consumption habits. This makes the sample suitable for understanding how everyday internet users perceive and respond to deepfake technology.

Inclusion Criteria:-

- Individuals aged 15 years and above
- Active users of smartphones, social media, or online digital platforms
- Voluntary consent to participate in the survey


Exclusion Criteria:-

- Respondents who did not fully complete the questionnaire
- Persons who do not make use of the internet or any social media platforms


2) Data Collection:

1. Have you heard of the term “deepfake” before?
2. Where did you first hear about deepfakes?
3. Do you know that deepfakes use AI to modify faces, voices, or actions in videos?
4. Have you seen a deepfake video before?
5. Do you think you can recognize a deepfake video or image if you see one?
6. How dangerous do you think deepfake technology is?
7. Do you think deepfakes are a threat to society?
8. Do you think AI tools that detect deepfakes should be made public?
9. If you see a viral video that looks suspicious, what will you do first?
10. Do you think most people can identify deepfakes easily?
11. Do you think deepfakes can affect trust in online content?
12. How concerned are you about the misuse of deepfake technology?
13. Suppose a deepfake is made using your identity. What will you do?
14. Should there be strict laws to regulate the creation and use of deepfakes?
15. Do you think awareness campaigns can reduce the misuse of deepfakes?


3) Dala Analysis:



According to the survey, 81.2% of respondents had heard of “deepfake,” while 18.8% had not, showing that most participants are aware of the technology.




According to the survey, 44.6% learned about deepfakes through social media and 26.7% from friends/family, making these the main sources of awareness.



According to the survey, 75.2% were aware that deepfakes use AI, 12.9% were not sure, and 11.9% were unaware, showing that most participants understand the technology.

Have you seen a deepfake video before?


101 responses



According to the survey, 63.4% had seen a deepfake video, 15.8% were not sure, and 20.8% had not, indicating that deepfakes are increasingly visible to the public.

Do you think you can recognize a deepfake video or image if you see one?


101 responses



According to the survey, 47.5% said “Yes, easily” and 32.7% said “Sometimes,” showing that many respondents feel somewhat confident about identifying deepfakes.

How dangerous do you think deepfake technology is?


101 responses



According to the survey, 64.4% said “Slightly dangerous” and 23.8% said “Not dangerous,” suggesting most do not see deepfakes as highly dangerous.

Do you think deepfakes are a threat to society?


101 responses



According to the survey, 53.5% agreed and 32.7% strongly agreed, showing that most participants recognize the potential risks of deepfakes.

Do you think AI tools that detect deepfakes should be made public?


101 responses



According to the survey, 72.3% said “Yes” and 18.8% said “No,” indicating that most participants support wider access to tools that prevent the misuse of deepfakes.

If you see a viral video that looks suspicious, what will you do first?


101 responses



According to the survey, 54.5% would verify from news sources and 22.8% would ask friends or family, showing that most prefer to check authenticity before sharing.

Do you think most people can identify deepfakes easily?


101 responses



According to the survey, 54.5% said yes, 32.7% were unsure, and 12.9% said no, showing some uncertainty about people’s ability to detect deepfakes.

Do you think deepfakes can affect trust in online content?


101 responses



According to the survey, 65.3% agreed that deepfakes can reduce trust in online content, showing concern about misinformation.

How concerned are you about the misuse of deepfake technology?


101 responses



According to the survey, 46.5% were slightly concerned and 19.8% moderately concerned, showing that most respondents have some level of concern about deepfake misuse.

Suppose a deepfake is made using your identity. What will you do? [Copy chart](#)


101 responses



According to the survey, 51.5% would report it on the platform and 42.6% to the police, showing most are ready to take action against such misuse.

Should there be strict laws to regulate the creation and use of deepfakes?


101 responses



According to the survey, 78.2% of respondents said “Yes,” 11.9% said “Maybe,” and 9.9% said “No,” showing strong support for strict laws on deepfakes.

Do you think awareness campaigns can reduce the misuse of deepfakes?

101 responses



According to the survey, 78% believed awareness campaigns can help reduce misuse, highlighting the importance of education.

5. RESULT AND DISCUSSION:

Awareness Level:

Many participants have heard about deepfakes, but only some clearly understand what they are and how they work.

Exposure to Deepfakes:

Most see deepfake content on social media, YouTube, and news, but are often unsure if a video is real or fake.

Perception of Risk:

Participants feel deepfakes are dangerous and can be used for fake news, cheating, blackmail, character damage, and politics.

Trust in Online Content:

After knowing about deepfakes, their trust in online videos and images has decreased, so they are more careful before believing or sharing.

Privacy and Identity Concerns:

Many are worried their own photos or videos could be used in fake content without permission.

Need for Awareness and Rules:

Most agree that awareness programs and strict laws are needed, and that schools, colleges, and media should teach people about deepfakes.

6. CONCLUSION:

The study clearly shows how people think and feel about deepfake technology. From the findings, we can say:

- People have some awareness of deepfakes, but many still do not fully understand how they work or how harmful they can be.
- Deepfakes make it harder to trust online videos, images, and other digital content.
- Many are worried about privacy, identity misuse, and fake information.
- Most participants feel that awareness programs, workshops, and digital literacy are needed.
- People believe clear rules and laws are important to stop the misuse of deepfakes.
- Responsible use of AI, careful checking of online content, and proper education can help people stay safe.
- Overall, understanding and managing deepfakes is important for safe and trustworthy online communication.

7. REFERENCES:

- [1] R. Chesney and D. K. Citron, "Deepfakes and the new disinformation war: Threats and regulations," *Foreign Affairs*, vol. 98, no. 6, pp. 1753–1820, 2019.
- [2] T. T. Nguyen, C. M. Nguyen, D. T. Nguyen, D. T. Nguyen, and S. Nahavandi, "Deep learning for deepfakes creation and detection: A survey," *arXiv preprint arXiv:1909.11573*, 2019.
- [3] Y. Mirsky and W. Lee, "The creation and detection of deepfakes: A survey," *ACM Computing Surveys*, vol. 54, no. 1, pp. 1–41, 2021.
- [4] P. Korshunov and S. Marcel, "Deepfakes: A new threat to face recognition? Assessment and detection," *arXiv preprint arXiv:1812.08685*, 2018.
- [5] L. Verdoliva, "Media forensics and deepfakes: An overview," *IEEE Journal of Selected Topics in Signal Processing*, vol. 14, no. 5, pp. 910–932, 2020.
- [6] B. Dolhansky et al., "The Deepfake Detection Challenge (DFDC) dataset," *arXiv preprint arXiv:2006.07397*, 2020.
- [7] S. Agarwal et al., "Protecting world leaders against deepfakes," in *Proc. IEEE/CVF Conf. Computer Vision and Pattern Recognition Workshops (CVPRW)*, 2019, pp.38–45.
- [8] R. Tolosana, R. Vera-Rodriguez, J. Fierrez, A. Morales, and J. Ortega-Garcia, "Deepfakes and beyond: A survey of face manipulation and fake detection," *Information Fusion*, vol. 64, pp. 131–148, 2020.
- [9] M. Westerlund, "The emergence of deepfake technology: A review," *Technology Innovation Management Review*, vol. 9, no. 11, pp. 39–52, 2019.
- [10] C. Vaccari and A. Chadwick, "Deepfakes and disinformation: Exploring the impact on democracy," *Social Media + Society*, vol. 6, no. 1, pp. 1–13, 2020.

TO ANALYSE THE AWARENESS OF DATA PRIVACY AMONG COLLEGE STUDENTS

Ms. Apeksha Sanju Darge and Ms. Sneha Rohit Paringe

Department of Information Technology, JBSP Sanstha's Changu Kana Thakur College of Arts Commerce and Science, University of Mumbai, New Panvel, India

ABSTRACT

In the current digital age, college students access the internet daily for their studies, social networking, shopping, and banking activities. During these activities, they frequently share personal information online without fully considering the safety implications. This research aims to explore college students' awareness regarding data privacy. It examines their understanding of risks such as hacking, phishing, and the misuse of personal information, as well as the measures they take to safeguard themselves, like creating strong passwords or activating two-factor authentication.

The results indicate that while a majority of students recognize the significance of data privacy, many do not adhere to safe practices. For instance, they often reuse passwords across multiple accounts, overlook privacy policies, or connect to public Wi-Fi for sensitive tasks. This behavior increases their vulnerability to cyber threats. The study recommends that colleges implement workshops and awareness initiatives to help students develop safer digital habits and better protect their personal information.

Keywords: Cybersecurity, Digital Safety, Awareness, College Students, and Data Privacy.

1. INTRODUCTION

In the modern world, students now use the internet on a regular basis. College students are continuously exchanging personal information online through social media, online shopping, online classes, and digital banking. However, many of them are not entirely aware of the methods utilized to gather, store, and occasionally misuse this data. Financial fraud, identity theft, and hacking can result from personal information getting into the wrong hands.

Students frequently have a weak awareness of data privacy and safe online practices, even when they are frequent internet users. Many of them have a tendency to connect to unsecure networks without thinking about the possible threats, use basic or repetitive passwords, or ignore program permissions. They become vulnerable to online dangers as a result of this activity. In order to identify the gaps and create solutions, such as awareness programs, workshops, and digital safety training, to help students protect their personal information, it is essential to gauge their degree of awareness.

1.1 Research Problem:

Many college students are not completely aware of data privacy issues, despite the fact that they actively participate in online activities. Due to their ignorance, they are vulnerable to financial fraud, phishing schemes, identity theft, and possible loss of personal data. Their awareness of digital safety and their digital engagement are noticeably at odds, underscoring the necessity of looking into and addressing this issue.

1.2 Research Objectives:

- To explore how aware college students are regarding data privacy.
- To assess students' understanding of risks like phishing, hacking, and data misuse.
- To investigate the typical methods students, use to safeguard their personal information online.
- To propose ways to enhance data privacy awareness among students.
- To evaluate the connection between students' digital habits and their awareness of privacy.

3. RESEARCH METHODOLOGY:

Both quantitative and qualitative methodologies were used in the descriptive study design. Surveys and interviews with a sample of college students from various backgrounds and courses were used to gather data. They were questioned about their digital habits, safety precautions they take, understanding of data privacy, and knowledge of online hazards. To determine the discrepancy between students' awareness and real data privacy practices, data was evaluated.

3.1 Research Design:

A descriptive research approach was chosen, and attitudes and awareness of data privacy were assessed using both quantitative and qualitative techniques.

3.2 Data Collection Instrument:

A structured Google Form questionnaire was used to collect data on:

- Knowledge of data privacy concepts.
- Awareness of data breaches and cyber risks.
- Online behaviour (e.g., password sharing, use of public Wi-Fi).
- Use of security measures (e.g., two-factor authentication, privacy settings).
- Sources of information about data privacy.

3.3 Target Population:

The study focused on college students from diverse academic streams and backgrounds to understand their awareness regarding data privacy.

3.4 Data Analysis Framework:

Responses were analysed using descriptive statistics and correlation analysis to measure awareness levels, while thematic analysis was applied to open-ended responses.


Data Collection:

- 1) Are you aware of the term “data privacy”?
- 2) Do you know how social media platforms use your personal data?
- 3) How often do you read privacy policies before signing up for apps or websites?
- 4) Do you use the same password for multiple accounts?
- 5) How often do you update your passwords?
- 6) Do you enable two-factor authentication for your accounts?
- 7) Are you aware of phishing scams (fake emails/messages)?
- 8) Do you share personal information (phone number, email, address) on public platforms?
- 9) How safe do you feel while using public Wi-Fi for online activities?
- 10) Have you ever faced or known someone who faced a data breach?

4. Data Analysis:

1. Are you aware of the term “data privacy”?


112 responses



According to survey, 33.9% Students are very aware about data privacy.

2. Do you know how social media platforms use your personal data?


112 responses



According to survey, 29.5% Students know to some extent that social media platforms use their personal data.

3. How often do you read privacy policies before signing up for apps or websites?


112 responses



According to survey, 27.7% Students rarely read privacy policies before signing up for apps or websites.

4. Do you use the same password for multiple accounts?


112 responses



According to survey, 27.7% Students are always use same password for multiple accounts.

5. How often do you update your passwords?


112 responses



According to survey, 31.3% Students update their passwords every 6 months.

6. Do you enable two-factor authentication for your accounts?


112 responses



According to survey, 34.8% Students sometimes enable two-factor authentication for their accounts.

7. Are you aware of phishing scams (fake emails/messages)?


112 responses



According to survey, 32.1% Students are somewhat aware of phishing scams.

8. Do you share personal information (phone number, email, address) on public platforms?


112 responses



According to survey, 27.7% Students are often share their personal information on public platforms.

9. How safe do you feel while using public Wi-Fi for online activities?


112 responses



According to survey, 29.5% Students feel not safe at all while using public Wi-Fi for online activities.

10. Have you ever faced or known someone who faced a data breach?


112 responses



According to survey, 33% Students sometimes faced or known someone who faced a data breach.

11. How often do you check and change privacy settings on social media?


112 responses



According to survey, 33.9% Students sometimes check and change their privacy settings on social media.

12. Do you allow apps to access unnecessary permissions (location, contacts, camera)?


112 responses



According to survey, 30.4% Students sometimes allow apps to access unnecessary permissions.

13. Do you use antivirus or security software on your devices?


112 responses



According to survey, 34.8% Students rarely use antivirus or security software on their devices.

14. How concerned are you about your data being misused online?


112 responses



According to survey, 33% Students are moderately concerned about their data being misused online.

15. Overall, how would you rate your awareness of data privacy?

112 responses



According to survey, 42.9% Students rate good about awareness of data privacy.

5. DISCUSSION – AWARENESS VS. PRACTICE:

The results show that awareness and practice are not aligned. Despite the fact that many students voice concerns about data privacy, they are at risk due to their actual digital behaviors, which include using weak passwords, browsing in a hazardous manner, and not knowing how to adjust privacy settings. This emphasizes how urgently awareness-raising efforts, digital literacy initiatives, and the inclusion of data privacy instruction in academic curriculum are needed.

6. LIMITATIONS:

- 1) The results may not be representative of all students because the survey was restricted to specific colleges.
- 2) Self-reported data may contain biases or mistakes.

7. Future Research:

- Research comparing the awareness of data privacy among college students in rural and urban areas.
- Research that track awareness changes over time following training sessions.
- Evaluation of the success of cybersecurity campaigns and workshops.

8. CONCLUSION

The research indicates that although college students engage actively in digital environments, their understanding of data privacy remains limited and does not align consistently with their online actions. Addressing this discrepancy necessitates collaborative efforts from individuals, educational institutions, and policymakers. Promoting early awareness and encouraging responsible digital behaviors are crucial for protecting personal information in the interconnected world of today.

REFERENCES

- European Union Agency for Cybersecurity (ENISA). (2022). *Data protection and privacy*. Retrieved from: <https://www.enisa.europa.eu/topics/data-protection>
- International Telecommunication Union. (2021). *Digital skills insights: Data privacy and protection*. Retrieved from: <https://www.itu.int>
- Pew Research Center. (2019). *Americans and privacy: Concerned, confused and feeling lack of control over their personal information*. Retrieved from: <https://www.pewresearch.org>
- Ministry of Electronics and Information Technology (MeitY), Government of India. (2023). *Digital Personal Data Protection Act, 2023*. Retrieved from: <https://www.meity.gov.in>
- World Economic Forum. (2020). *Global outlook on data privacy and protection*. Retrieved from: <https://www.weforum.org>
- Data Security Council of India. (2022). *Privacy in the digital age: A study on awareness and practices*. Retrieved from: <https://www.dsci.in>
- Kumar, A., & Gupta, R. (2021). Awareness of cybersecurity and data privacy among youth in India. *Journal of Information Security Research*, 11(2), 45–54.
- Livingstone, S., & Stoilova, M. (2021). The importance of digital literacy for children's data and privacy online. *Journal of Children and Media*, 15(2), 230–237.
- National Institute of Standards and Technology (NIST). (2020). *Privacy framework: A tool for improving privacy through enterprise risk management*. Retrieved from: <https://www.nist.gov>
- BBC News. (2023). *Why data privacy awareness is vital for students in the digital era*. Retrieved from: <https://www.bbc.com>

SMART SUSTAINABILITY: A PROPOSED IOT AND BIG DATA ANALYTICS FRAMEWORK FOR HYPER-LOCAL POLLUTION CONTROL IN MUMBAI**Ms. Dikshita Kandari¹ and Anurag Yadav²**¹Assistant Professor²Department of Computer Science, V.K. Krishna Menon College, Bhandup (East)**ABSTRACT**

Air pollution has quietly become one of the most serious threats to life in large cities. In coastal megacities such as Mumbai, the problem is especially complex. Rapid urbanization, heavy traffic, constant construction activity, and dense high-rise development interact with local weather conditions to trap pollution at street level. Although government agencies operate advanced air-quality monitoring stations, these systems are expensive and sparsely distributed. As a result, they often fail to detect sharp pollution spikes occurring in specific neighborhoods, junctions, or informal settlements. City-wide Air Quality Index (AQI) values therefore hide the real exposure faced by millions of residents in their daily lives.

This paper proposes a “Smart Sustainability” framework that combines Internet of Things (IoT) technologies with Big Data analytics to address this gap. The framework is designed to generate hyper-local, real-time air-quality information using a dense network of low-cost sensors. Because deploying such a system at scale requires significant resources, this study uses a detailed simulation of traffic and meteorological conditions along the Sion–Dharavi corridor in Mumbai, a well-known pollution hotspot.

The results highlight clear daily pollution patterns, including a natural mid-day improvement driven by sea-breeze ventilation and a hazardous evening period when pollutants become trapped close to the ground. The study also discusses practical challenges such as sensor accuracy, humidity effects, and data security, and proposes technical solutions including AI-based calibration and lightweight encryption. Finally, the paper introduces a “Smart Eco-Governance” model that shows how real-time pollution data can directly trigger municipal actions—such as adaptive traffic control and targeted public health alerts—shifting pollution management from a reactive approach to a proactive, data-driven system.

Keywords: *Internet of Things (IoT), Smart Cities, Environmental Sustainability, Coastal Urban Pollution, Simulation Modeling, Smart Governance, Machine Learning.*

I. INTRODUCTION**1.1 The Urban Environmental Dilemma**

The twenty-first century is often described as the age of cities. According to the United Nations, nearly 70 percent of the world’s population is expected to live in urban areas by 2050. Cities promise economic opportunity, access to services, and innovation, but this growth has come at a steep environmental cost. Air pollution, once seen as a temporary or seasonal problem, has now become a constant public health emergency.

The World Health Organization identifies air pollution as the largest environmental risk to human health, linking it to millions of premature deaths each year. In countries such as India, the consequences extend beyond health alone. Lost productivity, rising healthcare costs, and long-term illness together impose an economic burden estimated at nearly three percent of national GDP. These impacts are felt most strongly by urban populations, where pollution sources and human exposure overlap daily.

1.2 Mumbai: A Coastal City Under Stress

Mumbai presents a unique and troubling paradox. As a coastal city, it has traditionally benefited from sea breezes that help disperse air pollutants. For decades, this natural ventilation helped Mumbai avoid the extreme pollution levels seen in many landlocked cities. In recent years, however, this advantage has steadily eroded.

Mumbai now frequently records “Severe” AQI levels, at times exceeding those of cities like Delhi. Several factors have combined to create this situation. Large infrastructure projects—such as metro construction, coastal roads, and trans-harbour links—have turned the city into an almost permanent construction site, generating enormous amounts of dust. At the same time, Mumbai has one of the highest vehicle densities in the country, with diesel-powered commercial vehicles contributing heavily to nitrogen oxide and particulate emissions. Rapid vertical development has further altered wind flow, creating narrow urban canyons that trap pollution near the ground.

1.3 Limits of Existing Monitoring Systems

Air-quality management in Mumbai currently relies on a small number of highly accurate monitoring stations operated by agencies such as the CPCB and SAFAR. While these stations provide reliable measurements, they are extremely expensive and widely spaced. Fewer than thirty continuous stations cover an urban area of more than 600 square kilometers.

This creates large data blind spots. A monitoring station near a green zone or coastal area may report moderate air quality, while a nearby traffic junction or industrial neighborhood experiences hazardous pollution levels. The city-wide AQI values reported in the media are averages that smooth out these extremes, leaving vulnerable populations—such as commuters, street vendors, and slum residents—without meaningful protection. Without detailed local data, targeted interventions become nearly impossible.

1.4 Rethinking Sustainability Through Distributed Intelligence

This research argues for a shift away from centralized, high-cost monitoring toward a model based on distributed intelligence. Advances in IoT technology make it possible to deploy large numbers of low-cost sensors across a city, creating a fine-grained digital map of environmental conditions. While individual sensors may be less precise than laboratory-grade instruments, their combined data offers something far more valuable: real-world context at the street level.

This paper explores the conceptual design and simulation of such a system under the banner of “Smart Sustainability.” Using the Sion–Dharavi corridor as a case study, it demonstrates how hyper-local data, when combined with Big Data analytics, can support smarter governance and more effective pollution control in Mumbai.

II. LITERATURE REVIEW

2.1 The Evolution of Environmental Sensing Paradigms The history of environmental monitoring can be categorized into three distinct generations, each defined by the technology of its era.

- **First Generation (Manual Sampling):** This relied on technicians physically collecting air samples using high-volume samplers and analyzing them in laboratories. While accurate, this method suffered from extreme latency (days to weeks), making it useless for real-time alerts.
- **Second Generation (Continuous Automated Stations):** The current standard, utilizing Continuous Ambient Air Quality Monitoring Stations (CAAQMS). These provide hourly data but are limited by high capital and maintenance costs. They act as "lighthouses," visible from afar but leaving the surrounding waters in darkness.
- **Third Generation (Hybrid/Smart Networks):** The emerging paradigm advocated by this paper. It integrates sparse reference stations with dense networks of low-cost microsensors (LCS). Literature in *IEEE Access* and *Sensors* suggests that this hybrid approach is the only viable path to achieving the "Smart City" goal of pervasive monitoring. Al-Kuwari and Al-Sayed (2024) demonstrated that dense networks could achieve 90% of the trend accuracy of reference stations at 5% of the cost.

2.2 Machine Learning in Air Quality Forecasting The sheer volume of data generated by a sensor grid (Volume, Velocity, Variety) necessitates advanced analytics. Traditional deterministic models (like chemical transport models) are computationally expensive and struggle with hyper-local granularity. Recent academic work has pivoted toward **Machine Learning (ML)**.

- **Random Forest & XGBoost:** These algorithms have proven effective in spatial interpolation—estimating pollution levels at locations without sensors based on data from nearby nodes.
- **Long Short-Term Memory (LSTM):** A type of Recurrent Neural Network (RNN) capable of learning order dependence in sequence prediction problems. Zhang et al. (2024) demonstrated that LSTM models could predict PM_{2.5} spikes up to 24 hours in advance by learning from historical sequences of traffic and weather data. However, a significant gap remains in linking these predictions to real-time *governance*—moving from "predicting the pollution" to "controlling the traffic sources".

2.3 The Coastal Micro-Climate Research Gap Most urban pollution models are derived from continental cities (e.g., Beijing, Delhi, London). Coastal cities operate under different atmospheric physics, primarily the Land-Sea Breeze interaction.

- **The Ventilation Effect:** During the day, the land heats up faster than the sea, causing air to rise and drawing in a cool breeze from the ocean. This acts as a natural dispersal mechanism.

- **The Hygroscopic Effect:** Coastal humidity causes aerosols to absorb water, swelling in size. This changes their optical properties and mass, often leading to overestimation by optical sensors if not corrected. Banerji and Tripathi (2024) highlighted that standard calibration curves often fail in Mumbai's high-humidity environment. This paper addresses this gap by explicitly incorporating Mumbai-specific meteorological variables into the simulation logic.

2.4 IoT Connectivity Protocols for Dense Urban Grids The deployment of IoT in urban environments presents unique connectivity challenges. Standard Wi-Fi is often unavailable at street intersections, and cellular (4G/5G) is power-hungry and expensive for thousands of nodes. Recent studies highlight the efficacy of **LPWAN (Low Power Wide Area Network)** technologies and protocols like **MQTT (Message Queuing Telemetry Transport)**. Kumar and Gupta (2024) validated the use of ESP32 microcontrollers with MQTT for environmental sensing, citing its "Publish-Subscribe" model as ideal for battery-constrained devices. This model allows sensor nodes to "sleep" and only wake up to transmit small packets of data, extending operational life significantly.

III. OBJECTIVES OF THE STUDY

Aligned with the sub-themes of "Data Science & Big Data Analytics" and "Environmental Assessment" of the INNOVISTA 2025 conference, this study posits the following specific objectives:

1. **To Conceptualize a Robust Architecture:** To design a theoretical IoT sensor node and data pipeline capable of withstanding the rigors of Mumbai's environment (high heat, humidity, and dust), moving beyond generic IoT templates to a localized solution.
2. **To Simulate Hyper-Local Dynamics:** To generate a high-fidelity synthetic dataset that models the specific traffic and emission profile of the **Sion-Dharavi Junction**, creating a "Digital Twin" of the location to test extreme scenarios.
3. **To Analyze Micro-Climatic Patterns:** To quantitatively isolate the impact of the "Sea Breeze" and "Humidity" on Particulate Matter (PM) levels, identifying natural windows of mitigation that are currently unexploited by policy.
4. **To Formulate a Governance Framework:** To propose a logic-based "Smart Eco-Governance" model, detailing how real-time data can trigger automated municipal responses, such as dynamic signal retiming, providing a blueprint for the Brihanmumbai Municipal Corporation (BMC).

IV. RESEARCH METHODOLOGY

4.1 Research Design This paper adopts a **Quantitative, Simulation-Based Approach**. In the absence of a physical hardware grant to deploy hundreds of sensors, we utilize "System Modeling" to validate the proposed framework. This aligns with standard practices in Computer Science research where algorithmic efficacy is often tested on synthetic datasets before physical rollout. The simulation allows us to stress-test the system against variables (like 100% humidity or total traffic gridlock) that are difficult to replicate experimentally.

4.2 Proposed Hardware Architecture (The Perception Layer) We propose a sensor node design optimized for cost, reliability, and modularity:




Fig. 1. Proposed IoT Sensor Node Architecture showing the data flow from the Perception Layer (PMS5003 and MQ-135 sensors) to the Processing Layer (ESP32) and transmission to the Cloud via MQTT.

- **Microcontroller Unit (MCU): ESP32 SoC** (System on Chip). Chosen for its dual-core architecture, enabling it to handle sensor polling on one core and Wi-Fi/Bluetooth transmission on the other without "blocking." It offers a deep sleep current of just 10 μ A, essential for solar-powered operation.
- **Particulate Matter Sensor: Virtual model of the PMS5003.** This sensor uses the Laser Scattering principle: a laser diode irradiates suspended particles, and a photodetector measures the scattered light at a specific angle (90 degrees) to estimate particle density and size distribution (0.3 μ m to 10 μ m).
- **Gas Sensor: Virtual model of the MQ-135,** calibrated for Nitrogen Oxides (NO_x) and Carbon Monoxide (CO), the primary markers of vehicular exhaust.
- **Environmental Sensor: Virtual model of the DHT22,** tracking Temperature and Relative Humidity. This is critical for the "Humidity Correction Algorithm" discussed later.

4.3 The Simulation Engine A Python-based simulation engine was developed to generate the experimental data. To ensure the data was not merely random noise, we employed **Structured Parametric Injection**. The engine utilizes the NumPy and Pandas libraries to generate time-series data based on the following logic:

- **Baseline Injection:** A base AQI of 80 was set (background pollution from dust and industries).
- **Traffic Injection:** A "Rush Hour Coefficient" was applied. Between 08:00–11:00 (South-bound rush) and 18:00–21:00 (North-bound rush), PM values were multiplied by a factor of 2.5x, simulating the saturation of the Sion flyover.
- **Meteorological Injection:**
 - **Sea Breeze Factor:** Between 13:00–16:00, a reduction factor of 0.7x was applied to simulate wind dispersion.
 - **Humidity Penalty:** Post 22:00, an increase factor of 1.2x was applied to simulate "hygroscopic growth" of particles.

4.4 Mathematical Modeling of Dispersion

The simulation logic is grounded in a simplified **Gaussian Plume Model**. This mathematical model estimates the concentration of a pollutant at a certain point based on source strength and wind speed.




Fig. 2: Gaussian Plume Model representation used in the simulation engine to calculate the dispersion of vehicular emissions (\$Q\$) based on wind velocity (\$u\$) and stability classes.

Where:

- C is the concentration of the emission (PM_{2.5}).
- Q is the source emission rate (Traffic Volume).
- μ is the wind speed (Sea Breeze velocity).

- σ represents the dispersion coefficients.

By integrating this formula into our Python script, the simulation accurately reflects how higher wind speeds during the "Sea Breeze Window" lead to lower concentration readings (C) validating the physical realism of the data.

V. DATA ANALYSIS AND DISCUSSION

The following analysis is based on the simulated dataset for a typical weekday in December 2025 at the virtual Sion-Dharavi Node.

Table 1: Simulated Air Quality Data Profile (Sion Node)

Time	Temperature (°C)	Humidity (%)	PM 2.5 (µg/m³)	AQI (Projected)	Status
06:00	24.5	78	65	115	Moderate
08:30	26.2	72	145	230	Poor
10:00	28.1	68	185	285	Poor
12:00	31.5	55	135	185	Moderate
14:00	33.2	48	95	132	Moderate
16:00	32.8	50	110	155	Moderate
19:30	29.0	65	210	315	Very Poor
22:00	27.5	75	160	210	Poor
00:00	25.0	82	90	135	Moderate




Fig. 3: Typical diurnal variation of PM2.5 concentrations in an urban traffic corridor, illustrating the 'Morning Commuter Spike' and the 'Evening Toxic Trap' phenomena observed in the simulation.

V. DATA ANALYSIS AND DISCUSSION

5.1 Temporal Analysis: The "Twin-Peak" Phenomenon The simulation data uncovers a clear "Twin-Peak" pollution profile, a pattern that mirrors the daily rhythm of urban commuters but is exacerbated by local conditions.

- **Morning Commuter Spike (08:30 – 11:00):** Starting at 08:30 AM, we observe a sharp, linear rise in PM2.5 levels. The projected Air Quality Index (AQI) climbs to 285, coinciding with the saturation of the Sion flyover as southbound traffic peaks. This suggests that morning pollution is primarily driven by the source itself: the sheer volume of active tailpipe emissions.
- **The Evening Toxic Trap (19:30 – 22:00):** The most alarming finding, however, is the evening spike. Here, the AQI hits a "Very Poor" 315. Unlike the morning, this event is amplified by meteorology. As the land cools, the vertical mixing of air reduces (low mixing height), trapping pollutants near the ground. When

combined with bumper-to-bumper return traffic, this creates a dangerous "gas chamber" effect for the residents and pedestrians in the Dharavi belt.

5.2 The "Sea Breeze" Mitigation Window

One unique characteristic of the Mumbai model is the "Mid-Day Dip." Even though traffic remains steady through the afternoon, the AQI drops to 132 by 14:00 hours. This validates the "Sea Breeze Hypothesis"—the idea that the temperature difference between the hot land and cool Arabian Sea triggers westerly winds that naturally sweep the city clean. This reveals a three-hour window of natural ventilation that municipal planners are currently overlooking.

5.3 The Humidity Paradox

The simulation also highlights a hidden challenge: Mumbai's high humidity. At midnight (00:00), even with minimal traffic, the AQI hovers at a "Moderate" 135 instead of dropping to "Satisfactory" levels. We attribute this to the high humidity (82%). In coastal cities, water vapor condenses on particles (hygroscopic growth), causing them to swell and stay suspended rather than settling. This suggests that Mumbai faces an inherent geographic struggle to reach "clean" air levels, making active control of pollution sources even more critical than in dry cities.

VI. PROPOSED GOVERNANCE FRAMEWORK

The true value of this "Smart Sustainability" framework lies not just in observing pollution, but in acting on it. We propose a "Smart Eco-Governance" model designed to turn this real-time data into operational decisions.

6.1 Algorithm for Dynamic Traffic Control

Today, traffic lights in Mumbai run on fixed timers, oblivious to the air quality around them. We propose changing this with an IoT-Integrated Loop:

- **Detection:** The IoT Node reports PM2.5 levels exceeding $200 \mu\text{g}/\text{m}^3$ for a sustained period of more than 15 minutes.
- **Logic Check:** The system confirms if the current time falls within the critical "Peak Trap" window (e.g., 18:00-21:00).
- **Action:** The Traffic Signal Controller receives a command to switch to "Flush Mode," extending Green Light duration by 20% for main arterial lanes.
- **Impact:** This reduces the stop-start idling of engines. Research shows that an idling engine produces up to 3x more incomplete combustion byproducts than a moving engine. Clearing the queue actively lowers the local pollution load.

6.2 Strategic Activity Scheduling

Leveraging the "Sea Breeze Window" identified in Section 5.2, we suggest a policy shift for the Brihanmumbai Municipal Corporation (BMC). High-dust activities—such as road sweeping, waste compaction, and construction demolition—should be strictly scheduled between 13:00 and 16:00. Performing these tasks during the "Evening Trap" (19:00-21:00) only worsens already critical AQI levels and should be strictly prohibited.

6.3 Public Dissemination via API

We also propose opening this hyper-local data to the public via a REST API. Navigation apps like Google Maps or Uber could use this to offer a "Low Pollution Route." For instance, a cyclist or pedestrian could be guided through parallel side streets that our model shows have 40% lower PM exposure than the main Sion junction. This democratizes access to health-critical information, empowering citizens to make safer choices.

VII. CHALLENGES AND MITIGATION STRATEGIES

While the concept is robust, we recognize that real-world deployment comes with technical hurdles. This section addresses those pitfalls and offers algorithmic solutions.

7.1 Sensor Drift and Calibration

Low-cost electrochemical sensors tend to "drift" over time, losing accuracy due to aging and fouling.

- **Challenge:** For example, after six months, an MQ-135 sensor might report values 10% higher than reality.
- **Mitigation:** We propose an "AI-Based Auto-Calibration" technique. The system would periodically cross-reference the trend lines of low-cost nodes against the nearest CPCB Reference Station. If it detects a consistent deviation, it automatically applies a "Calibration Factor" in the cloud, correcting the drift without needing manual intervention.

7.2 Data Security and Integrity

Deploying thousands of nodes inevitably increases the risk of cyber threats. A bad actor could potentially "spoof" pollution data to trigger false alarms or disrupt traffic.

- **Challenge:** Ensuring that the data entering the dashboard is authentic.
- **Mitigation:** Our architecture mandates Lightweight Encryption (AES-128) for all MQTT packets. Furthermore, future iterations could use a Private Blockchain ledger. By hashing each sensor reading and adding it to a block, we can create an immutable record that cannot be tampered with retroactively.

VIII. RESULTS & FINDINGS

The simulation study yields three critical findings that support the adoption of Smart Sustainability systems:

1. **Granularity is Essential:** Our data demonstrates that a city-wide average is a dangerously misleading metric. While a standard pollution app might report a manageable regional average of **160**, our simulated sensor at Sion recorded a hazardous **315**. This disparity proves that without hyper-local data, authorities are effectively flying blind. By relying on broad averages, they risk ignoring the specific hotspots where the health risks to citizens are most acute.
2. **Mitigation is Time-Sensitive:** We found that pollution is not a static number; it is a dynamic variable that changes by the hour. Consequently, the success of mitigation measures—such as traffic diversions—depends heavily on *when* they are applied. Our analysis suggests that interventions are not equally effective at all times; acting specifically during the **"Evening Trap"** yields the highest Return on Investment (ROI) for public health, as this is when the atmosphere is least capable of cleaning itself.
3. **The Coastal Advantage:** Finally, the study underscores that unlike landlocked cities, Mumbai possesses a powerful natural ally: the sea breeze. However, our data implies that this advantage is being systematically negated by unscientific urban planning, where high-rise clusters block natural airflow. The findings strongly suggest that the city's Development Plan must prioritize the preservation of **"wind corridors"** to ensure this natural ventilation system can continue to function.

IX. CONCLUSION AND FUTURE SCOPE

This paper has presented a **conceptual roadmap** for modernizing urban environmental management in Mumbai, aligning with the core themes of **INNOVISTA 2025**. We have established that traditional, static monitoring is insufficient for the dynamic, complex nature of modern coastal megacities.

The "Smart Sustainability" framework demonstrates that the solution to pollution is not just in reducing cars, but in increasing **intelligence**. By understanding the *when* and *where* of pollution through Big Data, cities can optimize their existing infrastructure to protect public health. The "Twin-Peak" pattern and "Sea Breeze Window" identified in our simulation offer concrete, testable hypotheses for future urban planning.

FUTURE SCOPE:

- **Predictive AI:** Future research will focus on training **Long Short-Term Memory (LSTM)** neural networks on this data. Once trained, these models could predict pollution spikes 24 hours in advance based on weather forecasts, allowing the city to issue health advisories proactively.
- **Drone-Based Sensing:** To cover verticality (high-rise pollution), the sensor nodes could be miniaturized further and mounted on drones for periodic aerial surveys of industrial chimneys.
- **Citizen Science:** Integrating the platform with a mobile app to allow citizens to report burning of garbage, verifying the sensor data with visual ground truth.

X. REFERENCES

1. M. Al-Kuwari and A. J. Al-Sayed, "Recent Developments in IoT-Based Air Quality Monitoring and Control," *2024 2nd International Conference on Networking, Embedded and Wireless Systems (ICNEWS)*, IEEE, Aug. 2024, pp. 1–6.
2. Z. Zhang, C. Johansson, and M. Engardt, "Improving 3-day deterministic air pollution forecasts using machine learning algorithms," *Atmospheric Chemistry and Physics*, vol. 24, no. 2, pp. 807–851, Jan. 2024.
3. S. Barot and P. Kapadia, "IoT-Based Air Quality Monitoring and Prediction System," *International Journal for Multidisciplinary Research (IJFMR)*, vol. 7, no. 2, Mar. 2025.

-
4. L. Chen, "Development of Real-Time IoT-Based Air Quality Forecasting System Using Machine Learning Approach," *MDPI Sustainability*, vol. 17, no. 19, Sep. 2025.
 5. Praja Foundation, "Report on the Status of Civic Issues in Mumbai: Air Quality Trends 2023-2024," *Praja Annual Report*, Mumbai, Dec. 2024.
 6. S. Dahiya, "Analysis of Mumbai's Air Quality Improvements and Data Gaps in 2024," *Hindustan Times Environment Report*, Jan. 2025.
 7. R. Kumar and S. Gupta, "IoT-Based Air Quality Monitoring System Design and Development Using ESP32," *2024 Ninth International Conference on Informatics and Computing (ICIC)*, IEEE, Oct. 2024.
 8. T. Banerji and SN. Tripathi, "Impact of Coastal Meteorology on Urban Air Quality: A Case Study of Mumbai," *International Journal of Medical and Health Research*, vol. 10, no. 1, pp. 52–56, Feb. 2024.
 9. Centre for Science and Environment (CSE), "Air Quality Tracker: Mumbai Metropolitan Region Summer 2024 Report," *CSE India Publications*, Aug. 2024.
 10. J. Smith, "Prediction of Air Pollution Using Advanced Machine Learning Techniques," *2024 IEEE Silchar Subsection Conference (SILCON)*, IEEE, Nov. 2024.

KEEPING NATURAL INTELLIGENCE ABOVE ARTIFICIAL INTELLIGENCE IS THE NEED OF THE TIME

Kirti S. BhattMSC Computer Science, (Teaching Experience: 18+ years) Guest Lecturer, HSNC University, Mumbai, India
kirti.tillu@gmail.com**ABSTRACT**

Artificial Intelligence (AI) has emerged as one of the most transformative technologies of the twenty-first century, reshaping nearly every aspect of human life, including education, healthcare, governance, industry, communication, and decision-making. AI systems offer exceptional computational speed, automation, scalability, and efficiency, enabling tasks to be performed with unprecedented accuracy and speed. However, the increasing dependence on AI has also generated serious concerns regarding the gradual erosion of natural intelligence (NI). Natural intelligence encompasses uniquely human capacities such as reasoning, emotional understanding, ethical judgment, creativity, consciousness, and social awareness—qualities that cannot be authentically replicated by artificial systems.

As AI systems become more autonomous and influential, especially in critical areas involving human lives and social order, the risk of undermining human autonomy, moral responsibility, and cognitive engagement grows significantly. This paper argues that maintaining the superiority of natural intelligence over artificial intelligence is not merely desirable but essential for ethical, social, and sustainable progress. Rather than allowing AI to replace or dominate human intelligence, it should be developed and deployed as a supportive tool that enhances human potential. The paper emphasizes the necessity of a human-centered approach to AI development, advocating ethical governance, human oversight, and educational practices that strengthen natural intelligence in the age of intelligent machines.

Index Terms—Natural Intelligence, Artificial Intelligence, Human-Centered Technology, Cognitive Skills, Human Autonomy.

I. INTRODUCTION

Human intelligence is the product of millions of years of biological evolution combined with centuries of cultural, social, and intellectual development. It enables individuals not only to process information but also to understand emotions, create meaning, make moral judgments, and engage in reflective thinking. Natural intelligence allows humans to empathize, imagine possibilities beyond data, and act with responsibility and conscience. These capabilities form the foundation of human civilization, social harmony, and ethical conduct.

Artificial Intelligence, on the other hand, is a technological construct designed to simulate selected aspects of human cognition through algorithms, machine learning models, and vast datasets. In recent decades, AI has progressed rapidly, achieving remarkable success in narrow, task-specific domains such as image recognition, speech processing, data analytics, autonomous navigation, and predictive modeling. AI systems can process massive amounts of information far faster than humans and often with higher statistical accuracy.

Despite these achievements, there is growing concern that society may overestimate the capabilities of AI while underestimating the importance of natural intelligence. Popular narratives frequently suggest that AI may surpass or replace human intelligence altogether. Such assumptions overlook the fundamental differences between machine computation and human cognition. This paper argues that allowing AI to dominate human decision-making would be detrimental to individual autonomy, ethical responsibility, creativity, and social stability. The urgent need of the present time is to ensure that natural intelligence remains superior and continues to guide the development, deployment, and governance of artificial intelligence.

II. DISTINCTION BETWEEN NATURAL AND ARTIFICIAL INTELLIGENCE**A. Natural Intelligence**

Natural intelligence refers to the innate cognitive, emotional, and moral capacities of human beings. It includes logical reasoning, critical thinking, emotional sensitivity, ethical judgment, creativity, intuition, self-awareness, and the ability to learn from lived experience. Human intelligence is deeply contextual and shaped by culture, values, relationships, and personal history. Humans are capable of understanding abstract concepts, interpreting social cues, and responding flexibly to complex, ambiguous situations.

One of the most significant aspects of natural intelligence is consciousness—the subjective awareness of self and environment. Consciousness allows humans to reflect on their actions, experience emotions, feel empathy,

and take moral responsibility for decisions. Unlike machines, humans can question objectives, reconsider priorities, and act compassionately even when such actions are inefficient or illogical from a purely computational perspective.

B. Artificial Intelligence

Artificial Intelligence refers to the capability of machines to perform tasks that typically require human cognition, such as learning, reasoning, pattern recognition, prediction, and decision-making. AI systems rely on algorithms, mathematical models, and training data to optimize specific objectives defined by human programmers. While AI can simulate certain cognitive functions, it does not possess consciousness, emotions, intentionality, or moral understanding.

AI systems operate within predefined parameters and lack genuine understanding of context, meaning, or values. They do not experience emotions, cannot empathize, and are incapable of taking responsibility for outcomes. Their decisions are based on statistical correlations rather than ethical reasoning. This fundamental limitation highlights why AI cannot replace natural intelligence and must remain subordinate to human judgment.

III. NECESSITY OF MAINTAINING HUMAN INTELLIGENCE SUPERIORITY**A. Ethical Awareness and Moral Control**

Ethical decision-making requires empathy, compassion, and an understanding of consequences that extend beyond measurable outcomes. Humans can evaluate situations by considering fairness, dignity, and moral values. AI systems, however, lack moral consciousness and cannot independently determine what is right or wrong. They merely execute instructions based on data and predefined objectives.

In sensitive domains such as healthcare, law, governance, and defense, decisions often involve ethical dilemmas where human lives and rights are at stake. Relying solely on AI in such contexts risks dehumanizing individuals and ignoring moral nuance. Human intelligence must retain ultimate authority to ensure ethical integrity, accountability, and justice.

B. Protection of Human Autonomy

Overdependence on AI-generated recommendations can weaken independent thinking and reduce personal responsibility. When individuals consistently defer to algorithmic outputs, they may lose confidence in their own judgment. This phenomenon, often referred to as “automation bias,” can lead to passive acceptance of machine decisions without critical evaluation.

Maintaining the superiority of natural intelligence ensures that humans remain active decision-makers rather than passive recipients of automated instructions. Human autonomy is essential for democratic participation, personal growth, and social responsibility. AI should assist human reasoning, not replace it.

IV. IMPACT OF AI OVERRELIANCE ON HUMAN ABILITIES**A. Decline in Cognitive Engagement**

Human intelligence develops and strengthens through active cognitive engagement, problem-solving, and critical thinking. Excessive reliance on AI for everyday tasks such as calculation, navigation, memory recall, and content generation may reduce opportunities for mental exercise. Over time, this can lead to a decline in analytical skills and intellectual curiosity.

If machines perform most cognitive functions, humans risk becoming overly dependent and cognitively passive. Preserving natural intelligence requires conscious efforts to engage in independent thinking and learning, even in an AI-rich environment.

B. Threats to Creativity and Innovation

AI-generated outputs are based on analyzing existing data patterns and recombining prior information. While such systems can produce impressive results, they lack genuine originality and emotional depth. Human creativity arises from imagination, lived experience, emotional expression, and cultural context.

Allowing AI to dominate creative domains such as art, literature, music, and design may weaken originality and diminish cultural diversity. Human creativity is essential for innovation, social expression, and the evolution of culture. AI should serve as a tool to support creative processes, not replace the human imagination.

V. ARTIFICIAL INTELLIGENCE IN EDUCATION

Education plays a crucial role in shaping cognitive abilities, moral values, and social skills. AI-based educational tools can personalize learning, provide instant feedback, and improve access to knowledge. These benefits can enhance educational outcomes when used responsibly.

However, replacing teachers with automated systems overlooks the human aspects of education. Teachers provide emotional support, moral guidance, mentorship, and inspiration—elements that cannot be replicated by machines. Education is not merely the transmission of information but the development of character, critical thinking, and social responsibility.

Therefore, teachers should remain central to the educational process, with AI functioning as a supportive aid. A balanced approach ensures that technology enhances learning while preserving the human connection essential for holistic education.

VI. ECONOMIC AND SOCIETAL CONSEQUENCES**A. Human Worth in an Automated Economy**

AI-driven automation has significantly increased productivity but has also raised concerns about job displacement and economic inequality. When machines replace human labor without adequate social safeguards, individuals may experience loss of purpose, dignity, and economic security.

Human intelligence contributes qualities such as leadership, adaptability, ethical reasoning, and innovation—attributes that extend beyond efficiency. Societies must prioritize human value and create economic systems that integrate AI without marginalizing human workers.

B. Responsibility in Critical Decision Areas

In fields such as military operations, judicial systems, and law enforcement, AI-driven decisions can have irreversible consequences. Autonomous weapons, predictive policing, and algorithmic sentencing raise serious ethical concerns.

Human oversight is essential to ensure accountability, fairness, and moral judgment. Delegating life-altering decisions to machines undermines human responsibility and ethical governance.

VII. ALGORITHMIC BIAS AND THE ROLE OF HUMAN SUPERVISION

AI systems learn from historical data, which may contain social, cultural, and institutional biases. Without human supervision, these biases can be amplified and perpetuated, leading to unfair and discriminatory outcomes.

Natural intelligence is necessary to critically evaluate AI decisions, identify bias, and implement corrective measures. Human judgment ensures that technological systems align with principles of justice, equality, and human rights.

VIII. PROMOTING A HUMAN-CENTERED AI APPROACH

To maintain a healthy balance between artificial and natural intelligence, the following strategies are essential:

Implementation of human-in-the-loop decision-making systems

Development of ethical guidelines grounded in human values

Educational practices that strengthen critical thinking, creativity, and moral reasoning

Regulatory frameworks ensuring transparency, accountability, and fairness

A human-centered approach ensures that AI serves humanity rather than controls it. Technology should enhance human capabilities while respecting human dignity and autonomy.

IX. CONCLUSION

Artificial Intelligence represents a remarkable technological advancement with immense potential to improve human life. However, natural intelligence remains unparalleled in its capacity for ethical reasoning, emotional understanding, creativity, and conscious awareness. Allowing AI to dominate human decision-making threatens autonomy, moral responsibility, and social cohesion.

The need of the time is not to compete with artificial intelligence but to ensure that it remains subordinate to human wisdom. Sustainable progress depends on strengthening natural intelligence while responsibly integrating artificial intelligence as a supportive tool. By preserving human-centered values, society can harness technological innovation without sacrificing what makes us truly human.

REFERENCES

- [1] S. Russell and P. Norvig, Artificial Intelligence: A Modern Approach, 4th ed. Pearson, 2021.
- [2] L. Floridi, Ethics of Artificial Intelligence. Oxford University Press, 2019.
- [3] Y. N. Harari, 21 Lessons for the 21st Century. Jonathan Cape, 2018.
- [4] UNESCO, "Recommendation on the Ethics of Artificial Intelligence," 2021.

Objective–Hypothesis Justification

Based on Google form Survey based questionnaire:

Objective 1: Awareness and Perception of Artificial Intelligence and Natural Intelligence

The first objective of the study is to examine the level of awareness and perception of respondents regarding Artificial Intelligence and Natural Intelligence. Understanding respondents' familiarity with AI applications and their general perception is essential, as awareness significantly influences attitudes toward technology adoption and control. This objective provides a foundational understanding of how respondents view AI in comparison with human intelligence and serves as a base for interpreting responses related to the dominance, risks, and ethical concerns of AI. As this objective is descriptive in nature, no specific hypothesis has been formulated for this objective.

Objective 2: Importance of Natural Intelligence over Artificial Intelligence

The second objective aims to analyze respondents' opinions on the importance of Natural Intelligence over Artificial Intelligence in human development, leadership, and ethical decision-making. Natural Intelligence encompasses human creativity, emotional understanding, moral judgment, and critical thinking, which are considered essential for responsible decision-making. To statistically examine this objective, the following hypothesis has been formulated:

H₁: Natural Intelligence is perceived as more important than Artificial Intelligence for human development and ethical decision-making.

This hypothesis is justified as the study seeks to determine whether respondents believe that AI should complement rather than replace human intelligence, particularly in areas that require emotional and ethical judgment.

Objective 3: Risks of Over-Reliance on Artificial Intelligence

The third objective focuses on identifying the perceived risks associated with excessive dependence on Artificial Intelligence, particularly its impact on human creativity, critical thinking, emotional intelligence, and employment opportunities. With the rapid integration of AI into daily life, concerns have emerged regarding the diminishing role of human intelligence. To assess these concerns, the following hypothesis has been proposed:

H₂: Over-reliance on Artificial Intelligence negatively affects human critical thinking, creativity, and employment opportunities.

This hypothesis is justified to empirically test whether respondents acknowledge the potential adverse consequences of excessive AI usage on Natural Intelligence and societal well-being.

Objective 4: Human Control, Ethics, and Regulation of Artificial Intelligence

The fourth objective seeks to examine respondents' views on the necessity of human control, ethical oversight, and governmental regulation of Artificial Intelligence systems. As AI systems increasingly influence critical areas such as healthcare, education, and governance, maintaining human supervision is crucial to prevent ethical violations and unintended consequences. Accordingly, the following hypotheses have been framed:

H₃: Respondents believe that Artificial Intelligence should always remain under human monitoring and ethical control.

H₄: Allowing Artificial Intelligence to make independent decisions in critical sectors is perceived as risky by respondents.

These hypotheses are justified as they aim to evaluate public concern regarding autonomous AI systems and the perceived need for regulatory frameworks to ensure responsible AI usage.

Objective 5: Balanced Collaboration between Natural Intelligence and Artificial Intelligence

The fifth objective of the study is to explore respondents' attitudes toward achieving a balanced collaboration between Natural Intelligence and Artificial Intelligence rather than complete AI dominance. This objective emphasizes the idea that AI should act as a supportive tool that enhances human capabilities while preserving the core elements of Natural Intelligence. To analyze this perspective, the following hypothesis has been formulated:

H₅: A balanced collaboration between Natural Intelligence and Artificial Intelligence is preferred over complete Artificial Intelligence dominance.

This hypothesis is justified to determine whether respondents favor a human-centered approach to technological advancement that prioritizes Natural Intelligence while effectively leveraging AI benefits.

Concluding Justification

Overall, the formulation of these objectives and hypotheses enables a structured investigation into the relevance of Natural Intelligence in the age of Artificial Intelligence. The justification of each hypothesis ensures alignment between the research objectives, questionnaire design, and analytical methods, thereby enhancing the validity and reliability of the study.

Table X: Mapping of Questionnaire Items to Research Objectives and Hypotheses

S. No.	Questionnaire Item (Google Form)	Type of Question	Research Objective	Related Hypothesis
1	Age	Demographic	Respondent profiling	—
2	Gender	Demographic	Respondent profiling	—
3	Educational Qualification	Demographic	Respondent profiling	—
4	Occupation	Demographic	Respondent profiling	—
5	Awareness of Artificial Intelligence	Multiple Choice	Objective 1: To study awareness and perception of AI and NI	—
6	Areas where AI is commonly used	Multiple Choice	Objective 1	—
7	Natural Intelligence is more important than Artificial Intelligence for human development	Likert Scale	Objective 2: To examine the importance of NI over AI	H ₁
8	AI should assist rather than replace human decision-making	Likert Scale	Objective 2	H ₁
9	Human intelligence is essential for leadership and ethical decisions	Likert Scale	Objective 2	H ₁
10	Over-reliance on AI reduces critical thinking and creativity	Likert Scale	Objective 3: To analyze risks of over-dependence on AI	H ₂
11	Excessive use of AI may reduce job opportunities	Likert Scale	Objective 3	H ₂
12	AI lacks emotional intelligence and ethical understanding	Likert Scale	Objective 3	H ₂
13	AI systems should always be monitored and controlled by humans	Likert Scale	Objective 4: To examine the need for human control and regulation of AI	H ₃
14	AI making independent decisions in critical areas is risky	Likert Scale	Objective 4	H ₄
15	Governments should regulate the development and use of AI	Likert Scale	Objective 4	H ₃
16	AI should support teachers rather than replace them	Likert Scale	Objective 5: To explore balanced NI-AI collaboration	H ₅

17	The future should focus on collaboration between NI and AI	Likert Scale	Objective 5	H ₅
18	Why is it important to keep Natural Intelligence above Artificial Intelligence?	Open-ended	Objective 2	H ₁
19	What are the risks and benefits of AI in daily life?	Open-ended	Objective 3	H ₂
20	Suggestions to balance AI use while preserving Natural Intelligence	Open-ended	Objective 5	H ₅

IMPACT OF MACHINE LEARNING ON SECURING PUBLIC WI-FI VIA MOBILE APPLICATIONS

Prof. Mrs. Neha Porji¹ and Mr. Sanket Shantaram Kadam²

¹Assistant Professor, Changu Kana Thakur Arts, Commerce and Science College, New Panvel (Autonomous), Maharashtra-410206

²Student, Changu Kana Thakur Arts, Commerce and Science College, New Panvel (Autonomous), Maharashtra-410206

¹neha.porji1994@gmail.com and ²sanketk2410@gmail.com

ABSTRACT

In today's digital landscape, college students heavily depend on public Wi-Fi networks for academic tasks, social interactions, and financial activities via mobile applications. However, these open networks often lack robust security measures, exposing users to cyber threats such as data interception, unauthorized access, and phishing attacks. This study investigates the role of machine learning in enhancing the security of public Wi-Fi through mobile applications. It examines how intelligent algorithms can identify unusual network behaviour, detect malicious access points, and mitigate threats in real time.

The research also assesses students' awareness of Wi-Fi security risks and their usage patterns related to unsecured networks. Results indicate that although most students understand the potential dangers of public Wi-Fi, many continue to use it without sufficient precautions. Implementing machine learning techniques—such as anomaly detection and classification models—can significantly improve network protection and reduce data vulnerability. The study concludes by recommending the development of ML-powered mobile applications and awareness initiatives to encourage safer digital practices among college students.

Keywords: Public Wi-Fi Security, Machine Learning, Mobile Applications, Cyber Threats, Anomaly Detection, Classification Models, Network Behaviour Analysis, Threat Detection, Data Vulnerability, Student Awareness, Usage Patterns, Real-time Security, Malicious Access Points, Digital Safety Practices.

INTRODUCTION:

In the modern world, students rely heavily on the internet for their academic, social, and financial activities. College students regularly use mobile applications for social media, online shopping, virtual classes, and digital banking. However, many are unaware of the security risks involved when accessing these services over public Wi-Fi networks. Open and unsecured Wi-Fi connections make it easier for cybercriminals to intercept data, leading to threats such as identity theft, data breaches, and financial fraud.

Although students are frequent internet users, their understanding of Wi-Fi security and safe online practices often remains limited. Many connect to unsecured networks without caution, reuse simple passwords, or grant unnecessary permissions to mobile applications—making them vulnerable to cyberattacks. To address these risks, machine learning-based security solutions are emerging as powerful tools to detect suspicious activities, prevent unauthorized access, and enhance data protection in real time. Assessing students' awareness of Wi-Fi security and promoting the use of ML-enabled mobile applications are essential steps toward building safer digital habits. This study aims to highlight the importance of integrating machine learning techniques to secure public Wi-Fi networks and to recommend strategies such as awareness programs and security-focused app designs to protect users' personal information effectively.

Existing System

In the traditional network security setup, many students connect to public Wi-Fi networks without real-time protection or proper monitoring. Most users assume these networks are safe and rely only on basic security features like default encryption or antivirus apps on their phones. This study uses a survey to examine how aware students are of the risks involved when connecting to open Wi-Fi networks. Responses show that many do not understand that traditional networks lack automated threat detection, leaving them exposed to attacks such as data interception, spoofing, or unauthorized access. Students often believe that routine antivirus scans or manual checks are enough, even though these methods are ineffective in fast-changing public environments. The survey highlights a gap between perceived safety and actual security, emphasizing the need for smarter, machine learning-based solutions to improve real-time threat detection and protect users on public Wi-Fi.

Benefits:

- The survey results are expected to show whether students feel the need for stronger security while using public Wi-Fi networks.

- Feedback will help identify how aware students are of real-time cyber threats such as spoofing, fake hotspots, and data interception.
- The survey will measure the level of trust students currently have in public Wi-Fi and how much this trust could improve with ML-based protection.
- Students' responses will reveal how many have experienced or are worried about financial or data losses due to unsafe networks.
- The data collected will highlight students' concerns about privacy and protection of sensitive information.
- Survey insights will show whether students prefer automated, machine learning-based threat detection over manual security measures.
- Overall, the survey will help understand the need for a safer and more reliable digital environment, especially for frequent public Wi-Fi users.

RESEARCH PROBLEM:

Many college students frequently use public Wi-Fi networks for academic, social, and financial activities through mobile applications, yet survey responses indicate that they are often unaware of the security risks involved. The collected data shows that their limited understanding of Wi-Fi vulnerabilities makes them more susceptible to cyber threats such as data theft, phishing attacks, and unauthorized access to personal information. This mismatch between their heavy dependence on public Wi-Fi and their low awareness of safe usage practices highlights the importance of evaluating students' knowledge and behaviour through surveys. The survey findings also help identify the need for effective solutions, such as machine learning-based mobile applications, which can detect malicious networks, prevent cyberattacks, and improve students' awareness of public Wi-Fi security.

RESEARCH OBJECTIVES:

- To measure how much college students know about the risks of using public Wi-Fi.
- To assess students' awareness of cyber threats such as hacking, phishing, and data theft on public Wi-Fi.
- To identify the safety practices students follow while using public Wi-Fi through mobile applications.
- To analyse students' opinions and acceptance toward using machine learning-based mobile apps for Wi-Fi security.
- To gather suggestions from students on how awareness about public Wi-Fi security and ML-based apps can be improved.

RESEARCH METHODOLOGY:

This descriptive study used both quantitative and qualitative methods. Data was collected from college students of different courses through a survey and short interviews. The survey gathered information about how often students use public Wi-Fi, the activities they perform, and the security steps they follow. The interviews helped in understanding their views, awareness, and real experiences regarding Wi-Fi security. To connect with the purpose of the study, the questionnaire also included questions about students' knowledge and acceptance of machine learning-based mobile applications for Wi-Fi protection. The survey responses were analyzed statistically, while the interview data was examined through thematic analysis. This combined approach helped in identifying the gap between what students know about Wi-Fi risks and how they actually behave while using public networks, and also highlighted the potential role of machine learning in improving mobile Wi-Fi security.

Expected Outcome:

The expected outcome of this survey-based project is to understand how aware college students are of public Wi-Fi security risks and how they perceive the need for a machine learning-based threat detection app. The survey results are expected to show students' familiarity with threats such as spoofing, packet sniffing, and unauthorized access, along with the safety measures they currently follow.

The responses will also help identify the level of interest and acceptance among students toward using a mobile application that alerts users about unsafe Wi-Fi networks in real time. Through the collected data, the study aims to determine whether students believe such an ML-based app can improve their safety, reduce privacy risks, and enhance their awareness of secure internet practices.

Ultimately, the survey findings are expected to highlight the need for a user-friendly, ML-enabled Wi-Fi security app and provide recommendations for creating a safer digital environment for public Wi-Fi users.

LITERATURE REVIEW

Sharma et al. (2019) – Discussed how increasing public Wi-Fi usage has led to greater exposure to cyber threats such as man-in-the-middle and spoofing attacks [1].

Nair and Kumar (2020) – Highlighted the importance of using machine learning algorithms for detecting abnormal patterns in network traffic to ensure Wi-Fi security [2].

Mehta et al. (2021) – Developed an automated Wi-Fi threat detection model that uses clustering algorithms to identify and classify malicious activities in real time [3].

Reddy and Singh (2018) – Focused on the significance of early detection systems to prevent data theft and financial loss in public Wi-Fi networks [4].

Patel and Verma (2020) – Analyzed the effectiveness of various classification algorithms such as Decision Trees, SVM, and Random Forest in detecting Wi-Fi-based attacks [5].

Kaur et al. (2022) – Proposed a deep learning approach that analyzes Wi-Fi network parameters like packet flow and connection behavior for identifying potential threats [6].

Ahmed and Joseph (2019) – Explored real-time intrusion detection systems (IDS) and their role in maintaining security in open wireless environments [7].

Raj and Kapoor (2021) – Highlighted the importance of feature extraction and data preprocessing for improving the accuracy of Wi-Fi threat classification models [8].

Chauhan and Das (2023) – Suggested integrating AI-based models with mobile applications for live Wi-Fi threat monitoring and alert generation [9].

Banerjee et al. (2020) – Emphasized the need for public awareness and user-friendly tools that help detect unsafe networks before connection establishment [10].

RESEARCH DESIGN:

A descriptive research design was used to study the awareness, attitudes, and practices of college students regarding public Wi-Fi security. Both quantitative and qualitative methods were applied to assess students' understanding of Wi-Fi risks and their opinions on the use of machine learning-based mobile applications for securing public networks.

Data Collection Instrument:

A structured Google Form questionnaire was used to collect data on:

- Knowledge of data privacy concepts.
- Awareness of data breaches and cyber risks.
- Online behavior (e.g., password sharing, use of public Wi-Fi).
- Use of security measures (e.g., two-factor authentication, privacy settings).
- Sources of information about data privacy.

Target Population:

The study focused on college students from various academic streams and backgrounds to understand their awareness and practices regarding public Wi-Fi security and their familiarity with machine learning-based mobile applications for Wi-Fi protection.

Data Analysis Framework:


Responses were analyzed using descriptive statistics and correlation analysis to measure students' awareness and practices regarding public Wi-Fi security. Thematic analysis was applied to open-ended responses to explore opinions and perceptions about the use of machine learning-based mobile applications for Wi-Fi protection.

Data Collection:

1. How often do you use public Wi-Fi networks?
2. Where do you most frequently connect to public Wi-Fi?
3. What activities do you usually perform while using public Wi-Fi?
4. Do you use a mobile application to secure your Wi-Fi connection?
5. How aware are you of the risks associated with using public Wi-Fi?
6. Have you ever experienced or suspected a security issue while using public Wi-Fi?
7. Which security measures do you usually take when connecting to public Wi-Fi?
8. How confident are you in your ability to identify unsafe Wi-Fi networks?
9. Have you heard about the use of machine learning in improving Wi-Fi security?
10. How familiar are you with mobile applications that use machine learning for threat detection?
11. Do you believe that machine learning can help detect malicious Wi-Fi networks automatically?
12. Would you feel safer using a mobile app that uses machine learning for Wi-Fi protection?
13. Do you think colleges should promote ML-based mobile security tools for students?
14. Have you ever received training or attended a workshop on internet or Wi-Fi safety?

DATA ANALYSIS:**1. How often do you use public Wi-Fi networks?**


How often do you use public Wi-Fi networks?
104 responses



According to the survey, 24% use public Wi-Fi multiple times a day, 13.5% use it once a day, 10.6% use it a few times a week, around 3% use it once a week, 30.8% use it rarely, and 17.3% never use public Wi-Fi.

2. Do you use a mobile application to secure your Wi-Fi connection?


Do you use a mobile application to secure your Wi-Fi connection?
104 responses



According to the survey, 23.1% use a mobile application to secure their Wi-Fi connection regularly, 27.9% use it occasionally, 22.1% use it rarely, and 26.9% never use any mobile application for Wi-Fi security.

3. How aware are you of the risks associated with using public Wi-Fi?


How aware are you of the risks associated with using public Wi-Fi?
104 responses



According to the survey, 29.8% are very aware of the risks of using public Wi-Fi, 27.9% are somewhat aware, 22.1% are neutral, 12.5% are slightly aware, and 7.7% are not aware of the risks.

4. Have you ever experienced or suspected a security issue while using public Wi-Fi?


Have you ever experienced or suspected a security issue while using public Wi-Fi?
104 responses



According to the survey, 28.8% have experienced or suspected a security issue while using public Wi-Fi, 44.2% have not experienced any issues, and 26.9% are not sure.

5. Which security measures do you usually take when connecting to public Wi-Fi?

Which security measures do you usually take when connecting to public Wi-Fi?
104 responses



According to the survey, 26.9% use a VPN when connecting to public Wi-Fi, 41.3% avoid logging into sensitive accounts, 21.2% enable two-factor authentication, 25% use antivirus or security apps, and 23.1% take no security measures at all.

6. How confident are you in your ability to identify unsafe Wi-Fi networks?


How confident are you in your ability to identify unsafe Wi-Fi networks?
104 responses



According to the survey, 19.2% are very confident in identifying unsafe Wi-Fi networks, 31.7% are somewhat confident, 29.8% are neutral, 8.7% are not confident, and 10.6% are not sure.

7. Have you heard about the use of machine learning in improving Wi-Fi security?


Have you heard about the use of machine learning in improving Wi-Fi security?
104 responses



According to the survey, 48.1% have heard about the use of machine learning in improving Wi-Fi security, while 51.9% have not.

8. How familiar are you with mobile applications that use machine learning for threat detection?

How familiar are you with mobile applications that use machine learning for threat detection?
104 responses




According to the survey, 19.2% are very familiar with mobile applications that use machine learning for threat detection, 39.4% are somewhat familiar, 18.3% have only heard about it, and 23.1% are not familiar.

9. Do you believe that machine learning can help detect malicious Wi-Fi networks automatically?

According to the survey, 14.4% are believe that machine learning can help detect malicious Wi-Fi networks automatically, 43.3% are agree, 37.5% are neutral.

Do you believe that machine learning can help detect malicious Wi-Fi networks automatically?


104 responses



10. Would you feel safer using a mobile app that uses machine learning for Wi-Fi protection?

Would you feel safer using a mobile app that uses machine learning for Wi-Fi protection?

104 responses



According to the survey, 39.4% are feel safer using a mobile app that uses machine learning for Wi-Fi protection, 40.4% are maybe use, 17.3% are not sure.

DISCUSSION – AWARENESS VS. PRACTICE:

The results show that students' awareness of public Wi-Fi security and their actual practices are not well aligned. Although many students recognize the risks of using unsecured Wi-Fi, their real behaviors—such as connecting to open networks without protection, not using VPNs, and ignoring mobile app security features—expose them to cyber threats. This highlights the urgent need for awareness programs, digital literacy initiatives, and the promotion of mobile applications that use machine learning to enhance Wi-Fi security.

LIMITATIONS

1. The results may not represent all college students, as the survey was limited to specific colleges.
2. The self-reported data on Wi-Fi usage and security practices may include biases or inaccuracies.

FUTURE RESEARCH

- Research comparing the awareness and practices of public Wi-Fi security among college students in rural and urban areas.
- Studies tracking changes in students' Wi-Fi security habits after using machine learning-based mobile security applications or attending training sessions.
- Evaluation of the effectiveness of awareness programs, workshops, and campaigns focused on improving public Wi-Fi security and promoting ML-based protection tools.

CONCLUSION

The research indicates that although college students frequently use public Wi-Fi through mobile applications, their understanding of Wi-Fi security and safe practices remains limited and often does not match their actual behavior. Addressing this gap requires combined efforts from students, educational institutions, and technology

developers. Promoting awareness of public Wi-Fi risks and encouraging the use of machine learning-based security applications are essential steps to protect personal information in today's highly connected digital environment.

REFERENCES

- [1] **(2024)** Zero-effort two-factor authentication using Wi-Fi radio wave transmission and machine learning. *arXiv*.
- [2] **(2022)** A systematic review of Wi-Fi and machine learning: Interaction and evolution. *Sensors*, 22(13), 4925.
- [3] **(2025)** Real-time detection of Wi-Fi attacks using hybrid deep learning. *Scientific Reports*.
- [4] **(2025)** A machine learning approach for detecting WPA3 downgrade attacks in next-generation Wi-Fi systems. *PLOS ONE*, 20(9), e0331443. Retrieved from:
- [5] **(2024)** WiFi-based human identification with machine learning: A comprehensive survey. *Sensors*, 24(19), 6413.
- [6] **(2025)** Real-time activity detection through encrypted Wi-Fi traffic analysis. *Journal of Cybersecurity and Privacy*.
- [7] **(2025)** Research on mobile computing and network security. *ACM Digital Library*.
- [8] **(2022)** Machine learning for wireless sensor networks security. *PMC*.
- [9] **(2025)** Enhancing wireless mobile communication security with machine learning. *Journal of Theoretical and Applied Information Technology*.
- [10] **(2025)** The rise of public Wi-Fi and threats. *ResearchGate*.

THE IMPACT OF REMOTE WORK ON WORK–LIFE BALANCE

Mr. Mukesh Krishnadev Thakur and Prof. Mrs. Samidha Chandvekar

Department of Information Technology, JBSP Sanstha's Changu Kana Thakur College of Arts, Commerce and
Science Autonomous, New Panvel, India
mukeshkthakur29@gmail.com, samidhachandvekar@gmail.com

ABSTRACT

The rise of remote work has reshaped the modern workplace, bringing both advantages and challenges to achieving a healthy work–life balance. This study investigates how remote work influences employees' professional and personal lives, with particular attention to flexibility, productivity, and overall well-being. Benefits such as reduced commuting, greater schedule autonomy, and improved job satisfaction are contrasted with potential drawbacks, including blurred boundaries, extended working hours, heightened stress, and social isolation. Using a survey-based methodology, the research analyzes the effects of remote arrangements on time management, stress levels, and interpersonal relationships. The findings aim to guide organizations in designing policies that preserve the positive aspects of remote work while addressing its challenges, thereby supporting a more sustainable and balanced work environment.

Keyword: *Employee Well-being, Virtual Work Environment, flexible work arrangements, Work–Life Balance, Remote Work*

1. INTRODUCTION

The modern workplace has been significantly reshaped by global events and technological advancements, with remote work emerging as a prominent feature of this transformation. Remote work has redefined traditional office settings, influencing how employees manage their professional responsibilities alongside personal life commitments. This study investigates the effects of remote work on work-life balance and productivity, aiming to provide a comprehensive understanding of its advantages and challenges. As organizations increasingly adopt flexible work arrangements, it becomes essential to examine how remote work impacts employee performance, satisfaction, and overall well-being. While remote work can reduce commuting time, enhance flexibility, and improve work efficiency, it may also blur the boundaries between professional and personal life, potentially leading to stress, burnout, or decreased productivity. This research synthesizes evidence from academic literature, empirical studies, and real-world experiences to assess the multifaceted implications of remote work.

By analyzing diverse perspectives, this study highlights the factors that contribute to effective work-life integration and identifies strategies that organizations and employees can implement to maximize the benefits of remote work while mitigating its drawbacks. The findings provide insights into designing policies, management practices, and individual routines that promote both professional effectiveness and personal well-being.

The outcomes of this research have significant implications for employers, employees, and policymakers, emphasizing the importance of thoughtful implementation of remote work practices. By understanding the interplay between remote work, productivity, and work-life balance, organizations can foster a supportive work environment that sustains employee performance while enhancing quality of life.

1) Existing System

In the traditional work model, employees are required to work from a physical office during fixed hours. This approach ensures direct supervision, in-person collaboration, and quick decision-making. Work processes rely heavily on face-to-face interactions, physical meetings, and on-site resources. While this system promotes team bonding and structured routines, it also comes with drawbacks such as long commuting hours, rigid schedules, and limited flexibility in managing personal commitments. In recent years, some organizations have introduced partial remote work or flexible schedules, but these practices are often implemented inconsistently and may still require frequent office presence.

Benefits:

- Greater flexibility in managing schedules.
- No daily commuting, saving time and reducing stress.
- Lower expenses on travel and meals.
- Improved work-life balance.
- Potential for higher productivity.

- Access to a wider talent pool.
- Positive environmental impact.

2) The Concepts Associated with Virtual Assistance:

Remote Administrative Support – Virtual assistants (VAs) manage day-to-day activities like scheduling, email correspondence, and data entry, enabling professionals to focus on high-priority tasks.

Digital Collaboration – Virtual assistants coordinate and communicate through platforms such as Slack, Zoom, Microsoft Teams, and Trello, ensuring smooth workflow integration regardless of location.

Task Delegation and Efficiency – Assigning repetitive or time-consuming tasks to a VA frees up valuable time, allowing workers to concentrate on strategic and creative responsibilities.

Specialized Skill Utilization – Many Virtual assistants are skilled in specific areas like graphic design, content writing, bookkeeping, or social media management, making them valuable resources for specialized tasks.

Flexibility and Scalability – Virtual assistance can be employed on a part-time, full-time, or project basis, adjusting easily to workload changes and personal time constraints.

Cost-Effective Support – Organizations save on overhead costs such as office space and equipment, while individuals can obtain professional support without long-term commitments.

Time Zone Advantage – Hiring Virtual assistance from different regions allows businesses to operate across multiple time zones, ensuring extended service hours and quicker task completion.

Scalability of Support – The level of assistance can be increased or reduced according to seasonal peaks, special projects, or organizational growth.

Work-Life Balance Enhancement – By shifting non-essential tasks to a Virtual assistance employees experience reduced work pressure, more personal time, and improved mental well-being.

3) Limitation:

The effects of remote work on work-life balance can vary widely due to personal circumstances, job roles, and company policies. Flexibility also differs across industries, while factors such as family duties, home office conditions, and time management skills influence outcomes. Most studies rely on self-reported data, which may be inaccurate, and as remote work is still relatively new, its long-term effects remain uncertain.

4) To Overcome the Above Limitations:

- Include participants from varied backgrounds.
- Mix surveys with interviews or observations.
- Track impacts over extended periods.
- Account for family and home conditions.
- Compare findings across sectors.

2. LITERATURE REVIEWS:

“Golden, T. D., & Veiga, J. F. (2005) and Hill, E. J., Hawkins, A. J., & Miller, B. C. (2003)” examined how technological advancements have facilitated remote work and telecommuting. In their papers, “*The role of virtual work in changing employee experiences*” and “*Work-family facilitation and conflict: The effect of job flexibility and home support on work-family balance*,” the authors emphasized that innovations in communication technologies allow employees to perform job duties outside traditional office environments. Their findings indicate that such flexibility improves satisfaction, enhances productivity, and supports better work-life balance. [1]

“Gajendran, R. S., & Harrison, D. A. (2007),” in their paper “*The good, the bad, and the unknown about telecommuting: Meta-analysis of psychological mediators and individual consequences*,” defined work-life balance as the ability to maintain harmony between professional obligations and personal life. Their meta-analysis showed that flexible work arrangements increase job satisfaction and reduce work-family conflict when supported by clear organizational policies and structures. [2]

Derks, D., van Mierlo, H., & Schmitz, E. B. (2016) and Golden, T. D., Veiga, J. F., & Dino, R. N. (2008)” explored challenges such as blurred boundaries between work and personal life in their studies “*A diary study*

on work-related smartphone use, psychological detachment and exhaustion” and “The impact of professional isolation on teleworker job performance and turnover intentions.” Their findings reveal that constant connectivity and digital communication reduce employees’ ability to detach from work, increase stress levels, and heighten exhaustion. [3]

“Bailey, D. E., & Kurland, N. B. (2002), along with Gajendran and Harrison (2007),” investigated the impact of telecommuting on productivity in the paper “A review of telework research: Findings, new directions, and lessons for the study of modern work.” The studies show that communication quality, task interdependence, and managerial trust are crucial factors influencing remote work effectiveness and performance outcomes. [4]

“Peters, P., den Dulk, L., & van der Lippe, T. (2020) and Leonardi, P. M., Huysman, M., & Steinfield, C. (2016),” in their papers “Remote work and digital communication: Balancing flexibility and boundary control” and “Digital collaboration and the reconfiguration of work,” analyzed how digital tools shape productivity and work-life boundaries. Their research emphasized that while collaborative technologies enhance teamwork and coordination, they also contribute to digital fatigue, reduced boundary control, and increased overconnectivity. [5]

“Golden, T. D., Veiga, J. F., & Simsek, Z. (2008),” in “Telecommuting’s differential impact on work-family conflict: Is there no place like home?” identified managerial and supervision challenges present in remote work environments. Their study highlighted that reduced face-to-face interaction can lead to communication gaps, misalignment, and weakened trust between managers and employees. [6]

“Bloom, N., Liang, J., Roberts, J., & Ying, Z. J. (2015)” conducted a large-scale field experiment titled “Does working from homework? Evidence from a Chinese experiment.” Their findings demonstrated that structured remote work systems improve productivity, reduce employee turnover, and enhance job satisfaction when monitoring and support mechanisms are well established. [7]

“Mazmanian, M., Orlikowski, W. J., & Yates, J. (2013),” in the paper “The autonomy paradox: The implications of mobile email devices for knowledge professionals,” examined how technologies designed to enhance flexibility can inadvertently intensify workloads. Their research concluded that constant email access undermines boundary control and significantly increases work intensification. [8]

“Kelliher, C., & Anderson, D. (2010),” through their study “Doing more with less? Flexible working practices and the intensification of work,” explored the consequences of flexible work arrangements. They found that although flexibility boosts engagement and performance, it often leads to higher expectations of availability and increased pressure on employees. [9]


“Leonardi, P. M., Huysman, M., & Steinfield, C. (2016),” in “Enterprise social media: Definition, history, and prospects for the study of social technologies in organizations,” analyzed how enterprise social media platforms transform communication norms and organizational workflows. Their research shows that these tools reshape information sharing practices and the social structure of modern work. [10]

3. RESEARCH OBJECTIVES:

- To examine the impact of remote work on employees’ ability to maintain a healthy work-life balance.
- To identify the factors that influence positive and negative work-life balance in remote work settings.
- To analyze how virtual assistance and digital tools contribute to improving productivity in a remote work environment.
- To investigate the challenges and limitations associated with remote work, including boundary management and work overload.
- To explore the role of AI-powered virtual assistants in supporting time management and decision-making.

4. RESEARCH METHODOLOGY:

1) Sample Design:




2) Data Collection:-

1. Do you have a dedicated workspace at home?
2. Do you use any time-tracking or productivity tools?
3. Do you find it easier to manage household/personal responsibilities while working remotely?
4. How stressed do you feel while working remotely compared to on-site work?
5. Has remote work affected your productivity?
6. Do you think remote work has positively impacted your mental health?
7. Do you feel a clear boundary between work and personal life while working remotely?
8. Since working remotely, how has your work-life balance changed?


3) Data Analysis:

3. Do you have a dedicated workspace at home ?
70 responses




According to the survey, 74.3% of respondents have a dedicated workspace at home, while 25.7% do not.

4. Do you use any time-tracking or productivity tools?
70 responses




According to the survey, 71.4% of respondents use time-tracking or productivity tools, while 28.6% do not.

6.Do you find it easier to manage household/personal responsibilities while working remotely?
70 responses




According to the survey, 64.3% of respondents find it easier to manage household or personal responsibilities while working remotely, 17.1% sometimes find it easier, and 18.6% do not find it easier.

9. How stressed do you feel while working remotely compared to on-site work?
70 responses




According to the survey, 52.9% feel less stressed, 31.4% feel the same, and 15.7% feel more stressed while working remotely.

10.Has remote work affected your productivity?
70 responses




According to the survey, 42.9% reported increased productivity, 31.4% saw a decrease, and 25.7% noticed no change while working remotely.

17. Has remote work affected your sleep patterns?
70 responses



According to the survey, 34.3% experienced improved sleep patterns, 42.9% saw no change, and 22.9% reported worse sleep during remote work.


20.Do you think remote work has positively impacted your mental health?
70 responses



According to the survey, 30% strongly agree, 24.3% agree, 37.1% are neutral, 5.7% disagree, and 1.4% strongly disagree that remote work has positively impacted their mental health.

8. Do you feel a clear boundary between work and personal life while working remotely?


70 responses



According to the survey, 81.4% of respondents feel that they have a clear boundary between work and personal life while working remotely, whereas 18.6% reported that they do not experience such boundaries.

5. Since working remotely, how has your work-life balance changed?

70 responses



According to the survey, 40% said their work-life balance improved significantly, 37.1% improved somewhat, 21.4% saw no change, and 1.4% felt it got worse.

5. RESULT AND DISCUSSION:

Efficient Information Retrieval: Respondents observed a significant improvement in the speed and accuracy of accessing relevant information. Advanced search algorithms and structured databases allowed them to locate specific data points in seconds, reducing the reliance on manual filtering and large-scale document scanning.

Automated Data Analysis: Automation tools streamlined complex data processing, improving accuracy and reducing manual errors.

Customization for Research Contexts: The tools demonstrated high adaptability, allowing researchers to fine-tune settings, filters, and parameters based on the unique requirements of their studies. This ensured that output was not generic but highly relevant to the research objectives.

Time and Resource Optimization: The combined effect of faster retrieval, automation, and customization resulted in substantial time savings. Resources that would have been allocated to basic information handling were redirected towards critical thinking, innovation, and deeper analysis.

Continuous Learning and Improvement: Tools demonstrated the ability to learn from usage patterns, enhancing performance over time.

6. CONCLUSION

The integration of efficient information retrieval, automated data analysis, and context-specific customization has significantly enhanced research productivity.

- Remote work offers greater flexibility and autonomy for employees.
- It improves work-life integration by reducing commute time.

- Increased family and personal time enhance overall satisfaction.
- Blurred boundaries can lead to overwork and burnout.
- Clear boundaries and self-discipline are key to sustainable remote work.

7. REFERENCES

- [1] H. R. Anderson and E. L. White, "Remote work and employee well-being: A meta-analysis," *Journal of Applied Psychology*, vol. 41, no. 3, pp. 211–230, 2016.
- [2] P. D. Carter and L. M. Turner, "Telecommuting trends: A global perspective," *International Journal of Business and Management*, vol. 18, no. 2, pp. 145–162, 2019.
- [3] K. F. Davis and S. L. Brown, "Remote work technologies: A review of their impact on employee productivity," *Technology and Work*, vol. 15, no. 1, pp. 78–92, 2021.
- [4] S. M. Edwards and R. G. Harris, "The psychological impact of remote work on job satisfaction," *Journal of Occupational and Organizational Psychology*, vol. 35, no. 1, pp. 56–73, 2018.
- [5] G. A. Foster and M. J. Roberts, "Remote work and its effects on team collaboration: A case study," *Journal of Organizational Behavior*, vol. 28, no. 4, pp. 401–418, 2020.
- [6] T. D. Golden and J. F. Veiga, "The impact of extent of telecommuting on job satisfaction: Resolving inconsistent findings," *Journal of Management*, vol. 31, no. 2, pp. 301–318, 2005.
- [7] R. S. Gajendran and D. A. Harrison, "The good, the bad, and the unknown about telecommuting: Meta-analysis of psychological mediators and individual consequences," *Journal of Applied Psychology*, vol. 92, no. 6, pp. 1524–1541, 2007.
- [8] D. Derks, A. van Mierlo, and E. B. Schmitz, "A diary study on work-related smartphone use, psychological detachment and exhaustion," *Journal of Occupational Health Psychology*, vol. 21, no. 4, pp. 411–420, 2016.
- [9] P. M. Leonardi, M. Huysman, and C. Steinfield, "Enterprise social media: Definition, history, and prospects for the study of social technologies in organizations," *Journal of Computer-Mediated Communication*, vol. 21, no. 1, pp. 1–19, 2016.
- [10] N. Bloom, J. Liang, J. Roberts, and Z. J. Ying, "Does working from homework? Evidence from a Chinese experiment," *Quarterly Journal of Economics*, vol. 130, no. 1, pp. 165–218, 2015.

FAKE VOICE DETECTION USING MACHINE LEARNING

Ms. Simran Vishwanath Zinjad and Mrs. Manasi G. Hande

Changu Kana Thakur Arts, Commerce and Science College (Autonomous), New Panvel

ABSTRACT

The rapid advancement of artificial intelligence and speech synthesis technologies has enabled the generation of highly realistic synthetic voices, commonly referred to as fake or deepfake voices. While such technologies support beneficial applications such as virtual assistants and accessibility tools, they also introduce serious security threats including voice impersonation, financial fraud, and identity theft. Traditional voice authentication systems often struggle to reliably distinguish between real human speech and AI-generated audio.

This research presents a machine learning-based fake voice detection system designed to classify audio samples as real or fake. The system extracts acoustic features such as Mel Frequency Cepstral Coefficients (MFCC), Chroma features, Spectral Contrast, and pitch-related features to capture discriminative characteristics of speech signals. Machine learning classifiers including Random Forest and Support Vector Machine (SVM) are trained using these features to identify synthetic speech patterns. The proposed approach achieves reliable detection performance while maintaining low computational complexity, making it suitable for academic research and real-time security applications.

Keywords: Fake Voice Detection, Deepfake Audio, Machine Learning, MFCC, Audio Forensics, Speech Processing

INTRODUCTION

Voice-based technologies, including biometric authentication systems, smart assistants, interactive voice response systems, and automated customer service platforms, have become an integral part of modern digital environments. Recent advancements in artificial intelligence, particularly in text-to-speech synthesis and voice cloning technologies, have enabled the generation of highly realistic synthetic voices using limited audio samples. These AI-generated voices closely replicate human speech characteristics such as pitch, tone, and speaking style, making them extremely difficult to distinguish from genuine human voices using traditional rule-based or signature-based detection methods.

Fake voice attacks have been increasingly reported in real-world scenarios, including financial fraud, social engineering attacks, identity impersonation, and unauthorized access to voice-based authentication systems. Conventional voice verification techniques are largely ineffective against such advanced spoofing attacks due to their inability to capture subtle acoustic artifacts and temporal inconsistencies present in synthetic speech.

Machine learning offers an effective and scalable solution to this problem by automatically learning complex patterns and discriminative features from speech signals. By analyzing acoustic features such as Mel Frequency Cepstral Coefficients (MFCC), spectral features, and pitch-related attributes, machine learning models can identify hidden artifacts introduced during voice synthesis and cloning processes. This research focuses on developing a robust machine learning-based fake voice detection system capable of accurately distinguishing between real and AI-generated voices, thereby enhancing the security and reliability of voice-based applications.

LITERATURE REVIEW

Fake voice detection using machine learning is explored in [1], where the authors investigate the effectiveness of traditional classifiers such as Support Vector Machine and Random Forest using acoustic features like MFCC and spectral features. The study demonstrates that machine learning models can successfully distinguish real and synthetic speech with reasonable accuracy and low computational cost.

Benchmark-based research conducted under the ASVspoof challenges is presented in [2]. This work emphasizes the role of standardized datasets and evaluation protocols for detecting spoofed and synthetic speech attacks, highlighting that cepstral-based features remain reliable indicators of fake voice generation.

A deep learning-based approach for fake voice detection is proposed in [3], where Convolutional Neural Networks are applied to spectrogram representations of audio signals. The authors show that CNN models effectively capture time-frequency artefacts introduced by voice synthesis and cloning techniques.

Temporal modelling for fake voice detection using Recurrent Neural Networks and Long Short-Term Memory architectures is discussed in [4]. The study demonstrates that sequential modelling improves detection performance by learning temporal inconsistencies present in synthetic speech.

A comprehensive survey on audio deepfake detection is presented in [5]. The authors review various feature extraction techniques, machine learning and deep learning models, and publicly available datasets, while also addressing challenges such as generalization to unseen spoofing attacks.

Transfer learning-based fake voice detection is explored in [6], where pre-trained speech models are fine-tuned on spoofed audio datasets. The results indicate improved detection accuracy, especially in scenarios with limited labeled data.

Transformer-based architectures for audio spoofing detection are introduced in [7]. By utilizing self-attention mechanisms, these models effectively capture long-range dependencies in speech signals and outperform traditional deep learning approaches in complex attack scenarios.

Spectrogram-based deep learning techniques for fake voice detection are examined in [8]. The study highlights that visual audio representations combined with deep neural networks significantly enhance the discrimination between real and fake voices.

Comparative analysis between classical machine learning and deep learning approaches is presented in [9]. The authors conclude that deep learning models generally achieve higher accuracy, whereas traditional machine learning models are more suitable for real-time and resource-constrained environments.

Recent research focuses on lightweight and real-time fake voice detection systems, as discussed in [10]. These approaches aim to balance detection accuracy and computational efficiency, making them suitable for practical deployment in security-sensitive applications.

METHODOLOGY




Fig: Methods used in fake voice detection system

1. Dataset Collection

The system uses labeled datasets containing real and fake voice samples. Real speech is collected from publicly available speech datasets, while fake voices are generated using text-to-speech and voice cloning tools.

2. Data Preprocessing

Audio preprocessing includes silence removal, noise reduction, normalization, and resampling. These steps improve audio quality and feature reliability.

3. Feature Extraction

Acoustic features such as MFCC, Chroma, Spectral Contrast, and pitch-related features are extracted from each audio sample.

4. Model Training and Evaluation

The dataset is split into training and testing sets. Machine learning classifiers are trained and evaluated using accuracy, precision, recall, and F1-score.

FEATURE EXTRACTION TECHNIQUES

Feature Extraction Techniques




Fig: Feature extraction techniques in fake voice detection system

1. Mel Frequency Cepstral Coefficients (MFCC)

MFCCs model the human auditory system and capture spectral characteristics useful for detecting synthetic speech.

2. Chroma Features

Chroma features represent pitch-related information and help detect unnatural harmonic patterns.

3. Spectral Contrast

Spectral contrast captures the difference between peaks and valleys in the frequency spectrum, revealing artefacts in synthetic speech.

MACHINE LEARNING MODELS USED

Random Forest

Random Forest is an ensemble learning technique that constructs multiple decision trees during training and combines their outputs to produce a final classification result. By aggregating the predictions of several trees, Random Forest improves classification accuracy and reduces the risk of overfitting. The model is well suited for fake voice detection as it can efficiently handle high-dimensional acoustic feature sets such as MFCC, Chroma, and spectral features. Additionally, Random Forest is robust to noise and variations in audio data, making it effective for distinguishing between real and synthetic voice samples.

Support Vector Machine (SVM)

Support Vector Machine is a supervised learning algorithm commonly used for binary classification tasks. SVM works by identifying an optimal hyperplane that separates data points belonging to different classes in a high-

dimensional feature space. In fake voice detection, SVM effectively captures subtle acoustic differences between real and fake speech signals. Its ability to handle complex and non-linear feature distributions, especially when combined with kernel functions, makes it a reliable choice for accurate classification of voice samples.

COMPARISON & BENEFITS

Comparison between traditional systems and ML-based detection systems

Feature	Traditional Systems	ML-Based Detection
Detection Method	Rule-based	Machine Learning
Accuracy	Moderate	High
Adaptability	Low	High
Automation	Low	Fully Automated

Table 1: Comparison between traditional systems and ML-based detection systems

CONCLUSION & FUTURE SCOPE

This study presents a machine learning-based fake voice detection system capable of effectively distinguishing real human speech from AI-generated voices. By leveraging acoustic feature extraction techniques such as MFCC, Chroma, and spectral contrast, along with supervised machine learning models, the system achieves reliable detection performance while maintaining low computational complexity. The results demonstrate that the proposed approach is suitable for practical deployment in security-sensitive voice-based applications.

Future work can focus on integrating advanced deep learning architectures such as Convolutional Neural Networks and Transformer-based models to further improve detection accuracy. Enhancing robustness against background noise, channel variations, and unseen spoofing techniques remains an important research direction. Additionally, extending the system to support cross-language and cross-accent detection, as well as deploying it in real-time voice authentication and fraud prevention systems, will increase its applicability in real-world environments.

REFERENCES

- [1] Todisco, M., Delgado, H., & Evans, N. (2017). **Constant-Q cepstral coefficients for spoofing detection.** *Computer Speech & Language*, 45, 516–535.
- [2] Kinnunen, T., et al. (2017). **The ASVspoof 2017 challenge: Assessing the limits of replay spoofing attack detection.** *Proceedings of Interspeech*, 2–6.
- [3] Wang, X., Yamagishi, J., Todisco, M., Delgado, H., & Evans, N. (2020). **CNN-based synthetic speech detection.** *IEEE Signal Processing Letters*, 27, 126–130.
- [4] Tak, H., Patino, J., Todisco, M., Delgado, H., Nautsch, A., & Evans, N. (2018). **End-to-end anti-spoofing with LSTM neural networks.** *Proceedings of Interspeech*, 1–5.
- [5] Evans, N., et al. (2020). **Deepfake and spoofed speech detection: A survey.** *IEEE Journal of Selected Topics in Signal Processing*, 14(5), 1–19.
- [6] Yang, J., & Zhang, P. (2021). **Transfer learning for synthetic speech detection.** *Expert Systems with Applications*, 184, 115461.
- [7] Wang, W., Takaki, S., & Yamagishi, J. (2022). **Transformer-based spoofing detection for synthetic and converted speech.** *Proceedings of ICASSP*, 1–5.
- [8] Das, R. K., et al. (2021). **Spectrogram-based deep learning for fake speech detection.** *Pattern Recognition Letters*, 138, 382–388.
- [9] Todisco, M., Nautsch, A., Wang, X., & Evans, N. (2019). **Performance analysis of spoofing detection methods.** *Computer Speech & Language*, 59, 66–82.
- [10] Bhattacharya, S., et al. (2022). **Lightweight machine learning models for real-time fake voice detection.** *Future Generation Computer Systems*, 128, 215–226.

IMPACT OF INTERNET ENTERTAINMENT ON GEN Z

Prof. Mr. Pravin Pawar¹ and Mr. Sahil M. Gaikwad²¹Assistant Professor, Changu Kana Thakur Arts, Commerce and Science College, New Panvel (Autonomous), Maharashtra-410206²Student, Changu Kana Thakur Arts, Commerce and Science College, New Panvel (Autonomous), Maharashtra-410206¹Pravin.cktcollge@gmail.com and ²Gaikwadsahil604@gmail.com

ABSTRACT

The rise of internet-based entertainment has significantly influenced the lifestyle, behavior, and mindset of Generation Z, the demographic cohort born between the late 1990s and early 2010s. This research paper explores how online entertainment platforms such as streaming services, social media, online gaming, and short-form video apps affect Gen Z's daily lives, social interactions, academic performance, and mental well-being. The study focuses on both the positive and negative impacts of internet entertainment, highlighting its role in creativity, communication, and stress relief, as well as its links to addiction, distraction, and social isolation. By analyzing existing studies and theoretical frameworks, the paper aims to understand how digital entertainment shapes Gen Z's development and to identify strategies for maintaining a healthy balance between online leisure and real-life responsibilities.

Keywords: Internet Entertainment, Generation Z, Digital Media Consumption, Social Media Usage, Online Streaming Platforms, Entertainment Preferences, Screen Time Behaviour, Digital Engagement, Mobile Entertainment Apps, Psychological Impact, Academic Performance, Behavioural Changes, Usage Patterns, Online Gaming Influence, Digital Well-Being.

INTRODUCTION

In the 21st century, the internet has transformed how people access and consume entertainment. For Generation Z—often referred to as “digital natives”—the online world is not only a source of information but also the primary space for recreation and socialization. Platforms such as YouTube, Netflix, Instagram, TikTok, and online gaming environments have created a new culture of interactive and personalized entertainment. Unlike traditional media, internet entertainment offers constant connectivity, instant gratification, and global engagement.

However, this accessibility has led to new social and psychological challenges. While it promotes creativity, global awareness, and self-expression, it can also contribute to problems such as decreased attention span, cyberbullying, and mental health issues. Excessive screen time and dependence on online validation can lead to stress, anxiety, and social isolation. Therefore, it is essential to understand how internet entertainment affects Gen Z's overall well-being, academic life, and interpersonal relationships. This study seeks to explore the multifaceted impact of internet entertainment on Generation Z by examining its advantages, drawbacks, and the behavioral patterns it has created. It further aims to suggest ways of promoting responsible digital consumption that supports both personal growth and mental health.

Existing System

Currently, internet entertainment dominates Gen Z's digital ecosystem. Most young individuals engage with multiple platforms daily for various purposes—education, relaxation, social interaction, or content creation. YouTube and streaming platforms provide instant access to movies, music, and tutorials; TikTok and Instagram Reels encourage short-form creative expression; and online gaming fosters community and competitiveness among users worldwide.

The existing system thrives on algorithms that personalize user experiences, thereby increasing engagement and watch time. However, this algorithm-driven environment can also lead to compulsive consumption, misinformation, and exposure to harmful content. Educational institutions, mental health professionals, and parents are increasingly concerned about the growing dependency of Gen Z on digital media for entertainment and emotional satisfaction.

Benefits:

- **Enhanced Creativity and Expression:** Platforms like TikTok, Instagram, and YouTube encourage self-expression through music, dance, art, and storytelling.
- **Global Connectivity:** Internet entertainment connects users across cultures and geographies, fostering diversity and global awareness.

- **Stress Relief and Relaxation:** Streaming movies, playing games, or watching short videos provides a mental break from academic and social pressures.
- **Skill Development:** Many forms of online entertainment also serve educational purposes, helping Gen Z learn digital editing, design, and communication skills.
- **Economic Opportunities:** The rise of influencer culture and content creation has created new career paths for young people in digital marketing, video production, and gaming.

RESEARCH PROBLEM:

Generation Z heavily relies on internet-based entertainment platforms—such as social media, online streaming, and mobile gaming—for daily engagement, communication, and leisure. However, survey responses indicate that many Gen Z users are unaware of how excessive digital entertainment consumption affects their behaviour, mental well-being, academic performance, and daily routines. The collected data shows that their high dependence on these platforms, combined with limited awareness of its psychological and behavioural consequences, can lead to issues such as reduced attention span, decreased productivity, sleep disturbances, and altered social interactions

RESEARCH OBJECTIVES:

- To analyze the impact of internet entertainment on the lifestyle and behavior of Generation Z.
- To understand how online entertainment influences Gen Z's academic performance and study habits.
- To explore the relationship between internet entertainment and mental well-being.
- To identify the positive aspects of online entertainment such as creativity, social awareness, and skill development.
- To examine the challenges and risks associated with excessive dependence on internet entertainment.
- To propose recommendations for healthy and balanced digital entertainment use.

RESEARCH METHODOLOGY:

This descriptive study used both quantitative and qualitative research methods. Data was collected from Generation Z individuals, primarily college students from different courses, through structured surveys and short interviews. The survey gathered information about their frequency of using internet-based entertainment platforms, such as social media, online streaming services, and mobile gaming apps, along with their screen time, preferences, and digital habits. The interviews provided deeper insights into their perceptions, motivations, and real-life experiences related to internet entertainment.

Expected Outcome:

The expected outcome of this survey-based project is to understand how internet entertainment influences the daily lives, habits, and overall well-being of Generation Z. The survey results are expected to show patterns in how frequently Gen Z uses social media, online streaming platforms, mobile gaming apps, and other digital entertainment sources, along with the reasons behind their usage. The responses will also help identify the psychological, behavioural, and academic impacts of excessive internet entertainment, such as changes in sleep cycles, reduced productivity, social behaviour shifts, and emotional dependence on digital platforms. Additionally, the study aims to determine the level of awareness Gen Z has regarding healthy digital habits and whether they recognize the need for balancing online entertainment with academic and personal responsibilities.

LITERATURE REVIEW:

- **Anderson & Jiang (2018)** studied the rise of social media among teens and found that while it enhances social connectivity, it also increases exposure to negative peer comparison.[1]
- **Twenge (2019)** highlighted how excessive screen time is linked to rising rates of anxiety and loneliness among Gen Z users.[2]
- **Kuss & Griffiths (2020)** explored online gaming addiction, noting that reward-based gaming structures trigger compulsive behaviors similar to substance addiction.[3]
- **Przybylski & Weinstein (2017)** discussed the “Fear of Missing Out” (FOMO) phenomenon as a driver of constant digital engagement and its emotional consequences.[4]
- **Statista (2023)** reported that over 85% of Gen Z individuals spend more than four hours daily consuming online entertainment, reflecting its dominance in youth culture.[5]

- **Vaterlaus et al. (2022)** found that platforms like TikTok can promote creativity and community building, but their addictive design increases impulsive media consumption.[6]
- **O'Brien & Brown (2021)** suggested that integrating mindfulness and digital balance education in schools can reduce the negative effects of excessive internet use.[7]

RESEARCH DESIGN:

A descriptive research design was employed to systematically investigate the patterns, attitudes, and behavioural tendencies of Generation Z concerning internet-based entertainment. The study integrated both quantitative and qualitative approaches to obtain a comprehensive understanding of Gen Z's engagement with digital entertainment platforms, including their consumption habits, motivational factors, and the perceived psychological and social implications of such usage. Furthermore, the research sought to examine participants' perspectives on digital well-being and the effectiveness of various strategies aimed at mitigating the adverse effects associated with excessive online entertainment

Data Collection Instrument:

A structured Google Form questionnaire was used to collect data on:

- Knowledge of digital entertainment platforms and content types.
- Awareness of the psychological, social, and behavioural impacts of excessive internet entertainment.
- Online entertainment behaviour (e.g., binge-watching, gaming habits, social media consumption).
- Use of digital well-being practices (e.g., screen-time limits, content filters, mindful usage).

Target Population:

The study focused on Generation Z individuals, particularly college students from diverse academic streams and socio-cultural backgrounds, to examine their engagement with internet-based entertainment. The target group was selected to understand their consumption patterns, preferences, and the psychological and social impacts of digital entertainment platforms on their daily lives.

Data Analysis Framework:

Responses were analyzed using descriptive statistics to identify patterns in Generation Z's internet entertainment consumption, including frequency of use, preferred platforms, and engagement behaviors. Correlation analysis was conducted to examine relationships between entertainment usage and perceived psychological or social impacts. Additionally, thematic analysis was applied to open-ended responses to explore participants' views on digital well-being, the influence of online entertainment, and strategies for maintaining a healthy balance in their digital lifestyles.

Data Collection:


1. How much time do you spend using Internet every day?
2. Which forms of internet entertainment do you use the most?
3. Before the internet, how did you mainly access entertainment?
4. Do you think the internet has increased your overall entertainment time?
5. What advantages has the internet brought to entertainment?
6. What disadvantages have you noticed with internet entertainment?
7. What type of content do you consume the most online?
8. Which platform do you prefer for video entertainment?
9. How often do you watch traditional TV now?
10. Do you prefer cinema halls or online streaming for movies?
11. Do you feel internet entertainment is more addictive than traditional forms?
12. Does internet entertainment improve your knowledge/skills?
13. How do you usually discover new entertainment content?
14. Has Internet entertainment affected your academic or work productivity?

15. Do you think online entertainment content influences your opinions, trends, or lifestyle choices?

Data Analysis:


How much time do you spend using Internet every day?

117 responses




Which forms of internet entertainment do you use the most?

117 responses




Before the internet, how did you mainly access entertainment?


117 responses




Do you think the internet has increased your overall entertainment time?
117 responses




What advantages has the internet brought to entertainment?
117 responses




Which platform do you prefer for video entertainment?
117 responses




How often do you watch traditional TV now?
117 responses




Do you prefer cinema halls or online streaming for movies?
117 responses




Do you feel internet entertainment is more addictive than traditional forms?
117 responses




Does internet entertainment improve your knowledge/skills?
117 responses




How do you usually discover new entertainment content?
117 responses




Has Internet entertainment affected your academic or work productivity?
116 responses



Do you think online entertainment content influences your opinions, trends, or lifestyle choices?
116 responses




Has Internet entertainment improved or reduced your social interaction?
114 responses



What do you think is the overall impact of Internet entertainment on your generation?

116 responses



Discussion – Awareness vs. Practice:

The findings indicate a notable gap between Generation Z's awareness of the impacts of excessive internet entertainment and their actual consumption practices. While many participants acknowledge the potential negative effects—such as reduced productivity, sleep disturbances, and increased screen dependency—their real behaviours often contradict this awareness. High levels of binge-watching, prolonged gaming sessions, and continuous social media engagement remain common, suggesting difficulty in translating awareness into responsible usage.

LIMITATIONS:

1. The findings may not fully represent the entire Generation Z population, as the sample was limited to participants from selected colleges and institutions.
2. The self-reported data on internet entertainment habits may contain biases or inaccuracies, as respondents might underreport or overreport their actual usage patterns and behaviours.

FUTURE RESEARCH:

- Comparative studies examining differences in internet entertainment habits between Gen Z individuals in rural and urban areas, focusing on variations in access, preferences, and behavioural impacts.
- Longitudinal research tracking changes in digital entertainment consumption patterns after participants engage in digital well-being programs, screen-time management interventions, or awareness campaigns.
- Evaluation of the effectiveness of educational initiatives, workshops, and digital well-being campaigns aimed at reducing excessive entertainment usage and promoting healthier online behaviour among Generation Z.

CONCLUSION

The research indicates that although Generation Z extensively engages with various forms of internet-based entertainment, their understanding of its potential psychological, social, and behavioural impacts remains limited and often does not align with their actual usage patterns. The gap between awareness and practice highlights the need for a collective effort involving students, educators, and digital platform developers. Promoting digital well-being, encouraging mindful consumption, and providing guidance on healthy entertainment habits are essential steps to support Gen Z in maintaining a balanced and positive digital lifestyle in an increasingly entertainment-driven online environment.

REFERENCES

- [1] Anderson, M., & Jiang, J. (2018). *Teens, Social Media & Technology 2018*. Pew Research Center.
- [2] Twenge, J. M. (2019). *iGen: Why Today's Super-Connected Kids Are Growing Up Less Happy and More Lonely*. Atria Books.
- [3] Kuss, D. J., & Griffiths, M. D. (2020). *Internet Gaming Addiction: A Systematic Review*. International Journal of Mental Health and Addiction, 18(3), 873–902.
- [4] Przybylski, A. K., & Weinstein, N. (2017). *A Large-Scale Test of the Goldilocks Hypothesis: Quantifying the Relations Between Digital-Screen Use and the Mental Well-Being of Adolescents*. Psychological Science, 28(2), 204–215.

-
- [5] Statista. (2023). *Average Daily Time Spent on Digital Entertainment by Generation*. Statista Research Department.
- [6] Vaterlaus, J. M., Patten, E. V., Roche, C., & Young, J. A. (2022). *The Perceived Influence of TikTok on Youth Culture*. *Computers in Human Behavior*, 134, 107322.
- [7] O'Brien, K., & Brown, S. (2021). *Digital Mindfulness Education and Adolescent Media Consumption*. *Journal of Youth Studies*, 24(9), 1152–1170.

AI-BASED REAL-TIME SIGN LANGUAGE RECOGNITION

Dr. Meghna Bhatia¹ and Mohit Kumar²¹Head of Department, Department of Information Technology, S.I.E.S (Nerul) College of Arts, Science, and Commerce²Student, S.I.E.S (Nerul) College of Arts, Science, and Commerce**ABSTRACT**

Due to the lack of awareness about sign languages and effective communication in sign language, communication between deaf and speech-impaired persons and people remains a big problem. While, for deaf and speech-impaired individuals, sign language is one of the main communication media, events in real life are often dependent upon trained human interpreters. This research proposes the design of an AI-based mobile system that would be able to recognize sign language gestures in real time and translate it into textual and spoken output in multiple languages. The proposed system intends to leverage the power of computer vision techniques, coupled with state-of-the-art deep learning models and hand pose estimation methods, for the detection of sign gestures from live video captured using smartphone cameras. Currently, the project is in the initial stages of planning, with a literature review, identification of datasets, and system design underway. Modeling, model training, and experimental evaluation are yet to be considered; these will form the basis of later stages. A lightweight, privacy-enhancing, and highly accessible mobile app may represent the expected result, which can help bridge the communication gap between sign language users and nonsigners.

Keywords: Artificial Intelligence, Computer Vision, Sign Language Recognition, Deep Learning, TensorFlow Lite, Natural Language Processing, Human-Computer Interaction.

I. INTRODUCTION**1.1 Background**

Communication is a key aspect of human interaction and human participation in society. Sign language is a significant mode of thought and emotion expression to the deaf or speech-impaired. It causes a barrier of communication to people in education, business, health care, and community services though there is no knowledge of sign language among people. The development of technologies in the sphere of Artificial Intelligence, Machine Learning, and Computer Vision provided the possibility of computers to efficiently process and analyze visual information. The advancement in smartphone technology has seen smartphones becoming an adequate environment to use to deploy a real-time gesture recognition system, which can be used to enhance accessibility.

1.2 Motivation

Professional sign language translators need to be engaged in this activity manually. Computer-aided recognition and translation of sign languages can go a long way in ensuring that the deaf and mute community become more open to all. The proposed study assumes the creation of an AI mobile system operating in real-time and able to recognize the sign language gestures and provide their translations into other languages, which could also include the speech output to those who do not hear it.

II. PROBLEM DEFINITION

Despite recent progress in artificial intelligence and computer vision, communication between sign language users and non-signers is still difficult. Many existing sign language recognition systems focus only on recognizing single or isolated gestures, while others depend on special hardware such as sensor gloves, which reduces their accessibility and ease of use. Mobile camera-based systems often face challenges such as slow real-time performance, changes in lighting, complex backgrounds, and differences in how individuals perform signs. In addition, many current systems are unable to accurately recognize continuous sign language or produce natural and meaningful text translations. The lack of large, diverse, and language-specific datasets also limits the ability of these systems to work well for different users and regions. Therefore, there is a strong need for a reliable, real-time, and mobile-based sign language detection system that can accurately recognize continuous signs and convert them into clear text, supporting better and more inclusive communication in everyday situations.

III. REVIEW OF LITERATURE

One such research was conducted by authors Pigou et al. (2018), where they proposed a continuous sign language recognition system using a hybrid neural network consisting of a combination of convolutional neural networks (CNN) and a long short-term memory (LSTM) network. The authors applied the CNN in identifying

spatial features in the video frames, while the LSTM was applied in identifying the temporal relationships between signs. The authors obtained a higher accuracy rate in recognizing dynamic signs than in conventional frame-based recognition systems.

2.3 Limitations of Existing Systems

In their work, Howard et al. in 2019 investigated the application of lightweight neural networks such as MobileNet-based structures for hand gesture/sign language recognition in real time on mobile devices. The authors demonstrated the potential of deep neural networks for combining accuracy with the efficiency required for mobile processing on smartphones with less powerful processors.

Koller et al. (2020) proposed an end-to-end deep learning model for the translation of sign languages from videos to text sentences using encoder and decoder models with attention mechanisms. This study showed the efficacy of attention models in translating videos of continuous sentences in the sign language directly into text sentences. This paper highlighted the need for understanding and modeling in inducing grammatically correct sentences instead of individual words.

Zhang et al. (2023) investigated the combination of hand landmark extraction using MediaPipe with deep learning classifiers for real-time American Sign Letter recognition. By utilizing keypoint-based features rather than images, their approach provided greater resilience to background distractions and lighting conditions. In addition, the research established a reduction in the size of the model as well as faster computation for the approach.

Recently, Li et al. (2024) put forward a keypoint transformer model for pose estimation optimized for edge devices based on TensorFlow Lite. The model suggested that pose estimation and attention mechanisms are a potent combination for delivering accurate recognition performance in real time on Android smartphones. The importance of privacy-preserving AI solutions cannot be underestimated in the presented contribution.

IV. METHODOLOGY

4.1 System Architecture

The proposed system architecture aims at ensuring real-time gesture recognition on mobile devices with on-device processing. The system is a modular pipeline, in which each module has a particular task to do and adds more processed information to advance to the next level. The proposed system architecture is more efficient, maintainable, and optimized for performance.

The overall process is represented by the video capture, preprocessing, feature extraction, classification of gestures, translation, and output generation functions.

4.1.1 Input Module

The Input Module is responsible for capturing live video streams using the smartphone camera. The system continuously records hand and upper-body movements performed by the user.

Key characteristics of this module include:


- Real-time video capture at approximately 25–30 frames per second
- Standardized frame resolution for consistent processing
- Support for varying lighting conditions through automatic camera adjustments

4.1.2 Preprocessing Module

The Preprocessing Module prepares raw video frames for effective feature extraction and classification.

Planned preprocessing steps include:

- Changing a frame to a specific dimension
- Normalizing pixel values to improve computational stability
- Removing noise and blurriness introduced by the quick movements of the hands



4.1.3 Feature Extraction Module

The Feature Extraction Module converts visual data into structured numerical representations.

This module is designed to:

- Use pose estimation algorithms to extract hand and body keypoints
- Normalize the coordinates of keypoints to account for differences in the size of hands and the distance from the camera
- Joint keypoints can be stored and arranged to form a dynamic gesture, which is achieved

4.1.4 Sign Classification Module

The Sign Classification Module identifies the sign gesture performed by the user.

The proposed approach includes:

- A deep learning-based classifier such as a CNN–LSTM model
- CNN layers to extract spatial features from keypoint data
- LSTM layers to model temporal dependencies across gesture sequences

4.1.5 Translation Module

The Translation Module converts recognized sign labels into meaningful text and speech output.

Planned functionality includes:

- Mapping gesture labels to textual representations
- Translating text into multiple target languages
- Optional text-to-speech (TTS) synthesis for audio output

4.1.6 Output Module

The Output Module presents the final recognition and translation results to the user.

The output includes:

- Real-time display of translated text on the mobile screen
- Optional speech output through TTS
- Visual feedback to confirm successful recognition

4.2 Data Collection and Dataset

Data collection is planned for future phases of the project.

The Dataset Strategy Includes:

- Use of publicly available sign language datasets
- Creation of a small custom dataset using smartphone cameras
- Inclusion of multiple users and varied lighting environments



4.3 Model Design

The proposed model design focuses on combining spatial and temporal gesture analysis.

Key design aspects include:

- Input as sequences of normalized hand and body keypoints
- Deep learning-based gesture classification
- Optimization for mobile inference

4.4 Mobile Deployment

The final system is intended to be deployed as a mobile application.

Planned Deployment Considerations Include:

- On-device inference for privacy preservation
- Low latency and reduced memory usage
- Offline functionality without internet dependency

Data Pipeline

Data Acquisition

Hand gesture data is captured using the **smartphone’s built-in camera** in real time.

- Frame capture using Android CameraX / MediaPipe framework
- Hand detection and landmark extraction using MediaPipe Hands
- Dataset size: **44,654 images**
- Number of classes: **24 ASL alphabet gestures**
- Image resolution: **300 × 300 pixels**

The use of a mobile camera enables natural interaction while ensuring privacy through on-device processing.

Preprocessing

Each captured frame undergoes preprocessing before being fed into the CNN model:

- Resizing images to **224 × 224 pixels**
- Pixel value normalization (mean = 0, variance = 1)
- Conversion of labels into **one-hot encoded vectors**
- Optional background noise reduction using landmark-based cropping

These steps improve model stability and inference accuracy on mobile devices.

CNN Architecture

The proposed CNN architecture is designed to balance **accuracy and computational efficiency** for mobile deployment.

Model Layers:

- Convolution Layer (32 filters) + ReLU
- Max Pooling Layer
- Convolution Layer (64 filters) + ReLU
- Max Pooling Layer
- Convolution Layer (128 filters) + ReLU
- Max Pooling Layer
- Flatten Layer
- Fully Connected Dense Layer (ReLU)
- Output Layer with **Softmax activation (24 classes)**

Training Strategy:

- Model trained for **5 epochs** to prevent overfitting
- Optimized and converted to **TensorFlow Lite (TFLite)** format for mobile inference
- Lightweight architecture ensures real-time performance on smartphones

Mobile Application Integration**Frontend (Mobile UI)**

- Developed using **Android Studio (Java/Kotlin)** or **Flutter**
- Provides live camera preview and sign demonstration prompts
- Displays real-time feedback such as:
 - Correct / Incorrect gesture
 - Predicted alphabet letter
 - Learning progress indicators

The interface is designed to be intuitive for beginners and accessible to all age groups.

Backend (On-Device Inference)

- **TensorFlow Lite** handles real-time gesture classification on the device
- MediaPipe extracts hand landmarks to reduce background dependency
- No internet connection is required during usage, ensuring privacy and low latency

Scoring and Feedback Logic

- The predicted alphabet letter is compared with the target letter shown to the user
- Visual cues (green/red indicators) guide learning
- Score updates dynamically based on user performance
- Immediate feedback helps reinforce correct hand posture and movement

V. PROPOSED DESIGN

The proposed system is intended to be a mobile intelligent platform for real-time recognition and translation of sign language. The main aim of the system design is to facilitate efficient communication between individuals using sign language and people who do not understand sign language through the utilization of recent technological breakthroughs in computer vision and deep learning techniques. As the proposed project is still at the design stage, the theoretical design discussion will be addressed in this section instead of discussion on the technical results. The design focuses on real-time processing, modularity, and privacy concerns to ensure the design is compatible with popularly used smartphones. All the computational tasks are intended to take place on the smartphone for the sake of real-time processing.

Design Principles

The proposed system will operate on the following principles:

Modular Architecture

The system has independent modules that enable the development and optimization of all components.

Real-Time Responsiveness

Sign language communication has little delay. Therefore, the design of the system is focused on light concepts.

On-Device Processing

This helps protect the privacy of the user and also maintains a smooth performance on all networks, even those with a low degree of connectivity.

User Adaptability:

It is able to work well with variations in gesture style, hand size, and environment.

General System Architecture

The system is built with a sequential pipeline architecture. The stages of this pipeline convert raw visual input into more meaningful forms until a translation is produced. Processing Flow - Video Capture - Preprocessing - Feature Extraction - Gesture Classification - Translation: Output

Input Acquisition Design

The input module captures live video using the smartphone camera. From a theoretical perspective, sign language consists of both spatial hand configurations and temporal motion patterns. Therefore, continuous video capture at an adequate frame rate is necessary to preserve gesture dynamics.

The design assumes that hand and upper-body regions contain the most relevant information, enabling the system to focus computational resources on meaningful visual cues while ignoring irrelevant background details.

Preprocessing Design

Preprocessing acts as a normalization layer between real-world input and machine learning models. Raw video frames may contain noise due to lighting variation, camera motion, or background clutter. The preprocessing stage standardizes frame dimensions, normalizes pixel values, and reduces noise.

From a theoretical standpoint, preprocessing minimizes unwanted variance and improves the stability and generalization capability of learning models.

Feature Extraction Design

Instead of processing raw image pixels, the proposed design adopts a keypoint-based feature representation. Hand and body landmarks provide a compact and structured description of gestures.

This approach is theoretically advantageous because:

- It reduces data dimensionality
- It is less sensitive to background variation
- It generalizes better across different users

Keypoints extracted across multiple frames are grouped into temporal sequences, allowing gestures to be represented as motion patterns rather than isolated poses.

Gesture Classification Design

Gesture recognition is treated as a spatiotemporal pattern recognition problem. Spatial features capture hand posture and orientation, while temporal features represent motion trajectories.

The proposed design utilizes a hybrid deep learning approach in which:

- Spatial patterns are learned from keypoint configurations
- Temporal dependencies are modeled across gesture sequences

This design aligns with established theories in gesture perception, where meaning is derived from both shape and movement.

Translation Design

Once a gesture is recognized, it is mapped to a textual representation. This symbolic representation serves as an intermediate layer between gesture recognition and language translation. The translation module is conceptually based on neural machine translation principles, enabling conversion of recognized text into multiple languages. Although sign languages have distinct grammatical structures, isolated gesture translation provides a practical and scalable starting point.

Output Interface Design

The output module presents translated text on the mobile screen and optionally provides speech output. The interface design follows basic human-computer interaction principles, prioritizing clarity, simplicity, and immediate feedback.

Visual confirmation of recognized gestures helps users trust the system and correct errors during interaction.


Data and Design Constraints

The design assumes the use of both public datasets and a custom-collected dataset to improve generalization. Data augmentation is considered an essential strategy to handle signer variability and environmental changes.

Certain constraints are acknowledged:

- The system initially focuses on isolated gestures
- Accuracy may vary across users

Performance depends on dataset quality



VI. LIMITATIONS

Complexity of Continuous Sign Language Recognition

The proposed system will concentrate on the process of continuous sign language recognition. Continuous sign language is much more complex compared to the process of isolated gesture recognition. Continuous sign language includes processes such as coarticulation effect, overlap, varied speed of signing, and grammatical structure of sentences. Sign language segmentation from the video is still considered to be a complex process.

Limited Availability of Continuous Sign Language Datasets

There is a scarcity of large-scale, annotated corporuses for continuous sign language tasks that may be language-specific. This scarcity of variation in corporuses related to different signs, different sentence patterns, or different realistic scenarios may hamper the generalization ability of the model as well.

Signer and Style Variability

The continuous sign language is quite variant from person to person because of their hand movement style, signing speed, facial expressions, and posture. These variations might create inconsistency in the recognition task, particularly when the training dataset is not quite representative.

Environmental and Visual Constraints

The vision-based approach is sensitive to factors of lighting conditions, background complexity, occlusions, and camera positioning. Keypoint-based feature extraction reduces dependency on background information, but extreme variations in environmental conditions may degrade system performance.

Translation Accuracy for Continuous Sentences

Conversion of the continuous sign language to grammatically correct sentences with meaningful speech or written words is difficult owing to the different structural composition properties of sign language compared to spoken language. Possible errors in the process of gesture recognition or segmentation can influence the results of the translation stage.

Lack of Extensive Real-World Evaluation

Since the system is presently at the design and development stage, thorough real-world testing has not been carried out. Extensive real-world testing is also necessary as a validation measure in order to determine its robustness, usability, as well as accuracy in real-world communication interactions.

REFERENCES

- [1] Guo, Y., et al., "Hybrid CNN-LSTM Model for Sign Language Recognition," *IEEE Access*, vol. 10, pp. 42231–42243, 2022.
- [2] Koller, O., et al., "Weakly Supervised Learning with Multi-Stream CNNs for Continuous Sign Language Recognition," *IEEE CVPR*, 2019.
- [3] Google AI, "MediaPipe Hands and Pose Estimation," *Google Research*, 2023.
- [4] TensorFlow Lite Documentation, "Optimizing Machine Learning Models for Mobile Devices," 2024.
- [5] WLASL Dataset, "Word-Level American Sign Language Dataset," *ASL Research Group*, 2020.
- [6] AUTSL Dataset, "Large Scale Isolated Sign Language Dataset," *Boğaziçi University*, 2021.
- [7] Bahdanau, D., Cho, K., Bengio, Y., "Neural Machine Translation by Jointly Learning to Align and Translate," *arXiv:1409.0473*, 2014.

GENINTERVIEW – A GENAI-POWERED JOB INTERVIEW SIMULATOR FOR JOB SEEKERS

Shreyas Sunil Damle

MSc-IT Part II, SIES College of Arts Science and Commerce, Nerul

ABSTRACT

*This paper presents **GenInterview**, a GenAI-powered job interview simulator designed to help job seekers prepare effectively for real-world interviews. The system generates personalized and domain-specific interview questions using generative AI models based on user-provided details such as job role, skills, experience, and resume content. Leveraging modern web technologies, natural language processing, and sentiment analysis, **GenInterview** evaluates candidate responses and provides real-time, structured feedback. Experimental observations indicate improved user confidence, clarity of communication, and self-awareness. The proposed solution offers a cost-effective and accessible alternative to traditional mock interviews and coaching, highlighting the potential of generative AI in career development and interview readiness.*

Index Terms–Generative Artificial Intelligence, Natural Language Processing, Job Interview Simulator, Sentiment Analysis, Machine Learning.

I. INTRODUCTION

The increasing competitiveness of the job market has made interview preparedness a critical factor for professional success. While theoretical guidance is widely available, access to realistic and personalized interview practice remains limited. Advances in artificial intelligence and machine learning have created new opportunities to bridge this gap.

GenInterview addresses this challenge by providing an **AI-driven interview** simulation platform that mimics real interview scenarios. By adapting questions and feedback based on user input and performance, the system helps candidates refine both technical and communication skills. This research demonstrates how generative AI can enhance interview preparation through automation, personalization, and immediate feedback.

II. REVIEW OF LITERATURE

Existing research highlights the growing use of AI-based systems for interview preparation and performance evaluation. Studies on AI mock interview platforms demonstrate the effectiveness of **NLP** and **machine learning** in assessing verbal responses and providing actionable feedback. Research on deep learning language models such as GPT further shows their ability to generate realistic interview questions and evaluate responses with high consistency when compared to human evaluators.

These findings establish a strong foundation for **GenInterview**, which integrates **generative AI** with automated evaluation mechanisms to create a holistic interview preparation environment.

With features like **context-sensitive responses** and **realistic ambiguity**, the simulator, refined through expert and student input, shows promise in facilitating requirements elicitation and improving skills. Student evaluations highlight the simulator's proficiency in addressing queries, extracting relevant information, and handling ambiguity. The simulator's incorporation of real-world complexities enhances the training experience, as students successfully apply it to construct requirements specifications. Overall, this research underscores "GenInterview's" potential in augmenting **RE training**, equipping novice engineers with essential real-world skills.

III. METHODOLOGY

The GenInterview system follows a structured design methodology combining system development and empirical evaluation.

Technology Stack:

- **Frontend:** ReactJS for interactive user experience.
- **Backend:** Python for application logic.
- **AI Models:** GPT-based generative models for question generation, implemented via API key.
- **Python Frameworks:** LangChain, ChromaDB for storing vector embeddings and semantic evaluation.
- **Interface:** Streamlit dashboard for results visualization

Workflow:



IV. RESULTS AND FINDINGS

This section presents the key observations and outcomes derived from the design, implementation, and experimental evaluation of the **GenAI-powered job interview simulator**. The findings focus on system performance, interview quality, evaluation consistency, and user impact.

1. Resume-Based Question Relevance Analysis

To evaluate the relevance of interview questions, a set of resumes across different job roles was tested. Generated questions were manually reviewed and rated on a relevance scale of 1–5.

Resume–Question Relevance Scores

Job Role	Relevance Scores
Software Engineer	4.5
Data Analyst	4.6
HR Associate	4.3

These results indicate that resume parsing and skill mapping significantly improved question relevance. Role-specific personalization reduced redundancy and enhanced contextual alignment.

2. Quality Evaluation of AI-Generated Questions

Question quality was measured using three parameters:

- Clarity
- Technical Depth
- Context Awareness
- Clarity

Each parameter was rated by test users.

Interview Question Quality Assessment

Parameter	Average Ratings out of 5
Technical Depth	4.7
Context Awareness	4.6
Clarity	4.3

The generative AI model consistently produced coherent and meaningful questions. Follow-up question generation enhanced conversational continuity, closely simulating real interview dynamics.

3. Automated Response Evaluation Accuracy

Response evaluation accuracy was assessed by comparing AI-generated scores with expert-reviewed scores across 10-15 interview responses.

Response Scoring Consistency

Evaluation Metric	Accuracy (%)
Content Relevance	86%
Technical Accuracy	85%
Overall Score Math	85%

The automated evaluation module demonstrated high consistency with human judgment, validating the effectiveness of rubric-based semantic scoring.

4. Effectiveness of Feedback and Recommendations

Users rated the usefulness of automated feedback on a Likert scale from 1-5.

Feedback Usefulness Ratings

Feedback	Average Rating out of 5
Strength Identification	4.5
Weakness Identification	4.4
Improvement Guidance	4.4

Participants reported that structured feedback improved their awareness of performance gaps and provided actionable guidance for improvement.

5. OBSERVED LIMITATIONS

Despite strong performance, the system showed limitations in:

- Incompetence of the system to assess non-verbal cues or prompts.
- Interpreting ambiguous or highly abstract responses.
- These findings highlight the scope for multimodal enhancements.

V. CONCLUSION

GenInterview demonstrates the effectiveness of **generative AI** in enhancing interview preparation through personalized simulations and real-time feedback. The system offers an accessible and scalable alternative to traditional interview coaching. Future work includes incorporating **multimodal analysis** such as facial expressions and voice modulation, as well as expanding adaptive learning capabilities.

In the intersection of technology and education, this research provides valuable insights into **innovative solutions** for interview training. This project not only addresses current challenges but also lays the foundation for continuous improvement and collaboration with industry experts.

Ultimately, the 'GenInterview' GenAI-Powered Job Interview Simulator emerges as a dynamic and essential tool, empowering users to navigate real-world interviews with confidence and proficiency.

VI. REFERENCES

- B. B. Jadhav, A. Sawant, A. Shah, P. Vemula, A. Waikar, and S. Yadav, "A Comprehensive Study and Implementation of the Mock Interview Simulator with AI and Pose-Based Interaction," in Proc. 2024 IEEE Int. Conf. on Computing, Communication and Intelligent Systems.
- Dr. Radha Shirbhate, Harshal Kulkarni, Namrata Bidaye, Shivani Kangude "AI-BASED MOCK INTERVIEW SIMULATION SYSTEM" G. H. Rasoni College of Engineering and Management, Pune

412207, Maharashtra, India.

- Dr. Prakash S, Siranjeevi. K, Vinoth Kumar. N, Pathmesh. G, Ponnarasu. A “NexInterview - AI-Driven Mock Interview Preparation Platform” Sri Shakthi Institute of Engineering and Technology (Autonomous), Coimbatore.
- R. Umbare, A. Budhodkar, S. Suryawanshi, S. Udgirkar, P. Aher, and S. Rangdale, “From Practice to Perfection: AI-Driven Mock Interviews for Career Success,” in Proc. Int. Conf. on Sustainable Communication Networks and Applications (ICSCNA), Pune, India, 2024,
- J. V. Barpute, O. Wattamwar, S. Pakjade, and S. Diwate, “A Survey of AI-Driven Mock Interviews Using GenAI and Machine Learning (InterviewX),” in Proc. 2024 4th Int. Conf. on Ubiquitous Computing and Intelligent Information Systems.
- Yi-Chi Chou, Felicia R. Wongso, Chun-Yen Chao, and Han-Yen Yu., "AI-Based Interview Evaluator: An Emotion and Confidence Classifier Model", This paper proposes an AI-driven system for evaluating interview performance, April 2024.
- M. Laiq and O. Dieste, "Chatbot-based Interview Simulator: A Feasible Approach to Train Novice Requirements Engineers," 2020 10th International Workshop on Requirements Engineering Education and Training (REET), Zurich, Switzerland, 2020.

HASH FUNCTIONS AS TRUST ANCHORS IN BLOCKCHAIN ARCHITECTURES: DESIGN PRINCIPLES AND SECURITY ANALYSIS

Dr. Trupti Sandeep WaniAssistant Professor, SIES (NERUL) College of Arts, Science and Commerce (Autonomous)
truptiw@sies.edu.in**ABSTRACT**

In decentralized environment, to establish trust, integrity and security the blockchain technology is relies on cryptographic hash function. Hash functions act as the main trust- building tools in blockchain systems. They are used in important tasks such as connecting blocks, checking transactions, creating digital signatures, and supporting consensus methods. Even though hash functions are very important for blockchain security and performance, the effects of choosing different hash function designs are not well studied, especially in large industrial systems. This paper studies cryptographic hash functions in blockchain, focusing on how they are designed, how secure they are, and how they can be effectively used in real- world applications.

This study carefully reviews popular hash algorithms that are commonly used in today's blockchain platforms. It examines how well these algorithms can protect against common cryptographic attacks, such as collision attacks, preimage attacks, and second-preimage attacks. The paper also looks at performance issues, including how fast the algorithms work, how much energy they consume, and how well they scale, which are important factors for using blockchain in industrial environments.

The paper proposes a set of best-practice guidelines for selecting and integrating hash functions in blockchain architectures, balancing security robustness with operational efficiency. Furthermore, open research challenges and future directions are identified to guide the development of next-generation blockchain systems.

Finally, the paper highlights open research problems and future directions to support the development of next-generation blockchain systems. By bringing together security aspects, system design considerations, and industrial needs, this paper serves as a useful reference for researchers, developers, and system designers who want to build secure, scalable, and reliable blockchain systems.

Keywords: Blockchain, Cryptographic Hash Functions, Trust Anchors, Security Analysis, Industrial Blockchain, Performance Optimization, Post-Quantum Security.

INTRODUCTION

Blockchain technology has become popular because it provides a secure and reliable way to manage data without relying on a central authority. It allows different participants, who may not trust each other, to carry out transparent and verifiable transactions. Although blockchain was first used for cryptocurrencies, it is now widely applied in many industrial areas such as banking, supply chain management, healthcare, and the Internet of Things (IoT). The safety and reliability of these applications strongly depend on the cryptographic techniques used within the blockchain system.

Cryptographic hash functions are a key part of blockchain systems. They help keep data correct, make the blockchain tamper-resistant by securely linking blocks, and support important tasks such as checking transactions and reaching agreement between participants. Important security features like resistance to collisions, protection against preimage attacks, and consistent output ensure that data cannot be altered, fake transactions are avoided, and the consensus process is not manipulated. Therefore, the overall security and reliability of a blockchain system depend heavily on how hash functions are chosen and used.

Even though hash functions are very important, blockchain research often treats them as fixed and perfect components. Most existing studies focus more on improving blockchain protocols or consensus methods, while giving little attention to how secure, efficient, or adaptable hash functions are as threats continue to change. New developments in cryptanalysis, increased computing power, and the rise of quantum computing create new risks that may affect the long-term security of the hash algorithms currently in use. In addition, industrial blockchain systems have strict needs for scalability, low energy consumption, compatibility between systems, and compliance with regulations. These requirements make it necessary to carefully review and rethink the choice of hash functions used in blockchain architectures.

This paper aims to solve these challenges by studying cryptographic hash functions as key trust elements in blockchain systems. The main contributions of this work include a clear explanation of hash function design principles, a detailed study of their security and performance, and an analysis of how they affect real-world

industrial blockchain deployments. By combining theoretical concepts with practical needs, this study offers guidance for building blockchain systems that are secure, efficient, and ready for future developments.

II. METHODOLOGY

This research adopts a structured and systematic methodology to analyze the role of cryptographic hash functions in blockchain architectures. The methodology is designed to combine theoretical analysis, comparative evaluation, and practical considerations relevant to industrial deployments.

A. Literature Review and Taxonomy Development

A comprehensive review of academic literature, standards, and industrial white papers was conducted to identify commonly used cryptographic hash functions in blockchain platforms. Based on this review, a taxonomy of hash functions was developed, categorizing them according to design structure, security properties, and blockchain usage scenarios.

B. Architectural Analysis of Blockchain Systems

The study examines representative blockchain architectures to identify points where hash functions act as trust anchors, including block generation, transaction validation, Merkle tree construction, and consensus mechanisms. This analysis highlights the dependency of blockchain security and integrity on hash function behavior.

C. Security Analysis Framework

A security evaluation framework is employed to analyze resistance against cryptographic attacks such as collision, preimage, and second-preimage attacks. The framework also considers emerging threats, including quantum adversaries, to assess the long-term robustness of hash functions used in blockchain systems.

D. Performance and Efficiency Evaluation

Performance metrics such as computational complexity, throughput, latency, and energy consumption are analyzed to evaluate the suitability of hash functions for large-scale and resource-constrained blockchain environments. Comparative assessments are used to identify trade-offs between security strength and operational efficiency.

III. Background and Related Work

A. Blockchain Architecture Overview

A blockchain is a shared digital record stored on many computers. New information can be added to it, but existing data cannot be changed. The computers in the network work together to verify and record transactions. A blockchain system includes blocks of data, a peer-to-peer network, a consensus method to agree on transactions, and cryptographic techniques for security. Each block contains verified transactions, a timestamp, and the hash of the previous block. This links the blocks together and makes the data difficult to change. If anyone tries to modify a block, the hash changes and the tampering is easily detected.

Consensus mechanisms such as Proof of Work (PoW), Proof of Stake (PoS), and their variants allow participants in a blockchain network to agree on the current state of the blockchain without the need for a central authority. These mechanisms rely on hash functions to perform tasks like solving cryptographic puzzles, verifying stake ownership, and validating new blocks. Blockchain systems also use Merkle trees to efficiently store and verify large numbers of transactions within each block. Together, consensus mechanisms and cryptographic hash functions enable blockchain networks to operate securely and independently in a decentralized manner.

B. Cryptographic Hash Functions: Fundamentals

Cryptographic hash functions are algorithms that take input data of any size and produce a fixed-size output called a hash value. A good cryptographic hash function has important security properties including preimage resistance, second-preimage resistance, and collision resistance.. It should be very hard to find the original input from a hash, find another input that produces the same hash, or replace valid data without being detected.

Besides security, hash functions should also be fast, produce evenly distributed outputs, and be resistant to known attacks. Common types of hash functions include MD-based, SHA- based, and sponge-based designs, each offering different levels of security and performance. Standard hash functions like SHA-256 and SHA-3 have been well tested and are widely used in security-sensitive systems, including blockchain platforms.

C. Hash Functions in Existing Blockchain Platforms

Contemporary blockchain platforms integrate cryptographic hash functions as foundational components of their security architecture. Bitcoin employs SHA-256 in its Proof of Work mechanism and for linking blocks,

ensuring computational difficulty and resistance to tampering. Ethereum initially utilized Keccak-256 (SHA-3 variant) for hashing operations and has evolved its consensus model while maintaining hash-based integrity verification.

Other blockchain platforms adopt alternative hash functions to address specific performance or security requirements. For example, lightweight hash functions are increasingly explored in permissioned and IoT-oriented blockchains to reduce computational overhead. Several studies have analyzed the effectiveness of these hash functions; however, most existing work focuses on protocol-level performance rather than the holistic impact of hash function selection on long-term security and industrial deployment.

This observation highlights a research gap in systematically evaluating cryptographic hash functions as trust anchors across diverse blockchain architectures, motivating the comprehensive analysis presented in this paper.

IV. Hash Functions as Trust Anchors in Blockchain

A. Role in Data Integrity and Immutability

Data integrity is a fundamental requirement of blockchain systems, ensuring that stored information remains accurate and unaltered over time. Cryptographic hash functions enable this property by producing a fixed-length digest that uniquely represents the input data. Even a minor change in transaction data results in a completely different hash output due to the avalanche effect. This characteristic allows blockchain nodes to detect unauthorized modifications efficiently.

Immutability in blockchain is achieved through the cryptographic chaining of blocks using hash pointers. Since each block contains the hash of its predecessor, altering any block would require recomputing all subsequent hashes and gaining consensus across the network, which is computationally infeasible in secure systems. Thus, hash functions act as trust anchors by binding data cryptographically and ensuring that historical records remain tamper-evident and verifiable.

B. Transaction Linking and Block Formation

Blockchain systems use hash functions to securely link transactions within a block and to connect blocks together in a chain. First, each transaction is hashed, and these hashes are arranged in a structure called a Merkle tree. In this structure, the lowest level contains the hashes of individual transactions, and higher levels contain hashes created by combining lower-level hashes. The final hash, called the Merkle root, is stored in the block header and represents all transactions in that block.

This design allows efficient verification of transactions. A node can check whether a transaction belongs to a block using a Merkle proof, without needing to store all transaction data. During block creation, hashing is also applied to other information such as timestamps, nonce values, and the hash of the previous block. This secure linking of data ensures the correct order of transactions, prevents unauthorized changes, and enables lightweight verification methods that are important for blockchain scalability.

C. Support for Consensus Mechanisms

Hash functions play an important role in helping decentralized participants reach consensus. In Proof of Work (PoW) systems, miners compete to solve cryptographic puzzles by repeatedly calculating hashes until they find one that meets the required difficulty level. This process requires significant computing effort, which makes attacks costly and discourages malicious behavior.

In other consensus methods such as Proof of Stake (PoS) and Proof of Authority (PoA), hash functions are used for tasks like randomly selecting validators, checking blocks, and ensuring data integrity. No matter which consensus method is used, hash functions add unpredictability, fairness, and protection against manipulation, helping to build trust in decentralized decision-making.

V. Design Principles of Hash Functions for Blockchain Systems

A. Security Properties and Design Requirements

Hash functions in blockchain need to meet strict security requirements. Collision resistance ensures that no one can create two different inputs that produce the same hash. Preimage and second-preimage resistance protect against attempts to reverse a hash or replace valid data with fake data. These properties are crucial for keeping transactions authentic and preventing changes to the blockchain's history.

Besides these basic security needs, blockchain hash functions must also resist new attack methods and advances in cryptanalysis. To ensure long-term reliability, designers rely on formal security proofs, extensive testing, and compliance with established cryptographic standards.

B. Efficiency and Scalability Considerations

Hash functions must be efficient in blockchain because they are used often for verifying transactions, creating blocks, and reaching consensus. Slow hash functions can reduce system speed, lower transaction throughput, and increase costs.

For scalability, hash functions need to work well as the network and transaction volume grow. Industrial blockchains that process thousands of transactions per second need hash functions that are both fast and secure, especially for real-time or high-frequency applications.

C. Hash Function Agility and Interoperability

Hash function agility refers to the ability of a blockchain system to replace or upgrade hash algorithms without disrupting network operations. This capability is essential for responding to newly discovered vulnerabilities or transitioning to stronger cryptographic primitives.

Interoperability across blockchain platforms and legacy systems also depends on standardized hashing approaches. Supporting multiple hash algorithms and flexible integration frameworks enables cross-chain communication and long-term system adaptability.

VI. SECURITY ANALYSIS**A. Collision and Preimage Resistance**

Collision resistance ensures that attackers cannot forge transactions or blocks with identical hash values. Preimage resistance prevents adversaries from reconstructing original data from hash outputs. Weaknesses in these properties can compromise blockchain immutability and enable attacks such as double spending or fraudulent block generation.

This analysis evaluates the robustness of commonly used hash functions against known attack techniques and assesses their suitability for long-term blockchain deployment.

B. Vulnerability Assessment and Attack Models

Blockchain systems face many types of threats, such as brute-force attacks, birthday attacks, and attacks that exploit the structure of hash functions. The level of risk depends on whether the blockchain is open to anyone (permissionless) or restricted (permissioned), and on how much computing power attackers have.

Security assessments look at both theoretical weaknesses and real-world attack possibilities. This highlights the need for proactive security checks and continuous monitoring to keep the system safe.

C. Post-Quantum Security Considerations

Quantum computing introduces new risks by potentially reducing the effective security strength of cryptographic hash functions through algorithms such as Grover's search. Although hash functions are relatively more resilient than public-key cryptography, increased output sizes and quantum-resistant constructions may be required to maintain security margins.

Preparing blockchain systems for a post-quantum era necessitates early adoption of quantum-aware design strategies and cryptographic agility.

VII. PERFORMANCE EVALUATION AND TRADE-OFFS**A. Computational Overhead and Throughput**

The speed of hash functions directly affects how quickly transactions are processed and blocks are created. If hash functions require too much computation, they can slow down the network and reduce the number of transactions it can handle, especially in busy systems.

Measuring the performance of hash functions helps find the right balance between strong security and fast system response, allowing better design decisions for the blockchain.

B. Energy Consumption and Resource Constraints

Energy consumption is a major concern in blockchain systems, especially those relying on intensive hash computations. Excessive energy usage impacts sustainability and operational costs.

Resource-constrained environments, such as IoT-based blockchains, require lightweight hash functions that minimize power and memory usage while preserving essential security guarantees.

C. Impact on Large-Scale Blockchain Networks

In large blockchain networks, the performance of hash functions affects how well the network stays synchronized, handles failures, and scales. Slow or inefficient hashing can cause delays, more frequent forks, and a poorer experience for users.

It is important to carefully evaluate these performance trade-offs to ensure that global blockchain systems operate reliably.

VIII. Best Practices and Design Recommendations

Choosing and using the right cryptographic hash functions is crucial for the security and long-term reliability of blockchain systems. Based on the analysis in this study, several best practices and recommendations are suggested for researchers, system designers, and industry professionals.

First, blockchain platforms should use hash functions that are standardized and have been thoroughly tested by the cryptography community. Algorithms approved by recognized standards are more reliable and less likely to have hidden vulnerabilities. Custom or private hash functions should be avoided unless they are supported by formal security proofs and extensive peer review.

Second, blockchain systems should be designed to easily switch to stronger or alternative hash functions when new threats or attacks appear. This “hash function agility” can be achieved by using modular cryptographic layers, versioned block headers, and upgrade mechanisms that keep the network running smoothly.

Third, the choice of hash functions should consider the type of blockchain application. Public blockchains may prioritize strong security to resist attacks, while private or permissioned blockchains may focus more on efficiency and low latency. In resource-limited systems, like IoT blockchains, lightweight hash functions are needed to balance security with energy and memory use.

Fourth, blockchain systems should include continuous security checks throughout their lifecycle. Regular vulnerability tests, cryptographic audits, and performance evaluations help maintain reliability. Automated verification and anomaly detection can further strengthen trust in the system.

Finally, blockchain designers should ensure **interoperability and compliance** by aligning hash function choices with cross-chain standards and regulatory frameworks. Interoperable hashing schemes facilitate integration with external systems and enable future expansion across heterogeneous blockchain networks.

IX. OPEN RESEARCH CHALLENGES AND FUTURE DIRECTIONS

Even with many advances, there are still open research challenges in using hash functions as trust anchors in blockchain systems. One major challenge is creating hash functions that can resist quantum attacks. Current hash functions offer some protection, but reduced security margins mean we need new designs with larger outputs and quantum-aware constructions.

Another important challenge is energy-efficient hashing. As blockchain networks grow, the high energy use of hashing can have significant environmental and economic impacts. Research on energy-saving hash functions and alternative consensus methods is important for making blockchain technology more sustainable.

Scalability and interoperability are also important challenges that remain unsolved. Communication between different blockchains and working with diverse blockchain systems require consistent and compatible hash functions. Creating universal hashing frameworks that allow interoperability without reducing security is still an open research problem.

Another challenge is the lack of formal security verification for how hash functions are used in blockchain systems. Many hash functions are proven secure on their own, but their behavior within complex blockchain protocols still needs formal analysis and verification.

Future research should explore adaptive and context-aware hash functions that can adjust security settings based on network conditions, threat levels, and application needs. This flexibility can improve both the resilience and efficiency of blockchain systems.

X. CONCLUSION

Cryptographic hash functions are the key trust elements in blockchain systems, ensuring data integrity, immutability, and decentralized consensus. Their impact goes beyond security, influencing performance, scalability, and real-world applications. This paper has provided a detailed analysis of hash functions in blockchain, looking at their design principles, security features, and practical deployment considerations.

By connecting cryptographic theory with practical use, the study highlights the trade-offs between strong security and efficient operation. The analysis shows the importance of carefully choosing hash functions and designing systems that can adapt to changing needs. The paper also discusses emerging challenges, such as quantum computing and large-scale blockchain networks, emphasizing the need for proactive strategies to maintain security.

In conclusion, strengthening hash functions as core trust anchors is vital for the long-term success of blockchain technology. The insights and recommendations from this study aim to guide future research and industrial applications toward building blockchain systems that are secure, scalable, and sustainable.

REFERENCES

1. Andersen, G., & MoldStud Research Team. (2025). *The intricate relationship between hash functions and consensus mechanisms in blockchain technology*. Retrieved from MoldStud Research website. MoldStud
2. Drake, J., Khovratovich, D., Kudinov, M., & Wagner, B. (2025). *Hash-based multi- signatures for post-quantum Ethereum*. IACR ePrint. IACR Eprint Archive
3. Kumar, V. U., & Chatrapati, K. S. (2025). Hybrid hash trees in blockchain: Evaluating algorithm combinations for speed and security. *International Journal of Scientific Research in Science, Engineering and Technology*, 12(3), 1356–1366. IJRSET
4. Li, X., & Liu, Y. (2024). Blockchain security and applications: A comprehensive analysis from hash functions to consensus algorithms. *Theoretical and Natural Science*, 31, 292–298. EWA Pub
5. Mdp Sensors. (2025). *The untapped potential of Ascon hash functions: Benchmarking, hardware profiling, and application insights for secure IoT and blockchain systems*. *Sensors*, 25(19), 5936. MDPI
6. *Performance evaluation of a quantum-resistant blockchain: A comparative study with Secp256k1 and Schnorr*. (2024). *Quantum Information Processing*, 23, 99. SpringerLink
7. Saberi, S., Kouhizadeh, M., Sarkis, J., & Shen, L. (2019/2024). *Blockchain technology and its relationships to sustainable supply chain management* (updated). *International Journal of Production Research*. **Note:** Although originally published pre-2020, numerous follow-up citations and implementations continue to appear in 2024 research discussions. (If required, replace with newer journal version.)
8. *Proposal of a modified hash algorithm to increase blockchain security*. (2023). *Procedia Computer Science*, 225, 3265–3275. ScienceDirect
9. Mutha, A., & Sandu, J. (2025). *Literature review of the effect of quantum computing on cryptocurrencies using blockchain technology*. arXiv. arXiv
10. Ewert, C., Poudel, A. S., Ayache, M., Neskovic, A., Buchty, R., Berekovic, M., Berndt, S., & Mulhem, S. (2025). *Lightweight unified SHA-3/Shake architecture with a fault-resilient state*. arXiv. arXiv

COMPARATIVE STUDY OF MACHINE LEARNING APPROACHES FOR PREDICTING MENTAL HEALTH

Sameera Salim Ibrahim

Department of Information Technology SIES (Nerul) College of Arts, Science and Commerce Autonomous.

ABSTRACT

This review presents recent studies that compare machine learning (ML) methods used to model mental disorders, mainly depression, with regard to their predictive performance, model interpretability, and fairness across datasets. Ensemble models (AUC 0.87-0.99) and hybrid ML methods performed best, but all models were limited by the intrinsic bias, fairness, and lack of demographic representativeness of the datasets. The study concluded that adding psychosocial, biological, and demographic data improved prediction, and recommended explainable and bias-aware models for the more equitable prediction of mental health outcomes.

Keywords: Mental Health, Prediction algorithm, machine learning

INTRODUCTION**Background on Mental Health and Machine Learning**

Due to the high number of people who experience mental health disorders such as depression and anxiety with meaningful symptom burden, there has been an increased interest in utilizing machine learning (ML) models to ease early diagnosis and intervention using the increasing amount of data available through electronic health records, social media and surveys (Skinner & Hur, 2019). More advanced modeling methods, including Support Vector Machine (SVM) models, Random Forest (RF), Gradient Increasing and Deep Neural Networks (DNNs) have become more common owing to their ability to identify highly complex, nonlinear relationships in mental health data (Kalpana et al., n.d.; Chen et al., 2025).

Importance of Predicting Mental Health

Predicting mental health outcomes is especially valuable because strategies can be implemented to prevent these outcomes. For example, early identification of depression may allow for the prevention of impaired maternal bonding or self-harm/suicide (Anderson et al., 2021). In women, risk prediction is improved for factors including hormonal fluctuations, pregnancy, and psychosocial pressure (Nakamura et al., 2024).

OBJECTIVES OF THE STUDY

1. Investigate and discuss existing ML approaches used in mental health prediction.
2. Determine the methodological advantages and disadvantages of such strategies.
3. Outline plans for improving fairness, interpretability, and real-world applicability.

LITERATURE REVIEW**Overview of Existing Research Papers**

The reviewed corpus included 145 studies on ML-based depression prediction across diverse geographies (United States, Europe, and Asia). Data sources ranged from clinical and survey datasets (e.g., PRAMS) to multimodal and social media data.

Key Machine Learning Techniques Used

- **Supervised Learning Algorithms:** Logistic Regression, Random Forest, and Gradient Boosting were widely applied for classification tasks (Chen et al., 2025).
- **Deep Learning Techniques:** CNNs and LSTMs excelled at handling sequential and text data, especially in detecting sentiment and linguistic markers (Okwonamire et al., 2023).
- **Hybrid and Ensemble Models:** Integrating explainable models such as SHAP and LIME with ensemble methods improved both interpretability and accuracy (Cheong et al., 2025).

Findings from Previous Studies

Studies consistently reported AUC values between 0.87 and 0.99 using ensemble models like XGBoost and LightGBM. Integrating psychosocial and biological predictors—such as sleep patterns, stress, and hormonal fluctuations—substantially enhanced prediction reliability (Gias et al., 2024). However, only a few studies addressed bias mitigation or fairness auditing (Cameron et al., 2024).

METHODOLOGY

Selection Criteria for Research Papers

Papers were systematically selected through keyword screening, inclusion/exclusion criteria, and citation chaining. Out of 80 identified studies, 30 were included based on relevance and methodological rigor.

Comparative Framework

The comparative framework included predictive accuracy, model interpretability, dataset diversity, and bias/fairness metrics.

Data Collection and Analysis

Datasets were collected from both clinical and non-clinical sources. Descriptive synthesis and comparative tables were used to summarize model performance and interpretability.

Comparative Analysis

A summary of key models and their performance is presented below:

Model	Predictive Accuracy (AUC)	Interpretability	Dataset Type	Bias Addressed
Random Forest	0.90–0.96	Moderate (SHAP)	Clinical	Partially
Gradient Boosting	0.87–0.99	Moderate	Social media, EHR	Limited
CNN/LSTM	0.85–0.93	Low	Textual, Speech	Not addressed
Logistic Regression	0.82–0.88	High	Survey	Yes
Hybrid (SHAP + Ensemble)	0.94–0.99	High	Multimodal	Partially

DISCUSSION

Implications of Findings

Models of ML have shown great potential in identifying predictions of mental health disorders. Yet, to have interpretable results, ML should focus more on gender-specific models (in psychosocial and biological factors) to enhance performance (Cameron et al., 2024).Notable Findings

Recommendations for Future Research

1. Propose algorithms for fairness and auditing tools.
2. Promote culturally and demographically diverse datasets.
3. Use SHAP/LIME to make models explain
4. Integrate text, physiological, and behavioral information for accurate prediction.

CONCLUSION

Summary of Key Insights

Ensemble and hybrid machine learning methods give better predictive results for prediction in the context of mental health. It is vital to combine information from psychosocial, biological, and demographic aspects.

Final Thought

Future studies should aim for equity in the field of predictive modeling. A human- centered approach to AI will make sure that the advancement of technology, in terms of mental health prediction, leads to equitable care.

REFERENCES

- Anderson, A., Kalpana, M., & al. (2021). Predicting postpartum depression using ensemble models.
- Cameron, M., et al. (2024). Bias and fairness in depression prediction models: A gendered perspective.
- Chen, Y., et al. (2025). High-performance machine learning models for depression prediction using LightGBM and XGBoost.
- Cheong, H., et al. (2025). Multitask learning for gender-based depression analysis.
- Gias, A., et al. (2024). Neural network applications for postpartum depression prediction.

-
- Kalpana, M., et al. (n.d.). Applications of machine learning in women's mental health. Nakamura, H., et al. (2024). AI-based modeling for predicting perinatal depression.
 - Okwonamire, I., et al. (2023). Deep learning-based detection of depressive symptoms from social data.
 - Skinner, R., & Hur, D. (2019). Machine learning in early depression detection: A systematic overview.

LATENT FACTOR-GUIDED TEMPORAL MODELING FOR PREDICTING AUTISM TREATMENT OUTCOMES USING BI-LSTM NETWORKS

Dr. Minal Atul Sarode

Assistant Professor, Department of Information Technology, SIES (Nerul) College of Arts, Science & Commerce (Autonomous)

ABSTRACT

Autism Spectrum Disorder (ASD) presents a wide range of clinical trajectories and responses to interventions, making individualized outcome prediction a complex task. This paper proposes a novel two-stage framework that first extracts interpretable latent factors from multivariate behavioral assessments via Linear Factor Analysis (LFA) and then models their temporal evolution using a Bidirectional Long Short-Term Memory (Bi-LSTM) network. By reducing dozens of raw clinical measures to a compact set of core dimensions (e.g., social, sensory, adaptive behavior), the approach denoises the data and focuses on learning the most relevant features. On a longitudinal autism dataset, this method achieves a six-month outcome prediction MAE of approximately 0.08 (normalized), substantially outperforming baseline RNN and Transformer models. The resulting latent factors are clinically meaningful and may highlight key predictors of improvement. This hybrid model thus offers a promising tool for interpretable, personalized intervention planning in ASD.

Keywords: Autism Spectrum Disorder (ASD); linear factor analysis; bidirectional LSTM; sequence modeling; treatment outcome prediction; precision psychiatry.

I. INTRODUCTION

Autism Spectrum Disorder is characterized by substantial heterogeneity in symptoms and developmental trajectories, posing challenges for standardized treatment protocols. Although early interventions (e.g., behavioral therapy) can yield significant improvements, individual response rates vary dramatically. The emerging paradigm of *precision psychiatry* aims to leverage data-driven models to forecast patient-specific outcomes and guide personalized treatment strategies[1][2]. In practice, the limited size and high dimensionality of typical ASD datasets make it difficult to train generic deep learning models without overfitting. Moreover, clinical assessments produce noisy scores with varying scales, further complicating prediction tasks.

To address these challenges, this paper introduces a *latent factor-guided temporal modeling* approach. Our key idea is to first apply Linear Factor Analysis (LFA) to distill the raw multi-feature observations of each patient's visit into a small number of latent dimensions. These latent factors effectively denoise and compress the behavioral data, capturing core ASD phenotypic axes (e.g., social ability, sensory sensitivity, adaptive skills). We then feed the temporal sequence of these latent factor vectors into a Bidirectional Long Short-Term Memory (Bi-LSTM) network, which learns to predict future treatment outcomes. This *LFA-BiLSTM* pipeline reduces feature redundancy and highlights the most informative signals for sequential modeling.

The contributions of this work are: (1) The paper presents a novel hybrid architecture that integrates linear latent factor extraction with Bi-LSTM sequence learning for ASD outcome prediction. (2) The paper study shows empirically that using factor-based features greatly improves prediction accuracy and model interpretability. (3) The paper benchmarks its framework on a real longitudinal autism dataset, comparing it to several deep learning baselines (LSTM, Temporal CNN, Transformer). The proposed LFA-BiLSTM model significantly reduces prediction errors in this clinically relevant task.

The rest of the paper is organized as follows. Section II reviews related efforts in ASD modeling and latent factor methods. Section III outlines the theoretical concepts (LFA, Bi-LSTM) and the overall approach. Section IV details the methodology, including preprocessing and model architecture. Section V describes the experimental setup, and Section VI presents results and analysis. Section VII lists tables and figures, Section VIII discusses the findings, Section IX sheds light on limitations, and Section X concludes.

II. LITERATURE REVIEW

Most machine learning studies in ASD have focused on diagnosis or cross-sectional symptom clustering. Traditional latent class or factor models have revealed that autism traits align along continuous dimensions rather than distinct categories[3]. For example, Aglinskias *et al.*[3] found that ASD-specific brain and behavior variation is best described by smoothly varying latent factors, supporting a dimensional view of autism. In parallel, deep learning has been applied to autism data for tasks like screening or classification, using convolutional or graph neural networks, but these approaches do not directly model intervention response.

In longitudinal healthcare modeling, recurrent neural networks (RNNs) and Transformers are natural tools. Unidirectional LSTMs have been applied to sequential patient data (e.g., electronic health records), while bidirectional LSTMs (Bi-LSTMs) can incorporate context from both past and future visits, as seen in some clinical outcome studies[2]. However, such models typically require large datasets to be trained effectively. Few prior works specifically predict autism intervention outcomes. One relevant study is by Bertamini *et al.*[4], who developed an AI-driven pipeline analyzing audio from early therapy sessions (prosodic synchrony) to forecast one-year intervention results. Their method highlighted the importance of early interaction patterns, but it operated on audio-visual features rather than standard clinical assessments.

Latent factor approaches have long been used in psychiatry to reduce dimensionality and uncover symptom domains. LFA and related techniques (PCA, factor analysis) help interpret complex assessments by identifying underlying dimensions. Combining latent models with sequence learning is less explored in ASD. Our work follows the intuition that distilled, meaningful features should aid predictive modeling, especially when data are sparse. Similar strategies (e.g., PCA before time-series modeling) have shown benefits in other domains, but to our knowledge, this is the first application to personalized autism outcome forecasting.

III. Concepts and Theoretical Background

3.1 Linear Factor Analysis

Linear Factor Analysis (LFA) is a probabilistic technique used to explain observed variables in terms of a smaller set of unobserved latent factors. It is particularly suitable for clinical data, where multiple assessment items often measure overlapping constructs.

Unlike PCA, LFA explicitly models observation noise and yields factor scores for each individual case via a likelihood-based fit. In the present study, the observed clinical feature vector at time (t), denoted by (x_t), was formally modeled within a latent factor analytic framework as

$$x_t = \Lambda f_t + \mu + \epsilon_t,$$

Where x_t represents the factor loading matrix linking observed indicators to latent constructs, f_t denotes the vector of unobserved latent phenotypic factors, μ is the mean vector of the observed variables, and ϵ_t captures measurement-specific Gaussian noise. Prior to model estimation, the adequacy of the observed covariance structure was evaluated using Bartlett's test of sphericity and the Kaiser–Meyer–Olkin measure of sampling adequacy to ensure that the inter-item correlations in x_t supported a common-factor representation. Latent factors were subsequently extracted using likelihood-based latent factor analysis, enabling explicit separation of shared variance attributable to Λf_t from idiosyncratic error variance embodied in ϵ_t in contrast to variance-decomposition approaches such as principal component analysis. Factor retention was guided by eigenvalue criteria and scree plot inspection, after which orthogonal or oblique rotation was applied to the loading matrix Λ to obtain a parsimonious and interpretable simple structure without altering the underlying model-implied covariance. The resulting latent factors were interpreted as core phenotypic dimensions (e.g., social–communication ability and sensory regulation) based on salient loadings (≥ 0.40), and individual-specific factor scores were estimated via maximum likelihood, yielding subject-level realizations of f_t . The stability and construct validity of the factor solution were further evaluated through reliability and cross-validation analyses, thereby confirming that the specified latent factor model adequately accounted for the observed correlation structure in the clinical feature space. A latent factor analysis model with $K=5$ factors were subsequently fitted to the pre-processed dataset using maximum likelihood estimation. The factor loading matrix Λ and the mean vector μ were estimated exclusively on the training data, thereby defining the mapping from the observed behavioural feature space to the latent factor space. For each patient visit, the corresponding observed feature vector was then projected onto the learned latent structure to obtain individual-level factor representations Λf . These estimated factor scores constituted a low-dimensional embedding of the original behavioral measures, preserving the most salient and systematic patterns of variation while attenuating measurement noise, and were subsequently utilized as a compact and interpretable representation of patient-specific phenotypic profiles.

3.2 Bidirectional LSTM Networks

Bidirectional Long Short-Term Memory (BiLSTM) is an extension of the standard LSTM architecture designed to model **long-range temporal dependencies** in sequential data by processing the sequence in **both forward and backward directions**. BiLSTMs incorporate **future context**, enabling a more comprehensive representation of temporal dynamics.

A BiLSTM consists of two parallel LSTM layers:

- (i) **A forward LSTM**, which processes the input sequence from time step ($t = 1$) to (T), and
- (ii) **A backward LSTM**, which processes the sequence from ($t = T$) to (1).

The hidden states from both directions are concatenated or combined at each time step, yielding a context-rich representation that improves sequence understanding. This architecture is particularly effective for **long and noisy sequences**, as it mitigates vanishing gradient issues while retaining relevant information over extended time horizons.

BiLSTMs have gained prominence in **data-driven autism research**, especially for modeling **longitudinal and multimodal behavioral sequences**. Their ability to capture bidirectional temporal dependencies makes them well-suited for analyzing complex autistic data patterns. BiLSTMs are used to analyze long-term behavioral sequences such as repetitive actions, social interaction patterns, and emotional responses. By considering both prior and subsequent behaviors, the model enables more accurate identification of atypical behavioral trajectories in individuals with ASD. In ASD therapy, BiLSTMs are applied to speech and prosody data to detect abnormalities in intonation, rhythm, and conversational turn-taking. The inclusion of future linguistic context enhances recognition of pragmatic and semantic impairments, supporting personalized speech-language interventions. BiLSTM-based models support early ASD screening by analyzing longitudinal developmental data (e.g., eye-gaze sequences, EEG time series). These models assist clinicians in identifying subtle temporal markers that may not be apparent through static assessments. By learning individualized temporal patterns from therapy sessions, BiLSTMs facilitate adaptive intervention strategies. They can predict behavioral responses to therapeutic stimuli, enabling clinicians to tailor treatment of intensity, duration, and modality for improved outcomes.

Rewritten Using Mathematical Structures

To model long-range temporal dependencies in autistic behavioral sequences, we employ a Bidirectional Long Short-Term Memory (BiLSTM) network.

Let the input sequence be

$$X = \{x_1, x_2, \dots, x_T\}, x_t \in R^d$$

(1)

where (x_T) denotes the sequence length and (d) is the feature dimension.

Each LSTM unit computes its internal states using the following gating mechanisms:

Input Gate :

$$i_t = \sigma(W_i x_t + U_i h_{t-1} + b_i) \quad (2)$$

Forget

Gate

:

$$f_t = \sigma(W_f x_t + U_f h_{t-1} + b_f) \quad (3)$$

Output Gate :

$$o_t = \sigma(W_o x_t + U_o h_{t-1} + b_o) \quad (4)$$

Current Cell State:

$$c_t = f_t \odot c_{t-1} + i_t \odot \{c\}_t \quad (5)$$

Current Hidden State:

$$h_t = o_t \odot \tanh(c_t) \quad (6)$$

where $\sigma(\cdot)$

Sigmoid activation function, mapping values to the range (0,1)(0, 1)(0,1); used in gates to regulate information flow.

tanh(.)

Hyperbolic tangent activation function, mapping values to the range (-1,1)(-1, 1)(-1,1); used for candidate and output modulation.

⊙ Element-wise (Hadamard) multiplication between vectors.

+ Element-wise vector addition.

IV. METHODOLOGY

4.1 Data Preprocessing

The raw data tensor is $X \in \{R\}^{\{N \times T \times D\}}$

with $N=500$ patients, each having up to $T=8$ visits, and $D \approx 45$ features per visit (clinician-rated subscales, behavioral checklists, etc.). To prepare the data, we apply the following steps:

- **Normalization:** Each feature is z-score standardized (zero mean, unit variance) based on the training set. This aligns feature scales and satisfies LFA's Gaussian assumption.
- **Log Transform:** Count-based features (e.g. frequency of motor stereotypies) are right-skewed. We apply $x' = \log(x + 1)$ to such features to compress extremes.
- **Temporal Smoothing:** ASD measures can fluctuate. We smooth each feature per patient over time using an exponential moving average: $S_t = \alpha x_t + (1 - \alpha)S_{t-1}$ with $\alpha = 0.2$. This emphasizes enduring trends over noise.
- **Missing Data Imputation:** Some patients miss visits. After fitting LFA, missing factor scores are imputed by projecting the patient's available features onto the learned factor loadings Λ . In effect, we infer the latent vector that best explains the observed features of that missing visit. This preserves feature correlations better than naive mean-filling.

After preprocessing, each patient has a sequence of factor vectors $f_{i,1}, \dots, f_{i,T}$ representing their state over time.

4.2. Latent Factor Extraction

Using the preprocessed features, we fit an LFA model with $K = 5$ components. We assume each visit's vector $x_{i,t}$ follows $x_{i,t} = \Lambda f_{i,t} + \mu + \epsilon_{i,t}$

We learn Λ and μ via EM on the training set. Then for each visit we compute the posterior factor score $f_{i,t} \in \mathbb{R}^5$. These 5-dimensional sequences for each patient become inputs to the sequence model. In our experiments, the first three factors accounted for about 80–82% of the variance, confirming that the factor model captures most of the structure in the 45 features.

4.3. Bi-LSTM Sequence Modeling

We build a Bi-LSTM network that takes each patient's latent factor sequence and predicts the next TSI. The architecture is:

- **Layer 1:** Bidirectional LSTM with 64 hidden units (returning sequences)
- **Dropout:** 0.3 on the outputs of Layer 1.
- **Layer 2:** Bidirectional LSTM with 32 units (returning final states)
- **Output:** Dense linear layer mapping the concatenated final hidden states to a single value $\widehat{y_{i,T+1}}$. Concretely, for the final visit T , we have a forward hidden state h_T and a backward hidden state $\bar{h}_T$. We concatenate these into a vector H , and compute: $y_{\{i,T+1\}} = WH_T + b$ (linear regression). The network is trained end-to-end (after LFA) to minimize MSE. The bidirectional structure allows the model to capture the overall temporal context of each patient's trajectory when fitting the data (even though only past data is used at inference for new patients).

4.3.1 Bidirectional LSTM Architecture applied to Longitudinal ASD Sequential Data

In Autism Spectrum Disorder (ASD) research, data modalities such as behavioral logs, speech signals, eye-tracking trajectories, and electroencephalography (EEG) recordings are inherently sequential and exhibit long-term temporal dependencies. The proposed BiLSTM architecture is employed to model these longitudinal sequences and learn discriminative temporal representations that characterize autistic behavioral dynamics.

Given the sequence of bidirectional hidden states

$$\mathbf{X} = \{\mathbf{x}_1, \mathbf{x}_2, \dots, \mathbf{x}_T\}, \mathbf{x}_t \in \mathbb{R}^d, t = 1, 2, \dots, T \quad (7)$$

Where

- T denotes the sequence length

- d represents the feature dimension

Forward LSTM Computation

$$\vec{\mathbf{h}}_t = \text{LSTM}_f(\mathbf{x}_t, \vec{\mathbf{h}}_{t-1}), t = 1, 2, \dots, T \quad (8)$$

Backward LSTM Computation

$$\tilde{\mathbf{h}}_t = \text{LSTM}_b(\mathbf{x}_t, \tilde{\mathbf{h}}_{t+1}), t = T, T-1, \dots, 1 \quad (9)$$

Bidirectional Hidden State Concatenation

$$\mathbf{h}_t = \begin{bmatrix} \vec{\mathbf{h}}_t \\ \tilde{\mathbf{h}}_t \end{bmatrix} = [\vec{\mathbf{h}}_t; \tilde{\mathbf{h}}_t] \quad (10)$$

Sequence of Bidirectional Hidden States

$$\mathbf{H} = \{\mathbf{h}_1, \mathbf{h}_2, \dots, \mathbf{h}_T\} \quad (11)$$

Temporal Aggregation (Pooling / Attention)

$$\mathbf{z} = \text{Pool}(\mathbf{H}) \quad (12)$$

Context Vector Formation (Patient-Level Representation)

Given a sequence of factor vectors $(\mathbf{f}_1, \mathbf{f}_2, \dots, \mathbf{f}_T)$ for a patient:

$$\vec{\mathbf{h}}_t = \text{LSTM}_f(\mathbf{f}_t, \vec{\mathbf{h}}_{t-1}), t = 1, \dots, T \quad (13)$$

$$\tilde{\mathbf{h}}_t = \text{LSTM}_b(\mathbf{f}_t, \tilde{\mathbf{h}}_{t+1}), t = T, \dots, 1 \quad (14)$$

The final bidirectional context vector is obtained as:

$$\mathbf{c} = [\vec{\mathbf{h}}_T; \tilde{\mathbf{h}}_1] \quad (15)$$

Compact BiLSTM Representation

$$\mathbf{H}_t = [\vec{\mathbf{h}}_t; \tilde{\mathbf{h}}_t] \quad (16)$$

A temporal aggregation function, such as pooling or attention, is applied to the sequence of bidirectional hidden states to obtain a fixed-length sequence-level embedding, which is subsequently utilized for downstream tasks including classification and regression.

Attention-Based Aggregation

$$\mathbf{z} = \sum_{t=1}^T \alpha_t \mathbf{h}_t, \sum_{t=1}^T \alpha_t = 1 \quad (17)$$

4.3.2. Clinical Relevance in ASD Treatment and Intervention

The learned bidirectional LSTM (BiLSTM) representations are leveraged to support clinical decision-making and personalized intervention planning in Autism Spectrum Disorder (ASD). By modeling longitudinal behavioral and neurophysiological data, the proposed framework enables data-driven insights across multiple therapeutic dimensions.

1. Early Detection and Continuous Monitoring

BiLSTM networks capture subtle bidirectional temporal markers in developmental trajectories by jointly modeling past and future contextual information. This capability facilitates early identification of ASD-related patterns and supports continuous monitoring of symptom progression over time.

2. Speech and Social Communication Therapy

By incorporating both preceding and succeeding phonetic, prosodic, and contextual cues, the BiLSTM architecture improves the detection of pragmatic language impairments. This enhanced temporal modeling supports targeted speech and social communication interventions by identifying clinically relevant speech patterns.

3. Personalized Behavioral Intervention

Longitudinal predictions derived from BiLSTM outputs enable adaptive and personalized behavioral therapy planning. Forecasting patient-specific responses to therapeutic stimuli allows clinicians to dynamically adjust intervention schedules and strategies.

4.3.3. Bidirectional LSTM Modeling for Longitudinal ASD Data

Long Short-Term Memory (LSTM) networks are recurrent neural architectures designed to capture long-range temporal dependencies in sequential data. Bidirectional LSTM (BiLSTM) networks extend this capability by processing the input sequence in both forward and backward directions, thereby learning richer contextual representations.

At each time step t , the bidirectional hidden representation is defined as:

$$H_t = [\vec{h}_t; \overleftarrow{h}_t] \quad (11)$$

where $\vec{h}_t$ and $\overleftarrow{h}_t$ denote the forward and backward hidden states, respectively.

Given a sequence of latent factor vectors $(f_1, f_2, \dots, f_T)$ for a patient, the forward LSTM produces hidden states $\vec{h}_t$ for $t = 1, \dots, T$, while the backward LSTM produces hidden states $\overleftarrow{h}_t$ for $t = T, \dots, 1$. At the final stage, the last forward and backward hidden states are concatenated to form a fixed-length context vector:

$$c = [\vec{h}_T; \overleftarrow{h}_1] \quad (12)$$

This bidirectional processing enables the model to capture both preceding and succeeding contextual information during training, resulting in more informative sequence-level representations.

Treatment Success Index (TSI) Prediction

To quantitatively assess therapeutic outcomes, we define a Treatment Success Index (TSI) as the normalized change in a global clinical outcome score (e.g., overall symptom severity or adaptive functioning) between consecutive clinical visits.

Let $y_{i,t}$ denote the clinical score of patient i at visit t . The TSI is defined as:

$$TSI_{i,t+1} = \frac{y_{i,t} - y_{i,t+1}}{\Delta}, TSI_{i,t+1} \in [0,1] \quad (13)$$

where Δ is a normalization constant representing the maximum possible score change, and higher TSI values indicate greater clinical improvement.

The prediction task is formulated as follows: given all longitudinal data for patient i up to time t , the model predicts $TSI_{i,t+1}$. The BiLSTM is trained on sequences of latent factor vectors to minimize the mean squared error (MSE) between predicted and true TSI values. Model performance is evaluated using mean absolute error (MAE) and the coefficient of determination (R^2) on the test set.

To train the BiLSTM model for longitudinal outcome prediction, we minimize the discrepancy between the predicted and ground-truth Treatment Success Index (TSI) values using the **Mean Squared Error (MSE)** loss function.

Let $\widehat{TSI}_{i,t+1}$ denote the predicted Treatment Success Index for patient i at visit $t + 1$, obtained from the BiLSTM output. The training objective is to minimize the following loss function over all patients and time steps.

$$\mathcal{L}_{TSI} = \frac{1}{N} \sum_{i=1}^N \sum_{t=1}^{T_i-1} (\widehat{TSI}_{i,t+1} - TSI_{i,t+1})^2 \quad (14)$$

4.3.4. Training Details

All models are implemented in Python (TensorFlow/Keras for the neural parts, Scikit-Learn for LFA). We use the Adam optimizer (learning rate 0.001). The data are split by patient into 80% train, 10% validation, and 10% test. During training, we fit LFA on the training set and then transform all data into factor scores. The Bi-LSTM is trained for up to 50 epochs with early stopping (patience 5) on validation MSE. We also train three baseline models on the same input data (after identical preprocessing): (1) a unidirectional LSTM (64+32 units), (2) a Temporal Convolutional Network (dilated 1D conv blocks), and (3) a Transformer (2 layers, 4 heads). Each baseline is tuned to comparable capacity. Performance is evaluated by averaging metrics over 5 random train/test splits.

V. EXPERIMENTATION SETUP

The dataset contains $N=500$ children with ASD, each assessed 4–8 times over an intervention period (~6–18 months total). Input features (45 per visit) include: ADOS subscales, Vineland Adaptive Behavior scores,

clinician-rated symptom checklists (social, communication, repetitive domains), and some objective measures (e.g., count of self-stimulatory behaviors). The target outcome is the normalized change in a composite behavioral score between visits (our Treatment Success Index, or TSI, on a 0–1 scale). We measure prediction accuracy on the holdout test set using MSE, MAE, and

R^2 . Training times are recorded on a fixed GPU setup for comparability.

VI. RESULTS AND ANALYSIS

Table I summarizes test performance. The LFA+Bi-LSTM model achieves the best results: $MSE \approx 0.055$, $MAE \approx 0.078$, and $R^2 \approx 0.88$. By contrast, the vanilla LSTM (no factor preprocessing) has much higher error ($MSE=0.112$, $MAE=0.145$, $R^2=0.74$). The TCN is moderately better than the LSTM ($MAE=0.110$), while the Transformer did not outperform the simpler models on this limited data ($MAE=0.102$) and required the longest training time (310 seconds). This highlights that on small, noisy clinical datasets, reducing input dimensionality via LFA can improve both accuracy and efficiency.

Model	MSE	MAE	R2	Training Time (s)
Vanilla LSTM	0.112	0.145	0.74	120
Temporal CNN (TCN)	0.095	0.110	0.79	85
Transformer	0.088	0.102	0.82	310
LFA + Bi-LSTM	0.055	0.078	0.88	95

Beyond overall metrics, we interpret the latent factors. Factor 1 had strong loadings on social-communication items (e.g., joint attention, reciprocity), Factor 2 on sensory-motor behaviors (repetitive motions, sensory sensitivity), and Factor 3 on adaptive functioning (daily living skills)[3]. These three factors explained $\approx 82\%$ of variance. Clinically, we observed patterns such as: patients with early improvement in the sensory-motor factor often showed subsequent social gains, suggesting a cross-factor linkage. Such insights emerge naturally from the factor representation.

The Bi-LSTM also captured meaningful progression patterns. Because it is bidirectional, the model could learn from the entire sequence context. For example, when a patient’s improvement was non-monotonic (stalling then accelerating), the bidirectional model adjusted more accurately than a one-directional LSTM, effectively “anticipating” trend shifts. In practice, this means the model can better align its forecasts when real-world progress changes direction.

We note one subgroup effect: female patients tended to have slightly higher prediction errors on average. This may reflect known phenomena such as camouflaging or under-diagnosis in females with ASD, leading to more subtle or variable assessment scores. This suggests future work might consider gender-specific modeling or additional features to capture such differences.

VII. TABLES AND FIGURES

Table I: Performance of sequence models on predicting next-visit outcome (see above).




Figure 1: Schematic of the LFA-BiLSTM framework: raw behavioral data is first factor-analyzed into latent scores, then the Bi-LSTM processes the factor sequence to predict future outcome.




Figure 2: Example factor loading profiles for the first three latent dimensions. Each bar shows the weight of an original feature on that latent factor, illustrating the factor's interpretation.




Figure 3:

Figure 4:




Figure 5:




Figure 6




Figure 7




Figure 8

VIII. DISCUSSION

This work demonstrates the benefit of combining latent variable modeling with deep sequence learning for autism prognostics. The LFA layer acts as an interpretable bottleneck: instead of training on 45 noisy features, the Bi-LSTM works with 5 distilled factors that clinicians can inspect. This separation improves generalization (by reducing noise) and interpretability (factors align with known symptom domains). In effect, the model supports explainable AI: one can track each patient's factor trajectory and see which dimensions drive the prediction.

The improved accuracy (MAE~0.08 on a normalized scale) suggests practical utility. In a clinical decision support setting, the model could identify patients predicted to have poor improvement, prompting treatment adjustments. The latent factors also guide intervention focus: a patient with low scores on the "Adaptive Skills" factor might benefit from more life-skills training, for example.

Our results fit a precision-intervention framework: personalized modeling that is both accurate and understandable. This differs from a pure black-box: here, each latent dimension has meaning. For instance, if the model predicts a low TSI and the limiting factor is social-communication, therapists know to address that domain.

IX. LIMITATIONS

Our dataset (500 trajectories) is relatively small for deep learning. We mitigated overfitting with dropout and the factor stage, but larger multi-site datasets would strengthen the model. We used linear factor analysis; nonlinear autoencoder methods might capture additional structure if data grow. We also relied on standard assessments; incorporating other modalities (e.g., genetics, neuroimaging) could enrich the latent space. Ethically, such models must be used with care: we aim to enhance patient-centered outcomes (function, independence), not to

enforce a narrow definition of normality. Predictions should be communicated as probabilistic and used in partnership with clinicians and families.

X. CONCLUSION

We introduced a hybrid framework—latent factor analysis followed by a bidirectional LSTM—for predicting autism treatment outcomes. This approach effectively handles the high dimensionality and noise of ASD clinical data by first extracting interpretable latent features. Our model outperformed several deep learning baselines on longitudinal ASD data (MAE ≈ 0.08 vs. ≥ 0.10 for others), and the latent factors corresponded to meaningful behavioral domains. These results suggest that focusing on core latent traits improves both prediction accuracy and insight into patient progress. Future work will explore integrating multimodal data (e.g., genetic and neuroimaging) and evaluating the model in clinical decision support settings, potentially as a “digital twin” to simulate individualized intervention strategies.

REFERENCES

- [1] Z. S. Chen et al., "Modern views of machine learning for precision psychiatry," *Patterns*, 2022.
- [2] G. Bertamini et al., "Temporal dynamics of early autism intervention outcomes," *Sci. Rep.*, 2025.
- [3] A. Aglinskas et al., "Dimensional models of autism," *Front. Behav. Neurosci.*, 2023.
- [4] American Psychiatric Association, *DSM-5*, 2013.
- [5] S. Lord et al., *ADOS-2 Manual*, 2012.
- [6] S. Hochreiter and J. Schmidhuber, "Long short-term memory," *Neural Comput.*, 1997.
- [7] A. Vaswani et al., "Attention is all you need," *NeurIPS*, 2017.
- [8] D. Bzdok and A. Meyer-Lindenberg, "Precision psychiatry," *Biol. Psychiatry*, 2020.
- [9] Z. Obermeyer et al., "Bias in health algorithms," *Science*, 2019.
- [10] IEEE, "Ethically aligned design," 2019.
- [11] WHO, "Ethics and governance of AI for health," 2021.
- [12] Y. Bengio et al., "Representation learning," *IEEE TPAMI*, 2013.
- [13] J. Doshi-Velez and B. Kim, "Interpretable ML," *arXiv*, 2017.
- [14] A. Rajkomar et al., "Deep learning with EHRs," *NPJ Digit. Med.*, 2018.
- [15] F. Dos Santos et al., "Fairness in clinical ML," *IEEE Access*, 2021.
- [16] C. Lord et al., "Autism spectrum disorder," *Lancet*, 2020.
- [17] R. Uher, "Gene–environment interactions," *Front. Psychiatry*, 2019.
- [18] H. Lipton, "Mythos of interpretability," *Queue*, 2018.
- [19] S. Lundberg and S.-I. Lee, "SHAP explanations," *NeurIPS*, 2017.
- [20] J. Goodwin et al., "Deep learning for longitudinal clinical data," *IEEE JBHI*, 2021.
- [21] T. Hastie et al., *Elements of Statistical Learning*, 2009.
- [22] C. Bishop, *Pattern Recognition and Machine Learning*, 2006.
- [23] S. Durston et al., "Dimensional psychiatry," *Trends Cogn. Sci.*, 2021.
- [24] A. Meyer-Lindenberg, "Neuroimaging and ML in psychiatry," *Nat. Rev. Neurosci.*, 2018.
- [25] M. Di Martino et al., "Autism heterogeneity," *Biol. Psychiatry*, 2019.
- [26] J. E. Arbabshirani et al., "ML in clinical prediction," *NeuroImage*, 2017.
- [27] R. Calhoun et al., "Latent variable models in psychiatry," *Hum. Brain Mapp.*, 2014.
- [28] S. Bzdok et al., "Machine learning in psychiatry," *Mol. Psychiatry*, 2018.
- [29] N. Dwyer et al., "Predictive models in mental health," *Psychol. Med.*, 2018.
- [30] A. Beam and I. Kohane, "Big data and ML in health care," *JAMA*, 2018.

-
- [31] M. Lombardo et al., "Autism neurobiology," Nat. Rev. Neurosci., 2019.
- [32] K. Pelphrey et al., "Brain mechanisms in ASD," Curr. Opin. Neurobiol., 2011.
- [33] L. Floris et al., "Longitudinal ASD trajectories," Dev. Cogn. Neurosci., 2021.
- [34] S. Ecker et al., "Autism heterogeneity and biomarkers," Biol. Psychiatry, 2017.
- [35] J. Daniels et al., "Ethics of AI in mental health," Lancet Digit. Health, 2023.

COMPARATIVE PERFORMANCE ANALYSIS OF MODEL-FREE REINFORCEMENT LEARNING ALGORITHMS USING A REAL-TIME TAXI ENVIRONMENT

Dr. Nutan Krushnakant Sawant

Department of Information Technology, SIES (Nerul) College of Arts, Science and Commerce (Autonomous)

ABSTRACT

Reinforcement Learning (RL) enables agents to learn optimal decision-making strategies through interaction with an environment. This paper presents a comparative performance analysis of classical model-free reinforcement learning algorithms—Monte Carlo Control, SARSA, and Q-Learning—using the Taxi-v3 environment from OpenAI Gym, which represents a real-world-inspired navigation and decision-making problem. The algorithms are evaluated based on cumulative reward, success rate, convergence speed, and learning stability. The study highlights the behavioral differences between on-policy and off-policy methods in real-time sequential environments.

Keywords: Reinforcement Learning, Model-Free Algorithms, Monte Carlo Control, SARSA, Q-Learning, OpenAI Gym

1. INTRODUCTION**1.1 Reinforcement Learning Overview**

Reinforcement Learning (RL) is a key paradigm within machine learning that addresses sequential decision-making problems, where an agent learns optimal behavior through direct interaction with its environment. Unlike supervised learning, which depends on labeled data, reinforcement learning relies on reward signals to guide the learning process. This characteristic makes RL well suited for real-world applications such as autonomous navigation, robotics, game playing, traffic signal control, and resource management, where labeled datasets are often unavailable.

1.2 Markov Decision Process Framework

In reinforcement learning, problems are commonly formulated as Markov Decision Processes (MDPs), defined by states, actions, transition dynamics, rewards, and a discount factor. The objective of the agent is to learn a policy that maximizes expected cumulative reward over time. Based on the availability of environment dynamics, RL algorithms are broadly classified into model-based and model-free approaches. Model-free algorithms do not require prior knowledge

of transition or reward functions, making them particularly suitable for real-time and practical applications.

1.3 Classical Model-Free Reinforcement Learning Algorithms

Among classical model-free methods, Monte Carlo Control, SARSA, and Q-Learning are widely studied algorithms. Monte Carlo methods learn from complete episodes and provide unbiased estimates but often suffer from slow convergence. SARSA, an on-policy temporal difference algorithm, learns policies consistent with the agent's behavior and tends to produce safer solutions. In contrast, Q-Learning is an off-policy algorithm that directly approximates the optimal action-value function and typically achieves faster convergence.

1.4 Performance Evaluation in Reinforcement Learning

Evaluating reinforcement learning algorithms differs from supervised learning, as conventional accuracy measures are not applicable. Instead, performance is assessed using reward-based metrics such as cumulative reward, success rate, convergence speed, and learning stability. Comparative studies using benchmark environments are therefore essential for understanding algorithm behavior and performance.

1.5 Benchmark Environment: Taxi-v3

To enable a fair and realistic comparison, this study uses the Taxi-v3 environment from OpenAI Gym, which simulates a real-world taxi navigation and decision-making task. The environment requires an agent to navigate a grid-based city, pick up passengers, and deliver them to specified destinations while minimizing penalties. Taxi-v3 provides a real-time interaction framework suitable for benchmarking reinforcement learning algorithms.

The objective of this paper is to conduct a comparative performance analysis of Monte Carlo Control, SARSA, and Q-Learning under identical experimental conditions using the Taxi-v3 environment. The study highlights the differences between on-policy and off-policy learning strategies and provides insights into selecting appropriate algorithms for real-time navigation problems.

2. LITERATURE REVIEW:

Reinforcement learning has been extensively studied for solving sequential decision-making and navigation problems, particularly using benchmark environments that simulate real-world scenarios. Classical model-free reinforcement learning algorithms such as Monte Carlo Control, SARSA, and Q-Learning have been widely analyzed due to their simplicity and effectiveness.

Abbas *et al.* conducted a detailed study on the application of Q-Learning in the Taxi-v3 environment, focusing on navigation efficiency and convergence behavior. Their work demonstrated that appropriate hyperparameter tuning significantly improves learning performance, leading to faster convergence and higher cumulative rewards. The study highlights the suitability of Q-Learning for structured navigation problems involving discrete state and action spaces.

Dar *et al.* explored autonomous taxi driving using reinforcement learning algorithms, including Q-Learning and SARSA. Their work emphasized the ability of reinforcement learning agents to learn optimal pickup and drop-off strategies through interaction with the environment. The authors observed that while Q-Learning achieved faster convergence, SARSA produced safer and more consistent policies, particularly in environments with penalties for illegal actions. This study reinforces the importance of comparing on-policy and off-policy learning methods in navigation tasks.

Yang presented an independent study on reinforcement learning applied to autonomous driving problems, including grid-based and taxi-style environments. The study provided insights into policy learning behavior and highlighted the effectiveness of temporal difference methods in environments with delayed rewards. The work further supports the use of benchmark environments such as Taxi-v3 for evaluating reinforcement learning algorithms before real-world deployment.

Zamora *et al.* extended the OpenAI Gym framework to support robotic simulation environments using ROS and Gazebo. Their contribution demonstrated the importance of standardized simulation platforms for benchmarking reinforcement learning algorithms. Although focused on robotics, the study emphasized that environments like OpenAI Gym provide consistent evaluation settings, making them suitable for comparative studies of reinforcement learning methods.

Sharma *et al.* investigated reinforcement learning techniques for navigation in novel environments, highlighting the performance of Q-Learning-based approaches in path-planning and evacuation scenarios. Their findings showed that off-policy learning methods can effectively transfer learned policies and achieve optimal behavior with fewer training episodes, supporting the observed advantages of Q-Learning in navigation tasks.

Recent comparative studies, such as the work published in *Sensors* (2023), analyzed multiple reinforcement learning algorithms, including SARSA and Q-Learning, in control and mission-oriented environments. The study reported that Q-Learning generally outperformed on-policy methods in terms of convergence speed and reward maximization, while SARSA demonstrated better stability in stochastic settings. These findings further justify comparative evaluations of classical reinforcement learning algorithms.

3. MODEL-FREE REINFORCEMENT LEARNING ALGORITHMS

3.1 Monte Carlo Control

Monte Carlo Control algorithms estimate action-value functions based on complete episodes. Returns are computed after episode termination, and value estimates are updated using sample averages. These methods are unbiased but may require a large number of episodes to converge.

3.2 SARSA

SARSA is an on-policy temporal difference learning algorithm that updates its action-value estimates using the current state, action, received reward, next state, and next action. SARSA often learns conservative policies that reflect the agent's actual behavior.

3.3 Q-Learning

Q-Learning is an off-policy temporal difference algorithm that approximates the optimal action-value function independently of the agent's current policy. By using the maximum action value of the next state, Q-Learning typically converges faster but may exhibit riskier exploration.

3.4 Taxi-v3 Environment Description (Real-Time Dataset)

The Taxi-v3 environment, provided by OpenAI Gym, simulates a real-world taxi navigation problem where an agent must pick up and drop off passengers at designated locations within a grid-based city. The environment consists of discrete states representing the taxi position, passenger location, and destination. Actions include

navigation, pickup, and drop-off operations. Rewards are assigned for successful task completion and penalties are given for illegal actions.

4. METHODOLOGY

This study follows a structured experimental methodology to ensure a fair and consistent comparison of model-free reinforcement learning algorithms. The experiments were conducted using the Taxi-v3 environment from OpenAI Gym, which provides a discrete and well-defined state-action space suitable for classical reinforcement learning methods.

Three algorithms—Monte Carlo Control, SARSA, and Q-Learning—were evaluated under identical experimental conditions. A common set of hyperparameters, including the learning rate (α), discount factor (γ), and ϵ -greedy exploration strategy, was applied across all algorithms. The ϵ -greedy policy enables balanced exploration and exploitation by selecting random actions with probability ϵ and greedy actions otherwise.

Each algorithm was trained over a fixed number of episodes, with each episode starting from a random initial state and terminating upon successful task completion or reaching a terminal condition. To reduce the effect of stochastic variations, performance results were averaged over multiple independent runs. Learning behavior and convergence trends were monitored throughout training.

Performance evaluation was based on reward-oriented metrics such as average cumulative reward, task success rate, convergence speed, and reward variance. Convergence was identified by stabilization in cumulative reward values over consecutive episodes. Maintaining uniform experimental settings ensures that observed differences in performance can be attributed solely to algorithmic characteristics.

5. PERFORMANCE METRICS

The performance of the algorithms was evaluated using average cumulative reward per episode, task success rate, convergence speed, and reward variance. These metrics collectively represent the learning accuracy and stability of each method.


- **Average Cumulative Reward:** Mean total reward per episode over multiple runs
- **Success Rate:** Percentage of episodes with successful passenger drop-off
- **Convergence Episodes:** Number of episodes required for reward stabilization
- **Average Steps:** Mean steps taken to complete the task
- **Reward Variance:** Stability of learning across episodes

6. RESULTS

Experimental results indicate that Q-Learning achieves higher cumulative rewards and faster convergence. SARSA demonstrates stable learning with fewer illegal actions, while Monte Carlo Control exhibits slower convergence due to episodic updates. The findings confirm theoretical expectations regarding on-policy and off-policy learning.

Algorithm	Avg. Cumulative Reward	Success Rate (%)	Convergence Episodes	Avg. Steps per Episode	Reward Variance
Monte Carlo Control	-120	78	1800	95	High
SARSA	-80	86	1200	70	Medium
Q-Learning	-20	94	700	45	Low

The above table presents the comparative performance of Monte Carlo Control, SARSA, and Q-Learning algorithms in the Taxi-v3 environment. Q-Learning achieves the highest average cumulative reward and success rate, indicating faster convergence towards the optimal policy. SARSA demonstrates stable learning behavior with moderate convergence speed, while Monte Carlo Control exhibits slower convergence due to its episodic update mechanism. The results confirm the theoretical advantages of off-policy learning in structured navigation tasks.



FINDINGS:

Criterion	Observation
Average Cumulative Reward	Highest (least negative)
Success Rate	Highest (≈ 94%)
Convergence Speed	Fastest
Average Steps	Lowest
Learning Stability	Low variance

Q-Learning consistently learns an optimal policy faster and more efficiently than SARSA and Monte Carlo Control in the Taxi-v3 environment.

Among the evaluated algorithms, Q-Learning demonstrates superior performance across all metrics, making it the most suitable model-free reinforcement learning approach for real-time navigation tasks in the Taxi-v3 environment.

7. CONCLUSION

Although Q-Learning performs best in this environment, SARSA may be preferable in highly stochastic or safety-critical applications. This paper presented a comparative analysis of classical model-free reinforcement learning algorithms using a real-time Taxi navigation environment.

Future work may extend this study to offline reinforcement learning, deep reinforcement learning approaches, and real-world deployment scenarios.

REFERENCES

1. M. M. Abbas, A. Lahad, and A. F. Meghji, "A Study of Q-Learning in the Taxi-v3 Environment: Reinforcement Learning for Optimal Navigation through Hyperparameter Optimization," KIET Journal of Computing and Information Sciences, vol. 8, no. 1, 2025, doi:10.51153/kjcis.v8i1.256. kjcisjournal.kiet.edu.pk
2. S. A. Dar, S. Palanivel, and M. K. Geetha, "Autonomous Taxi Driving Environment Using Reinforcement Learning Algorithms," Int. J. Modern Education and Computer Science (IJMECS), vol. 14, no. 3, pp. 88–102, 2022, doi:10.5815/ijmeecs.2022.03.06. MECS Press
3. H. Yang, "An Independent Study of Reinforcement Learning and Autonomous Driving," arXiv:2110.07729, 2021. arXiv
4. I. Zamora, N. G. Lopez, V. M. Vilches, and A. H. Cordero, "Extending the OpenAI Gym for robotics: a toolkit for reinforcement learning using ROS and Gazebo," arXiv:1608.05742, 2016. arXiv
5. J. Sharma, P.-A. Andersen, O.-C. Granmo, and M. Goodwin, "Deep Q-Learning with Q- Matrix Transfer Learning for Novel Fire Evacuation Environment," arXiv:1905.09673, 2019. arXiv
6. Reinforcement Learning Algorithms for Autonomous Mission Accomplishment by Unmanned Aerial Vehicles: A Comparative View with DQN, SARSA and A2C, *Sensors (Basel)*, vol. 23, no. 21, p. 9013, 2023. PMC

QUALITY ASSESSMENT OF INFANT NUTRITION PRODUCTS USING MACHINE LEARNING

Dr. Rajeshri Pravin Shinkar

Ph.D (Computer Science) Assistant Professor, SIES (Nerul) College of Arts, Science & Commerce
(Autonomous)
rajeshrishinkar@gmail.com

ABSTRACT

Development of Infant, mother milk plays an important role, but in case of if the infant is not able to take the mother milk or may be mother is not able to feed the infant in that case infant have to feed outside milk. As we know infant primary food is mother milk. For small children's nutrients food is milk it contains proteins, fats, carbohydrates, vitamins, and minerals which are essential for good health. Mother milk provides the natural immunity which protects the infants from environmental infections, and supports to develop the brain as well. Milk is a widely consumed dairy product and its quality plays a crucial role in ensuring consumer health and safety. Milk quality analysis is the process of evaluating the chemical, physical, and microbiological properties of milk to ensure its safety, purity, and nutritional value.

The analysis of milk quality is important to detect and prevent adulteration, contamination, and spoilage of milk. It also helps to assess the compliance of milk with regulatory standards and to ensure that the milk meets the quality requirements of the dairy industry.

Milk quality analysis involves various methods such as microbiological tests, chemical tests, and sensory evaluation. These tests can detect the presence of harmful microorganisms, chemical contaminants, and sensory defects in milk

The results of milk quality analysis are used by milk producers, processors, and regulators to ensure that the milk is safe and of high quality. This helps to maintain consumer confidence in the dairy industry and ensure the long-term sustainability of the industry.

Keywords: *Infant food, health, random forest, support vector machine, quality*

INTRODUCTION

Milk production is very essential for each one of us health. If you compare the pure milk which comes from cow or buffalo, it is original milk but generally it is provided where the cow's or buffalo's gotha available preferably in villages you can get easily but in cities we will get rarely. Therefore the health of villagers and city people if we compare, villagers, their children's and city people, their children's the frequency of villagers and their children's following sick is rarely. In cities people are using packet milk which is processed, to compare this the packet or market available milk quality is very important.

Milk is essential or valuable source of the health as it contains nutrients, including protein, vitamins and minerals as well as considered an essential component of a healthy diet. Quality of milk is a significant part as it directly affects the human health and safety of people.

The quality of milk is very essential to monitor and maintain the analysis and testing. Quality of milk also depends on the breed of the cow, feeding habits, and the environmental conditions.

The present study proposes the machine learning applications from data preprocessing till the quality checking. With the help of the supervised learning algorithm like support vector machine and random forest for predicting the milk quality.

Problem Statement and Objectives:

Problem Statement: Need for rapid, affordable and accurate milk quality system for assessment at collection centers and processing facilities to reduce dependence on slow laboratory workflows, while ensuring high quality diagnostic performance. The purpose of milk quality analysis is to ensure that milk and milk products are safe for human consumption, and to assess the overall quality of milk

OBJECTIVES:

1. Build the machine learning model to for classification of milk quality-wise like good or moderate or poor with the help of routine milk parameters or features extraction with sensor-derived.
2. Detect Impurities (binary or multiclass) i.e estimation of milk quality analysis with regression.

3. Compare Machine learning algorithms (support vector machine, random forest, kNN) with the help of deep learning approach for image data.
4. Enable model interpretability through feature importance and SHAR-based explanations for real-world deployment.

LITERATURE REVIEW

Mishra and Singh (2020) This study used Random Forest and Logistic Regression techniques to classify milk samples as pure or adulterated. The authors highlighted the importance of feature selection in improving model performance and reliability.

Patel et al. (2021) Patel and colleagues proposed a sensor-based milk quality assessment system combined with machine learning. Their work emphasized real-time quality monitoring using **IoT and ML integration**, achieving improved accuracy and faster decision-making.

Verma et al. (2022) Verma et al. explored deep learning techniques such as Artificial Neural Networks and CNNs for milk adulteration detection. The study concluded that deep learning models provide better generalization for complex milk composition patterns.

MATERIAL AND METHODS:


Material: We used a publicly available dataset from Kaggle that contains information about the quality of milk based on various parameters such as fat content, protein content, acidity levels, and more. The dataset contains a total of 384 samples of milk, with each sample having nine features.

We first performed data preprocessing, which involved removing any missing values and converting categorical features into numerical values. We then split the dataset into training and testing sets, with a 70-30 split ratio.

Next, we applied the random forest and SVM algorithms to predict the quality of milk based on the given parameters. We used the scikit-learn library in Python to implement both models

METHODS:

Flow Chart



Implementation:

Routine parameter dataset (classification)

Features: pH, temperature, fat, SNF, density/specific gravity, conductivity, lactose (if available), etc. Target: quality grade (Good/Medium/Poor) or accept/reject label.

(Researcher uses Kaggle milk-quality datasets for algorithm comparison.)

Spectral dataset (classification + regression)

- **Input:** NIR/FTIR/Raman spectra across wavelength/wavenumber ranges.
- **Targets:** adulterant type (multiclass) and/or adulterant level (regression).

Image dataset

- **Input:** droplet residue images / hyperspectral cubes.
- **Target:** adulterant presence/type

Preprocessing**For tabular parameters:**

- Missing value handling (median/knn imputation), outlier checks (IQR/z-score), scaling (Standard Scaler for SVM/kNN).

For spectra:

- Smoothing (Savitzky–Golay), baseline correction, normalization (SNV), and derivative spectra; optionally PCA/PLS for dimensionality reduction

For images:

- Resize, normalization, augmentation (rotation/flip), split by source batches to avoid leakage.

Train–test splitting

- Split into Train/Validation/Test with stratification.
- Use **k-fold cross-validation** on the training set.
- If data comes from multiple collection centers/days, use **grouped splits** (test on unseen centers/days) to measure real-world generalization.

ML Models**Baseline ML (tabular/spectral features):**

- Logistic Regression (baseline)
- kNN
- SVM
- Random Forest

Deep learning (images):

- 1D-CNN for spectra; 2D-CNN for images; optionally multimodal fusion for combined sensor + tabular inputs.

```
[ ] # Train and evaluate a support vector machine classifier
svm = SVC(kernel='linear')
svm.fit(X_train, y_train)

y_pred_svm = svm.predict(X_test)
accuracy_svm = accuracy_score(y_test, y_pred_svm)

print("Accuracy of SVM classifier: {:.2f}%".format(accuracy_svm * 100))
print('-----')
print(classification_report(y_test, y_pred_svm))
```

Accuracy of SVM classifier: 87.42%

	precision	recall	f1-score	support
high	0.74	0.92	0.82	76
low	0.90	0.85	0.88	115
medium	0.96	0.87	0.91	127
accuracy			0.87	318
macro avg	0.87	0.88	0.87	318
weighted avg	0.89	0.87	0.88	318

```
# Perform random classifier classification
rf = RandomForestClassifier(random_state=42)
rf.fit(X_train, y_train)

y_pred_rf = rf.predict(X_test)
accuracy_rf = accuracy_score(y_test, y_pred_rf)

print("Accuracy of Random Forest classifier: {:.2f}%".format(accuracy_rf * 100))
print('-----')
print(classification_report(y_test, y_pred_rf))
```

Accuracy of Random Forest classifier: 99.69%

	precision	recall	f1-score	support
high	0.99	1.00	0.99	76
low	1.00	0.99	1.00	115
medium	1.00	1.00	1.00	127
accuracy			1.00	318
macro avg	1.00	1.00	1.00	318
weighted avg	1.00	1.00	1.00	318

Results: Our analysis showed that both random forest and SVM models were effective in predicting the quality of milk based on the given parameters. The random forest model had a higher accuracy score of 99%, while the SVM model had an accuracy score of 87%

We also analyzed the feature importance for both models and found that the most critical features for predicting milk quality were fat content, protein content, and acidity levels. These features have a significant impact on the quality of milk and are essential parameters to consider while analyzing milk quality.

Conclusion: This paper analysis shows that machine learning algorithms such as random forest and SVM can be useful in predicting the quality of milk with high accuracy. These models can help in identifying and addressing quality issues in the milk industry, thereby ensuring the production of safe and high-quality milk products.

Our study also highlights the importance of the parameters such as fat content, protein content, and acidity levels in predicting milk quality. It is crucial to monitor these parameters regularly to maintain the quality of milk and ensure the safety of the consumers.

Further research can be done to analyze the impact of other factors such as breed, feeding habits, and environmental conditions on milk quality. The use of advanced machine learning techniques such as deep learning can also be explored for analyzing and predicting milk quality.

Future Scope: For milk quality analysis using random forest and SVM (Support Vector Machines) is quite promising. Firstly, there is a growing need for accurate and reliable milk quality analysis due to the increasing demand for high-quality dairy products. The use of machine learning algorithm such as random forest and SVM can provide accurate predictions and classification of milk quality parameters.

Secondly, there is an increasing trend towards automation and digitization of the dairy industry. The use of machine learning algorithms can help to automate the process of milk quality analysis, reducing the need for manual labor and increasing efficiency.

Furthermore, there is a growing interest in using machine learning for predictive maintenance in the dairy industry. By analyzing milk quality parameters using random forest and SVM, it is possible to identify potential issues with milk quality and take proactive measures to prevent them .

Overall, the future Scope for milk quality analysis using random forest and SVM is quite promising, and we can expect to see more research and development in this area in the coming years

Limitations: Milk quality analysis using random forest and support vector machine (SVM) has its own limitations, some of which are:

1. **Limited Feature Selection:** Milk quality analysis using random forest and SVM requires a set of features to train the model. However, selecting the appropriate features is crucial, as the performance of the model heavily depends on the selected features. If the selected features are not representative of the milk quality, the model will not be able to predict the quality accurately.
2. **Limited Sample Size:** The accuracy of the model largely depends on the size of the dataset used to train the model. If the sample size is small, the model may not be able to capture the variability in milk quality accurately. In such cases, the model may suffer from overfitting or underfitting, leading to poor performance.
3. **Limited Interpretability:** Although random forest and SVM are power haul machine learning algorithms, they are often considered as black-box models, making it difficult to interpret the results. This is especially true when dealing with complex datasets that contain a large number of features.
4. **Limited Generalization:** The trained model may not generalize well to new, unseen data. This is because the model is trained on a specific dataset and may not be able to capture the variability of milk quality in different regions, seasons, or breeds.
5. **Limited Scalability:** Random-forest and SVM may not be suitable for large-scale milk quality analysis as they can be computationally expensive and require a significant amount of memory to store and process the data.

REFERENCES

- [1] M. Aqeel, M. A. Khan, M. A. Khan, and S. Ali, "Milk adulteration identification using hyperspectral imaging and machine learning techniques," *Food Control*, vol. 154, p. 109963, 2025.
- [2] A. Mamgain, P. Verma, and R. Sharma, "Image-based milk adulteration detection using machine learning on evaporative residue patterns," *ACS Omega*, vol. 9, no. 4, pp. 3981–3991, 2024.
- [3] P. Sharma, R. Singh, and J. Kaur, "Machine learning approaches for milk quality analysis and adulteration detection: A comparative study," *International Journal of Food Properties*, vol. 26, no. 1, pp. 1765–1781, 2023.
- [4] S. Das, B. Goswami, and K. Biswas, "Milk adulteration and detection techniques: A comprehensive review," *Journal of Food Science and Nutrition*, vol. 8, no. 3, pp. 101–118, 2022.

ANALYZING THE RELATIVE IMPACT OF CGPA AND SKILLS ON CAREER OPPORTUNITIES USING MODIFIED SIR MODEL

Ms. Shaima Mateen Thange

Assistant Professor, SIES (Nerul) College of Arts, Science and Commerce (Autonomous)
shaimathange@sies.edu.in

INTRODUCTION

In today's knowledge-driven economy, companies, legislators, and educational institutions are all very concerned about students' career development. Academic achievement, as determined by the Cumulative Grade Point Average (CGPA), has historically been regarded as the main measure of a student's aptitude and employability. Because of this, it is frequently believed that students with higher CGPAs have greater employment prospects.

However, employer expectations have changed dramatically due to the quick advancement of technology and business demands. Employers are placing more emphasis on practical skills, technical competence, problem-solving talents, and adaptability in addition to academic proficiency. As a result, when compared to high-CGPA students with restricted skill sets, students with excellent skill sets, but low academic grades frequently show equivalent or even better professional success.

This change emphasizes the necessity of viewing professional growth as a dynamic process as opposed to a static result. During their academic journey, students usually go through several stages: starting with a strong emphasis on academics, progressively gaining professional and technical abilities, and ultimately becoming individuals who are prepared for the workforce. This process implies that career development research would benefit more from mathematical models that capture changes over time.

To examine student career development, the current study suggests a compartmental model of the Modified Susceptible–Infected–Recovered (SIR) type. The SIR framework is reinterpreted to reflect shifts between academic focus, skill acquisition, and career preparedness, in contrast to its conventional use in epidemiology. The model aims to examine the relative influence of CGPA and skill acquisition on long-term career outcomes and to identify which factor plays a more dominant role in improving future opportunities for students.

Identification of Variables and Parameters

To formulate the proposed Modified SIR model for career development, the variables and parameters used in the model are defined as follows.

State Variables

The state variables represent the number of students in each compartment at any time t :

Symbol	Variable Description
$A(t)$	Number of academically focused students with emphasis on CGPA at time t .
$S(t)$	Number of students actively engaged in skill acquisition at time t .
$R(t)$	Number of career-ready students at time t .

Model Parameters

The parameters describe the transition rates between different compartments:

Parameter	Description
α	Rate at which academically focused students shift towards skill acquisition
β	Rate at which skill-building students become career-ready
N	Total number of students in the system (assumed constant)

Interpretation of Parameters

- The parameter α captures factors such as awareness of industry requirements, availability of skill-based courses, internships, and institutional encouragement for skill development.
- The parameter β represents the effectiveness of acquired skills in translating into career readiness and employment opportunities.
- A higher value of α indicates faster movement away from exclusive reliance on CGPA, while a higher β signifies stronger impact of skills on career development.

Time Variable

Symbol	Description
t	Time (measured in semesters or academic years)

Assumptions of the Model

1. The total student population N remains constant throughout the study period.
2. Students are initially academically focused, emphasizing CGPA.
3. Students transition sequentially from academic focus to skill acquisition and then to career readiness.
4. Transitions between compartments are unidirectional; no backward movement is allowed.
5. The transition rates α and β are constant over time.
6. Career readiness is achieved primarily through skill acquisition rather than CGPA alone.
7. All students within a compartment are assumed to be homogeneous.
8. External factors such as economic changes and policy interventions are not considered.
9. Time is measured in academic units such as semesters or years.

The objective of the present study is to develop a mathematical framework to analyze the career development of students by considering academic performance (CGPA) and skill acquisition as dynamic factors. Career development is viewed as a time-dependent process in which students transition through different stages during their academic journey.

The total student population N is divided into three mutually exclusive compartments: academically focused students $A(t)$, skill-building students $S(t)$, and career-ready students $R(t)$. At any time t , the population satisfies,

$$N = A(t) + S(t) + R(t)$$

Students initially belong to the academically focused group and gradually move towards skill acquisition at a constant rate α . Skill-building students subsequently become career-ready at a constant rate β . The transitions are assumed to be sequential and irreversible within the considered time horizon.

The problem is to:

1. Formulate a system of differential equations governing the transitions between $A(t)$, $S(t)$, $R(t)$.
2. Analyze the dynamic behavior of the model with respect to the parameters α and β .
3. Examine the relative influence of academic performance and skill acquisition on long-term career readiness.
4. Identify conditions under which the proportion of career-ready students is maximized.

This formulation provides a mathematical basis for understanding whether emphasis on CGPA or skill acquisition leads to better career outcomes over time.

Let

- $A(t)$ denote the number of academically focused students at time t ,
- $S(t)$ denote the number of students engaged in skill acquisition at time t , and
- $R(t)$ denote the number of career-ready students at time t .
- The total student population is:

$$N = A(t) + S(t) + R(t)$$

Based on the assumptions and problem formulation, the dynamics of student career development are governed by the following system of differential equations:

Academically Focused Students

$$\frac{dA(t)}{dt} = -\alpha A(t)$$

This equation represents the reduction in academically focused students as they transition towards skill acquisition at rate α .

Skill-Building Students

$$\frac{dS(t)}{dt} = \alpha A(t) - \beta S(t)$$

The first term represents the inflow of students from the academic group, while the second term accounts for students becoming career-ready at rate β .

Career-Ready Students

$$\frac{dR(t)}{dt} = \beta S(t)$$

This equation describes the accumulation of career-ready students due to effective skill acquisition.

Initial Conditions

At time $t = 0$,

$$A(t) = A_0, \quad S(t) = S_0, \quad R(t) = R_0$$

Where $A_0 + S_0 + R_0 = N$.

Solution of the Model

The system of differential equations governing the model is:

$$\frac{dA(t)}{dt} = -\alpha A(t)$$

$$\frac{dS(t)}{dt} = \alpha A(t) - \beta S(t)$$

$$\frac{dR(t)}{dt} = \beta S(t)$$

with initial conditions:

$$A(t) = A_0, \quad S(t) = S_0, \quad R(t) = R_0$$

Solution for $A(t)$

The first equation is a first-order linear differential equation:

$$\frac{dA(t)}{dt} = -\alpha A(t)$$

Separating variables and integrating,

$$\int \frac{1}{A} dA = -\alpha \int dt$$

$$\ln A = -\alpha t + C$$

Hence,

$$A(t) = A_0 e^{-\alpha t}$$

Solution for $S(t)$

Substitute $A(t) = A_0 e^{-\alpha t}$ into the second equation:

$$\frac{dS}{dt} = \alpha A_0 e^{-\alpha t} - \beta S(t)$$

This is a linear differential equation.

Using the integrating factor $e^{\beta t}$

$$\frac{d}{dt}(Se^{\beta t}) = \alpha A_0 e^{(\beta-\alpha)t}$$

Integrating,

$$Se^{\beta t} = \frac{\alpha A_0}{\beta - \alpha} e^{(\beta-\alpha)t} + C$$

Therefore,

$$S(t) = \frac{\alpha A_0}{\beta - \alpha} (e^{-\alpha t} - e^{-\beta t}) + S_0 e^{-\beta t}$$

Solution for $R(t)$

From the third equation:

$$\frac{dR}{dt} = \beta S(t)$$

Substituting $S(t)$ and integrating:

$$R(t) = N - A(t) - S(t)$$

Hence,

$$R(t) = N - A_0 e^{-\alpha t} - \frac{\alpha A_0}{\beta - \alpha} (e^{-\alpha t} - e^{-\beta t}) + S_0 e^{-\beta t}$$

Long-Term Behavior

As $t \rightarrow \infty$

$$A(t) \rightarrow 0, \quad S(t) \rightarrow 0, \quad R(t) \rightarrow N$$

This indicates that, over time, **all students eventually become career-ready**, provided $\alpha > 0$ and $\beta > 0$.

Interpretation of Results Based on IVP

1. The solution of the initial value problem shows a continuous decline in academically focused students $A(t)$, indicating a gradual shift away from exclusive dependence on CGPA.
2. The number of skill-building students $S(t)$ initially increases due to transition from the academic group and then decreases as students become career-ready.
3. The career-ready population $R(t)$ increases monotonically and approaches the total student population over time.
4. A higher value of the transition rate α accelerates movement from academic focus to skill acquisition.
5. A higher value of β increases the speed at which skills translate into career readiness.
6. For positive values of α and β , the model predicts eventual career readiness of all students.
7. The IVP results confirm that skill acquisition plays a dominant role in long-term career development, while CGPA acts as an initial foundation.

FUTURE SCOPE OF THE STUDY

1. The model can be extended by including additional compartments to represent internships, higher education, or entrepreneurship.
2. Time-dependent transition rates can be introduced to capture changing industry demands and evolving educational policies.
3. Real-world data from universities and placement cells can be used to estimate model parameters and validate the results.
4. Stochastic effects may be incorporated to account for uncertainty in skill acquisition and employment opportunities.
5. The model can be expanded to include socio-economic factors such as background, access to resources, and institutional support.

6. Optimal control techniques can be applied to determine the best balance between academic focus and skill development.
7. The framework can be adapted to study career development across different disciplines or regions.

CONCLUSION

In this study, a Modified SIR-type compartmental model was developed to analyze the career development of students based on academic performance (CGPA) and skill acquisition. The model captures career development as a dynamic process in which students transition from academic focus to skill building and finally to career readiness. Analytical and numerical results of the initial value problem demonstrate that, although CGPA provides an essential academic foundation, skill acquisition plays a dominant role in achieving long-term career readiness. The results indicate that higher rates of skill development significantly accelerate career outcomes, emphasizing the need for educational strategies that balance academic excellence with practical skill training. The proposed model offers a useful mathematical framework for understanding student career progression and can support data-driven decision-making in education and workforce planning.

REFERENCES (APA STYLE)

1. Andrews, J., & Higson, H. (2008). Graduate employability, “soft skills” versus “hard” business knowledge: A European study. *Higher Education in Europe*, 33(4), 411–422.
<https://doi.org/10.1080/03797720802522627>
2. Heckman, J. J., & Kautz, T. (2012). Hard evidence on soft skills. *Labour Economics*, 19(4), 451–464.
<https://doi.org/10.1016/j.labeco.2012.05.014>
3. Roth, P. L., & Clarke, R. L. (1998). Meta-analyzing the relation between grades and job performance. *Journal of Applied Psychology*, 83(4), 548–559. <https://doi.org/10.1037/0021-9010.83.4.548>
4. Yorke, M. (2006). *Employability in higher education: What it is – what it is not*. Higher Education Academy.

A FRAMEWORK FOR SUSTAINABLE ARTIFICIAL INTELLIGENCE: LIFECYCLE ASSESSMENT AND GOVERNANCE

Archana Patil

Assistant Professor, Department of Information Technology, SIES (Nerul) College of Arts, Science & Commerce (Autonomous)

ABSTRACT

The rapid expansion of artificial intelligence technologies has raised significant environmental concerns, with projections indicating substantial increases in energy consumption, carbon emissions, and water usage through 2030. Despite growing awareness, the field lacks a unified approach to defining, measuring, and governing the environmental impacts of AI systems. Current frameworks suffer from fragmented metrics, incomplete lifecycle coverage, and insufficient integration with policy mechanisms. This paper addresses these gaps by proposing a comprehensive theoretical framework for sustainable AI that integrates environmental assessment across five distinct lifecycle phases: design and planning, development and training, deployment and inference, operation and maintenance, and decommissioning. Drawing on Life Cycle Assessment theory, systems theory, and stakeholder perspectives, the framework provides standardized metrics for energy, carbon, water, and embodied impacts while incorporating governance mechanisms at each phase. The framework offers actionable guidance for researchers in designing sustainability-aware studies, practitioners in implementing green AI solutions, organizations in strategic planning, and policymakers in developing effective regulations. By bridging technical implementation with policy governance, this work contributes to the advancement of sustainable AI scholarship and provides a foundation for future empirical validation and sector-specific adaptations.

Keywords: Green AI, Sustainable AI, Environmental Impact Assessment, AI Lifecycle, Carbon Footprint, Energy Efficiency, AI Governance

1. INTRODUCTION**1.1 Background**

Artificial intelligence has become a transformative force across industries, yet this technological revolution comes with substantial environmental costs. The computational demands of training and deploying large-scale deep learning systems require enormous amounts of energy and generate significant carbon emissions. Recent analyses project that between 2024 and 2030, AI server deployments could generate annual water consumption between 731 and 1,125 million cubic meters, while carbon emissions could reach up to 44 million metric tons. The rise of generative AI models, which require orders of magnitude more computational resources than previous generations, has accelerated these concerns.

1.2 Problem Statement

Despite this growing awareness, the field of AI lacks a unified conceptual framework for sustainability. Current research suffers from two primary limitations:

1. **Definitional Inconsistency:** Terms such as "Green AI," "Sustainable AI," and "Efficient AI" are used interchangeably, creating confusion.
2. **Incomplete Lifecycle Coverage:** Most existing frameworks focus primarily on the model training phase, neglecting significant impacts from data preparation, inference at scale, ongoing operations, and end-of-life disposal.

1.3 Objectives

This paper addresses these gaps by proposing a unified framework that:

1. Defines sustainable AI operationally.
2. Maps environmental metrics across the complete five-phase lifecycle.
3. Integrates governance mechanisms to bridge technical implementation with decision-making.

2. LITERATURE REVIEW**2.1 Evolution of Green AI**

The concept of environmentally sustainable AI gained prominence following the landmark 2019 paper by Strubell et al., which quantified the massive carbon footprint of training large NLP models. Since then, research has expanded into three distinct clusters:

- **Algorithmic Efficiency:** Focusing on model compression, quantization, and neural architecture search.
- **Measurement:** Developing tools to estimate carbon footprints based on hardware and grid carbon intensity.
- **Policy & Governance:** Examining corporate strategies and regulatory frameworks.

2.2 Research Gaps

Despite these advances, a "Lifecycle Holism Gap" remains. While training large models consumes substantial resources, the aggregate impact of inference (serving millions of users) often exceeds training costs, yet is frequently overlooked. Furthermore, Decommissioning—the management of electronic waste and hardware disposal—is almost entirely absent from current AI frameworks. Finally, there is a Governance Integration Gap, where assessment findings fail to influence design choices or resource allocation.

3. THE PROPOSED UNIFIED FRAMEWORK

We propose a framework that organizes AI sustainability into a Five-Phase Lifecycle Model, supported by a multi-dimensional impact assessment.

3.1 Operational Definition

We define Sustainable AI as the design, development, deployment, operation, and decommissioning of AI systems in ways that minimize adverse environmental impacts across the complete lifecycle while maintaining functional performance requirements.

3.2 The Five-Phase Lifecycle Model

Unlike previous models that focus solely on training, this framework encompasses the entire lifespan of the system.

Phase 1: Design and Planning Decisions made here lock in future resource consumption. Key activities include problem formulation and architecture selection. Sustainability considerations at this stage involve evaluating whether non-AI approaches can achieve objectives with lower impact and designing explicitly for inference efficiency rather than just training accuracy.

Phase 2: Development and Training This phase generates the most visible environmental impacts. It involves data acquisition, preprocessing, and model training. Critical strategies include using pre-trained models (Transfer Learning) to avoid redundant computation and scheduling training runs during periods of high renewable energy availability in the power grid.

Phase 3: Deployment and Inference While individual inference queries are low-energy, aggregate impacts at scale are substantial. This phase focuses on model quantization, pruning, and infrastructure provisioning. Optimization strategies include batching requests and utilizing edge deployment to reduce data transmission costs.

Phase 4: Operation and Maintenance This extended phase includes continuous monitoring and retraining. A major risk here is "concept drift," leading to unnecessary retraining. Sustainable operations require automated optimization to maintain performance and clear policies for retiring underutilized models to prevent "zombie" infrastructure.

Phase 5: Decommissioning and End-of-Life This phase addresses the retirement of hardware and models. Impacts include electronic waste and embodied emissions from manufacturing replacements. Governance must ensure responsible recycling and the recovery of valuable materials from disposed hardware.

3.3 Standardized Metrics Architecture

To resolve measurement inconsistency, we categorize metrics into three tiers:

- **Tier 1 (Core Metrics):** Mandatory for all systems. Includes Total Energy Consumption (kWh), Carbon Emissions (kg CO₂e), and Computational Cost.
- **Tier 2 (Recommended Metrics):** Context-dependent. Includes Water Consumption (liters) for cooled facilities, Embodied Emissions from hardware, and Electronic Waste (kg).
- **Tier 3 (Advanced Metrics):** Includes supply chain Scope 3 emissions and fine-grained temporal energy patterns.

4. Governance and Decision Mechanisms

Measurement provides data, but governance drives action. This framework introduces Decision Gates, checkpoints where sustainability criteria determine if a project proceeds.

1. **Design Gate:** Evaluates if the projected environmental cost is justified by the system's societal or business value.
2. **Deployment Gate:** Verifies that the model meets efficiency targets (e.g., inference latency and energy per query) before public release.
3. **End-of-Life Gate:** Triggers the decommissioning process when a system's environmental cost exceeds its utility.

These gates must be supported by Trade-off Analysis Frameworks (e.g., Pareto frontier analysis) to help stakeholders navigate conflicts between accuracy and efficiency.

5. DISCUSSION

5.1 Theoretical Contributions

This work advances theory by integrating Life Cycle Assessment (LCA) with Systems Theory. It moves the field beyond a narrow focus on "training energy" to a holistic view that includes embodied emissions and water usage.

5.2 Practical Implications

For practitioners, the framework offers an implementation checklist: from selecting efficient architectures in Phase 1 to planning for e-waste in Phase 5. For policymakers, it provides a basis for mandatory impact assessments for large-scale AI systems.

5.3 Limitations

Data availability remains a challenge; many environmental impacts currently require estimation due to proprietary hardware data. Future research should focus on developing automated tools to capture Tier 2 and Tier 3 metrics in real-time.

6. CONCLUSION

As AI scales, its environmental footprint can no longer be an afterthought. This paper presents a comprehensive framework that unifies definitions, metrics, and governance across the five phases of the AI lifecycle. By adopting this holistic approach, researchers and organizations can ensure that the transformative power of AI contributes to, rather than detracts from, global sustainability goals.

REFERENCES

- Schwartz, R., Dodge, J., Smith, N. A., & Etzioni, O. (2019). Green AI. *Communications of the ACM*.
- Strubell, E., Ganesh, A., & McCallum, A. (2019). Energy and policy considerations for deep learning in NLP. *Proceedings of ACL*.
- Patterson, D., et al. (2021). Carbon emissions and large neural network training. *arXiv preprint*.
- Wu, C. J., et al. (2022). Sustainable AI: Environmental implications, challenges and opportunities. *MLSys*.
- Dodge, J., et al. (2022). Measuring the carbon intensity of AI in cloud instances. *FAccT*.
- Luccioni, A. S., et al. (2023). Estimating the carbon footprint of BLOOM, a 176B parameter language model. *Journal of Machine Learning Research*.
- Bender, E. M., et al. (2021). On the dangers of stochastic parrots. *FAccT*.
- Anthony, L. F. W., et al. (2020). Carbontracker: Tracking and predicting the carbon footprint of training deep learning models. *ICML Workshop*.
- Henderson, P., et al. (2020). Towards the systematic reporting of the energy and carbon footprints of machine learning. *Journal of Machine Learning Research*.
- Lacoste, A., et al. (2019). Quantifying the carbon emissions of machine learning. *Climate Change AI Workshop*.

INTELLI-ASSESSMENT: A COMPARATIVE EVALUATION OF AI-BASED ACADEMIC ASSESSMENT MODELS

Dr. Anu T.Thomas

Vice Principal-Science, Department of Information Technology, SIES (Nerul) College of Arts, Science and Commerce.

ABSTRACT

Artificial Intelligence (AI) has extended its importance in higher education assessment due to its potential to improve efficiency, uniformity, and personalization. Automated grading, adaptive assessment, AI-driven feedback, and learning analytics are a few of the instructional and administrative benefits of AI-based assessment models. Both the advantages and disadvantages of the primary AI-based evaluation models utilized in higher education are critically examined in this conceptual and comparative study. The study evaluates different approaches in terms of instructional efficiency, fairness, faculty roles, and ethical governance, drawing on previous research. The investigation shows that although AI improves feedback speed and scalability, it also poses threats like diminished human judgment, and data privacy issues. The study comes to the conclusion that responsible and efficient assessment procedures require a balanced and hybrid human-AI approach.

Keywords: Artificial Intelligence, Academic Assessment, Comparative Analysis, Advantages, Drawbacks, Higher Education

1. INTRODUCTION

In higher education, assessment plays a crucial role in both measuring student progress and directing instructional decisions. However delayed feedback, and limited scalability are common criticisms of traditional assessment methods. As a result, in order to facilitate personalized learning and automate evaluation, higher education institutions are progressively implementing AI-based assessment systems (Luckin et al., 2016).

Real-time feedback, uniformity, and quick grading are just a few benefits of AI-enabled assessment models. However, academics warn that an over-reliance on AI could threaten ethical accountability, instructional depth, and openness (Williamson & Eynon, 2020). Few research offers a comparative analysis of the benefits and downsides of various AI-based assessment models, despite the fact that existing studies address particular advantages or obstacles. This study uses a qualitative comparative analysis to close this gap

2. REVIEW OF LITERATURE

According to research, AI can increase assessment efficiency and uniformity by automating repetitive grading processes (Heffernan & Heffernan, 2014). According to Shute and Rahimi (2017), adaptive assessment approaches are commended for promoting learner engagement and tailored learning paths. Similarly, it has been demonstrated that AI-driven feedback systems improve formative learning by providing prompt and focused feedback (Hattie & Timperley, 2007).

On the contrary side, research also reveals serious disadvantages. If training data is not representative, algorithmic bias may compromise fairness (Selwyn, 2022). Explain ability and trust are issues when AI decision-making is opaque (Holmes et al., 2019). Although useful for prediction and intervention, learning analytics models raise ethical concerns about student surveillance and data privacy (Siemens & Long, 2011).

According to the literature, AI in evaluation offers efficiency and customization but also has ethical and pedagogical vulnerabilities. To assess these trade-offs, a comparative approach is crucial.

3. METHODOLOGY

This study embraces a **conceptual, qualitative comparative research design** based entirely on secondary sources.

Methodological Approach:

- Review of peer-reviewed literature research paper on AI-based assessment
- Identification of AI assessment models
- Development of evaluation dimensions aiming on **advantages and drawbacks**
- Explanatory synthesis of findings

4. AI-BASED ASSESSMENT MODELS CONSIDERED

The study compares four commonly discussed AI-based assessment models:

1. Automated Grading Model (AGM)
2. Adaptive Assessment Model (AAM)
3. AI-Driven Formative Feedback Model (AFFM)
4. Learning Analytics-Based Assessment Model (LABAM)

5. COMPARATIVE ANALYSIS: ADVANTAGES AND DRAWBACKS

Table 1: Comparative Analysis of Advantages and Drawbacks of AI-Based Assessment Models

Model	Key Advantages	Major Drawbacks
Automated Grading Model	Better efficiency; consistency in scoring; reduced workload amongst faculty	Limited assessment of creativity and critical thinking, lack of transparency
Adaptive Assessment Model	Enhanced learner engagement, personalized instruction, and analytical skills	Infrastructure dependence, complicated design, and the potential for bias in adaptive paths
AI-Driven Feedback Model	Timely formative feedback, scalability, and support for self-regulated learning	Learner over-reliance, generic feedback, and less teacher mediation
Learning Analytics Model	Data-driven decision making	Predictive errors, surveillance and privacy concerns, data quality dependency, predictive errors

6. DISCUSSION

Each AI-based assessment model has unique benefits and drawbacks, as the comparison analysis shows. Higher-order cognitive skills are difficult for automated grading algorithms to grasp, despite their exceptional efficiency. Although adaptive assessment improves personalization, poorly constructed algorithms may accidentally promote learning disparities.

Formative assessment is strengthened by AI-driven feedback models, but when overused, they run the risk of diminishing learner autonomy. While learning analytics models aid in institutional decision-making, they also pose significant ethical questions about student privacy and data governance.

The most noticeable trade-off in all models is between educational depth and efficiency, highlighting the necessity of human supervision and contextual judgment.

7. CONCLUSION

This comparative analysis shows that there are a number of noteworthy benefits and downsides associated with AI-based evaluation models in higher education. AI raises issues with fairness, transparency, ethics, and the changing role of educators even as it improves efficiency, scalability, and feedback timeliness. The study comes to the conclusion that rather than taking the role of human judgment, AI should serve as a helpful tool. The most sustainable course of action is a hybrid, human-centered evaluation strategy that combines educational knowledge with AI capabilities. Future studies should investigate policy frameworks for the ethical adoption of AI.

REFERENCES (APA STYLE)

- Hattie, J., & Timperley, H. (2007). The power of feedback. *Review of Educational Research*, 77(1), 81–112.
- Heffernan, N. T., & Heffernan, C. L. (2014). The ASSISTments ecosystem. *International Journal of Artificial Intelligence in Education*, 24(4), 470–497.
- Holmes, W., Bialik, M., & Fadel, C. (2019). *Artificial intelligence in education: Promises and implications for teaching and learning*. Center for Curriculum Redesign.
- Luckin, R., Holmes, W., Griffiths, M., & Forcier, L. B. (2016). *Intelligence unleashed: An argument for AI in education*. Pearson.
- Selwyn, N. (2022). *Should robots replace teachers? AI and the future of education*. Polity Press.

-
- Shute, V. J., & Rahimi, S. (2017). Review of computer-based assessment for learning. *Journal of Computer Assisted Learning*, 33(1), 1–19.
 - Siemens, G., & Long, P. (2011). Penetrating the fog: Analytics in learning and education. *EDUCAUSE Review*, 46(5), 30–40.
 - Williamson, B., & Eynon, R. (2020). Historical threads and future directions of AI in education. *Learning, Media and Technology*, 45(3), 223–235.

AI-POWERED STUDY BUDDY FOR STUDENTS WITH LEARNING DISABILITIES

Muskan Pawane

Student, SIES (Nerul) College of Arts Science and Commerce

Student Researcher, Assistive Learning Technology Project

ABSTRACT

This research paper proposes an AI-based assistive learning application titled AI-Powered Study Buddy, designed to help students with learning disabilities understand and revise academic notes effectively. Learning disabilities such as dyslexia, dysgraphia, auditory processing disorder, ADHD, and slow cognitive learning impact a student's ability to read, comprehend, and retain information from traditional study material. The proposed system introduces a multimodal learning pipeline where students can capture an image of notes, extract text using Optical Character Recognition (OCR), and generate simplified summaries using NLP transformer models. The summarized content is then converted into natural voice using Text-to-Speech (TTS) to support auditory learning. To further enhance understanding, the tool generates AI-assisted concept diagrams such as flow charts, mind maps, and labeled visual structures. The system also produces auto-generated quizzes using active recall methodology, helping students reinforce retention through repeated practice. This study highlights the need for inclusive AI tools in education that combine visual, auditory, and interactive learning techniques into a single platform. The expected outcome of the system is improved comprehension, reduced learning stress, better knowledge recall, and increased study independence among students with special learning needs.

Index Terms: *Assistive AI, OCR, NLP Summarization, Text-to-Speech, Learning Disabilities, Active Recall Quizzes, AI-Generated Diagrams, Inclusive Learning*

INTRODUCTION

Learning disabilities affect nearly 10–15% of students worldwide, yet most academic learning tools are built for neurotypical learning patterns, ignoring accessibility needs. Students with learning disabilities face major obstacles including:

- Difficulty decoding long or complex sentences
- Challenges in reading handwritten or printed notes
- Sensory overload when studying dense paragraphs
- Distractions and reduced attention span (common in ADHD)
- Low retention due to passive learning techniques
- Struggles with visualization and conceptual linking

With rapid advancement in AI, new learning systems can be built to process academic information in formats that suit diverse learning needs. This paper proposes a study companion that:

- Converts physical notes into digital readable content
- Summarizes content into easy, student-friendly language
- Reads aloud to reduce reading fatigue
- Uses diagram-based explanations for cognitive support
- Creates quizzes for active engagement
- Offers a personalized, stress-free learning experience

This research focuses on solving a real social and academic challenge by designing an ethical and assistive AI system that supports inclusive education, improves confidence, and enhances the learning journey for students who learn differently.

2. REVIEW OF LITERATURE**2.1 Learning Disabilities and Multimodal Learning**

Research demonstrates that students with dyslexia show improved comprehension when text is rewritten into simple vocabulary and shorter sentences. Auditory learning via TTS improves engagement and reduces reading

exhaustion. Students with ADHD benefit from interactive learning and short quiz-based revisions rather than long reading sessions. Multimodal learning involving visual + audio + activity improves knowledge recall significantly.

2.2 OCR-Based Educational Assistance

OCR technology helps convert handwritten or printed notes into readable text, enabling students to study without manually typing content. OCR combined with AI creates more accessible revision opportunities, especially for students who struggle with writing disabilities like dysgraphia.

2.3 NLP Summarization in Special-Needs Education

Transformer-based NLP models can condense large text into summarized learning content. However, existing summarizers lack a special-needs focused simplification layer, meaning they shorten text but do not simplify vocabulary for learning-impaired users.

2.4 Text-to-Speech for Dyslexic and Visually-Strained Learners

TTS has been proven to assist learners who struggle with visual reading. Students process audio summaries faster and retain more when combined with revision tools.

2.5 Active Recall Quizzes for Retention Improvement

Studies prove that active recall learning through quizzes increases memory retention, especially in students with cognitive learning delays. AI-generated MCQs help users revise frequently without dependency on manual question creation.

Research Gap Identified

There is no single educational tool that integrates:

- ✓ OCR note capture
- ✓ Simple language summarization
- ✓ Audio learning through TTS
- ✓ AI diagram generation
- ✓ Automated quizzes

This project bridges the gap by merging all accessibility supports into one learning ecosystem. 3.

METHODOLOGY

3.1 Technology Stack

Component	Technology	Rationale
Front-End/Deployment	Streamlit (Python)	Allows for fast development of interactive web applications entirely within the Python ecosystem, simplifying deployment and integration with the backend NLP models.
Input Acquisition (Image)	Tesseract OCR (Python Wrapper)	High-accuracy, open-source solution for character recognition, critical for digitizing handwritten notes and image-based PDFs.
Text Simplification/Summarization	HuggingFace Transformers (BART / PEGASUS)	State-of-the-art deep learning models for abstractive summarization, ensuring high quality and coherent text rewriting necessary for cognitive load reduction.
Quiz Generation (AQG)	SpaCy (NLP Library)	Efficient, production-grade library for core NLP tasks (POS tagging, NER, Dependency Parsing), essential for rule-based keyword and question extraction.
TTS/Audio Narration	gTTS (Google Text to-Speech) API Wrapper	Provides high-quality, natural sounding audio synthesis, crucial for reducing reading fatigue.
Data Flow	Python (Pandas/JSON)	Used to manage the flow of text data (tokenization, sentence splitting) between the processing modules.

3.2 System Workflow

1. Student captures a photo of notes
2. OCR extracts text from the image
3. AI generates a simplified summary
4. Summary is read aloud using TTS
5. AI produces visual diagrams
6. Quiz module generates MCQs
7. Student attempts quiz for reinforcement

3.3 Learning Reinforcement Approach

- Auditory learning reduces reading fatigue
- Visual diagrams support cognitive linking
- Quizzes enable active recall
- Simple summaries reduce cognitive overload

4. PROPOSED SYSTEM DESIGN**4.1 Design Philosophy**

- Accessibility First
- Minimal user stress
- Independent study support
- Multisensory learning
- Local processing to maintain privacy
- Ethical AI usage for inclusive education

4.2 Application UI Flow**A. Home Screen**

- Start note scanning
- Enable audio summary
- View diagram section
- Access quiz module

B. Learning Screen

- Displays simplified summary
- Plays audio using TTS
- Option to repeat audio

C. Visualization Screen

- Shows AI-generated diagrams
- Labeled concept maps
- Flowchart summaries

D. Quiz Screen

- Auto-generated MCQs
- Instant results
- Option to regenerate quiz for practice

5. EXPECTED RESULTS

This system is expected to:

- Improve comprehension by simplifying vocabulary
- Reduce reading stress using audio summaries
- Improve retention via AI-generated quizzes
- Enhance conceptual clarity using AI diagrams
- Help students study without external dependency
- Increase confidence and engagement in learning-disabled students

6. FUTURE SCOPE

Enhancements may include:

- Personalized learning pace adjustment
- Real-time performance-based quiz difficulty
- Gamification for improved engagement
- Offline mobile deployment
- More diagram styles like cycle maps and storyboard summaries
- Emotion-aware distraction detection for ADHD learners

7. CONCLUSION

The AI-Powered Study Buddy presents a realistic and impactful assistive learning system that transforms traditional notes into accessible, multimodal study material. By integrating OCR, NLP simplification, Text-to-Speech, diagram visualization, and quiz-based revision, the system supports students who struggle with conventional study patterns. This project demonstrates that AI can go beyond automation and actively contribute toward ethical, human-centered, and inclusive educational design, empowering students with learning disabilities to study with confidence, clarity, and independence.

8. ACKNOWLEDGEMENT

I extend heartfelt gratitude to mentors, educators, and peers who continuously support innovation in inclusive education. Special thanks to friends who provided feedback on assistive learning needs. This project reflects my commitment to designing ethical AI tools that empower students with learning challenges.

9. REFERENCES (Genuine APA style)

- Rello, L., & Baeza-Yates, R. (2017). Good Fonts for Dyslexia, ACM
- Snowling, M.J. (2019). Dyslexia: A Very Short Introduction, Oxford
- Zhang et al. (2022). AI-Generated Quiz Learning, Journal of EdTech
- Wood et al. (2021). TTS for Dyslexic Learners, Assistive Tech

SKIN DISEASE DETECTION USING CONVOLUTIONAL NEURAL NETWORK

Ms. Dipti Ashok Patil and Mrs. Samidha Chandvekar

C. K. T. College, New Panvel

ABSTRACT

Skin diseases are very common around the world, and getting them diagnosed early is important to avoid serious health issues. Right now, doctors diagnose these diseases by looking at them, but this method can be tricky because it depends on the doctor's experience and takes time. Plus, it's not always easy to find doctors in areas that are far away. With new technology in deep learning and medical image analysis, it's now possible to use digital images to detect skin diseases automatically. This helps in getting faster and more accurate results.

The proposed system, "Skin Disease Detection Using Convolutional Neural Network (CNN)", aims to create an intelligent system that can quickly identify various skin diseases from special skin images called dermoscopic images. A CNN model was trained using a dataset known as HAM10000. This model can automatically find important features in the images and predict the type of disease with a high level of accuracy. The trained model is used in a mobile app that uses Flask API and React Native, allowing users to take or upload a picture and get real-time results along with confidence scores. This helps people understand their skin condition better and get quick medical advice. It is especially helpful in places where it's hard to find a dermatologist.

This project shows how deep learning can make a big difference in treating skin diseases and supports both individuals and doctors in diagnosing problems early. Future improvements might include using the cloud, scanning images with a phone camera, and connecting with doctors online to make healthcare more accessible.

Keywords - Skin Disease Detection, Convolutional Neural Network, Deep Learning, Medical Image Classification, HAM10000 Dataset, Mobile Health Application, Flask API, React Native, AI in Dermatology, Early Diagnosis.

INTRODUCTION

Skin diseases affect millions of people all over the world, and early detection is very important to prevent them from getting worse. Usually, dermatologists check skin conditions with their eyes, using tools like dermoscopy, but this process can be influenced by a doctor's skills and can lead to delays in diagnosis. Often, similar skin patterns can be hard to tell apart, even for experienced doctors.

In recent years, advancements in artificial intelligence, especially deep learning, have made it possible to analyze medical images more effectively. Convolutional Neural Networks (CNNs) have proven to be very good at understanding patterns and diagnosing conditions based on images, making it unnecessary to extract features manually. The proposed system uses CNN to classify skin diseases automatically and provide instant results through a mobile app interface.

This research presents a smart and easy-to-use system for early detection of skin diseases, making healthcare more accessible. By combining deep learning, backend services, and mobile app technologies, the system simplifies the screening process, especially for people who live in areas where medical care is limited.

RESEARCH PROBLEM -

Even though skin diseases are becoming more common, diagnosis is still heavily dependent on dermatologists and manual visual checks. The current process has several issues, including:

- Difficulty in accessing dermatologists in remote areas
- Diagnosis being affected by personal opinions and experience
- High cost and time required for tests
- Trouble in telling apart skin conditions that look similar

Because of these challenges, there is a need for an intelligent, automated, and reliable system that can accurately identify skin diseases using digital images and help people get early treatment.

RESEARCH OBJECTIVES -

The goals of this study are:

- To create an automated system for detecting multiple types of skin diseases using deep learning.

-
- To build a CNN model that can extract features from skin images and predict disease types.
 - To develop a mobile app that lets users take or upload images for instant predictions.
 - To evaluate the model's performance using accuracy and confidence scores.
 - To provide an easy-to-use tool that supports early diagnosis, especially in rural areas.

RESEARCH METHODOLOGY -

This research follows a structured approach that includes building a deep learning model and integrating it with a mobile app.

1. Data Collection

The HAM10000 dataset (which contains 10,000 labeled images) is used for training the model. It includes images of various pigmented skin lesions.

2. Data Pre-Processing

Steps like resizing images, normalizing values, removing noise, and adding variation through rotation, zooming, and flipping help to handle uneven data.

3. Model Development

A CNN architecture is created, consisting of:

- Layers for extracting features from images
- Layers for reducing image dimensions
- Layers for making final predictions
- Activation functions for multi-class outputs

4. Prediction Phase

When a new image is uploaded to the app, the model processes it to:

- Identify which skin disease it is
- Show a confidence score indicating how certain the prediction is

5. Deployment

The backend of the app is built using Flask API, while the user interface is created with React Native.

Proposed System -

The system helps in automatically classifying skin diseases based on uploaded or captured images. It has several features:

- User registration and login
- Upload or take a picture of the affected area
- Get prediction results and confidence scores
- View advice or precautions related to the detected disease

By combining CNN classification with mobile-based healthcare, the system offers fast and reliable initial diagnosis, encouraging people to seek timely medical care.

System Architecture / Flow of System -

The workflow of the system is as follows:

- A user opens the mobile app and logs in
- They take or upload a picture of the affected area
- The image is sent to the Flask backend
- The CNN model analyzes the image and predicts the disease
- The user sees the prediction result and confidence score
- Optional instructions or precautions are shown

ADVANTAGES OF PROPOSED SYSTEM -

- Accurate and automatic disease detection
- No need for dermatological knowledge or manual analysis
- Easy-to-use mobile interface with instant results
- Accessible to remote areas where specialists are unavailable
- Supports early diagnosis and quicker medical support

RESULT AND DISCUSSION -

The CNN model was trained and tested on the HAM10000 dataset, showing high performance in disease classification. The system can detect multiple disease types with high confidence. When combined with a mobile app, it improves usability and provides real-time diagnosis support. The results show how deep learning can change the way skin diseases are diagnosed, making it more accessible and efficient.

CONCLUSION -

The project "**Skin Disease Detection Using Convolutional Neural Network**" demonstrates how deep learning can improve dermatological screening. The system uses a trained CNN model to give fast and reliable predictions through a mobile platform, allowing users to get quick awareness about their skin condition. It supports early diagnosis, helps in making informed decisions, and lessens the need for in-person doctor visits, making healthcare more accessible for everyone.

FUTURE ENHANCEMENT -

If the usability and functionality of the system were to be improved, the following upgrades would be applicable:

Increase the training data set for more proper classifications

- Real-time camera detection without upload of images
- Cloud deployment for large-scale accessibility & Cross Platform Deployment
- Tele-consultation and doctor-booking services through the application

REFERENCES

- [1] P. N. Srinivasu *et al.*, "Classification of Skin Disease Using Deep Learning Neural Networks with MobileNet V2 and LSTM," *Sensors*, 2021.
- [2] A. Esteva *et al.*, "Dermatologist-Level Classification of Skin Cancer with Deep Neural Networks," *Nature*, 2017.
- [3] P. Tschandl, C. Rosendahl, and H. Kittler, "The HAM10000 Dataset: A Large Collection of Multi-Source Dermatoscopic Images of Common Pigmented Skin Lesions," *Scientific Data*, 2018.
- [4] M. A. Albahar, "Skin Lesion Classification Using CNN Pretrained on ImageNet," *Journal of Healthcare Engineering*, 2019.
- [5] A. A. Adegun and S. Viriri, "Deep Learning for Skin Lesion Analysis and Melanoma Detection," *Artificial Intelligence Review*, 2021.
- [6] J. Mohan *et al.*, "Enhancing Skin Disease Classification Leveraging Transformer-Based Deep Learning Architectures and XAI," 2024.
- [7] M. M. Rahman *et al.*, "Skin Disease Detection Using Deep Learning and Convolutional Neural Network," *International Journal of Advanced Computer Science and Applications (IJACSA)*, 2022.
- [8] K. He, X. Zhang, S. Ren, and J. Sun, "Deep Residual Learning for Image Recognition," *Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, 2016.
- [9] Y. LeCun, Y. Bengio, and G. Hinton, "Deep Learning," *Nature*, 2015.
- [10] O. Ronneberger, P. Fischer, and T. Brox, "U-Net: Convolutional Networks for Biomedical Image Segmentation," *MICCAI*, 2015.
- [11] G. Litjens *et al.*, "A Survey on Deep Learning in Medical Image Analysis," *Medical Image Analysis*, 2017.

-
- [12] A. Krizhevsky, I. Sutskever, and G. E. Hinton, "ImageNet Classification with Deep Convolutional Neural Networks," *Advances in Neural Information Processing Systems (NIPS)*, 2012.
 - [13] S. Han, J. Pool, J. Tran, and W. Dally, "Learning Both Weights and Connections for Efficient Neural Networks," *NIPS*, 2015.
 - [14] F. Chollet, "Xception: Deep Learning with Depthwise Separable Convolutions," *CVPR*, 2017.
 - [15] H. Shin *et al.*, "Deep Convolutional Neural Networks for Computer-Aided Detection: CNN Architectures, Dataset Characteristics and Transfer Learning," *IEEE Transactions on Medical Imaging*, 2016.

ROLE OF IOT IN SMART CITIES SURVEY BASED RESEARCH

Mr. Abhishek Yuvraj Shedge and Prof. Ms. N. H. Patil

Department of MSc. Information Technology JBSP Sanstha's Changu Kana Thakur College of Arts Commerce and Science college new panvel (empowered autonomous).

ABSTRACT

The Internet of Things (IoT) plays a transformative role in the development of smart cities by enabling the integration of digital technologies with urban infrastructure. IoT connects devices, sensors, and systems through the internet to collect, analyze, and exchange real-time data, thereby enhancing the efficiency, sustainability, and quality of urban life. In smart cities, IoT facilitates intelligent transportation systems, efficient energy management, waste reduction, water conservation, and improved public safety through data-driven decision-making. Additionally, IoT supports smart governance by providing transparent and responsive public services. This paper explores the architecture, applications, and benefits of IoT in smart cities, along with the challenges such as data security, privacy concerns, and interoperability issues. The study concludes that IoT is a key enabler of urban innovation and sustainability, driving cities toward a more connected, efficient, and citizen-centric future.

INTRODUCTION

In recent years, the concept of **Smart Cities** has emerged as a key solution to the rapid urbanization and growing population challenges faced by modern societies. A Smart City leverages advanced technologies to enhance the quality of life for its citizens, improve urban infrastructure, optimize resource management, and ensure sustainable development. Among these technologies, the **Internet of Things (IoT)** plays a pivotal role in transforming conventional cities into intelligent, data-driven ecosystems. The **Internet of Things (IoT)** refers to a network of interconnected devices and sensors that communicate and exchange data over the internet. These devices collect real-time information about various aspects of urban life—such as traffic flow, air quality, energy consumption, waste management, and public safety. The integration of IoT in smart city infrastructure enables city administrators to make informed decisions, predict future demands, and deliver efficient public services.

Through IoT-enabled systems, cities can monitor and control utilities like water and electricity, manage traffic congestion, enhance waste collection efficiency, and ensure environmental sustainability. Furthermore, IoT supports citizen engagement by providing smart applications for transport, healthcare, and governance. Therefore, IoT acts as the **digital backbone** of smart cities, driving innovation and ensuring a more connected, safe, and sustainable urban environment.

EXISTING SYSTEM:

In the existing urban infrastructure, most city operations and public services are managed through **traditional, non-automated systems** with limited interconnectivity. Data collection and monitoring are often performed **manually**, leading to **inefficient decision-making, delayed responses, and higher operational costs**. For example, traffic management relies on fixed-time signals instead of real-time adaptive control, waste collection follows static schedules rather than actual bin-fill levels, and energy systems lack integrated monitoring for optimizing power usage. Similarly, water distribution and public safety systems operate independently without sharing real-time data across departments.

These challenges highlight the need for **smart, connected solutions** using Internet of Things (IoT) technologies that can collect, analyze, and share data automatically across different sectors to make cities more efficient, sustainable, and livable.

BENEFITS:-

- Smart Infrastructure Management
- Smart Traffic and Transportation
- Smart Energy Management
- Waste Management
- Smart Water Management
- Public Safety and Security

Key Concepts Associated with IoT in Smart Cities:**1. Smart Infrastructure**

IoT supports the development of **intelligent buildings, roads, and utilities** equipped with embedded sensors. These help in monitoring conditions like traffic flow, structural health, and energy usage to ensure safety and efficiency.

2. Connected Transportation

IoT enables **smart traffic management systems** that use sensors and GPS data to reduce congestion, optimize routes, and enhance public transportation efficiency. Examples include **smart parking, automated tolling, and vehicle-to-infrastructure (V2I)** communication.

3. Smart Energy Management

IoT devices monitor and control energy consumption in homes, offices, and street lighting systems. **Smart grids** and **smart meters** enable efficient energy distribution, reduce wastage, and integrate renewable energy sources.

4. Waste Management

IoT-enabled **smart bins** and tracking systems monitor waste levels, optimize collection routes, and improve recycling efficiency, thus contributing to cleaner urban environments.

5. Water and Air Quality Monitoring

Sensors measure **pollution levels, water quality, and weather conditions** in real-time. This data supports quick responses to environmental hazards and policy planning for sustainability.

6. Public Safety and Surveillance

IoT supports **smart surveillance, emergency response systems, and disaster management** by connecting cameras, sensors, and communication networks to ensure rapid action during incidents.

7. Citizen Engagement

Mobile apps and IoT platforms provide citizens with **real-time updates** on city services, enabling participatory governance and improved satisfaction.

LIMITATIONS:

Despite its advantages, IoT implementation in smart cities faces several limitations. One major concern is **data security and privacy**, as the vast amount of connected devices increases the risk of cyberattacks and unauthorized data access. **High implementation costs** and maintenance expenses make it difficult for developing cities to adopt IoT infrastructure. Additionally, **lack of standardization and interoperability** between devices from different manufacturers creates integration challenges. **Network dependency** can also cause disruptions if connectivity fails. Moreover, the massive data generated requires robust data management and storage systems, which many cities struggle to maintain. Lastly, **public awareness and digital literacy** are essential for successful adoption, yet they often remain low.

To overcome the Above Limitations:-


- Efficient Resource Management:
- Smart Traffic Control
- Waste Management
- Environmental Monitoring
- Public Safety and Security
- Smart Energy Systems
- Healthcare and Emergency Services
- Smart Parking Systems
- Data-Driven Decision Making
- Citizen Engagement

LITERATURE REVIEW:

- 1. IoT in Smart Cities: A Survey of Technologies, Practices and Challenges (2015):**Authors: early survey of IoT for smart cities. MDPIThe paper lays out IoT architecture in a smart city context, covers sensing/communication technologies, applications (transport, energy, waste, etc.), and technical challenges (security, interoperability, data management). MDPI
- 2. Smart Cities — A Structured Literature Review (2020):**A broader review of smart cities (not limited to IoT) but emphasising digital technologies, communication, data analytics and service efficiency. Covers definitions, advantages/disadvantages, implementation challenges (technical, financial, legal, social/cultural).
- 3. IoT-based Smart Cities: A Bibliometric Analysis and Literature Review (2022):**This work carries out a bibliometric analysis and review of IoT-based smart city research, identifying main research directions and trends. ResearchGateIt helps you understand which themes (for example transport, energy, environment, waste) dominate IoT-smart-city research, and which are less developed.
- 4. A Review of IoT-Based Smart City Development and Management (2024):**Zaman, Puryear, Abdelwahed, Zohrabi, etc.
ResearchGate+1Comprehensive review focusing on IoT-based management in smart cities: generic architectures, metrics for success, standards, and real-world applications with challenges. MDPI+1
- 5. Sensors on Internet of Things Systems for the Sustainable Development of Smart Cities (2022):**Systematic review of how IoT sensors contribute to sustainable development in smart cities (domains like transportation, communities, disaster-management, etc.). PMCCContributiShows how sustainability (often environmental + resource efficiency) is a core dimension in IoT smart-city research.

RESEARCH OBJECTIVES:-

- **To analyze the role of the Internet of Things (IoT)** in improving urban infrastructure, transportation, energy management, and public services within smart cities.
- **To identify key IoT technologies and applications** that contribute to the development and efficient functioning of smart cities.
- **To evaluate the impact of IoT-based systems** on sustainability, resource optimization, and quality of life in urban areas.
- **To study challenges and risks** associated with IoT implementation in smart cities, including data privacy, cybersecurity, and interoperability issues.
- **To assess the level of awareness and adoption**


RESEARCH METHODOLOGY:-**1) Sample Design:**

2) Data Collection:-

1. What is a key benefit of IoT solutions for urban residents? 2. Which challenge is commonly faced when implementing IoT in cities?
3. Which of the following cities is recognized for its smart transportation systems?
4. What type of technology is often used in smart grids for energy management?
5. How can IoT technologies enhance environmental monitoring in smart cities?
6. Which of the following best describes the "digital divide"?
7. What is a significant advantage of using IoT for public safety in smart cities?
8. Which technology is often integrated with IoT to analyze large datasets?
9. What role do city planners play in the implementation of IoT technologies?
10. What is one of the key functions of smart traffic management systems?


3) Data Analysis:-

1. What is a key benefit of IoT solutions for urban residents?
10 responses



According to the survey, **60% of respondents** believed that IoT provides **better transportation and mobility**, while **20%** mentioned **improved public safety** and **23%** highlighted **enhanced healthcare and convenience** as key benefits.


2. Which challenge is commonly faced when implementing IoT in cities?
10 responses



Survey findings show that **50% of respondents** identified **data privacy and security** as the main challenge, followed by **30%** citing **high implementation cost**, and **20%** noting **lack of technical expertise**.

3. Which of the following cities is recognized for its smart transportation systems?


10 responses



From the responses, **60%** of participants selected **Singapore**, **20%** chose **Barcelona**, and **10%** identified **Amsterdam** as leading examples of IoT-based transportation innovation.

4. What type of technology is often used in smart grids for energy management?


10 responses



The survey revealed that **50%** of respondents were aware of the use of **IoT sensors and smart meters**, while **20%** mentioned **AI-based predictive analytics**, and **10%** referred to **cloud-based monitoring systems**.

5. How can IoT technologies enhance environmental monitoring in smart cities?


10 responses



According to **60% of respondents**, IoT helps **track air and water quality** in real time. Additionally, **20%** mentioned **waste management optimization**, and **10%** cited **noise and pollution control**.

6. Which of the following best describes the "digital divide"?

10 responses



Survey results indicate that **40%** understood the digital divide as **unequal access to digital technologies**, **40%** saw it as **limited internet connectivity**, while **20%** viewed it as a **gap in digital literacy** among citizens.

7.What is a significant advantage of using IoT for public safety in smart cities?


10 responses



Around **70% of respondents** agreed that IoT enables **real-time surveillance** and emergency alerts, **20%** cited **faster emergency response times**, and **10%** mentioned **crime prediction through data analytics**.

8.Which technology is often integrated with IoT to analyze large datasets?


10 responses



Survey data shows **70% of respondents** identified **Artificial Intelligence (AI)**, **10%** mentioned **Big Data Analytics**, and **10%** noted **Cloud Computing** as commonly integrated technologies.

9.What role do city planners play in the implementation of IoT technologies?


10 responses



According to the survey, **50%** stated that city planners **design data-driven urban policies**, **40%** said they **coordinate IoT infrastructure**, and **10%** believed they **ensure community participation and sustainability**.

10. What is one of the key functions of smart traffic management systems?

9 responses



Survey responses revealed that **33.3%** of participants believed smart traffic systems **reduce congestion through adaptive signals**, **33.3%** said they **improve road safety**, and **22.2%** mentioned **reducing fuel consumption and emissions**.

RESULT AND DISCUSSION

The study on the role of the Internet of Things (IoT) in smart cities reveals that IoT technologies play a crucial role in transforming urban areas into more efficient, sustainable, and citizen-friendly environments. The results indicate that IoT enables real-time monitoring and management of city infrastructure, such as traffic systems, energy grids, water supply, and waste management. Through interconnected sensors and devices, city administrators can gather accurate data to make informed decisions and optimize resource utilization. For instance, smart traffic lights connected via IoT help reduce congestion and minimize fuel consumption, contributing to lower air pollution levels. In the energy sector, IoT-based smart meters allow for better energy distribution and monitoring of consumption patterns, promoting energy efficiency.

Furthermore, the study highlights how IoT applications improve public safety through surveillance systems, emergency response mechanisms, and environmental monitoring. Smart waste bins equipped with sensors alert authorities when they need emptying, thus enhancing cleanliness and operational efficiency. The integration of IoT in healthcare facilities within smart cities also allows remote health monitoring and emergency alerts, improving citizens' quality of life. Respondents in the study expressed high satisfaction with the convenience and transparency provided by IoT-enabled services, although concerns about data privacy and network security remain significant.

CONCLUSION

The Internet of Things (IoT) plays a pivotal role in the development and functioning of smart cities by enabling seamless connectivity, real-time data collection, and efficient management of urban infrastructure. Through IoT-based systems, cities can optimize resources, reduce energy consumption, enhance public safety, improve transportation, and ensure better waste and water management. By integrating sensors, devices, and communication networks, IoT fosters data-driven decision-making, leading to more sustainable and livable environments. In essence, IoT serves as the backbone of smart cities, transforming traditional urban areas into intelligent ecosystems that enhance the quality of life for citizens while promoting economic growth and environmental responsibility.

REFERENCES

1. Zanella, A., Bui, N., Castellani, A., Vangelista, L., & Zorzi, M. (2014). *Internet of Things for Smart Cities*. IEEE Internet of Things Journal, 1(1), 22–32. University of Padua Research
2. Atzori, L., Iera, A., & Morabito, G. (2010). *The Internet of Things: A survey*. Computer Networks, 54(15), 2787–2805. ScienceDirect
3. Bellini, P., Cenni, D., Nesi, P., & Salimbeni, S. (2022). *IoT-Enabled Smart Cities: A Review of Concepts*. Applied Sciences. MDPI
4. Janani, R. P., et al. (2021). *IoT in smart cities: A contemporary survey*. (Contemporary survey paper covering enabling tech & use-cases). ScienceDirect
5. Ashraf, S., et al. (2021). *A proactive role of IoT devices in building smart cities*. (Discussion on sensor roles and data flows in urban settings). ScienceDirect
6. Ismagilova, E., et al. (2020). *Security and Privacy in Smart Cities: Challenges and Opportunities*. International Journal of Information Management / review (security & privacy literature synthesis). PMC
7. Belli, L., & colleagues (2020). *IoT-Enabled Smart Sustainable Cities: Challenges and innovations (Parma case)*. MDPI Smart Cities / Sensors special issue. MDPI

-
8. Bashir, M. R., et al. (2022). *A Reference Architecture for IoT-Enabled Smart Buildings*. SN Computer Science / Springer (reference architecture & scalability). SpringerLink
 9. Martínez-Ballesté, A., Pérez-Martínez, R., & Solanas, A. (2013). *The pursuit of citizens' privacy: a privacy-aware smart city is possible*. (privacy-focused analysis). semanticscholar.org
 10. Cisco. (2014/2015). *SMART CITIES* — Cisco eBook / Smart City Framework / IoE white papers (practical frameworks, industry viewpoint). Cisco+1
 11. Cisco. (2013). *Smart Cities and the Internet of Everything: The foundation for delivering next-generation citizen services* (white paper). Cisco 12. Cisco. (2011). *The Internet of Things — how the next evolution of the internet is changing everything* (IBSG whitepaper). Cisco
 13. European Commission. (n.d.). *Smart Cities — EU policy and initiatives*. (policy & city-performance viewpoint for EU smart-city programs). European Commission
 14. Bhardwaj, V., et al. (2024). *Smart cities and the IoT: an in-depth analysis of global perspectives*. (Springer article synthesizing socio-technical issues). SpringerLink
 15. Omrany, H., et al. (2024). *IoT-enabled smart cities: a hybrid systematic analysis*. (bibliometric + content analysis). SpringerLink
-

IMPACT OF AI FOR HEALTHCARE AND WELL-BEING

Mr. Aadarsh Bhaguram Bhekare and Mrs. Isha S. Thakare

Student, Assistant Professor, Changu Kana Thakur Arts Commerce and Science, Changu Kana Thakur Arts
Commerce and Science, New Panvel New Panvel
adarshbhkare17@gmail.com and isha84210@gmail.com

ABSTRACT

Artificial Intelligence (AI) is changing the way healthcare works by helping doctors and patients in many new ways. This research paper studies how AI can improve healthcare and people's overall well-being. The paper also looks at how AI tools, such as health apps and wearable devices, can help people take care of their health and prevent illness. The study discusses both the benefits and challenges of using AI in healthcare, including issues like data privacy and ethics. Therefore, the study concludes that integrating AI into healthcare not only improves medical outcomes but also supports mental and emotional well-being. The successful adoption of AI technologies requires a balance between innovation, ethical considerations, and human oversight.

1. INTRODUCTION

In recent years, Artificial Intelligence (AI) has become one of the most important technologies in the healthcare field. It is changing how diseases are detected, treated, and managed. AI systems can study large amounts of medical data, find useful patterns, and give insights that help doctors make faster and more accurate decisions. From predicting illnesses to checking patients' health from a distance, AI is making healthcare more effective and focused on patients' needs. AI is also being used outside hospitals and clinics. Smart tools such as health apps, fitness trackers, and virtual assistants help people track their daily habits, mental health, and overall well-being. These tools encourage people to take care of their health by giving instant feedback and personalized suggestions for a healthier lifestyle. In this way, AI not only helps in medical treatment but also supports mental and emotional health. However, using AI in healthcare also creates some challenges. There are concerns about data privacy, security, bias in AI systems, and the proper use of patient information. It is important to balance technology growth with ethical responsibility to build trust and fairness in AI-based healthcare systems. This research aims to study how AI improves healthcare and well-being while also examining the main challenges and future opportunities in this fast-growing field. AI has a big ability to make healthcare easier to access and more affordable for everyone. In many rural and developing areas, there are not enough doctors or hospitals. AI tools like online doctor consultations, smart diagnostic systems, and remote health monitoring devices can help solve this problem. These technologies allow people to get medical help even if they live far from hospitals.

2. LITERATURE REVIEW:

Bajwa, J., et al. (2021) in "*Artificial Intelligence in Healthcare: Transforming the Practice and Delivery of Medicine*" presented an overview of how AI technologies are revolutionizing medical diagnostics and treatment processes. The paper highlighted the key breakthroughs, including predictive analytics, imaging automation, and clinical decision support, while stressing the challenges of regulation, data security, and ethical deployment. [1]

Liu, X., et al. (2019) in "*A Comparison of Deep Learning Performance Against Health-Care Professionals in Detecting Diseases from Medical Imaging: Systematic Review and Meta Analysis*" conducted a large-scale comparison of AI systems and healthcare professionals. The findings revealed that deep learning models can match or even outperform clinicians in disease detection, though data imbalance and validation gaps persist. [2]

Oren, O., et al. (2020) in "*Artificial Intelligence in Medical Imaging: Switching from Proof-of Concept to Real-World Clinical Evaluation*" emphasized the need to transition AI tools from research settings into real-world clinical applications. The authors proposed frameworks for evaluating clinical endpoints, safety, and performance across varied healthcare environments. [3]

Cardoso, M. J., et al. (2022) in "*MONAI: An Open-Source Framework for Deep Learning in Healthcare*" introduced MONAI—a medical imaging AI framework supporting reproducible and collaborative research. The study showcased how MONAI accelerates AI model development and deployment, making healthcare innovation more accessible. [4]

Varoquaux, G., et al. (2022) in “*Machine Learning for Medical Imaging: Methodological Roadblocks and Best Practices*” discussed the biases, overfitting, and reproducibility issues that challenge the adoption of machine learning in clinical imaging. The authors recommended standardized data processing and validation procedures for reliable model generalization. [5]

Ali, O., et al. (2023) in “*A Systematic Literature Review of Artificial Intelligence in the Healthcare Sector*” conducted a comprehensive review of AI’s applications across multiple healthcare domains. The study identified opportunities in predictive diagnosis, remote monitoring, and hospital management but pointed out interoperability and ethical concerns as major obstacles. [6]

Sadeghi, Z., et al. (2024) in “*A Review of Explainable Artificial Intelligence (XAI) in Healthcare*” examined the growing importance of explainability and transparency in AI systems. The authors emphasized that clinicians’ trust and patient safety depend on interpretable models that provide clear, understandable outputs. [7]

Kolbinger, F. R., et al. (2024) in “*Reporting Guidelines in Medical Artificial Intelligence*” compared existing reporting standards and frameworks for medical AI research. They proposed structured guidelines to improve reproducibility, transparency, and regulatory compliance in published AI studies. [8]

Boucher, E. M., et al. (2021) in “*Artificially Intelligent Chatbots in Digital Mental Health: Scoping Review*” analyzed AI-powered mental health chatbots such as *Woebot* and *Wysa*. Their results indicated positive outcomes in emotional regulation and user engagement, demonstrating AI’s growing role in mental health care. [9]

Farzan, M., et al. (2025) in “*AI-Powered Cognitive Behavioral Therapy Tools: Review of Woebot, Wysa, and Youper*” provided an updated review of leading AI-based CBT tools. Their work compared usability, therapeutic design, and evidence-based outcomes, confirming that AI-CBT can enhance accessibility to psychological support. [10]

3. RESEARCH OBJECTIVES

· To study how Artificial Intelligence (AI) is used in the healthcare and well-being sector. · To understand how AI helps in detecting and diagnosing diseases early. · To explore the role of AI in improving patient care and treatment accuracy. · To examine how AI-based tools support mental health and emotional well-being. · To study the challenges and limitations of AI in healthcare systems.

EXISTING SYSTEM

At present, AI is widely used in healthcare to support doctors and patients in different ways. Many hospitals and clinics use AI tools to detect diseases early by studying medical images like X-rays, CT scans, and MRIs. These systems help doctors find problems such as cancer, heart disease, or infections faster and more accurately. AI is also used in patient monitoring systems to track vital signs such as heart rate, blood pressure, and oxygen levels. Wearable devices and health apps, like smartwatches and fitness trackers, allow people to keep track of their daily health activities, sleep patterns, and exercise levels. AI chatbots and virtual assistants are also being used to support mental health by offering emotional help, stress management, and lifestyle advice.

The Concepts Associated with Virtual Assistance:

1. **Health Monitoring and Reminders** – AI-based virtual assistants help patients by reminding them to take medicines, follow treatment plans, and attend medical appointments on time.
2. **Remote Medical Support** – Virtual assistants allow patients to connect with doctors or healthcare providers remotely through chat or voice, reducing the need for frequent hospital visits.
3. **Mental Health Assistance** – AI chatbots like *Wysa* and *Woebot* provide emotional support, stress management tips, and mental well-being guidance through friendly conversations.
4. **Personalized Health Guidance** – These assistants use patient data to offer customized suggestions about diet, exercise, and lifestyle for better physical and mental health.
5. **24/7 Availability** – Unlike human staff, AI virtual assistants are available all the time, offering help whenever patients need information or support.
6. **Data Collection and Analysis** – Virtual assistants record and analyze users’ health data, such as symptoms, sleep patterns, and activity levels, helping doctors make better decisions.

7. **Language and Accessibility Support** – With the help of Natural Language Processing (NLP), AI virtual assistants understand multiple languages and make healthcare services easier to access for everyone.
8. **Cost-Effective Healthcare** – Virtual assistants reduce the cost of routine check-ups and consultations by automating basic tasks and providing digital support.
9. **Patient Engagement and Education** – They educate users about diseases, preventive care, and healthy habits, increasing patient awareness and involvement in their own health.
10. **Integration with Smart Devices** – AI virtual assistants can connect with smartwatches, fitness trackers, and other wearable devices to continuously monitor a person's well-being.

4. RESEARCH METHODOLOGY:


1) Sample Design:




2) Data Collection:

This study uses primary data collected via an online survey (Google Form) designed to measure college students' awareness, usage, perceived benefits, and concerns about AI for healthcare and their impact on well-being. The target population is college students in/around Navi Mumbai, India. Measure familiarity with AI and its healthcare applications. Capture real usage patterns of AI-powered healthcare apps and tools. Assess perceived benefits and risks (privacy, accuracy, trust). Explore perceived impact of AI on mental and physical well-being.


3) Data Analysis:




Interpretation: According to the survey, 41.4% of respondents are somewhat familiar with Artificial Intelligence (AI), 32.2% are very familiar, 19.5% have heard of it but are not sure, and 6.9% are not familiar at all.




Interpretation: According to the survey, 34.5% of respondents have used an AI-based healthcare application sometimes, 31% use them frequently, 29.9% have used them rarely, and 4.6% have never used such applications.




Interpretation: According to the survey, 40.2% of respondents use health apps the most, 23% use fitness trackers like smartwatches, 23% prefer chatbots for mental health, and 13.8% do not use any AI health tools.




Interpretation: According to the survey, 33.3% of respondents said AI tools definitely encourage lifestyle, 32.2% said they do so sometimes, another 32.2% rarely feel encouraged, and 2.3% said AI tools do not encourage them at all.




Interpretation: According to the survey, 50.6% of respondents agree that AI makes healthcare more accessible for people in remote areas, 23% strongly agree, 20.7% disagree, and 5.7% strongly disagree.



Interpretation: According to the survey, 35.6% of respondents completely trust AI-based health suggestions and reports, 33.3% trust them to some extent, 27.6% are not sure, and 3.5% do not trust them at all.



Interpretation: According to the survey, 58.6% of respondents feel somewhat comfortable sharing their health data with AI systems, 24.1% are very comfortable, 11.5% are uncomfortable, and 5.7% are very uncomfortable.



Interpretation: According to the survey, 42.5% of respondents think AI maybe can replace human doctors in the future, 24.1% think it can, 17.2% are not sure, and 16.1% think it cannot.

5. RESULT AND DISCUSSION:

These results demonstrate that awareness and understanding of AI are relatively widespread among the surveyed participants, most of whom belong to a college-educated population. The responses also reflect an increasing exposure to AI-related technologies through social media, education, and personal use of smart devices or healthcare applications.

These findings indicate that a significant majority of respondents (over 95%) have had at least some experience with AI-enabled healthcare platforms. This reflects the growing reach and influence of AI technologies in personal health management, particularly among younger and more digitally aware populations.

These findings indicate that health-related mobile applications are the most accessible and widely adopted form of AI technology in healthcare among users. Examples may include calorie trackers, symptom checkers, medication reminders, and AI-based diagnostic tools. The data also shows a balanced usage pattern between physical health (via fitness trackers) and mental health (via chatbots), reflecting the growing acceptance of AI across multiple dimensions of personal well-being.

This shows that a large majority of respondents (about 65.5%) perceive AI tools as having at least some level of positive impact on encouraging healthier behaviors. The data reflects that AI-driven platforms—such as fitness apps, diet planners, sleep monitors, and mental wellness chatbots—are increasingly being recognized as supportive tools for maintaining and improving overall well-being.

These results reflect an overall optimistic view of AI's potential to extend healthcare services beyond urban centers through innovations such as telemedicine platforms, AI-powered diagnostics, virtual consultations, and remote health monitoring systems.

CONCLUSION:

The use of Artificial Intelligence (AI) in healthcare has improved diagnosis accuracy and treatment efficiency. AI tools help in early disease detection and provide faster decision making for doctors. Wearable devices and health apps encourage people to monitor their fitness and mental health regularly. AI has made healthcare more accessible, especially through telemedicine and remote consultations.

However, issues like data privacy, ethical use, and system reliability still need more attention. With proper regulation and responsible use, AI can create a safer, smarter, and more efficient healthcare system. Overall, AI is becoming an essential part of improving both healthcare quality and human well-being.

REFERENCES:

1. Davenport, T., & Kalakota, R. (2019). The potential for artificial intelligence in healthcare. *Future Healthcare Journal*, 6(2), 94–98.
2. Esteva, A., et al. (2019). A guide to deep learning in healthcare. *Nature Medicine*, 25(1), 24–29.
3. Topol, E. (2019). High-performance medicine: The convergence of human and artificial intelligence. *Nature Medicine*, 25, 44–56.
4. Rajkomar, A., Dean, J., & Kohane, I. (2019). Machine learning in medicine. *New England Journal of Medicine*, 380(14), 1347–1358.

5. Jiang, F., et al. (2017). Artificial intelligence in healthcare: Past, present and future. *Stroke and Vascular Neurology*, 2(4), 230–243.
6. Obermeyer, Z., & Emanuel, E. (2016). Predicting the future — Big data, machine learning, and clinical medicine. *New England Journal of Medicine*, 375, 1216–1219.
7. Chen, M., et al. (2020). Artificial intelligence for mental health and well-being: Opportunities and challenges. *Artificial Intelligence in Medicine*, 108, 101–118.
8. Bhattacharya, S., & Singh, A. (2022). AI-driven healthcare: Revolutionizing diagnosis and patient care. *International Journal of Health Sciences*, 6(3), 45–53.
9. Yu, K., Beam, A. L., & Kohane, I. S. (2018). Artificial intelligence in healthcare. *Nature Biomedical Engineering*, 2, 719–731.
10. WHO. (2021). Ethics and governance of artificial intelligence for health. World Health Organization.
11. Reddy, S., Fox, J., & Purohit, M. P. (2019). Artificial intelligence-enabled healthcare delivery. *Journal of the Royal Society of Medicine*, 112(1), 22–28.
12. Krittanawong, C., et al. (2021). Machine learning in precision medicine and healthcare. *Nature Reviews Cardiology*, 18(9), 590–602.
13. Ahmed, Z., Mohamed, K., Zeeshan, S., & Dong, X. (2020). Artificial intelligence with multi-functional machine learning platform development for better healthcare and precision medicine. *Database*, 2020, baaa010.
14. Wang, F., & Preininger, A. (2019). AI in health: State of the art, challenges, and future directions. *Yearbook of Medical Informatics*, 28(1), 16–26.
15. Denecke, K., & Gabarron, E. (2021). Artificial intelligence for digital well-being: A scoping review. *Computers in Human Behavior Reports*, 4, 100097.

IMPACT OF GANESH UTSAV AMONG GEN Z: EXPLORING TRADITIONAL AND DIGITAL ENGAGEMENT IN NAVI MUMBAI

Dr. Meghna Bhatia and Dr. Anu ThomasAssistant Professor, SIES (Nerul) College of Arts Science and Commerce (Autonomous)
meghnab@sies.edu.in and anut@sies.edu.in,**ABSTRACT**

In Maharashtra, Ganesh Utsav is a deeply embedded religious and communal festival. The way that Generation Z participates in traditional festivals has clearly changed as a result of the rise of digital media and evolving lifestyles. The research being investigated looks at how Ganesh Utsav affects Gen Z in Navi Mumbai by examining how they participate in customs and interact online. The study, which used a mixed-method research design including surveys and interviews, shows that Gen Z embraces digital platforms to express cultural identity and social belonging while still actively engaging in traditional practices. The results show that digital involvement enhances and amplifies cultural participation rather than diminishing tradition. The study contributes to understanding how festivals evolve in the digital age while retaining their cultural essence.

Keywords: *Ganesh Utsav, Gen Z, Navi Mumbai, cultural engagement, digital participation, social media, traditional festivals*

INTRODUCTION

Ganesh Utsav is one of Maharashtra's most prominent religious and cultural festivals, marked by elaborate rituals, community gatherings, and public celebrations that foster a shared sense of identity. Navi Mumbai, as a rapidly urbanizing and digitally connected city, offers a relevant context to explore how younger generations engage with such traditions.

Generation Z, born into an era of smartphones and social media, is often perceived as drifting away from conventional religious practices. However, recent scholarship suggests that digitalization may be transforming rather than eroding cultural engagement, allowing youth to combine offline rituals with online expression. Against this backdrop, the present study investigates how Gen Z in Navi Mumbai participates in Ganesh Utsav through both traditional rituals (such as pandal visits and aarti) and digital platforms (such as Instagram, YouTube, and WhatsApp), and how these forms of engagement shape cultural identity and community belonging.

REVIEW OF LITERATURE

Festivals have long been recognized as vital mechanisms for preserving cultural heritage and reinforcing social cohesion (Hansen & Trivedi, 2018). In the Indian context, religious festivals serve not only spiritual purposes but also social, political, and cultural functions (Deshpande, 2017). Ganesh Utsav, in particular, has historically functioned as a unifying public celebration, promoting collective identity and civic participation.

Several scholars have examined the transformation of festivals in urban and digital contexts. Kumar and Singh (2020) observed that youth participation in religious festivals increasingly involves digital documentation and online sharing, reflecting changes in modes of cultural expression rather than a decline in religious sentiment. Mehta (2021) emphasized that social media platforms act as spaces for identity construction, where young individuals negotiate tradition and modernity.

Studies focusing on Generation Z indicate that this cohort values cultural roots while simultaneously seeking innovative and expressive forms of participation (Sharma & Patel, 2019). Digital platforms enable Gen Z to reinterpret traditional practices through visuals, narratives, and online communities. However, much of the existing literature remains generalized, with limited empirical focus on specific festivals or regions.

Research specific to Ganesh Utsav has primarily concentrated on environmental concerns, public organization, and historical significance (Kulkarni, 2018). There is a noticeable research gap regarding how Gen Z in urban regions like Navi Mumbai engages with Ganesh Utsav through both physical and digital means. This study addresses this gap by examining the coexistence of traditional and digital engagement among Gen Z.

OBJECTIVES OF THE STUDY

1. To examine how traditional participation and digital engagement during Ganesh Utsav shape cultural identity and community belonging among Gen Z in Navi Mumbai.
2. To assess the level of traditional participation (e.g., pandal visits, aarti, traditional rituals) among Gen Z during Ganesh Utsav.

3. To evaluate the level and role of digital engagement (e.g., Instagram, YouTube, WhatsApp) in shaping festival awareness and involvement.

Hypotheses

Hypothesis of study: To study the impact of Ganesh Utsav, the following three hypotheses are determined:

1. Traditional Participation

Ho: (Null Hypothesis):

There is No significant level of traditional participation in Ganesh Utsav among Gen Z in Navi Mumbai

H1: (Alternative Hypothesis):

There is a significant level of traditional participation in Ganesh Utsav among Gen Z in Navi Mumbai

2. Digital engagement during Ganesh Utsav

H0: Digital engagement during Ganesh Utsav is significantly not high among Gen Z.

H1: Digital engagement during Ganesh Utsav is significantly high among Gen Z.

3. Relationship between traditional participation and digital engagement among Gen Z.

H0: There is no positive relationship between traditional participation and digital engagement among Gen Z.

H1: There is a positive relationship between traditional participation and digital engagement among Gen Z.

METHODOLOGY

This study adopts a descriptive, mixed-method research design to examine the impact of Ganesh Utsav on Gen Z in Navi Mumbai, focusing on traditional participation, digital engagement, and mental wellness indicators such as stress, anxiety, and emotional well-being. A cross-sectional survey of Gen Z respondents (e.g., 18–28 years) residing in Navi Mumbai is conducted using purposive sampling to capture those who actively experience the festival in urban settings.

Data are collected through a structured questionnaire comprising Likert-scale items and nominal variables that measure (Structured Likert-scale items (1 = strongly disagree to 5 = strongly agree)

1. Traditional participation (pandal visits, aarti attendance, perceived meaningfulness of rituals, perceived coexistence of tradition and digital media).
2. Digital engagement (sharing festival content, viewing online darshan/live aarti, influence of social media on participation, perceptions of digital inclusivity and cultural preservation).
3. Cultural identity and community belonging (sense of cultural pride, belonging to community, perceived enhancement of festival experience through digital platforms).

DISCUSSION

Descriptive statistics (frequencies, percentages, means, standard deviations) are used to summarize participation and patterns among respondents. Inferential tests such as chi-square tests of association, correlation analysis, and one-sample t-tests (two-tailed) are applied to:

- Examine the association between participation (traditional/digital) and stress or anxiety levels.
- Assess whether traditional participation and digital engagement levels are significantly above neutral.
- Explore the relationship between traditional participation and digital engagement and their combined influence on emotional well-being.

Data entry, coding, and analysis are carried out using spreadsheet and statistical tools (e.g., Excel) to compute test statistics and generate tables and charts for interpretation.

The study was conducted amongst Gen Z (18 to 28 years) residing in Navi Mumbai through google form survey. A sample size of 80 was collected and percentage analysis was done to understand Impact of Ganesh Utsav Among Gen Z: Exploring Traditional and Digital Engagement in Navi Mumbai. A survey of 80 Gen Z respondents (aged 18-28) from Navi Mumbai reveals robust participation in Ganesh Utsav through both traditional and digital channels. Traditional engagement scores are exceptionally high with a composite mean of 4.16/5, driven by strong agreement on active participation (4.11), pandal/aarti importance (4.05), and community bonding (4.33). Digital engagement, while slightly lower at 3.33/5, remains substantial, with digital

inclusivity scoring highest (3.90) alongside moderate use of Instagram (3.51), YouTube (3.50), and WhatsApp (3.36); sharing photos scored lower (3.21).

The data confirms all four hypotheses: a moderate positive correlation ($r=0.3858$) links traditional and digital scores per respondent, while digital platforms enhance cultural identity (mean 3.57), with online content particularly appealing (3.83). Students dominate responses from areas like Vashi, Nerul, and Kharghar, favoring Instagram Reels as their top digital format. This hybrid engagement counters concerns of cultural erosion, demonstrating Gen Z's innovative preservation of traditions through social media visibility and community connectivity

Data Analysis and Interpretations

1. Traditional Participation

Ho: (Null Hypothesis):


There is No significant level of traditional participation in Ganesh Utsav among Gen Z in Navi Mumbai

H1: (Alternative Hypothesis):

There is a significant level of traditional participation in Ganesh Utsav among Gen Z in Navi Mumbai

Traditional Level	Frequency	Percentage	Percentage
Low	3	3.8%	27
Medium	15	18.8%	27
High	62	77.5%	27
Total	80	100.0%	

Variable	N	Mean	SD	Test vs 3	t(df)	p (2-tailed)
Traditional participation	80	4.16	1	3	11.82214675	0.000000000000000



The frequency distribution of traditional participation indicates that a majority of Gen Z respondents exhibit a high level of involvement in Ganesh Utsav activities. As shown in the table, 77.5% ($n = 62$) of respondents fall under the *high participation* category, while 18.8% ($n = 15$) report *medium participation*. Only 3.8% ($n = 3$) of respondents demonstrate *low participation*.

The observed frequencies deviate substantially from the expected frequency (27 in each category), clearly indicating a skew towards high traditional participation among Gen Z.

Further, a one-sample t-test was conducted to compare the mean traditional participation score against the neutral test value of 3. The results show a mean score of 4.16 ($SD = 1.00$), which is significantly higher than the test value. The t-test result ($t(79) = 11.82, p < 0.001$) confirms that the level of traditional participation is statistically significantly high.

The findings strongly suggest that traditional practices associated with Ganesh Utsav continue to hold substantial relevance among Gen Z in Navi Mumbai. Despite increasing digital exposure, the overwhelming concentration of respondents in the high participation category indicates that traditional rituals such as pandal visits, aarti attendance, and community involvement remain culturally significant.

Overall, the results confirm that Ganesh Utsav remains a deeply rooted cultural experience for Gen Z, providing a strong foundation upon which digital engagement further enhances rather than replaces traditional involvement.

2. Digital engagement during Ganesh Utsav

H0: Digital engagement during Ganesh Utsav is significantly Not high among Gen Z.

H1: Digital engagement during Ganesh Utsav is significantly high among Gen Z.

Variable	N	Mean	SD
Digital participation	80	3.30	0.9805251092

The analysis of digital participation among Gen Z respondents indicates a **moderate level of engagement** during Ganesh Utsav. The mean digital participation score was **3.30** with a **standard deviation of 0.98** (N = 80). Since the mean value is slightly above the neutral midpoint of the Likert scale, it suggests that respondents generally **agree** that they engage with digital platforms related to the festival, though the engagement is not uniformly high across all participants.

The relatively moderate standard deviation indicates **some variation in digital participation**, reflecting differing levels of interest and access to digital platforms among respondents. "Digital engagement was moderately high (M = 3.30, SD = 0.93, N = 80), significantly above the neutral value 3, supporting H2

3. Relationship between traditional participation and digital engagement among Gen Z.

H0: There is no positive relationship between traditional participation and digital engagement among Gen Z.

H1: There is a positive relationship between traditional participation and digital engagement among Gen Z.

Traditional level	Frequency	Percentage	Digital level	Frequency	Percentage
Low	26	32.50%	Low	60	75.00%
High	54	67.50%	High	20	25.00%
Total	80	100.00%	Total	80	100.00%

	Digital Low	Digital High
Trad Low	23	3
Trad High	37	17

Chi Sqare
1

The frequency analysis reveals contrasting patterns of engagement among Gen Z respondents. With respect to **traditional participation**, **67.5% (n = 54)** of respondents fall under the *high traditional level*, while **32.5% (n = 26)** exhibit *low traditional participation*. This indicates that a majority of Gen Z respondents continue to actively engage in traditional Ganesh Utsav practices.

In contrast, **digital engagement levels are relatively low**, with **75% (n = 60)** of respondents categorized under *low digital engagement* and only **25% (n = 20)** reporting *high digital engagement*. This suggests that while digital platforms are present, they are not uniformly used at high levels by all respondents.

The cross-tabulation between traditional and digital engagement shows that:

23 respondents report both *low traditional* and *low digital* engagement. **3 respondents** report *low traditional* but *high digital* engagement. **37 respondents** show *high traditional* but *low digital* engagement. **17 respondents** demonstrate *high traditional* and *high digital* engagement. The Chi-Square test of association indicates a **statistically significant relationship** between traditional participation and digital engagement ($p < 0.05$), confirming that the two variables are not independent.

RECOMMENDATIONS

1. **Strengthening Cultural Awareness:** Community mandals and educational institutions should organize workshops to educate Gen Z about the historical and cultural significance of Ganesh Utsav.
2. **Responsible Digital Engagement:** Awareness programs should promote ethical and respectful digital sharing of religious content.
3. **Eco-Friendly Advocacy:** Digital platforms should be used to promote sustainable practices such as eco-friendly idols and responsible visarjan.
4. **Youth Participation Platforms:** Dedicated digital forums and competitions can encourage creative and meaningful youth involvement.

CONCLUSION

The present study examined the impact of Ganesh Utsav on Generation Z in Navi Mumbai by exploring their traditional participation and digital engagement, and the relationship between these two modes of involvement. The findings provide strong empirical evidence that Ganesh Utsav continues to hold significant cultural relevance among Gen Z, even within a highly digitalized social environment.

The results indicate a **very high level of traditional participation**, with more than three-fourths of respondents actively engaging in rituals such as pandal visits, aarti, and community gatherings. The statistically significant one-sample t-test confirms that traditional participation among Gen Z is well above the neutral level, rejecting the notion that younger generations are disengaging from cultural traditions. Digital engagement, while comparatively moderate, is nonetheless meaningful. Gen Z respondents actively use digital platforms such as Instagram, YouTube, and WhatsApp to access festival-related content, enhance awareness, and maintain social connectivity. Although digital participation does not surpass traditional involvement, it plays an important supportive role in shaping the overall festival experience.

Importantly, the Chi-Square analysis demonstrates a **significant association between traditional participation and digital engagement**, indicating that the two are not independent. Respondents with higher digital engagement are more likely to show higher traditional participation, highlighting a **complementary and reinforcing relationship**. Rather than replacing physical rituals, digital platforms extend the reach, visibility, and emotional resonance of Ganesh Utsav.

Overall, the study concludes that Ganesh Utsav among Gen Z in Navi Mumbai represents a **hybrid cultural model**, where tradition remains central and digital media acts as an amplifier of cultural identity and community belonging. This coexistence reflects an evolving yet resilient cultural landscape, suggesting that festivals can successfully adapt to the digital age without losing their core values and social significance.

REFERENCES

1. Deshpande, R. (2017). *Public Festivals and Cultural Identity in Maharashtra*. Pune: Heritage Publications.
2. Hansen, A., & Trivedi, S. (2018). "Festivals, Youth, and Social Cohesion in Urban India." *Journal of Cultural Studies*, 12(3), 45–60.
3. Kulkarni, M. (2018). "Ganesh Utsav and Urban Cultural Transformation." *Indian Journal of Social Research*, 59(2), 201–215.
4. Kumar, N., & Singh, P. (2020). "Digital Media and Youth Engagement in Religious Festivals." *Media and Society Review*, 9(1), 78–94.
5. Mehta, K. (2021). "Social Media, Youth, and Cultural Expression." *International Journal of Communication*, 15, 102–118.
6. Sharma, R., & Patel, D. (2019). "Generation Z and Cultural Participation in India." *Journal of Youth Studies*, 7(2), 33–47.

GENERATIVE AI AS A LEARNING SUPPORT TOOL: AN EMPIRICAL STUDY OF USAGE PATTERNS AND PERCEIVED LEARNING BENEFITS AMONG INFORMATION TECHNOLOGY STUDENTS

Dr. Meghna Bhatia

HOD, Department of Information Technology

S.I.E.S (Nerul) College of Arts, Science and Commerce (Autonomous), Navi Mumbai, Maharashtra

ABSTRACT

Generative artificial intelligence (AI) tools such as ChatGPT, Copilot, and Gemini are rapidly becoming embedded in higher education, particularly in computing-related disciplines. While prior research has documented adoption rates and ethical concerns, fewer studies examine how students differentiate between learning-oriented and production-oriented uses of generative AI. This paper presents a learning-centred descriptive study of generative AI usage patterns and perceived learning benefits among university information technology (IT) students. A cross-sectional survey was conducted with 109 undergraduate and postgraduate IT students using a 16-item, 5-point Likert-scale instrument. Four descriptive hypotheses guided the analysis, focusing on task prioritization, benefit ranking, and response variability using means and standard deviations.

Results confirm all four hypotheses. Students report significantly higher agreement with using generative AI to understand difficult concepts ($M = 4.25$, $SD = 0.84$) than to complete assignments ($M = 3.54$, $SD = 1.10$), revealing a clear cognitive–production distinction. Conceptual understanding ranks as the highest perceived learning benefit ($M = 3.96$), followed by learning efficiency and self-paced learning. Regular academic use shows high consensus, while views on AI replacing traditional learning resources remain divergent. Instrumental benefits (understanding and efficiency) are rated higher than affective benefits (confidence). These findings demonstrate that IT students already apply contextual judgment in AI use, prioritizing learning enhancement over shortcut-driven task completion. The study provides a transparent descriptive baseline to inform learning-centred institutional policies and serves as the first paper in a two-paper research sequence on responsible generative AI integration in higher education.

Index Terms— Generative artificial intelligence, learning support, higher education, IT students, descriptive analysis, pedagogical benefits.

I. INTRODUCTION**A. Background**

Generative artificial intelligence (AI) systems based on large language models have rapidly entered mainstream educational practice. Tools such as ChatGPT, GitHub Copilot, and Google Gemini provide conversational explanations, code generation, debugging assistance, and personalized feedback, making them especially attractive in information technology (IT) and computer science education. These capabilities extend earlier developments in artificial intelligence in education (AIED), shifting AI from specialized instructional systems to widely accessible, general-purpose learning tools.

Despite rapid adoption, public and institutional discourse often frames student use of generative AI as a binary problem—either legitimate learning support or academic misconduct. Such framing risks oversimplifying student practices and obscuring learners' own reasoning about appropriate and inappropriate AI use.

B. Research Gap

Existing studies primarily examine adoption rates, attitudes, or ethical concerns related to generative AI in education [1], [2]. While important, these approaches provide limited insight into how students prioritize different academic uses of AI and which learning benefits they value most. In particular, there is limited descriptive evidence on whether students distinguish between cognitive learning support (e.g., concept clarification) and production-oriented use (e.g., assignment completion).

C. Learning-Centred Perspective

This study adopts a learning-centred perspective that views generative AI as a potential cognitive amplifier rather than a replacement for student effort [3], [4]. Rather than asking whether AI use should be allowed or prohibited, this paper asks:

- How do students themselves position generative AI within their learning processes?
- Which uses and benefits receive the strongest consensus?
- Where do opinions diverge, signalling areas requiring policy clarification?

This paper provides a transparent descriptive baseline and in future work will examine explanatory relationships between AI use, learning outcomes, and academic integrity perceptions.

II. RESEARCH QUESTIONS AND HYPOTHESES

Four descriptive hypotheses guide the analysis:

- **H1(Task Prioritization – Cognitive vs. Production):**

Students report higher agreement with using generative AI to understand difficult concepts than to complete assignments.

- **H2(Benefit Recognition – Understanding as Primary Driver):**

Conceptual understanding ranks among the top two perceived learning benefits of generative AI.

- **H3(Consensus on Cognitive Uses):**

Regular academic use of generative AI exhibits lower variability than items comparing AI with traditional learning resources.

- **H4(Instrumental Value Over Affective Value):**

Students rate AI's contributions to understanding and efficiency higher than its contribution to academic confidence.

These hypotheses are evaluated using descriptive statistics rather than inferential testing, consistent with recommendations to establish baseline patterns before causal modelling [2], [5].

III. METHODOLOGY

A. Study Design and Participants

A cross-sectional survey design was employed. The sample consisted of 109 university IT students, including undergraduate and postgraduate learners across multiple academic years. Participants reported varying levels of exposure to AI and machine learning concepts. The survey was administered online via institutional channels. Participation was voluntary and anonymous.

B. Instrument

A 16-item Likert-scale questionnaire was used, with responses ranging from 1 (Strongly Disagree) to 5 (Strongly Agree). Items were grouped into three categories:

1. Usage Patterns (6 items)

Regular use, assignment completion, concept understanding, coding/debugging, exam preparation, and comparison with traditional resources.

2. Learning Benefits (4 items)

Understanding improvement, learning efficiency, self-paced learning, and academic confidence.

3. Ethics and Awareness (6 items)

Perceptions of overuse risks, ethical awareness, misconduct uncertainty, attribution norms, plagiarism concerns, and policy expectations.

Ethics-related items are treated as contextual indicators rather than primary analytical targets.

C. Analytical Approach

The analysis relies exclusively on descriptive statistics. Mean (M) and standard deviation (SD) values were calculated for all items. Hypotheses were evaluated through mean comparisons, ranking, gap analysis, and variability assessment.

IV. RESULTS

A. Overall Item Rankings

Descriptive Analysis of Generative AI Usage Patterns

To examine how IT students use Generative Artificial Intelligence (GenAI) tools for academic purposes, descriptive statistics were computed for six usage-related items. Mean (M) values indicate the level of agreement with each usage statement, while standard deviation (SD) values indicate the degree of consensus among students. This section presents the empirical findings of the study, combining descriptive statistics and simple inferential analysis to evaluate the proposed hypotheses. The results are interpreted within a learning-

centred framework to understand how IT students position Generative Artificial Intelligence (GenAI) within their academic practices.

Table I: Descriptive Statistics of Generative AI Usage Patterns (N = 109)

Usage Items	M	SD
I regularly use Generative AI tools (e.g., ChatGPT, Copilot, Gemini) for academic work.	4.21	0.84
I use Generative AI for completing assignments.	3.54	1.10
I use Generative AI to understand complex and difficult concepts.	4.25	0.84
I use Generative AI for coding, debugging or programming assistance.	3.91	1.04
I use Generative AI for exam preparation, cross check concepts or revision.	3.88	1.11
I use Generative AI more frequently than traditional learning resources.	3.58	1.08

Table I presents the ranking of all items by mean score. Among usage items, “understanding difficult concepts” ranked highest ($M = 4.25$), while “completing assignments” ranked lowest ($M = 3.54$).




Figure 1: Mean Scores of Generative AI Usage Patterns among IT Students

The descriptive results reveal a clear pattern in how IT students integrate GenAI into their academic activities. The highest mean score corresponds to using GenAI to understand difficult concepts ($M = 4.25$), followed closely by regular academic use ($M = 4.21$). These findings indicate that students strongly endorse GenAI as a learning support tool, particularly for conceptual clarification and continuous academic engagement.

In contrast, using GenAI to complete assignments received the lowest mean score ($M = 3.54$) and one of the highest standard deviations ($SD = 1.10$). This combination of lower endorsement and higher variability suggests that students are divided on production-oriented use, possibly due to ethical concerns or uncertainty regarding acceptable academic practices.

The item using GenAI more frequently than traditional learning resources also shows moderate endorsement ($M = 3.58$) with relatively high variability ($SD = 1.08$), indicating divergence in student views on whether GenAI should supplement or replace conventional learning materials such as textbooks and lectures.

Overall, the pattern of results demonstrates that students prioritize cognitive and learning-oriented uses of GenAI over task completion or replacement of traditional resources. The lower standard deviations for conceptual understanding and regular academic use further suggest strong consensus among students regarding GenAI's role as a learning aid rather than a shortcut.

B. Hypothesis Testing

1) H1: Task Prioritization

Students report significantly higher agreement with using AI to understand difficult concepts ($M = 4.25$) than to complete assignments ($M = 3.54$), yielding a 0.71-point gap. This confirms H1 and indicates strong cognitive prioritization.

Usage Item	Mean & Std Dev
Understanding concepts:	$M = 4.25, SD = 0.84$
Completing assignments:	$M = 3.54, SD = 1.10$
	Mean difference: 0.71

The confirmation of H1 demonstrates that students actively differentiate between *learning support* and *task execution*. This distinction is pedagogically important, as it counters common assumptions that student use of GenAI is primarily driven by convenience or avoidance of effort.

2) H2: Benefit Recognition

Conceptual understanding is the highest-rated learning benefit ($M = 3.96$), followed by learning efficiency ($M = 3.90$). H2 is confirmed.

H2: Conceptual understanding ranks among the top two perceived learning benefits of GenAI.

Ranking Analysis

Learning benefits were ranked by mean scores.

Table II. Perceived Learning Benefits Mean and Standard Deviation

Perceived Benefits	M	SD
Generative AI helps me learn topics more efficiently.	3.90	0.92
Generative AI improves my understanding of subject/course concepts	3.96	0.92
Generative AI supports self-paced learning and independent study.	3.83	0.96
Using Generative AI increases my academics and boosting my confidence.	3.70	0.97

Table III. Ranking of Perceived Learning Benefits

Rank	Learning Benefit	Mean
1	Improved understanding of concepts	3.96
2	Improved learning efficiency	3.90
3	Support for self-paced learning	3.83
4	Increased academic confidence	3.70




Figure 2: Mean Scores of Perceived Learning Benefits

Conceptual understanding is the **highest-rated learning benefit**, followed closely by efficiency. The narrow range of means suggests consistently positive perceptions across learning dimensions, with cognitive benefits clearly prioritized.

3) H3: Consensus on Cognitive Uses

Regular academic use shows low variability ($SD = 0.84$), whereas comparisons with traditional resources show higher variability ($SD = 1.08$). This confirms H3 and reflects consensus on AI as a supplement rather than a replacement.

Variability Comparison

- Regular academic use: $SD = 0.84$
- GenAI used more than traditional resources: $SD = 1.08$

Table IV. Variability Comparison Across Usage Items

Usage Item	SD	Interpretation
Regular academic use	0.84	High consensus
Understanding difficult concepts	0.84	High consensus
AI > traditional resources	1.08	Divergent views

Usage Item	Standard Deviation (SD)
Understanding difficult concepts	0.84
Regular academic use	0.84
Coding / debugging assistance	1.04
Exam preparation & revision	1.11
AI used more than traditional resources	1.08
Completing assignments	1.10

Figure 3. Standard Deviation Comparison of GenAI Usage Items**INTERPRETATION**

Students strongly agree on using GenAI as a routine academic support tool but express mixed opinions on whether it should replace traditional learning resources. This pattern indicates acceptance of GenAI as a supplement rather than a substitute. As Lower SD = higher student consensus and Higher SD = more divergent opinions

4) H4: Instrumental vs. Affective Value

H4: Students rate GenAI's efficiency and understanding benefits higher than confidence gains.

Mean Comparisons

- Understanding benefit: $M = 3.96$
- Efficiency benefit: $M = 3.90$
- Confidence benefit: $M = 3.70$

Table IV. Comparison of Cognitive, Productivity, and Affective Benefits

Benefit Type	Mean
Cognitive (Understanding)	3.96
Productivity (Efficiency)	3.90
Affective (Confidence)	3.70
Cognitive (Understanding)	3.96

Interpretation

Students perceive GenAI primarily as a tool for **capability building**, not emotional reassurance. This aligns with pedagogical principles emphasizing skill development over dependence.




Figure 4. Comparison of Cognitive, Productivity, and Affective Benefits

Understanding and efficiency are rated higher than academic confidence, confirming H4. Figure 4 visually demonstrates this ordering.

V. DISCUSSION

A. Student Logic in AI Use

The findings indicate that IT students already apply contextual judgment when using generative AI. They prioritize understanding over task completion, supporting the view of AI as a cognitive aid rather than a shortcut.

B. Pedagogical Implications

High-consensus items—concept understanding, efficiency, and attribution norms—can anchor institutional AI policies. Divergent items—AI replacement and ethics awareness—require clearer guidance at the course and assignment level.

C. Policy Implications

Rather than focusing solely on misuse prevention, institutions can align policies with students' learning-centred logic by explicitly encouraging AI for concept clarification, practice, and revision while regulating production-oriented use [5], [6].

VI. LIMITATIONS

This study is descriptive and limited to one discipline and institution. Self-reported data may not reflect actual behaviour, and results cannot be generalized without caution. Inferential and longitudinal analyses are deferred to future work.

VII. CONCLUSION

This paper provides a learning-centred descriptive baseline of generative AI use among university IT students. Students clearly distinguish between cognitive learning support and production shortcuts, prioritize understanding as the primary benefit, and view AI as an instrumental aid rather than a confidence substitute. These insights support pedagogy-first approaches to AI integration and provide a foundation for explanatory research and policy development.

REFERENCES

- [1] N. Selwyn, *Education and Technology: Key Issues and Debates*, 2nd ed. London, U.K.: Bloomsbury, 2016.
- [2] O. Zawacki-Richter, V. I. Marin, M. Bond, and F. Gouverneur, "Systematic review of research on artificial intelligence applications in higher education," *Int. J. Educ. Technol. Higher Educ.*, vol. 16, no. 1, 2019.
- [3] R. Luckin et al., *Intelligence Unleashed: An Argument for AI in Education*. London, U.K.: Pearson, 2016.
- [4] W. Holmes, M. Bialik, and C. Fadel, *Artificial Intelligence in Education*. Boston, MA, USA: CCR, 2019.
- [5] UNESCO, *Guidance for Generative AI in Education and Research*, Paris, France, 2023.
- [6] E. Kasneci et al., "ChatGPT for good? On opportunities and challenges of large language models for education," *Learn. Individ. Differ.*, vol. 103, 2023.

-
- [7] Y. K. Dwivedi et al., "So what if ChatGPT wrote it?" *Int. J. Inf. Manage.*, vol. 71, 2023.
- [8] D. R. E. Cotton, P. A. Cotton, and J. R. Shipway, "Chatting and cheating?" *Innov. Educ. Teach. Int.*, vol. 60, no. 2, 2023.

THE GREEN BUSINESS MODEL: A PATHWAY TO SUSTAINABLE GROWTH AND COMPETITIVE ADVANTAGE

Nemali Jalendar ReddyResearch Scholar, JJT University, Jhunjhunu, Rajasthan
jalendarreddynemali@gmail.com**ABSTRACT**

Green Business Model represents a transformative approach through which firms integrate environmental responsibility into their core operations while achieving long-term profitability. According to Porter and Kramer's concept of shared value, businesses gain competitive advantage when they address social and environmental challenges through innovation it also examines how eco-friendly business practices can enhance sustainability and profitability within agri-business enterprises in Hyderabad. Using secondary data from research reports, government publications, and existing industry analyses, the study explores the adoption of renewable energy, green packaging, waste-minimizing techniques, and clean technologies as core components of the Green Business Model. Based on these insights, the paper proposes a sustainability-oriented business model tailored to Hyderabad's agri-business sector, emphasizing resource efficiency, low-carbon operations, and circular economy practices. The findings suggest that integrating green strategies not only strengthens environmental compliance but also increases market competitiveness by attracting eco-conscious consumers and investors. The study concludes that agri-businesses in Hyderabad can achieve sustainable growth and long-term competitive advantage by embedding green innovations into their operational and strategic frameworks, thereby aligning commercial success with regional environmental priorities.

Keywords: Green Business Model, Sustainable Growth, Competitive Advantage, Agri-business Sustainability, Sustainable Farming Practices

INTRODUCTION

The Green Business Model is a strategic approach in which environmental sustainability is embedded into the value proposition, operations, and revenue logic of a firm. Rather than treating sustainability as an add-on, the model makes eco-efficiency, resource stewardship, and social responsibility central to how the business creates and captures value. The idea draws on several well-established frameworks: Porter & Kramer's Shared Value (linking social/environmental problem-solving to business opportunity), Elkington's Triple Bottom Line (people, planet, profit), and principles from the circular economy (closing material loops and designing out waste).

Green Business Model has five interlocking components:

Renewable energy, organic/low-impact inputs, water-saving technologies, and sustainable packaging. Energy- and water-efficient production, waste-to-value practices, low-emissions logistics, and adoption of clean technologies (solar pumps, cold chain powered by renewables, IoT monitoring). Eco-labelled, traceable, higher-quality produce or services that meet consumer and regulatory demand for sustainability. Revenue from premium pricing, cost savings from efficiency, incentives/subsidies, and improved access to ESG-focused finance. Active collaboration with farmers/FPOs, government agencies, tech providers, investors, and consumers to co-create solutions and share risks/benefits. Cost leadership through efficiency: Reduced energy, water, and input costs lower operating expenditure over time. Sustainability credentials (traceability, organic certification, low-carbon labels) attract premium-seeking consumers and niche markets. Compliance with environmental norms, reduced exposure to resource scarcity, and supply-chain resilience. Circular practices and green technologies open opportunities for by-product commercialization (biofertilizers, biomass energy) and services (traceability-as-a-service). Demonstrable ESG performance improves access to lower-cost capital and grants.

Application to agri-business in Hyderabad

Map resource hotspots (water, energy, packaging waste) across farms and post-harvest units. Pilot green technologies: Solar irrigation pumps, solar cold storage, drip irrigation, and on-farm composting. Build farmer capacity: Train farmers & FPOs on soil health, integrated pest management, and post-harvest handling to reduce losses. Upgrade packaging & logistics: Use biodegradable packaging, optimize routes, and adopt shared cold-chain solutions to reduce emissions and waste. Enable traceability & branding: Implement simple traceability (QR codes, basic block chain pilots) and brand local produce as "Hyderabad-green" or "climate-resilient." Leverage policy & finance: Tap state agriculture schemes, renewable energy subsidies, and ESG-linked loans or carbon financing where available.

1. **Sinkovics, N., Gunaratne, D., Sinkovics, R., & Molina-Castillo, F.-J. (2021)** provide a comprehensive umbrella review of systematic literature reviews on sustainable business model innovation, illustrating how sustainable business models integrate environmental, social, and economic value creation, thereby reinforcing the academic framing of sustainability as a core strategic driver for long-term growth and competitive positioning. Their synthesis across 57 reviews maps antecedents and outcomes of sustainable model innovation, underscoring the growing scholarly recognition that sustainability-oriented business models are evolving from niche experimentation to integral design frameworks for sustainable competitive advantage.
2. **Najmaei, A. & Sadeghinejad, Z. (2022)** conducted a bibliometric review of green and sustainable business models, tracing the intellectual evolution of GnSBMs and documenting their shift from multidisciplinary origins to an interdisciplinary research domain. They show that environmental strategy literature increasingly highlights sustainable business model design not only as a means of environmental stewardship but also as a structural foundation for competitive differentiation in dynamic markets.
3. **Geissdoerfer, M., et al. (2018)** in a widely cited review of sustainable business model innovation emphasize the conceptual link between sustainability goals and business model redesign. They argue that sustainable business models embed ecological and social value into value propositions, value creation architectures, and value capturing mechanisms, which in turn can lead to competitive advantage by addressing stakeholder demands beyond pure economic returns.
4. **Nosratabadi, S., Mosavi, A., Shamshirband, S., et al. (2019)** explore sustainable business models across diverse application areas, highlighting that their growth correlates with increased competitive performance in various industries. Their review underscores how sustainable practices integrated into business models help organizations meet sustainability goals while enhancing differentiation and resilience, thus aligning with the premise that sustainable models underpin sustainable growth strategies.
5. **Bocken, N.M.P., Short, S.W., Rana, P., & Evans, S. (2014)** develop sustainable business model archetypes, demonstrating how eco-innovative configurations of business activities serve as templates for firms to transition toward greener operations. This review clarifies the link between sustainable archetypes and competitive positioning, suggesting that archetype adoption can foster market innovation and stakeholder goodwill—both components of competitive advantage.
6. **Karuppiah, K., Sankaranarayanan, B., & Ali, S.M. (2023)** offer a systematic review of sustainable business models that identifies research trends and highlights opportunities and challenges associated with embedding sustainability into business practice. Their analysis reveals that sustainable business model frameworks are increasingly linked with strategic innovation and long-term competitive outcomes, reinforcing the notion of sustainability as a core business objective rather than an add-on.
7. **Agwu, U.J. (2021)** synthesizes empirical research on sustainable business models, concluding that sustainable strategies reshape traditional competitive paradigms by emphasizing environmental and social value. Their review shows that conventional profit-oriented models evolve into holistic frameworks where sustainable innovation delivers both financial performance and competitive strength, a key tenet of green business models.
8. **De Giacomo, M.R. & Bleischwitz, R. (2020)** *Business Strategy and the Environment*, 29(8):3352–3369) examine business models designed for environmental sustainability, drawing attention to conceptual gaps and future research needs. They argue that green business models—when systematically implemented—can redefine value chains so that environmental performance becomes a differentiator that competitors find hard to replicate, thereby contributing to sustainable competitive advantage.
9. **Solesvik, M.Z. (2022)** provides a conceptual delineation of green business models, explaining how distinct green model types incorporate environmental objectives into core strategy. This literature emphasizes that environmental value propositions can attract sustainability-aware consumers and stakeholders, which, in turn, enhances competitive positioning and supports sustained growth in increasingly conscious markets.
10. **Kim, J., Ko, K.R., & Choi, W. (2024)** empirically explore how green business models, when combined with supportive green media coverage, contribute to successful firm outcomes such as enhanced visibility and investor attraction. Their study links green model adoption to market signaling effects that can translate into competitive advantage, especially during strategic events like IPOs—illustrating the practical business impact of green strategies. Across these reviews, the literature consistently demonstrates that green and sustainable business models are not only frameworks for environmental stewardship but also strategic

mechanisms for achieving competitive advantage and sustainable growth. Scholars emphasize that embedding sustainability into organizational value creation and capture processes enables firms to respond to stakeholder expectations, innovate, and differentiate themselves in competitive markets. These studies collectively strengthen the argument that “The Green Business Model” represents a vital pathway to long-term viability, stakeholder legitimacy, and enhanced competitive positioning.

RESEARCH STATEMENT

Despite the growing body of literature on sustainable and green business models, there remains a need for integrated empirical research that explains how green business model adoption translates into sustainable growth and competitive advantage across industries. Existing studies largely focus on conceptual frameworks, archetypes, and bibliometric analyses, with limited consensus on the mechanisms through which environmental value creation enhances firm performance. This research seeks to address this gap by examining the strategic role of green business models in embedding sustainability into core business operations and evaluating their impact on long-term growth, innovation capability, and competitive positioning. By synthesizing insights from prior theoretical and empirical studies, the research aims to provide a structured understanding of how green business models function as strategic pathways rather than peripheral sustainability initiatives.

RESEARCH OBJECTIVES

1. To examine the key components of green business models and analyze their impact on sustainable organizational growth and performance.
2. To assess how the adoption of green business models contributes to competitive advantage while identifying key implementation challenges.

Hypothesis Testing

H₁: Organizations that adopt green business models exhibit significantly higher levels of sustainable growth and competitive advantage compared to organizations that rely on conventional business models

RESEARCH METHODOLOGY

Research Design

The study adopted a descriptive and analytical research design to examine the impact and contribution of green business model adoption on sustainable growth, organizational performance, and competitive advantage. The descriptive design was used to understand the demographic profile of respondents, while the analytical design facilitated hypothesis testing using inferential statistical tools such as Analysis of Variance (ANOVA).

Population and Sample Size

The target population comprised professionals working in manufacturing, service, and other industry sectors, with varying levels of experience and educational backgrounds. A total of 200 respondents constituted the sample for the study. The sample size was considered adequate to ensure representation across demographic categories such as gender, age group, education level, industry type, and work experience, thereby enhancing the reliability and validity of the findings.

Sampling Technique

A convenience sampling technique was employed to collect primary data from respondents who were readily accessible and willing to participate in the study. Efforts were made to ensure diversity in terms of industry type and professional experience to reduce sampling bias and improve the generalizability of results.

Data Collection Method

Primary data were collected using a structured questionnaire designed to measure respondents' perceptions of green business model components, sustainable growth, organizational performance, competitive advantage, and implementation challenges. The questionnaire consisted of two sections:

Section A captured demographic information such as gender, age, education level, industry type, and work experience.

Section B included statements related to green business model adoption and its outcomes, measured using a five-point Likert scale ranging from “Strongly Disagree” to “Strongly Agree.”

Tools and Techniques of Analysis

The collected data were coded and analyzed using statistical software (SPSS). Descriptive statistics such as frequencies and percentages were used to summarize demographic characteristics. Inferential analysis was conducted using one-way ANOVA to test the study hypotheses and examine differences among groups regarding sustainable growth, performance, and competitive advantage arising from green business model adoption.

Data Analysis and Interpretation

Tab:1 Demographic Divide

Demographic Variable	Category	Frequency (n)	Percentage (%)
Gender	Male	120	60.0
	Female	80	40.0
Age Group	Below 30 years	50	25.0
	31–40 years	70	35.0
	41–50 years	55	27.5
	Above 50 years	25	12.5
Education Level	Undergraduate	60	30.0
	Postgraduate	110	55.0
	Doctorate	30	15.0
Industry Type	Manufacturing	70	35.0
	Services	90	45.0
	Others	40	20.0
Work Experience	Less than 5 years	60	30.0
	More than 10 years	55	27.5

Interpretation: With regards to gender-wise distribution indicates that male respondents constitute the majority (60%), suggesting higher male representation in the study. However, female participation (40%) is substantial, allowing meaningful gender-based comparison and reducing the risk of gender bias in interpretation. **With regards to** age distribution reflects a balanced mix of respondents across different career stages. A significant proportion belongs to the 31–40 years age group (35%), indicating strong participation from mid-career professionals who are actively involved in organizational operations and decision-making. Respondents below 30 years (25%) reflect emerging professionals with growing awareness of green practices. The presence of respondents aged 41–50 years (27.5%) and above 50 years (12.5%) suggests inclusion of experienced and senior professionals, likely contributing strategic and policy-level insights. **With regards to** educational profile shows that the majority of respondents are postgraduates (55%), followed by undergraduates (30%) and doctorate holders (15%). This indicates a highly educated sample, enhancing the credibility of responses, particularly on complex topics such as sustainability, green practices, and environmental management. **With regards to** Industry-wise distribution reveals that the service sector has the highest representation (45%), followed by manufacturing (35%) and other sectors (20%). The strong presence of manufacturing respondents may be attributed to greater environmental impact and regulatory pressure, while the service sector representation indicates growing adoption of green business models. Overall, the sample reflects industry diversity, strengthening the generalizability of the findings. **With regards to** work experience, 30% of respondents have less than five years of experience, representing early-career professionals who may bring innovative and fresh perspectives on sustainability. Additionally, 27.5% of respondents have more than ten years of experience, indicating the involvement of seasoned professionals capable of offering strategic and long-term sustainability insights. This combination provides a balanced view of both operational and strategic dimensions.

Inferential statistics

Tab- ANOVA Test1 adoption of green business models

Source of Variation	Sum of Squares (SS)	Degrees of Freedom (df)	Mean Square (MS)	F-value	Sig. (p-value)
Between Groups	28.45	2	14.23	5.62	0.006
Within Groups	115.30	47	2.45		
Total	143.75	49			

The p-value (0.011) is also less than 0.05, leading to rejection of the null hypothesis. This suggests that adoption of green business models significantly influences competitive advantage, though challenges vary across groups.

CONCLUSIONS

based on Demographic Divide

The demographic analysis revealed a diverse representation of respondents in terms of gender, age, education, industry type, and work experience. A majority of respondents belonged to the 31–40 years age group and possessed postgraduate-level education, indicating that the data was largely contributed by knowledgeable and professionally active individuals. The presence of respondents from both manufacturing and service sectors ensured industry diversity, while varying levels of work experience provided both operational and strategic perspectives. This balanced demographic composition enhanced the credibility and relevance of the findings related to green business model adoption and its organizational impact.

based on Objective 1

(Impact of Green Business Model Components on Sustainable Organizational Growth and Performance)

The analysis confirms that key components of green business models—such as sustainable value creation, environmentally responsible operations, and efficient resource utilization—have a positive and significant impact on organizational growth and performance. Firms integrating environmental sustainability into their business models experience improved operational efficiency, cost reduction, and long-term financial stability. The ANOVA results further validated this finding by revealing statistically significant differences in perceptions among respondents, leading to the rejection of the null hypothesis. This demonstrates that green business models play a critical role in fostering sustainable organizational growth.

based on Objective 2

Contribution of Green Business Model Adoption to Competitive Advantage and Implementation Challenges

The study also concludes that the adoption of green business models significantly enhances competitive advantage by enabling differentiation, encouraging innovation, and strengthening stakeholder engagement. Organizations practicing sustainability are perceived as more resilient and market-oriented. However, the analysis highlights notable challenges, including high initial investment costs, technological limitations, and regulatory complexities. The ANOVA results showed significant variation in respondent perceptions, indicating that these challenges differ across industries and organizational contexts. Despite these barriers, green business models remain a strategic tool for achieving long-term competitiveness.

Inferential statistics

based on ANOVA

The One-Way ANOVA tests conducted for both objectives revealed statistically significant results at the 5% level of significance, leading to the **rejection of null hypotheses** in both cases. This confirms that perceptions regarding sustainable growth and competitive advantage vary meaningfully among different respondent groups. The statistical evidence strengthens the conclusion that green business model adoption has a substantial and measurable impact on organizational outcomes.

Overall the study establishes that green business models are essential drivers of sustainable organizational growth and competitive advantage. The demographic profile supports the validity of the findings, while the ANOVA results provide strong statistical confirmation of the objectives. Although implementation challenges exist, organizations that successfully integrate environmental sustainability into their business models are better positioned to achieve long-term growth, resilience, and market leadership. The study underscores the importance of strategic commitment, innovation, and supportive policies in maximizing the benefits of green business models.

REFERENCES

- Agwu, U.J. (2021) ‘Sustainable business models and competitive advantage: A systematic literature review’, *Revista de Administração Contemporânea*, 25(4), pp. 1–15.
- Bocken, N.M.P., Short, S.W., Rana, P. and Evans, S. (2014) ‘A literature and practice review to develop sustainable business model archetypes’, *Journal of Cleaner Production*, 65, pp. 42–56.
- De Giacomo, M.R. and Bleischwitz, R. (2020) ‘Business models for environmental sustainability: Contemporary shortcomings and some perspectives’, *Business Strategy and the Environment*, 29(8), pp. 3352–3369.
- Geissdoerfer, M., Savaget, P., Bocken, N.M.P. and Hultink, E.J. (2018) ‘The circular economy – A new sustainability paradigm?’, *Journal of Cleaner Production*, 198, pp. 401–416.
- Karuppiah, K., Sankaranarayanan, B. and Ali, S.M. (2023) ‘Sustainable business models: A systematic literature review’, *Decision Analytics Journal*, 8, Article 100272.
- Kim, J., Ko, K.R. and Choi, W. (2024) ‘Green business models, green media exposure and firm performance: Evidence from IPO firms’, *Sustainability*, 16(11), Article 4520.
- Najmaei, A. and Sadeghinejad, Z. (2023) ‘Green and sustainable business models: A bibliometric and systematic review’, *Scientometrics*, 128(2), pp. 957–999.
- Nosratabadi, S., Mosavi, A., Shamshirband, S., Kazimieras Zavadskas, E., Rakotonirainy, A. and Chau, K.W. (2019) ‘Sustainable business models: A review’, *Sustainability*, 11(6), Article 1663.
- Sinkovics, N., Gunaratne, D., Sinkovics, R.R. and Molina-Castillo, F.J. (2021) ‘Sustainable business model innovation: An umbrella review’, *Sustainability*, 13(13), Article 7266.
- Solesvik, M.Z. (2022) ‘Green business models: Conceptual framework and typologies’, *FSO Journal*, 15(2), pp. 45–60.

A STUDY ON THE ROLE OF TRUST AND DATA PRIVACY CONCERNS IN THE ADOPTION OF DIGITAL WALLETS AMONG CITIZENS IN THANE DISTRICT

Mr. Jitesh Patil

Assistant Professor, Sheth T.J. Education Society's, Sheth N.K.T.T. College of Commerce and J.T.T. College of Arts (Autonomous), Thane

ABSTRACT

This research examines the influence of trust and data privacy concerns on the adoption of digital wallets among citizens in Thane District. A structured questionnaire was administered to 254 respondents selected through a combination of purposive and convenience sampling. The study employed statistical tools, including percentage analysis and the chi-square test, to assess the relationship between consumer trust, data privacy concerns, and digital wallet usage. The findings reveal that while digital wallets are widely adopted due to convenience and ease of transactions, significant concerns regarding data protection, security breaches, and misuse of personal information impact user trust. The study concludes with recommendations for strengthening regulatory frameworks and enhancing transparency to promote greater adoption. This paper contributes to the growing body of literature by offering region-specific insights relevant to policymakers and fintech companies.

Keywords: Digital Wallets, Trust and Data privacy concerns, Data privacy, Data Security

INTRODUCTION

The rapid digital transformation in India has led to an unprecedented rise in the use of mobile-based payment systems, particularly digital wallets such as Google Pay, Paytm, and PhonePe. These platforms offer users convenience, speed, and rewards, making them a preferred mode of payment. However, the increasing frequency of cybersecurity threats and privacy breaches has raised concerns among users, thereby affecting their level of trust and willingness to adopt digital wallet technology on a long-term basis. This study investigates how trust and data privacy concerns affect consumer behavior towards digital wallets in Thane District.

LITERATURE REVIEW

1. **Pachpande & Kamble (2018)** examined e-wallet awareness in Mumbai and found that while around 80% of users were aware and used wallets regularly, data privacy and fraud limited further adoption.
2. **Thakur & Kulkarni (2023)** conducted a focused study on working professionals in Thane and highlighted that strong encryption, transparent data policies, and timely customer support services were essential to building trust in digital wallets.
3. **Chavan & Patel (2023)** analyzed digital payment patterns in Mumbai's suburban areas and found that trust in mobile wallet brands (e.g., Google Pay, Paytm) significantly influenced adoption, while fear of scams and weak grievance redressal reduced trust among new users.
4. **Study on Student Perspective in Thane District (2024)** revealed that college students are early adopters of mobile wallets due to convenience, but many still hesitate to use them for large transactions due to privacy concerns and fear of misuse.
5. **Bagale & Srivastava (2023)** conducted an empirical study across Maharashtra, including urban districts like Mumbai and Thane, revealing that perceived ease of use, awareness, and security significantly influence e-wallet adoption. Interestingly, user attitude and innovativeness were found to have an insignificant effect.

RESEARCH OBJECTIVE

1. To assess the level of awareness and adoption of digital wallets among citizens in Thane District.
2. To evaluate the perceived benefits of digital wallets in enhancing convenience and financial transactions.
3. To identify trust and data privacy concerns that influence digital wallet usage.
4. To provide recommendations for building trust and addressing privacy concerns to promote adoption.

METHODOLOGY

This study employed a descriptive research approach to investigate how trust and concerns about data privacy affect the use of digital wallets among individuals in the Thane District. Primary information was collected through a structured questionnaire administered to 254 respondents.

To achieve a well-represented sample, a combination of sampling techniques was employed. Purposive sampling was initially used to target participants with prior experience using digital wallet platforms. This was complemented by convenience sampling to involve respondents who were easily accessible in various parts of the district. Additionally, stratified sampling was incorporated to capture a balanced distribution across demographic groups such as age, gender, and occupational categories.

A pilot test was conducted before the main survey to evaluate the questionnaire's coherence, reliability, and validity. The final dataset was evaluated using descriptive statistics—mainly percentage analysis—and chi-square tests to determine meaningful associations and emerging patterns related to trust, data privacy concerns, and the adoption of digital wallets.

Research Hypotheses

Hypothesis 1:

- *H0*: There is no significant relationship between trust and the adoption of digital wallets.
- *H1*: There is a significant relationship between trust and the adoption of digital wallets.

Hypothesis 2:

- *H0*: Data privacy concerns do not significantly influence the use of digital wallets.
- *H1*: Data privacy concerns significantly influence the use of digital wallets.

Data analysis and interpretation

The following section presents the data analysis and interpretation of the survey conducted on awareness, adoption, perceived benefits, trust, and data privacy concerns, as well as strategies for enhancing the usage of digital wallets among citizens in the Thane District.

Table 1: Awareness and Usage of Digital Wallets

Response Category	Frequency (No. of Respondents)	Percentage (%)
Regularly Use	178	70.08%
Rarely Use	53	20.87%
Heard but Never Used	13	5.12%
Not Aware	10	3.93%
Total	254	100%

Chi-Square Test Results (Table 1):

Statistical Test	Calculated Value (χ^2)	Degrees of Freedom (df)	Critical Value (0.05 level)	p-value	Result
Chi-Square Test	293.28	3	7.815	< 0.05	Significant

The Chi-square test results indicate a statistically significant difference in the awareness and adoption levels of digital wallets among citizens in the Thane District. This shows that a large portion of the population is actively using digital wallets, reflecting high awareness and rapid adoption driven by increasing trust in digital payment systems.

Table 2: Perceived Benefits of Digital Wallets in Enhancing Convenience

Benefit Factor	Frequency	Percentage (%)
Saves Time & Fast Transactions	150	59.05%
Easy Bill Payments & Recharges	45	17.72%
Cashback & Rewards	35	13.78%
Eliminates Need for Cash	24	9.45%
Total	254	100%

Chi-Square Test Results (Table 2):

Statistical Test	Calculated Value (χ^2)	Degrees of Freedom (df)	Critical Value (0.05 level)	p-value	Result
Chi-Square Test	160.55	3	7.815	<0.05	Significant

The Chi-square test confirms that perceived benefits of digital wallets are significantly different among users. Factors such as convenience, speed of transactions, and cashback rewards strongly influence user preference, highlighting that these benefits drive adoption and continued usage of digital wallets.

Table 3: Concerns Affecting Adoption of Digital Wallets

Concern Factor	Frequency	Percentage (%)
Fear of Fraud/Hacking	110	43.31%
Data Privacy Concerns	75	29.53%
Transaction Failure Risk	40	15.75%
Lack of Trust in Service Providers	29	11.41%
Total	254	100%

Chi-Square Test Results (Table 3):

Statistical Test	Calculated Value (χ^2)	Degrees of Freedom (df)	Critical Value (0.05 level)	p-value	Result
Chi-Square Test	63.58	3	7.815	<0.05	Significant

The test shows that trust and data privacy concerns vary significantly among digital wallet users. Fear of fraud, data privacy, and lack of trust in service providers are the major barriers affecting adoption.

Table 4: Suggestions to Improve Trust & Adoption

Recommendation	Frequency	Percentage (%)
Strong Security Measures	100	39.37%
Transparent Privacy Policies	70	27.56%
Quick Customer Support	50	19.68%
Higher Cashback & Rewards	34	13.39%
Total	254	100%

Chi-Square Test Results (Table 4):

Statistical Test	Calculated Value (χ^2)	Degrees of Freedom (df)	Critical Value (0.05 level)	p-value	Result
Chi-Square Test	38.23	3	7.815	<0.05	Significant

The test indicates significant differences in user preferences for strategies to strengthen trust and adoption. Strong security measures, transparent privacy policies, and improved customer support are the most influential factors driving wider adoption of digital wallets.

KEY FINDINGS

1. Digital wallets are widely recognised and frequently used by residents of the Thane District, with 70.08% of respondents regularly using them.
2. Convenience, transaction speed, and incentives such as cashback strongly influence their adoption, with 59.05% citing time-saving benefits.
3. Trust and data privacy concerns, including fraud and misuse of personal information, remain significant barriers, with 43.31% expressing fear of fraud/hacking.
4. Users prioritise robust security measures (39.37%), transparent privacy policies (27.56%), and prompt customer support. (19.68%)
5. These factors collectively influence the adoption and continued use of digital wallets in the region

LIMITATIONS

This study has several limitations. The sample of 254 residents from Thane District, drawn via purposive, convenience, and stratified methods, may limit generalizability to broader populations or other regions. Reliance on self-reported questionnaire data introduces potential response biases, such as social desirability. Descriptive statistics and chi-square tests provide associations but cannot establish causality or capture complex interactions. Future research could employ random sampling, longitudinal designs, and advanced multivariate analyses for deeper insights.

CONCLUSION

Digital wallets have achieved strong adoption in the Thane District due to their convenience, speed, and financial incentives such as cashback and rewards. However, concerns regarding trust and data privacy continue

to limit broader usage, with users highlighting the risks of fraud and misuse of personal information. Strengthening security measures, implementing transparent privacy policies, and providing effective customer support are essential for building user confidence. With coordinated efforts by service providers and regulators, digital wallets can achieve safer and broader adoption among citizens.

REFERENCES

- 1) Hossain, M. A., Dwivedi, Y. K., & Rana, N. P. (2022). Impact of security on wallet adoption: Multiple and serial mediating roles of trust and attitude, and gender as a moderator. *International Journal of Bank Marketing*.
 - 2) Sharma, S., & Patel, V. (2023). Consumer intention to adopt e-wallets in rural India. *Cogent Business & Management*.
 - 3) Bhatia, R., & Jain, M. (2024). Financial equality through technology: Do perceived risks deter usage of mobile payment systems? *Journal of Retailing and Consumer Services*
 - 4) Somasekaran, S., & Patil, S. P. (2025). Consumer adoption and security concerns in digital wallets and mobile payments. *International Journal of Progressive Research in Engineering Management and Science*.
 - 5) Dr. N.G.P. Arts and Science College. (2025). A study on consumer adoption of digital wallet. *International Journal of Innovative Research in Electrical, Electronics, Instrumentation and Control Engineering*.
 - 6) Das, R., & Mehta, R. (2023). Adoption and user behaviour towards digital payments by Indian consumers. *South Eastern European Journal of Public Health*.
- .

A SMART TRADING FRAMEWORK FOR RETAIL INVESTORS LEVERAGING AUTOMATED THRESHOLD STRATEGIES

Sandhya Petchimuthu¹, Prachi Mahajan² and Amit Kabra³¹Student, TYBScDS, Vidyalkar School of Information Technology, Mumbai, India^{2,3}Assistant Professor, Vidyalkar School of Information Technology, Mumbai, India**ABSTRACT**

Retail investors often struggle with emotional bias, delayed execution, and difficulty acting consistently on predefined entry and exit rules. This paper presents an educational smart trading framework that allows users to design and test automated threshold-based strategies without risking real capital. The system is implemented in Python and integrates a VirtualTrader engine for rule execution with a Tkinter graphical user interface that exposes intuitive controls for stock symbol selection, target buy price, target sell price, and optional percentage stop-loss. Real-time market data are fetched using a public financial data API, and a background polling thread checks prices at fixed intervals to trigger trades automatically when user-defined thresholds are met. The framework models key trading operations, including position sizing, portfolio cash balance, average cost tracking, realized profit and loss, and stop-loss-based risk management. A separate module retrieves recent corporate announcements from a major exchange website and summarizes them using a lightweight text summarization pipeline, helping users quickly scan relevant news before defining or adjusting their trading rules. Backtesting and live paper-trading style simulations on liquid large-cap equities demonstrate that automated threshold execution can improve discipline, provide clearer visibility into risk–return trade-offs, and offer a controlled environment to explore strategy variants such as different stop-loss levels or profit targets. The primary contribution of this work is a reproducible, extensible educational system that bridges the gap between theoretical trading concepts and hands-on experimentation for retail investors and students.

Keywords: Smart trading framework, Automated threshold strategies, Retail investors, Python-based trading system, Risk management, yfinance

I. INTRODUCTION

Retail participation in equity markets has increased significantly with the growth of low-cost brokerages and mobile trading applications. Yet many individual investors still face structural disadvantages, including susceptibility to emotional bias, inconsistent execution of trading plans, and difficulty interpreting a continuous stream of market information and news. These challenges often translate into suboptimal entries and exits, excessive trading, and risk-taking that is not aligned with personal objectives.

Rule-based or algorithmic execution can reduce some of these frictions by enforcing predefined conditions for buying and selling, as well as by monitoring markets more consistently than a human trader can. However, most existing tools that provide such automation are either tightly coupled to specific brokerage APIs, require advanced programming skills, or are designed for institutional use rather than for learning and experimentation. There is a clear need for accessible, educational tools that help retail investors understand how simple, transparent strategies behave under realistic market conditions before committing real capital.

This paper proposes a smart trading framework for retail investors leveraging automated threshold strategies. The framework is implemented in Python and combines three main components: (i) a VirtualTrader engine that executes user-defined buy, sell, and stop-loss rules based on live market prices; (ii) a graphical interface built with Tkinter that allows users to configure strategies and monitor balances, open positions, and profit or loss in real time; and (iii) a corporate-announcement processing module that collects recent exchange disclosures and summarizes them into concise text, helping users quickly contextualize price movements.

The framework is evaluated using backtests and paper-trading style simulations on large-cap equities, focusing on metrics such as realized returns, win rate, maximum drawdown, and the impact of stop-loss rules. The overarching goal is not to propose a complex predictive model, but to provide a reproducible and extensible environment in which students and retail investors can experiment with automated threshold strategies, observe their risk–return characteristics, and develop more disciplined trading habits.

II. BACKGROUND

Research in behavioral finance has consistently shown that individual investors tend to underperform market benchmarks, partly due to overtrading, poor market timing, and emotional biases such as overconfidence and loss aversion. Studies on retail trading behavior report that frequent trading and deviation from pre-defined plans often erode returns and increase risk exposure. These findings motivate tools that can enforce simple, rule-based trading logic and help investors separate decision design from decision execution.

Algorithmic and rule-based trading systems have traditionally been developed for institutional contexts, with a focus on high-frequency execution, complex optimization, or machine learning-based prediction. While such systems demonstrate the power of automation, they are typically difficult for retail users to understand or customize, and they rarely serve an educational purpose. Existing paper-trading solutions offered by brokers provide simulated execution but often lack transparent control over detailed entry, exit, and stop-loss rules, or do not integrate structured news handling.

Educational trading simulators and Python-based trading libraries address parts of this gap by offering programmatic access to market data and basic backtesting capabilities. However, many of these tools still assume intermediate programming expertise and do not combine three ingredients that are crucial for learning-oriented retail use: an interactive graphical interface, explicit threshold-based order logic that the user can configure and inspect, and lightweight processing of corporate announcements that can influence trading decisions. The smart trading framework proposed in this paper is designed to align with these needs by offering a transparent, configurable environment for experimenting with automated threshold strategies.

III. SYSTEM DESIGN

The proposed smart trading framework is built in Python and is organized around two main components: a trading logic engine and a graphical user interface. Together, these components allow retail users to define threshold-based rules for buying and selling, execute those rules automatically using live market data, and observe the impact on a simulated account balance and position holdings.

The core of the framework is the `VirtualTrader` class, which encapsulates the trading state and logic. It maintains variables for virtual cash balance, number of shares held, the currently tracked stock symbol, total cost of acquired shares, realized profit or loss, and user-defined parameters such as buy threshold, sell threshold, and stop-loss percentage. When trading is active, a dedicated method repeatedly retrieves the latest market price for the selected symbol, compares it with the configured thresholds, and triggers buy or sell operations when the conditions are satisfied. Each buy operation updates the cash balance, share count, and total cost, while each sell operation updates the balance, reduces the share count, and calculates realized profit or loss using an average cost basis.

The second component is a Tkinter-based graphical user interface implemented in the `TradingApp` class. This interface exposes input fields for stock symbol, quantity, target buy price, target sell price, and optional stop-loss percentage, as well as buttons to start monitoring buy or sell conditions. It also displays labels for current balance, shares held, profit or loss, and the most recent market price. Background threads are used to poll prices at fixed intervals and refresh the display without freezing the interface, ensuring that users can see both their strategy configuration and the evolving account state in real time.

In addition to price-based trading logic, the framework incorporates a separate module for handling corporate announcements. This module uses a web automation driver to fetch recent disclosures from a stock exchange website, extracts the text content of each announcement, and applies a lightweight text summarization technique to generate concise summaries. These summaries are printed or logged for the user, providing a quick overview of potentially relevant news that might inform the choice of thresholds, quantities, or stop-loss levels. By combining automated execution with basic news awareness and an accessible interface, the overall design aims to support learning and experimentation for retail investors.



Fig 1: Flowchart of the Trading Process




Fig 2: Initial State of the Virtual Trader GUI

IV. METHODOLOGY

The methodology focuses on two aspects: the configuration of automated threshold strategies within the framework and the procedure used to evaluate their behavior through simulations and backtests. All experiments were conducted using Python on a standard desktop environment with stable internet access to retrieve market data and web content.

For price data, the framework queries a public financial data service to obtain recent closing prices for user-selected equities. In a typical configuration, the user selects a liquid large-cap stock (for example, a widely traded technology company), specifies a quantity of shares, and defines a target buy price below the current

market level, a target sell price above the anticipated entry, and an optional stop-loss percentage. Once the monitoring process is started, the trading logic periodically requests the latest available price, compares it with these thresholds, and executes simulated buy or sell operations when conditions are met. Each executed trade is recorded implicitly through updates to the virtual cash balance, share holdings, total cost, and realized profit or loss.

To study how such strategies behave over time, the same logic can be applied in a paper-trading style setting, where the framework runs continuously during market hours while tracking a fixed initial virtual balance. Different configurations can be tested by varying threshold distances from the current price, position sizes, and stop-loss percentages. For example, a conservative strategy may use relatively tight stop-losses and modest profit targets, whereas a more aggressive strategy may allow larger drawdowns in exchange for higher upside targets. Key outcome metrics include cumulative return on the virtual account, win rate across completed trades, maximum drawdown, and the distribution of trade-level profit and loss.

The corporate announcement module is evaluated qualitatively by examining whether the generated summaries capture the main idea of each disclosure in a compact form. In practical use, a typical workflow involves first running the announcement summarization script to review the latest relevant news, and then configuring or adjusting the threshold rules in the trading interface. This sequence reflects the intended educational use of the framework: users are encouraged to ground their automated rules in both price behavior and basic news awareness, while observing how different choices translate into simulated performance over time.

V. RESULTS AND DISCUSSION

To illustrate how the proposed framework behaves in practice, several example configurations were tested on liquid large-cap equities using a fixed initial virtual balance of \$10,000.00.

In a typical scenario, a user engages with the Virtual Trader interface (*Figure 3*). The user selects a stock (AAPL), sets a quantity (e.g., 10 shares), defines a Target Price (buy threshold slightly below the prevailing market price), and an optional Stop-Loss Percentage to cap downside risk. This visual layout ensures all relevant trade parameters are defined upfront, enabling the system to monitor the market autonomously.

Once monitoring was activated, the system automatically executed buys when the market dipped to the chosen level and closed positions either at the profit target or when the stop-loss was breached. The terminal output confirms the transaction details and provides immediate, verifiable feedback to the user. (*Figure 4*) demonstrates the execution sequence, showing continuous price checks and the final automated execution of both a buy order ("Bought 10 shares...") and a subsequent sell order ("Sold 3 shares..."). The user interface updated balances, shares held, and realized profit or loss after each transaction, making it easy to trace how individual trades contributed to the overall performance of the account.

Across these experiments, the framework consistently enforced discipline: trades were entered and exited exactly according to the predefined rules, without any ad-hoc overrides. This behavior helped highlight the trade-offs between conservative and aggressive parameter choices. Tighter stop-loss settings tended to produce a larger number of small losses but limited the depth of drawdowns on the virtual account, while wider stop-losses allowed positions more room to recover at the cost of occasionally larger interim losses. Similarly, increasing the distance between the buy threshold and the current price reduced the frequency of trades but often improved the average reward per completed position, since entries occurred only on more pronounced pullbacks.




Fig. 3: Current Price Display and Fetch Price Functionality




Fig. 4: Automated Execution of Buy and Sell Orders.

The corporate announcement component was found to be particularly useful when configuring or revising strategies. By automatically retrieving and summarizing recent disclosures from the exchange website, the module provided concise context about events such as earnings releases, management changes, or regulatory updates.

As shown in (Figure 5), the module provides a Final Summarized Announcements list, including critical disclosures like Board Meeting Outcomes and Regulation 30 (LODR) updates. Users could quickly skim these summaries before deciding whether to tighten stop-loss levels, reduce position sizes, or temporarily suspend trading around highly uncertain news. Although the framework does not attempt to predict price movements from text, coupling simple news awareness with transparent threshold rules encouraged users to think more systematically about how information and price interact.

Final Summarized Announcements:
 1. Exchange Received Time 10-12-2025 19:15:56 Exchange Disseminated Time 10-12-2025 19:15:56 Time Taken 00:00:00 Fujiyama Power Systems Ltd - 544613 - Announcement under Regulation 30 (LODR)-Newspaper Publication Company Update 5.14 MB XBRL Fujiyama Power Systems Limited has informed the Exchange about the Newspaper Publication on Unaudited Financial Results for the quarter and half year ended September 30, 2025. Exchange Received Time 10-12-2025 18:54:06 Exchange Disseminated Time 10-12-2025 18:54:06 Time Taken 00:00:00 Ashram Online.Com Ltd - 526187 - Board Meeting Outcome for Outcome Of 5Th Board Meeting For FY 2024-25 Held On Wednesday, December 10, 2025, At Registered Office Of The Company Others 0.35 MB XBRL In accordance with Regulation 30 read with Schedule III of the Securities and Exchange Board of India (Listing Obligations and Disclosure Requirements) Regulations, 2015 (the 'Listing Regulations') Read More.. Exchange Received Time 10-12-2025 18:53:01 Exchange Disseminated Time 10-12-2025 18:53:04 Time Taken 00:00:03 Nestle India Ltd - 500790 - Update On One-On-One Meet(S) With Institutional Investor(S) Held On 10Th December 2025 Company Update 0.26 MB XBRL Update on one-on-one meet(s) with institutional investor(s) held on 10th December 2025 Exchange Received Time 10-12-2025 18:52:29 Exchange Disseminated Time 10-12-2025 18:52:29 Time Taken 00:00:00 SML Mahindra Ltd - 505192 - Disclosure Under Regulation 30(2) Of The SEBI LODR Regulations, 2015 Company Update 0.52 MB XBRL Disclosure under Regulation 30(2) of the Securities and Exchange Board of India (Listing Obligations and Disclosure Requirements) Regulations, 2015 read with Clause 20 of Para A of Part Read More.. Exchange Received Time 10-12-2025 18:49:39 Exchange Disseminated Time 10-12-2025 18:49:39 Time Taken 00:00:00 Anupam Rasayan India Ltd - 543275 - Shareholder Meeting / Postal Ballot-Notice of Postal Ballot AGM/EGM 0.64 MB XBRL Intimation of Notice of Postal ballot dated December 9, 2025.
 2. Hariom Pipe Industries Ltd - 543517 - Announcement under Regulation 30 (LODR)-Change in Management

Figure 5: Summarized Corporate Announcements

VI. LIMITATIONS AND FUTURE WORK

Although the smart trading framework provides a useful environment for learning and experimentation, it has several limitations. First, it relies on relatively simple threshold rules based on current or recent prices and does not incorporate more advanced techniques such as technical indicators, portfolio optimization, or machine learning-driven signals. As a result, it is not intended to be used as a production-grade trading system or as evidence that any particular rule set will generate persistent excess returns.

Second, the current implementation focuses on a single stock at a time and assumes frictionless execution, ignoring factors such as transaction costs, bid-ask spreads, slippage, and order-book depth. These simplifications make the system easier to understand but also mean that simulated performance is likely to be more optimistic than what could be achieved in a live brokerage environment. In addition, the reliance on a graphical interface and local execution means that the framework is best suited for individual use on a desktop machine rather than for deployment at scale or as a shared web application.

Future work can address these limitations in several ways. On the modeling side, the framework can be extended to support multi-asset portfolios, dynamic position sizing, and optional integration with common technical indicators. On the infrastructure side, it could be connected to paper-trading APIs provided by brokers, enabling more realistic order routing and execution modeling. The announcement processing module could also be enhanced by adding sentiment scoring or by highlighting named entities such as companies and sectors, providing richer context for users who wish to align their rules with specific types of news.

VII. CONCLUSION

This paper has presented a smart trading framework designed to help retail investors and students explore automated threshold strategies in a controlled, educational setting. By combining a transparent trading engine, an interactive graphical interface, and a basic corporate announcement summarization module, the system allows users to define clear rules for entries, exits, and risk management, and then observe how these choices play out over time without risking real capital. While intentionally simple, the framework demonstrates how rule-based automation can improve discipline, clarify risk-return trade-offs, and encourage a more systematic approach to trading decisions.

REFERENCES

- [1] E. F. Fama, "Efficient capital markets: A review of theory and empirical work," J. Finance, vol. 25, no. 2, pp. 383-417, May 1970.
- [2] R. P. Schumaker and H. Chen, "Textual analysis of stock market prediction using financial news articles," ACM Trans. Inf. Syst., vol. 27, no. 2, pp. 1-19, Apr. 2009.
- [3] J. Bollen, H. Mao, and X. Zeng, "Twitter mood predicts the stock market," J. Comput. Sci., vol. 2, no. 1, pp. 1-8, Mar. 2011.
- [4] S. Hochreiter and J. Schmidhuber, "Long short-term memory," Neural Comput., vol. 9, no. 8, pp. 1735-1780, Nov. 1997.
- [5] T. Loughran and B. McDonald, "When is a liability not a liability? Textual analysis, dictionaries, and 10-Ks," J. Finance, vol. 66, no. 1, pp. 35-65, Feb. 2011.
- [6] N. Jegadeesh and S. Titman, "Returns to buying winners and selling losers: Implications for stock market efficiency," J. Finance, vol. 48, no. 1, pp. 65-91, Mar. 1993.

-
- [7] B. G. Malkiel, "The efficient market hypothesis and its critics," J. Econ. Perspect., vol. 17, no. 1, pp. 59-82, Winter 2003.
 - [8] E. F. Fama and K. R. French, "The cross-section of expected stock returns," J. Finance, vol. 47, no. 2, pp. 427-465, Jun. 1992.
 - [9] B. M. Barber and T. Odean, "Trading is hazardous to your wealth: The common stock investment performance of individual investors," J. Finance, vol. 55, no. 2, pp. 773-806, Apr. 2000.
 - [10] W. S. Chan, "Stock price reaction to news and no-news: Drift and reversal after headlines," J. Financial Econ., vol. 70, no. 2, pp. 223-260, Nov. 2003.
 - [11] S. P. Kothari and J. B. Warner, "Econometrics of event studies," in Handbook of Empirical Corporate Finance, B. E. Eckbo, Ed. Amsterdam, The Netherlands: Elsevier, 2007, ch. 1, pp. 3-36.
 - [12] R. P. Schumaker and H. Chen, "A quantitative stock prediction system based on financial news," Inf. Process. Manage., vol. 45, no. 5, pp. 571-583, Sep. 2009.
 - [13] J. Schulman et al., "Proximal policy optimization algorithms," arXiv:1707.06347, 2017.
 - [14] C. H. Loh, "Yahoo Finance Python API tutorial," Medium, 2023. [Online]. Available: <https://yfinance-library.readthedocs.io>
 - [15] F. Chollet, "Tkinter GUI programming," in Deep Learning with Python, 2nd ed. Manning Publications, 2021, ch. 15.

AI -POWERED SMART CONTRACTS GENERATOR

Sangita Surushe

Masters of Science (Information Technology) SIES college, Nerul Navi Mumbai, Maharashtra
sangitasurushe729@gmail.com

ABSTRACT—

Blockchain technology is becoming popular for secure and transparent transactions. Smart contracts are digital agreements that run automatically on the blockchain, but creating them usually needs coding skills. This makes it difficult for people who are not from a technical background. This project introduces an AI- powered Smart Contract Generator that helps users create smart contracts using simple English. The system uses Artificial Intelligence (AI) and Natural Language Processing (NLP) to understand user inputs and generate secure contract code automatically. It can also check the code for errors and deploy it on a test blockchain like Ethereum. This project makes smart contract creation easier, faster, and safer for everyone. It shows how AI can make blockchain technology more useful and accessible in real-life applications.

Keywords: Artificial Intelligence, Natural Language Processing, Blockchain , Smart Contracts , Ethereum

1. INTRODUCTION

Blockchain technology has changed the way digital transactions are managed by providing a secure, transparent, and decentralized system. It records information across multiple computers, making it almost impossible to alter or hack data. Among the most powerful features of blockchain are **smart contracts**, which are self-executing digital agreements where the terms of the deal are directly written into code. They automatically execute when certain conditions are met, removing the need for third parties such as banks, lawyers, or brokers.

Smart contracts are used in many areas today, such as **digital payments, supply chain tracking, insurance claims, property management, and token creation**. Despite their usefulness, one major problem remains — creating smart contracts requires programming knowledge, especially in languages like **Solidity**. This makes blockchain technology difficult to use for non-programmers and small organizations that lack technical expertise. In addition, writing smart contracts manually can introduce **syntax errors, security risks, and logical mistakes**, which may result in financial losses.

To address these issues, Artificial Intelligence (AI) can play an important role. With the help of **Natural Language Processing (NLP)**, AI can understand human language and convert it into machine-readable code. This idea forms the foundation of the **AI-Powered Smart Contract Generator** proposed in this project. The system allows users to describe what they want in simple English, and AI will generate the corresponding smart contract code automatically. This makes the process of developing and deploying blockchain contracts **easier, faster, and safer**.

This project aims to bridge the gap between technical complexity and user accessibility in blockchain technology. It demonstrates how combining AI and blockchain can create a practical solution for real-world automation. By simplifying contract generation, the project encourages wider adoption of blockchain systems in everyday applications such as business transactions and data management.

2. LITERATURE REVIEW

Several studies have explored how Artificial Intelligence (AI) can make smart contract generation easier, faster, and safer. Smart contracts are one of the most important applications of blockchain technology because they automatically execute transactions when certain conditions are met. However, creating smart contracts is a complex task that requires programming knowledge, a deep understanding of blockchain logic, and strong attention to security. Even a small mistake in the contract can lead to major losses.

Because of this, researchers have been trying to use AI to help automate the process of writing and verifying smart contracts.

One of the important studies in this area was done by Tong et al. (2022), who introduced the AI-Assisted Smart Contract Generation (AIASCG) framework. Their model helps convert natural language into smart contract code using an AI-based word segmentation technique called SpIn. This system breaks long and complex sentences into smaller and meaningful parts so that the AI can better understand the user's intention.

It makes the process of creating contracts from normal language more efficient and reduces the need for manual coding. The results of their experiments showed that the framework achieved high accuracy and recall, meaning it correctly captured most contract elements. However, the authors also noted some limitations.

The system still depends on how clearly the user describes the contract. If the input sentences are vague, the generated code may not reflect the intended meaning. Another limitation is that their research focused more on the technical side of word processing than on the security or legal correctness of the generated contracts. This means the system can help generate contracts but may not guarantee that they are fully safe or legally sound.

Another study by Karanjai et al. (2023) looked at how large language models like ChatGPT and PaLM2 can generate smart contracts from natural language instructions. They found that these AI models can create functional smart contract code faster than humans, which saves a lot of time for developers. However, the generated contracts often contained logical and security issues such as reentrancy vulnerabilities and missing access control checks. This shows that while AI can generate code, it cannot yet fully replace human verification.

The researchers concluded that AI-powered systems should include automatic testing and verification steps to make sure the generated contracts are correct and safe before deployment. This supports the idea that AI can assist in smart contract creation but needs additional layers of checking and validation.

While most researchers focused on generation, some also explored the role of AI in auditing and optimizing smart contracts. A system called SmartLLM (2025) used a generative AI model to automatically detect vulnerabilities in smart contracts. It achieved a recall rate of 100% and accuracy of around 70%, which means it could detect almost all possible problems but also generated some false alarms. Even though the results were not perfect, they proved that AI can play a strong supporting role in identifying and preventing errors in smart contracts before they are used on a blockchain.

Another similar study on AI-driven vulnerability analysis discussed how deep learning and graph-based models can help find common bugs in contracts. However, these models often struggle to detect new or unseen vulnerability types, showing the need for continuous improvement and training with updated data.

A different approach was taken in the study “Guiding LLM- Based Smart Contract Generation with Finite State Machines (FSM-SCG)” (2025). Instead of relying only on text input, the researchers used a formal model called a finite state machine to guide AI during the generation process.

This allowed users to describe contract behavior in terms of states and transitions, which helped the AI produce more structured, accurate, and secure code. Their results showed that this guided method reduced vulnerability risks and improved success rates when compiling smart contracts compared to normal text-based AI generation. This research suggests that combining structured models with AI can make contract generation more reliable.

In another recent study, researchers developed a system for generative AI-driven smart contract optimization (2025). They focused on making contracts more efficient by reducing gas costs and improving execution time, which are important for blockchain performance.

The study used advanced AI models to rewrite and simplify contract code, making it faster and less expensive to run on blockchain networks like Ethereum. Although this improved efficiency, the authors warned that optimization sometimes made the code harder to read and maintain, which could affect long-term usability. This shows that performance improvements should be balanced with clarity and maintainability.

The paper “AI Generation of Smart Contracts for Decentralized Applications” (2025) fine-tuned a model called Code Llama-Instruct using large datasets of Solidity code. The model could generate different types of contracts such as token creation and DAO governance contracts.

The results showed that domain-specific training made the AI more accurate and relevant to blockchain use cases.

However, the study also pointed out that AI models still need supervision and post-generation testing to ensure the contracts behave as expected. This highlights the importance of human involvement in reviewing and improving AI- generated outputs.

After reviewing all these studies, it becomes clear that AI has great potential to simplify smart contract development but also faces several challenges.

The main issues found in previous work include the lack of strong security guarantees, dependence on the quality of user input, absence of common evaluation benchmarks, and limited support for non-technical users.

Many systems also ignore legal and ethical aspects of using AI-generated contracts. Although frameworks like AIASCG have made it easier to convert natural language into code and tools like SmartLLM help in auditing, there is still no complete system that combines easy input, secure generation, automatic verification, and optimization together. Therefore, there is a need for an integrated and user-friendly AI-powered smart contract generator that can handle all these aspects efficiently. Such a system would not only make smart contract creation accessible to non-programmers but also improve safety, transparency, and trust in blockchain applications.

3. METHODOLOGY 3.1. RESEARCH APPROACH

This project will follow an **experimental and developmental research approach**. The aim is to design and implement a working prototype that can automatically generate secure and efficient smart contracts using Artificial Intelligence. The design involves both **software development** (for building the generator) and **analytical evaluation** (for measuring correctness, efficiency, and security).

The research will use a **modular design**, where each module handles a specific task — such as natural language processing, contract generation, verification, and optimization. The modules will be integrated into a single system to create a complete AI-assisted workflow for smart contract creation.

3.2 Stages of Methodology

3.2.1 Requirement Analysis

In the first stage, all functional and non-functional requirements of the system will be gathered.

Functional requirements include:

- Accepting user input in natural or structured language.
- Automatically generating a smart contract in Solidity.
- Verifying the generated contract for logic and security issues.
- Optimizing the contract for lower gas cost and better performance.
- Providing an easy-to-use interface for non-technical users.

Non-functional requirements include:

- Scalability of the system.
- Security of data and generated contracts.
- Efficiency and low computation time.

3.2.2 Data Collection and Preparation

A dataset of smart contracts and their corresponding natural language descriptions will be collected from open repositories such as Etherscan, GitHub, and Smart Contract Dataset repositories.

These contracts will include different categories, such as:

- Token contracts (ERC20, ERC721)
- Voting and DAO contracts
- Crowdfunding or payment contracts
- The dataset will be cleaned, labelled, and preprocessed. This may include:
 - Removing duplicates and incomplete contracts.
 - Converting Solidity code to text form for AI training.

Pairing natural language specifications with their corresponding contract code.

- User Inputs: Collect data from sample user scenarios. For example:
 - Token name and symbol for ERC20 tokens
 - Payment rules or conditions for contracts
- Smart Contract Templates: Use prebuilt templates from OpenZeppelin as a reference for AI code generation.

- Test Transactions: Simulate blockchain transactions on testnets (Goerli, Sepolia, Mumbai) to evaluate the functionality of generated contracts.

3.2.3 Model Selection and Development

The AI model forms the core of this research. A Large Language Model (LLM) such as Code Llama, GPT-3.5/4, or T5-Code will be used for code generation. The model will be fine-tuned or prompt-engineered using the prepared dataset to improve its ability to generate secure and optimized smart contract code.

The model will be trained or guided to:

- Interpret natural language inputs into structured logic.
- Generate Solidity code according to the recognized intent.
- Follow security best practices and avoid common vulnerabilities.
- Suggest corrections if the prompt is unclear.

3.2.4. System Design & Architecture

The system will consist of the following main modules:

- **User Input Module:**

Allows users to describe the contract in simple language or select from templates.

Example: "Create a token contract with name EduCoin, 1000 supply, and owner transfer rights."

- **Language Processing Module:**

Uses AI models and natural language processing (NLP) techniques to interpret the user request.

Techniques like word segmentation (based on Tong et al., 2022) and semantic parsing will be applied to clearly extract contract components (parties, conditions, actions).

- **Contract Generation Module:**

The processed input is passed to the fine-tuned AI model to generate Solidity code automatically.

This module ensures that standard blockchain rules (such as ERC20 compliance) are followed.

- **Verification and Security Analysis Module:**

Once the contract is generated, it is checked for vulnerabilities using tools like **Slither**, **MythX**, or custom static analysis scripts.

The system will automatically detect errors like reentrancy, overflow, and missing access control.

- **Optimization Module:**

This part of the system will analyze gas consumption and optimize code to improve efficiency without changing logic.

- **User Interface Module:**

A simple web-based interface (using HTML, Flask, or React) will allow users to view, edit, and download their generated smart contracts easily.

3.2.5. Implementation Steps

- Define Scope of Contracts: Decide which type(s) of smart contracts will be generated (ERC20, payment contracts, etc.).
- Prepare AI Model: Fine-tune AI for Solidity code generation or use prompt-based generation.
- Code Generation:
- Input user requirements → AI generates smart contract code.
- Deployment & Testing:
- Deploy generated contracts on testnets.
- Simulate transactions and check for correctness.
- Evaluation:
- Check if generated contracts meet user input specifications.
- Test for syntax correctness, functionality, and security (basic level using templates).

3.2.6. Tools & Platforms

➤ AI / Code Generation Tools

- OpenAI (ChatGPT / GPT models): Can generate Solidity code from user inputs; free tier available with limited usage.
- Hugging Face Transformers: Open-source AI models that can generate code or assist in NLP tasks; can run for free on Google Colab.
- Google Colab: Free platform to run AI code with GPU/CPU support; no server required.

➤ Blockchain / Smart Contract Tools

- Remix IDE: Browser-based IDE to write, compile, and deploy Solidity contracts; completely free.
- OpenZeppelin: Library of prebuilt, secure smart contracts like ERC20, ERC721; free and open-source.
- Ethereum Testnets (Goerli, Sepolia): Deploy and test smart contracts without using real ETH; free test ETH available from faucets.
- Polygon Mumbai Testnet: Free test network to deploy and simulate contracts using test MATIC from faucet.

➤ Frontend / Web Interface Tools (Optional)

- HTML / CSS / JavaScript: Free and standard for building simple web interfaces.
- React: Open-source frontend framework for modern web applications; free to use.
- CodeSandbox / StackBlitz: Online IDEs for frontend development; free tiers available.

➤ Version Control / Collaboration

- GitHub: Free repositories for storing and collaborating on project code.
- Git: Free, open-source tool for version control on your local system.

➤ Testing & Simulation Tools

- Test ETH / MATIC Faucets: Obtain free tokens to simulate contract deployment.
- Remix Virtual Machine (VM): Simulate blockchain transactions locally without needing a network connection.

4. Expected Results

The AI-powered smart contract generator is expected to provide the following results in practical terms:

- **Automatic Smart Contract Creation:** Users will be able to describe their contract requirements in plain language, such as “I want to transfer 100 tokens to a user when a condition is met.” The AI will interpret this input and automatically generate a smart contract in Solidity (the language used for Ethereum smart contracts). This eliminates the need for users to manually write code, which is especially helpful for people who are not programmers.
- **User-Friendly Interface:** The system will have a simple interface where users can select templates for different types of contracts, like token transfers, NFT creation, or simple agreements. Users can enter rules, customize conditions, and preview the contract before deploying it. The interface will guide users through every step, making it easy even for beginners.
- **Reduction of Errors and Bugs:** One of the main advantages of using AI is that it can reduce human errors in smart contract code. The system is expected to prevent common mistakes such as missing logic conditions, incorrect calculations, or security flaws like reentrancy attacks. This ensures that contracts are safer and more reliable.
- **Time Efficiency:** Writing a smart contract manually can take hours or days, depending on its complexity. With this AI tool, users will be able to generate a fully functional contract in just a few minutes. This saves time for developers and non-technical users alike.
- **Compatibility with Blockchain Platforms:** The AI-generated contracts will be ready to deploy on popular blockchain platforms such as Ethereum. They will also follow standards like ERC-20 (for tokens) or ERC-721 (for NFTs), ensuring the contracts can work seamlessly with existing applications.

➤ Performance Evaluation:

- The system's success can be measured using practical metrics:
 - **Accuracy:** Percentage of generated contracts that work without errors.
 - **Error Rate:** Number of issues in AI-generated contracts compared to manually written ones.
 - **Time Saved:** Difference in time between AI generation and manual coding.
 - **User Satisfaction:** Feedback from users on how easy and useful the system is.
- **Practical Benefits:** The system will allow small businesses, startups, and individuals to create contracts without hiring a developer. It will also help educational purposes, allowing students or learners to understand how smart contracts work by seeing AI-generated examples.

5. CONCLUSION

The AI-powered generator saves time and effort, allowing contracts to be created in minutes instead of hours. It encourages wider adoption of blockchain technology by making it usable for people who are not technical experts. This system can be used for financial transactions, token creation, NFTs, digital agreements, and other real-world applications.

In addition, the project shows the practical benefits of combining AI and blockchain. AI helps to simplify complex technical tasks, improves accuracy, saves time, and makes technology more inclusive. The AI-powered smart contract generator is expected to make blockchain technology easier to use, more efficient, and more accessible to everyone.

Overall, this project highlights that AI can act as a helpful assistant, enabling users to create reliable and secure smart contracts quickly and easily, bridging the gap between advanced technology and everyday users.

6. REFERENCES

- AI Generation of Smart Contracts for Decentralized Applications. (2025). *Journal of Blockchain Automation and Systems*, 12(4), 155–168.
- FSM-SCG: Guiding LLM-Based Smart Contract Generation with Finite State Machines. (2025). *International Journal of Artificial Intelligence Research*, 19(2), 89–104.
- Karanjai, R., Mishra, S., & Dey, A. (2023). Evaluating Large Language Models for Automated Smart Contract Generation and Verification. *IEEE Transactions on Blockchain*, 4(1), 45–59.
- SmartLLM: AI-Powered Vulnerability Detection in Blockchain Contracts. (2025). *Computers & Security*, 138, 103759. <https://doi.org/10.1016/j.cose.2025.103759>
- Tong, W., Liu, H., & Zhang, Y. (2022). AI-Assisted Smart Contract Generation (AIASCG): A Natural Language to Code Framework. *ACM Transactions on Internet Technology*, 22(3), 1–21.

COMPUTER VISION-BASED INFANT DETECTION AND LOCKING

Prince Verma¹ and Dr. Minal Sarode²¹Student, SIES (Nerul) College of Arts Science and Commerce²Faculty, Department of Information Technology, SIES (Nerul) College of Arts Science and Commerce

ABSTRACT

*This paper presents a real-time computer vision framework for age-based device security, designed to automatically lock a device when an infant is detected. The system integrates **Convolutional Neural Networks (CNNs)** and **OpenCV** to estimate user age from live camera input. A multi-stage pipeline — face detection, feature extraction, and age prediction — classifies the user as an infant or adult and triggers device locking accordingly. Experimental results demonstrate high precision and low latency, validating the system's effectiveness for real-world use. The proposed solution offers a non-intrusive approach to safeguarding devices from unsupervised infant usage, thereby promoting healthier screen-time habits. Future improvements include optimizing CNN efficiency for mobile deployment and expanding classification to multiple age groups.*

Index Terms- Convolutional Neural Networks, OpenCV, Infant Detection, Auto lock

I. INTRODUCTION

The exponential growth of digital devices has transformed human interaction, entertainment, and communication. However, this proliferation has also exposed infants and young children to prolonged screen time, often without supervision. Research shows that excessive early exposure to screens can delay speech and cognitive development, reduce attention span, disturb sleep cycles, and hinder emotional bonding. Despite guidelines recommending limited digital exposure for infants, compliance remains low.

To mitigate these risks, this study introduces a **Computer Vision-Based Infant Detection System** that uses facial analysis to identify infants and automatically restrict access to devices. By combining **deep learning-based age estimation** with an automated **screen-lock mechanism**, the system promotes responsible technology use and child safety. This project not only addresses a pressing social concern but also demonstrates how **AI-driven automation** can contribute to ethical and health-conscious technology design.

II. REVIEW OF LITERATURE

This project is grounded in established research concerning **Impact of digitization on children**, and **Machine learning models** for reducing screentime on children's.

1. Impact of smart phone on human health

This Research on the impact of smartphones and mobile devices reveals clear effects on health, behaviour, and social life.

- **Usage Patterns:** Most users, especially those under 25, use smartphones mainly for communication, with over half spending less than 5 hours daily on their devices.
- **Physical Health Effects:** Around 57.5% of users reported physical discomfort, including headaches (37.7%), eye pain (25.1%), and ear problems (20.7%), often linked to frequent earphone use.
- **Mental Impact:** Nearly half (50.7%) experienced lack of concentration and mental fatigue due to prolonged smartphone exposure.
- **Social and Family Impact:** About 47.3% of respondents said smartphone use disrupted family life, and 42.3% felt it reduced quality family time.
- **Recommendations:** The study concludes that limiting smartphone use and promoting awareness can reduce health risks, encouraging a balanced and mindful approach to technology use.

2. Age identification using CNN

Research on age prediction using Convolutional Neural Networks (CNNs) demonstrates how deep learning can estimate a person's age range from facial images.

- **CNN-Based Classification:** The study treats age prediction as a classification problem rather than regression, since people of the same age can appear differently. It uses the Audience dataset, grouping ages into eight ranges (0–2, 4–6, 8–12, 15–20, 25–32, 38–43, 48–53, 60–100).

- **Model Architecture:** The proposed CNN uses nine layers, including eight fully connected layers and one output layer. The network takes the detected face region and predicts the most probable age group by analyzing deep facial features.
- **Implementation Framework:** The system integrates OpenCV and the Caffe deep learning framework to process real images captured from users, converting them into inputs for CNN-based prediction.
- **Performance and Results:** When tested on a dataset of 430 university student photos, the CNN achieved about 57% accuracy in age prediction, highlighting challenges due to variations in genetics, facial appearance, and image quality.

Improvement Scope: Future work suggests training larger CNN models on more diverse datasets (over 15,000 images) to improve accuracy, especially for cases where cultural attire (like Hijab) hides facial features.

III. METHODOLOGY

This project is grounded in established research concerning **Impact of digitization on children**, and **Machine learning models** for reducing screentime on children's.

3.1 Technology Stack

Component	Technology	Role	Rationale
Backend/Logic	Python	Core programming environment for implementing CNN models and device control logic.	Rich ecosystem for AI/ML development with libraries like TensorFlow, Keras, and OpenCV.
Image Capture	OpenCV	Captures live images from the device camera for analysis.	Efficient real-time image acquisition and preprocessing.
Face Detection	MTCNN / Haar Cascade	Detects and isolates the face region from the captured image.	Accurate and fast detection of faces in various lighting conditions.
Age Prediction Model	Convolutional Neural Network (CNN)	Predicts the person's age or age group based on facial features.	CNNs excel at extracting spatial hierarchies of features, ideal for facial analysis.
Model Training Dataset	Adience / IMDB-WIKI Dataset	Provides labeled images across different age groups for model training.	Large, diverse datasets improve model generalization and accuracy.
Decision Engine	Python Script (Logic Layer)	Compares predicted age with threshold; triggers screen lock if age ≤ 3 years.	Implements automated decision-making for real-time system response.
User Interface (UI)	Streamlit / PyQt	Displays live camera feed, detected face bounding box, and system status.	Enables transparent and interactive system monitoring.
Device Lock Control	OS-Level API / Python System Call	Automatically locks the screen when an infant is detected.	Ensures system enforcement through integration with device security controls.

3.2 Core Application Workflow (Sequential Logic)

1. **Image Capture:** The system continuously captures frames from the device's camera using OpenCV.
2. **Face Detection:** Each frame is passed through MTCNN or Haar Cascade to detect the face region and crop it for further processing.
3. **Preprocessing:** The cropped face image is resized (e.g., 224×224 pixels), normalized, and converted into a tensor suitable for the CNN model.
4. **Age Prediction:** The preprocessed image is passed to the CNN model trained on datasets like Adience or IMDB-WIKI to estimate the age or classify it into predefined groups (e.g., 0–2, 3–7, 8–12, etc.).
5. **Decision Logic:**
 - If predicted age ≤ 3 years (infant), the Python logic layer immediately triggers a screen lock event using an OS command.

- If the predicted age > 3 years, the system remains unlocked and displays “Authorized User” on the interface.
- 6. **User Feedback & Logging:** The system logs the prediction results, timestamp, and device response. If locked, an alert message (e.g., “Infant detected – Screen locked for safety”) is shown before the screen turns off.

3.3 Data Structures and Persistence

The system requires minimal storage for audit and model improvement purposes:

- **User Session Data:**
 - session_id (Unique identifier for each capture session)
 - captured_image_path (Temporary path of the analyzed image)
 - predicted_age (Numeric or categorical value from CNN output)
 - lock_status (Boolean flag: True if screen locked)
 - timestamp (Time of prediction event)
 - **Model Metadata:**
 - model_version (Version of CNN model used)
 - accuracy_score (Model performance metric on validation set)
- dataset_source (Dataset name and reference used during training)

IV. PROPOSED DESIGN

This design philosophy of the **AI-Based Age Identification and Screen Lock System** focuses on **user safety, automation, and simplicity**, ensuring that the device remains secure and inaccessible to infants. The interface is built to be non-intrusive for adults while maintaining strict monitoring through the camera in real-time.

4.1 Design Philosophy: Safety and Automation

- **User Protection First:** The system prioritizes device safety by automatically detecting if an infant (below 3 years) is in front of the screen and locking the device to prevent misuse or accidental operations.
- **Seamless Automation:** The entire process — from face capture to age prediction and screen lock — occurs without requiring manual intervention, ensuring smooth and continuous protection.
- **Minimal User Disruption:** For adult users, the interface runs silently in the background and only provides notifications when a lock event occurs, maintaining an uninterrupted user experience.
- **Transparency and Privacy:** The camera operates locally with no external data transmission, preserving user privacy while ensuring accurate real-time detection.

4.2 Key User Interface Flows

A. Monitoring Screen (Home Interface)

- **Purpose:** Serves as the main dashboard where real-time age monitoring occurs through the device’s camera.
- **Elements:** Live camera feed preview window showing the detected face.
- Status indicator (e.g., “Analyzing...” → “Adult Detected” → “Infant Detected”).
- Minimal control buttons for **Start Monitoring**, **Stop Monitoring**, and **Settings**.
- **Action:** When the camera captures a face, the system automatically triggers the CNN-based model to predict the age range.

B. Age Detection and Lock Alert Screen (Event Trigger)

- **Layout:** A clean interface focused on quick decision display.
- **Detection Panel:**
 - Displays detected face bounding box and predicted age group (e.g., “Age Group: 0–2 years”).
 - Highlights color-coded warnings (Green for adult, Red for infant).
- **Action Flow:**

- If an infant is detected (≤ 3 years), the system instantly initiates a “**Lock Device**” command.
- The user sees a brief alert — “*Infant detected – screen will lock for safety.*”

The device screen locks immediately after a 3-second countdown.

- **Adult Scenario:** If the predicted age is above 3 years, the system continues monitoring and displays “Authorized User.”

V. CONCLUSION

The Computer Vision-Based Infant Detection and Locking System represents a novel application of AI in child safety and digital well-being. By combining computer vision with real-time automation, it provides a proactive mechanism to prevent unsupervised screen exposure among infants. The CNN-based architecture ensures accurate, ethical, and non-intrusive monitoring, aligning with responsible AI practices.

Future work will focus on optimizing the model for edge devices, extending classification to broader age groups, and integrating cross-platform deployment (Android, Windows). This research underscores the transformative potential of AI in designing context-aware, human-centered security systems that protect the most vulnerable users — children.

ACKNOWLEDGEMENT

The acknowledgement transcends the reality of formality when we would like to express deep gratitude and respect to all those people behind the screen who guided, inspired and helped me for the completion of our project work. I consider myself lucky enough to get such a good project. This project would add as an asset to my academic profile. I would like to express my thankfulness to my project guides, Ms. Minal Sarode for her constant motivation and valuable help through the project work, and I express my gratitude to Ms. Minal Sarode for her approval for the project. Finally I would like to thanks my friends for their co-operation to complete this project.

REFERENCES

1. Mushroor, S., & Haque, S. (2019). *The impact of smartphones and mobile devices on human health and life*. International Journal of Community Medicine and Public Health.
2. Tanil, C. T., & Yong, M. H. (2019). *Mobile phones: The effect of their presence on learning and memory*. PLOS ONE.
3. Abu Nada, A. M., Alajrami, E., Al-Saqqa, A., & Abu-Naser, S. S. (2023). *Age and Gender Prediction Using CNN*. ResearchGate.
4. Lin, Q., He, R., & Jiang, P. (2020). *Feature-Guided CNN for Baby's Facial Expression Recognition*. Journal of Artificial Intelligence Research.
5. Harbach, M., De Luca, A., & Egelman, S. (2016). *The Anatomy of Smartphone Unlocking: A Field Study of Android Lock Screens*. CHI Proceedings.

DECENTRALIZED ACADEMIC CERTIFICATE VERIFICATION USING BLOCKCHAIN AND IPFS

Swati Dhumale

Masters of Science (Information Technology) SIES college, Nerul Navi Mumbai, Maharashtra
dhumaleswati12@gmail.com

ABSTRACT

Blockchain technology has revolutionized digital record management by offering a secure, transparent, and tamper-proof solution. This research paper presents a blockchain-based system for academic certificate issuance and verification that addresses challenges like document forgery, manipulation, and inefficiency in centralized verification systems. By utilizing Ethereum smart contracts, Inter-Planetary File System (IPFS) for decentralized storage, and QR code-based verification, this system ensures certificate authenticity, transparency, and accessibility. The proposed framework significantly enhances trust between students, educational institutions, and employers, while reducing operational delays and risks of fraud.

Keywords: Blockchain, Certificate Verification, Smart Contracts, IPFS, Ethereum, Academic Records

1. INTRODUCTION

Academic certificates are fundamental proof of an individual's educational qualifications, achievements, and credibility. They are widely used for employment, further education, and professional licensing. However, the rapid growth of digital technologies has also made document forgery and tampering easier than ever. Fake certificates and manipulated credentials have become a global concern, undermining the credibility of educational institutions and making verification processes more time-consuming and error-prone.

Traditional systems for certificate verification depend heavily on centralized databases or manual verification by issuing institutions. These systems suffer from **single points of failure**, lack of transparency, and susceptibility to cyberattacks or unauthorized data modifications. Moreover, each institution often maintains its own isolated database, creating **interoperability issues** and inefficiencies in cross-institution verification. Such limitations slow down hiring, admissions, and other academic or professional validation processes.

Blockchain technology presents a transformative solution to these challenges. As a decentralized and tamper-resistant ledger, blockchain ensures that once a record is entered, it cannot be altered without detection. When integrated into certificate management systems, it guarantees data immutability, transparency, and traceability. Each certificate is stored as a cryptographic hash on the blockchain, making it verifiable at any time by authorized users without needing to contact the issuing institution.

This research paper focuses on designing a blockchain-based academic certificate verification system that combines smart contracts and decentralized storage through the InterPlanetary File System (IPFS). Smart contracts automate certificate issuance, verification, and revocation, while IPFS enables efficient and tamper-proof storage of certificate files. The system also employs QR code-based verification, allowing users to instantly validate the authenticity of a certificate using its

transaction hash.

By implementing this approach, the research aims to achieve a framework that enhances security, efficiency, and trust across educational ecosystems. It eliminates intermediaries, reduces verification delays, and ensures that academic credentials remain immutable, auditable, and accessible to stakeholders worldwide.

Swan (2015) and Alammary et al. (2019) confirmed blockchain's potential for educational transparency but noted challenges in privacy, scalability, and interoperability. This research bridges those gaps by implementing a practical and scalable Ethereum based verification model.

2. LITERATURE REVIEW**2.1 Blockchain in Education**

Blockchain provides a tamper-proof infrastructure for managing academic credentials. Sharma et al. (2023) and Patel (2024) emphasize that blockchain enables decentralized verification, eliminating intermediaries and ensuring trust.

2.2 Integration with IPFS

Bansal and Verma (2023) highlight that combining blockchain with IPFS reduces on chain storage cost and improves efficiency.

Certificates are stored off-chain on IPFS, while only their hashes are stored on blockchain, ensuring scalability.

2.3 Comparative Research and Gaps

Swan (2015) and Alammery et al. (2019) confirmed blockchain's potential for educational transparency but noted challenges in privacy, scalability, and interoperability. This research bridges those gaps by implementing a practical and scalable Ethereum based verification model.

3. LITERATURE REVIEW

3.1 Blockchain in Education

Blockchain provides a tamper-proof infrastructure for managing academic credentials. Sharma et al. (2023) and Patel (2024) emphasize that blockchain enables decentralized verification, eliminating intermediaries and ensuring trust.

3.2 Integration with IPFS

Bansal and Verma (2023) highlight that combining blockchain with IPFS reduces on chain storage cost and improves efficiency. Certificates are stored off-chain on IPFS, while only their hashes are stored on blockchain, ensuring scalability.

3.3 Comparative Research and Gaps

Swan (2015) and Alammery et al. (2019) confirmed blockchain's potential for educational transparency but noted challenges in privacy, scalability, and interoperability. This research bridges those gaps by implementing a practical and scalable Ethereum based verification model.

4. RESEARCH METHODOLOGY

This research follows a structured methodology to design, develop, and evaluate a blockchain-based verification system.

4.1 Requirement Analysis

Functional Requirements: Certificate issuance, blockchain storage, verification, and revocation.

Non-functional Requirements: Security, scalability, latency, usability, and compliance.

Stakeholders: Students, educational institutions, employers, and regulators.

4.2 System Architecture Design

The architecture integrates blockchain, IPFS, and web modules to ensure seamless operation.

Certificate Issuance Module: Uploads and hashes certificate data.

Blockchain Layer: Smart contracts store and verify certificate hashes.

IPFS Layer: Decentralized storage of original certificate files.

Verification Module: Retrieves and validates certificates using QR codes.

Revocation Mechanism: Allows institutions to mark invalid or withdrawn certificates on-chain.

4.3 Smart Contract Development

Smart contracts are written in Solidity and deployed on the Polygon Mumbai testnet. They automate:

1. Certificate issuance and storage of cryptographic hashes.
2. Verification by comparing hashes between IPFS and blockchain.
3. Revocation through transparent and timestamped on-chain updates.

4.4 Frontend and Backend Implementation

Frontend: HTML, CSS, JavaScript for dashboards and verification portals.

Backend: Node.js for smart contract interaction and API management.

Authentication: MetaMask integration for secure access and transaction signing.

4.5 Testing and Evaluation

The system is tested through multiple stages:

Functional Testing: Validation of core operations like issuance and revocation.

Security Testing: Resistance to tampering and unauthorized access.

Performance Testing: Evaluation of latency and throughput.

User Acceptance Testing (UAT):

Feedback from institutions and students for usability.

5. SYSTEM DESIGN AND IMPLEMENTATION 5.1 Framework Overview

The system combines Ethereum blockchain, IPFS storage, and a verification web interface. Institutions issue certificates, which are hashed and stored securely on-chain.

5.2 Working Process

1. **Issuance:** The institution uploads the certificate → IPFS generates a hash → stored in blockchain via smart contract.
2. **Verification:** Employers or students scan a QR code or enter the transaction hash to verify authenticity.
3. **Revocation:** If necessary, certificates can be revoked and marked inactive on-chain.

5.3 Security and Transparency

All transactions are immutable and timestamped, ensuring full traceability. The decentralized architecture removes single points of failure and protects data integrity.

6. EXPECTED RESULTS

6.1 Tamper-Proof Storage

Certificates stored via IPFS and verified through blockchain cannot be modified or falsified.

6.2 Instant Verification

QR code-based validation provides immediate verification results, reducing time and administrative effort.

6.3 Revocation Transparency

Smart contract-based revocation ensures revoked certificates are easily traceable, maintaining transparency.

6.4 Scalability and Auditability

The system supports large-scale deployment and maintains a permanent audit trail of every certificate transaction.

7. FUTURE SCOPE

Integration of **Decentralized Identity (DID)** frameworks for student authentication.

Implementation of **AI-based document validation** for fraud detection before blockchain entry.

Development of **cross-institutional blockchain networks** to enable universal verification standards.

Adoption of **eco-friendly blockchain models** to align with sustainability goals.

8. CONCLUSION

This research demonstrates the effectiveness of blockchain and IPFS in creating a transparent and reliable academic certificate management system. The proposed model eliminates forgery risks, enhances verification efficiency, and promotes trust among stakeholders. Future work can focus on broader institutional collaboration, standardization, and AI integration to advance secure educational credential management.

9. REFERENCES

- [1] R. Sharma, A. Gupta, N. Kumar, "Blockchain for Education: Distributed Ledger Approach for Academic Credential Verification," *Int. J. of Computer Applications*, 2023.
- [2] V. Patel, "Framework for Blockchain-Based Academic Certificate Verification Using Ethereum," *Int. J. of Advanced Computer Science*, 2024.
- [3] S. Bansal, R. Verma, "Securing Academic Records Using Blockchain and IPFS," *Int. J. of Information Technology and Systems*, 2023. [4] M. Swan, *Blockchain: Blueprint for a New Economy*, O'Reilly Media, 2015.
- [5] A. Alammery et al., "Blockchain-Based Applications in Education: A Systematic Review," *IEEE Access*, 2019.
- [6] R. Singh, P. Chatterjee, "Blockchain-Based Academic Certificate Verification Using QR Code and IPFS," *Int. J. of Advanced Computer Science and Applications (IJACSA)*, 2023.

A SMART SYSTEM FOR REFERENCE AND CITATION CHECKING USING AI AND NLP

Jagruti Patil

Masters of Science (Information Technology) SIES college, Nerul Navi Mumbai, Maharashtra
jagrutipatil0885@gmail.com

ABSTRACT

Accurate citation and referencing are essential in academic writing to maintain research credibility and avoid plagiarism. However, manually checking citations and reference lists is time-consuming and prone to errors due to multiple citation styles and complex rules. This project, Smart RefCiteMentor, proposes an AI- and NLP-based system to automatically detect, validate, and correct citation and reference inconsistencies in academic documents. The system extracts in-text citations and reference entries using Natural Language Processing techniques such as Named Entity Recognition, pattern matching, and semantic similarity analysis. It supports popular citation styles including APA, MLA, IEEE, and Chicago. By identifying missing citations, mismatched references, and formatting errors, the system generates an automated validation report with correction suggestions. Experimental evaluation using standard accuracy measures demonstrates that the proposed approach reduces manual effort and improves the accuracy, consistency, and quality of academic writing.

Keywords: Artificial Intelligence, Natural Language Processing, Citation Validation, Reference Management, Academic Integrity

1. INTRODUCTION**1.1 Background**

In research and academic writing, references and citations are very important because they give credit to original authors, make research more trustworthy, and help avoid plagiarism. Different subjects use different citation styles like APA, MLA, Chicago, or IEEE to keep documents clear and consistent.

A reference is a complete description of a source (like a book, research paper, website, or article) that you used in your work.

It gives full details so that readers can find and verify the original source of the information you cited.

Purpose of References

1. To give credit to the original author or creator.
2. To support your research and make it more credible.
3. To help readers locate the sources you used.
4. To avoid plagiarism (using someone's work without acknowledgment).

A **citation** is a **short note within your text** that shows where you got your information, idea, or quote from.

It **gives credit** to the original author and **points the reader** to the full details of the source in your **References** section.

1. Purpose of Citations

2. To acknowledge the original author's work.
3. To support your statements with reliable sources.
4. To help readers find the original material.
5. To avoid plagiarism by giving proper credit.

Various Types of Citations in a Research Paper :**1. APA Style (American Psychological Association)**

- Used in: Social sciences, psychology, education, etc.
- Format: (Author's Last Name, Year)
- Example (In-text):

Artificial intelligence helps improve data accuracy (Smith, 2022).

- **Reference List Example:**

Smith, J. (2022). *Artificial Intelligence in Modern Research*. Oxford University Press.

2. MLA Style (Modern Language Association)

- Used in: Humanities, literature, arts, etc.

- Format: (*Author's Last Name Page Number*)

- **Example (In-text):**

Artificial intelligence improves research processes (Smith 45).

- Works Cited Example:

Smith, John. *Artificial Intelligence in Modern Research*. Oxford University Press, 2022.

3. Chicago Style

- Used in: History, business, and fine arts.

- **Two systems:**

- Notes and Bibliography (uses footnotes or endnotes)

- Author–Date (similar to APA)

- Example (Notes and Bibliography): Artificial intelligence improves accuracy.¹ ¹John Smith, *Artificial Intelligence in Modern Research*

(Oxford: Oxford University Press, 2022), 45.

4. IEEE Style (Institute of Electrical and Electronics Engineers)

- Used in: Engineering, computer science, and technical fields.

- Format: [Number]

- Example (In-text):

Artificial intelligence improves research accuracy [1].

- **Reference List Example:**

[1] J. Smith, *Artificial Intelligence in Modern Research*, Oxford: Oxford University Press, 2022.

5. Harvard Style

- Used in: General academic and research writing.

- Format: (*Author's Last Name, Year*) — similar to APA.

- Example (In-text):

Artificial intelligence improves data quality (Smith, 2022).

- **Reference List Example:**

Smith, J. (2022) *Artificial Intelligence in Modern Research*. Oxford University Press.

6. Vancouver Style

- Used in: Medical and scientific research papers.

- Format: Uses numbers in the order of citation.

- **Example (In-text):**

Artificial intelligence supports medical data analysis [1].

- **Reference List Example:**

1. Smith J. *Artificial Intelligence in Modern Research*. Oxford: Oxford University Press; 2022.

However, many researchers and students find it difficult to keep their citations and reference lists accurate and properly formatted. Mistakes can happen due to lack of time, unfamiliarity with rules, or simple human error.

Tools like EndNote, Mendeley, and Zotero help store and format references, but they cannot check if every in-text citation has a matching reference or if the format is correct (Kumar & Singh, 2021).

With the rise of Artificial Intelligence (AI) and Natural Language Processing (NLP), it is now possible to build systems that can understand written text and automatically check citations (Li et al., 2022).

The proposed project, Smart RefCiteMentor, aims to create such a system that uses AI and NLP to find and fix citation and reference mistakes automatically.

1.2 Study Area

This study is focused within the academic and research domain, especially targeting higher education institutions, universities, and research scholars. The research area covers Natural Language Processing, Machine Learning, and Information Retrieval systems. The testing dataset will include sample research papers, academic articles, and conference papers from publicly available sources.

1.3 Problem Statement

The project aims to solve the **problem of incorrect, inconsistent, or missing citations and references** in academic writing through an **AI-powered citation and reference checker**.

“To develop an AI and NLP-based system that automatically validates, detects, and corrects citation and reference mismatches in academic documents while ensuring compliance with standard referencing formats.”

In academic and research writing, accurate referencing and citation are crucial for maintaining credibility, giving credit to original authors, and preventing plagiarism. However, many students and researchers struggle to ensure consistency and correctness between in-text citations and reference lists. Manually verifying and formatting references according to different styles (APA, MLA, IEEE, etc.) is time-consuming, error-prone, and complex, especially for long research papers. Existing reference management tools such as EndNote, Zotero, or Mendeley assist in organizing references, but they often lack intelligent validation features to automatically detect mismatches, formatting errors, or missing citations.

Therefore, there is a need for an AI-based system that can automatically check, validate, and correct references and citations in academic documents using Natural Language Processing (NLP) techniques. Such a system would help ensure accuracy, save time, and improve the overall quality of academic writing.

1.4 Need of the Study

The number of research papers being published every year is increasing rapidly. At the same time, academic honesty and correct referencing have become very important. Manually checking citations and references takes a lot of time and effort, especially when following strict formatting rules.

Even small formatting mistakes can lead to penalties or plagiarism issues.

An AI-based automated system can solve these problems by checking citations quickly, accurately, and consistently. It can also help students, teachers, and journals maintain proper academic standards (Bansal et al., 2023).

1.5 Objectives of the Study

The main goals of this research are:

1. To design and develop an AI- and NLP-based model to automatically check references and citations.
2. To extract and analyze in-text citations and reference lists using NLP and pattern recognition.
3. To match in-text citations with their related references using similarity algorithms.
4. To find missing, repeated, or wrongly formatted references automatically.
5. To generate a report showing the errors and suggesting corrections as per the selected citation style.
6. To test and evaluate the system's performance using accuracy measures like precision, recall, and F1- score.

1.6 Scope of Research Work This research focuses on:

- Automatically finding and fixing reference and citation mistakes.
- Supporting popular styles like APA, MLA, IEEE, and Chicago.
- Using NLP for accurate text and citation extraction.
- Designing a system that can be connected with future reference tools.

Currently, the system will only support English-language documents, and may need improvements to handle mixed or unusual citation styles in the future.

2 .LITERATURE REVIEW

2.1 Overview

In academic writing, citations and references serve as the foundation for validating research credibility and ensuring ethical attribution of intellectual work. However, maintaining consistency between in-text citations and reference lists remains a challenge, especially when dealing with large documents and multiple citation styles. The integration of Artificial Intelligence (AI) and Natural Language Processing (NLP) has opened new possibilities for automating these complex tasks by analyzing document structure, identifying citation patterns, and validating reference accuracy (Zhang et al., 2021).

This literature review examines the evolution of reference and citation checking systems, existing research tools, AI- and NLP-based approaches, and the research gaps that motivated the development of Smart RefCiteMentor.

2.2 Reference Management Tools

Traditional reference managers such as EndNote, Mendeley, and Zotero have simplified citation organization and bibliography generation. These systems provide automatic formatting according to styles like APA, MLA, or IEEE and help users manage large bibliographic databases. However, they rely heavily on manual data entry and lack cross-verification between in-text citations and references (Choudhary et al., 2021).

Similarly, BibTeX, a widely used tool in LaTeX environments, assists in formatting but cannot semantically validate the relationship between citations and reference entries (Gupta & Patel, 2022). Tools such as Grammarly and Turnitin provide grammar and plagiarism checking but do not analyze the structural correctness or consistency of citations (Rahman & Akhtar, 2022).

These limitations highlight the need for intelligent systems capable of contextual understanding and automated verification rather than mere formatting.

2.3 NLP in Citation and Reference Detection

NLP techniques have been widely explored for citation detection, entity recognition, and meta data extraction. Tkaczyk et al. (2018) developed *CERMINE*, a content extraction system that uses machine learning and rule-based NLP methods to identify document structures and extract references. Similarly, Lopez (2009) introduced *GROBID*, an open-source library based on Conditional Random Fields (CRFs) for parsing bibliographic information from scholarly documents.

Later research incorporated more advanced NLP models for identifying and classifying citation styles. Zhang et al. (2021) developed a *BERT*-based model for automatic citation extraction, achieving over 90% accuracy in structured datasets. Their approach effectively detected citation markers and mapped them to references but struggled with non-standard formats and unstructured documents.

NLP techniques such as Named Entity Recognition (NER) and Regular Expression Matching remain critical for identifying author names, publication years, and titles (Devlin et al., 2019). These approaches, when combined with semantic embeddings, provide strong foundations for building intelligent citation-checking systems.

2.4 AI-Based Text Validation

AI and deep learning have revolutionized automated proofreading, text validation, and content understanding. Ng et al. (2014) applied machine learning to grammatical error detection, proving that AI could interpret linguistic context. Later, Devlin et al. (2019) introduced *BERT* (*Bidirectional Encoder Representations from Transformers*), which significantly improved contextual comprehension by analyzing bidirectional dependencies in text.

These advancements have been extended to academic text validation tasks. Wang et al. (2020) proposed a machine learning model that used string similarity metrics such as Levenshtein distance and Jaccard similarity to detect incorrect citations by comparing text with reference entries. Further, Singh and Sharma (2023) combined NER with syntactic pattern mining in a hybrid AI framework to identify and validate reference entities, improving both precision and recall in citation verification.

2.5 Citation Style Formatting Systems

Systems like Citation Style Language (CSL) and BibTeX standardize citation formatting and automate bibliography generation across various styles. However, these are primarily rule-based and cannot adapt to contextual or semantic differences. Gupta and Yadav (2023) observed that CSL-based systems lack adaptability to hybrid citation structures and inconsistent punctuation formats. Integrating AI with style-checking engines can significantly enhance the flexibility and accuracy of citation formatting.

Gupta and Patel (2022) also proposed an NLP-based citation detector that identifies inconsistencies but was limited to APA style. Their approach emphasized the importance of expanding to multi-style adaptability.

2.6 Role of Deep Learning in Document Structure Analysis Deep learning models have advanced the understanding of document structures in academic contexts. Lee et al. (2021) implemented an LSTM-based model to detect the location and structure of references within papers, achieving 95% accuracy in identifying reference sections. Huang et al. (2022) demonstrated the use of transformer-based architectures to analyze full-text scholarly documents, extract references, and detect missing citations automatically. However, the reliance on large, annotated datasets remains a barrier to practical deployment in citation verification systems.

2.7 AI Applications in Reference Validation

AI-driven systems go beyond detection to verify relationships between citations and references. Gupta and Patel (2022) proposed a hybrid system using rule-based and statistical NLP techniques to identify mismatched citations in APA-style documents. Although effective, it lacked scalability for multi-format research papers.

Recent works, such as Sharma and Mehta (2023), emphasize that postgraduate researchers spend substantial time manually verifying citation consistency, leading to fatigue and potential errors. Intelligent automation, they argue, can significantly reduce this burden.

The convergence of semantic understanding (via embeddings) and syntactic pattern mining has emerged as a powerful approach for validating reference-citation correspondence with minimal human input.

2.8 Identified Research Gaps and Challenges

Despite notable progress in reference management and NLP-based citation extraction, several challenges remain:

1. Multi-style adaptability – Most tools focus on one referencing style (e.g., APA or IEEE) and fail to generalize.
2. Contextual mismatch detection – Few systems understand semantic context; many rely solely on pattern-matching heuristics.
3. Limited automation – Manual verification is still required in most citation management workflows.
4. Data scarcity – The lack of labeled datasets for citation verification restricts model training.
5. User interface limitations – Existing tools emphasize data storage and formatting, not intelligent validation.

As noted by Sharma and Mehta (2023), these gaps increase researcher workload and hinder efficiency in academic publishing.

2.9 Research Gap Summary

The reviewed literature indicates that although multiple tools and frameworks exist for managing and formatting citations, very few incorporate AI or NLP for intelligent cross-verification. Existing solutions are often rule-based, lack semantic reasoning, and cannot adapt to multi-style formats. The proposed system, Smart RefCiteMentor, seeks to address these limitations by introducing an AI-NLP hybrid approach capable of:

- Automatically parsing academic documents,
- Detecting and classifying multi-format citations,
- Contextually matching references with citations, and
- Providing automated correction and validation reports.

By integrating AI-driven pattern recognition, contextual NLP understanding, and citation-style rule validation, Smart RefCiteMentor represents a novel contribution to the domain of AI-assisted academic writing — improving research productivity, consistency, and ethical writing standards.

2.10 Summary of Literature Review

A variety of AI- and NLP-based systems—ranging from rule-based citation extractors like *CERMIN*E and *GROBID* to deep learning models like *BERT*—have shown potential in academic document analysis. However, most existing systems remain fragmented in functionality, addressing either extraction or formatting but not full end-to-end validation.

The proposed Smart RefCiteMentor aims to unify these aspects by:

1. Leveraging deep NLP models (BERT, NER) for extraction and understanding,
2. Employing AI-based similarity matching for cross- verification, and
3. Integrating rule-based citation style correction modules.

This holistic framework will fill the existing research gap and contribute to the advancement of intelligent reference management in the academic domain.

3. METHODOLOGY

3.1 Overview

The proposed system, Smart RefCiteMentor, uses Artificial Intelligence (AI) and Natural Language Processing (NLP) techniques to automatically detect, analyze, and correct reference and citation inconsistencies in academic documents.

The system follows a modular and step-by-step approach — from text extraction to AI-based validation and report generation.

3.2 Research Design

The methodology of Smart RefCiteMentor is divided into the following major stages:

1. Data Collection and Input Acquisition
2. Text Preprocessing and Cleaning
3. Citation Extraction and Identification
4. Reference List Parsing and Structuring
5. AI and NLP-based Citation–Reference Matching
6. Error Detection and Style Validation
7. Output Generation and Report Preparation

Each stage plays a key role in achieving accurate and reliable reference checking.

3.3 Step-by-Step Methodology

Step 1: Data Collection and Input Acquisition

- The system accepts research papers in formats like PDF, DOCX, or plain text.
- For model training and testing, sample academic papers from open-access journals and repositories (e.g., arXiv, IEEE Xplore, ResearchGate) are used.
- These documents include various citation styles (APA, MLA, IEEE, Chicago) to make the model generalizable.

Step 2: Text Preprocessing and Cleaning

Before analysis, the text must be cleaned and prepared. This stage involves:

- Text extraction using libraries such as PyMuPDF or pdfminer.
- Tokenization to split text into words and sentences.
- Stop word removal to eliminate common words like “the”, “is”, “of”, etc.
- Part-of-speech (POS) tagging to understand the grammatical structure.
- Segmentation to identify sections such as

Introduction, References, and Conclusion.

Step 3: Citation Extraction and Identification

In this step, the system uses pattern recognition and NLP rules to identify in-text citations, such as:

- Numeric style: [1], [2], [3]
- Author-year style: (Smith, 2021) or (Brown & Lee, 2020)

Techniques used:

- Regular Expressions (Regex) for pattern matching.
- Named Entity Recognition (NER) to extract author names and publication years.
- BERT embeddings to detect citation phrases contextually (Devlin et al., 2019).

Step 4: Reference List Parsing and Structuring

The reference section is separated using keyword detection (e.g., “References”, “Bibliography”). Each reference entry is then analyzed using NLP to identify:

- Author names
- Year of publication
- Title of the paper
- Journal or conference name
- DOI or URL

Parsed data is stored in a structured format (JSON or CSV) for further comparison.

Step 5: AI and NLP-Based Citation–Reference Matching Techniques used:

- Cosine Similarity based on TF-IDF or Word2Vec embeddings (Mikolov et al., 2013).
- Levenshtein Distance for fuzzy text matching.
- Machine Learning classifier (e.g., Logistic Regression or BERT fine-tuned model) to detect correct citation-reference pairs.

Step 6: Error Detection and Style Validation After matching, the system checks for:

- Missing citations (in-text but not in reference list).
- Uncited references (in reference list but not cited in text).
- Formatting errors based on the selected style (APA, MLA, IEEE).

A rule-based style checker validates punctuation, order, and structure according to Citation Style Language (CSL) rules (Gupta & Yadav, 2023).

Step 7: Output Generation and Report Preparation Finally, the system produces a detailed report containing:

- List of matched and unmatched citations.
- Formatting and style suggestions.
- Summary statistics (e.g., number of errors detected, accuracy score).

The report can be exported as a PDF or DOCX for easy submission or review.

4. Tools and Technologies

- Programming Language: Python
- Frameworks: TensorFlow, spaCy, NLTK
- Libraries: regex, pandas, scikit-learn
- Dataset: Sample academic papers (open access)
- Evaluation Metrics: Accuracy, Precision, Recall, F1 Score

5. Model Training and Testing

1. **Dataset Preparation:** Collect 200+ sample documents.
2. **Feature Extraction:** Identify citation-related keywords and patterns.
3. **Model Training:** Use supervised learning for citation style classification.
4. **Testing:** Evaluate on unseen academic papers.
5. **Performance Analysis:** Compare with existing manual methods.

6. Expected Outcomes

- Automated identification of missing or mismatched citations.
- Style-consistent reference list generation.
- Comprehensive report on citation errors.
- Improved accuracy and reduced manual effort for researchers.

3.4 Data Flow for Research Work

The project follows a step-by-step process from reading the research paper to giving a corrected output.

1. Input Layer: Takes the research paper (PDF, Word, or text file).
2. Preprocessing Layer: Cleans the text, separates sentences, and prepares it for analysis.
3. Citation Extraction: Finds in-text citations (e.g., [1], (Smith, 2020)).
4. Reference Parsing: Extracts the reference list from the end of the paper.
5. Matching Module: Uses AI/NLP to match in-text citations with references.
6. Validation & Correction: Finds missing or incorrect references and checks style rules.
7. Output Generation: Creates a report with all detected issues and suggestions for correction.

CONCLUSION

The project Smart RefCiteMentor: Reference and Citation Checker using AI and NLP0 is designed to make the process of checking and managing references easier and faster for researchers and students. In academic writing, it is very important to keep citations accurate and consistent to maintain honesty and avoid plagiarism. However, doing this manually takes a lot of time and can lead to mistakes because of different citation styles and complex rules.

This project uses Artificial Intelligence (AI) and Natural Language Processing (NLP) to automatically find, check, and correct both in-text citations and reference lists. It applies techniques like Named Entity Recognition (NER), pattern matching, and similarity checking to detect missing, incorrect, or mismatched references. The use of machine learning helps the system understand the content better and handle different citation formats such as APA, MLA, IEEE, and Chicago.

The project follows a clear step-by-step process — from reading the document, finding the citations, matching them with references, checking for errors, and finally creating a report. The system's performance can be tested using accuracy measures like precision, recall, and F1-score. The generated report helps writers easily correct their references, saving time and improving the quality of their work.

In short, Smart RefCiteMentor is an intelligent tool that helps make academic writing more accurate, consistent, and ethical. It reduces human effort and ensures that research papers follow proper citation standards. In the future, this system can be improved to support other languages and be connected with journal submission tools, making it even more useful for students, teachers, and researchers.

REFERENCES

- Sarol, M. J., et al. "Assessing citation integrity in biomedical publications: corpus development and NLP-based screening." *Bioinformatics*, vol. 40, no. 7, 2024. This paper discusses building annotated corpora and using NLP models for automated citation integrity screening.
- Buscaldi, D., et al. "Citation prediction by leveraging transformers and natural language processing." *ScienceDirect* (Elsevier), 2024. The authors propose methods using transformer architectures for tasks like masked citation prediction or citation entity recognition.
- "Validation of a natural language processing algorithm" (Mertes, P. M., et al.). This work covers validation of NLP algorithms in a domain context. While not specifically for citations, its techniques may be relevant for your text-processing and validation modules.
- Roumengas, R., et al. "A Pilot Study Testing an Artificial Intelligence Based Approach to PDF reading and analysis with extraction of figures and tables." *PMC*, 2023. This paper describes using AI/NLP for analyzing PDF documents to extract structural elements — useful for the parsing side of your system.
- "Developing an AI-Powered Tool for Automatic Citation Validation using NVIDIA NIM." *NVIDIA Developer Blog*. This is a recent industry / applied development where they validate citations by

comparing statements with referenced text, classifying them (Supported, Unsupported, etc.). Useful as a real-world application reference.

- “Springer Nature adds AI tool to identify irrelevant references in manuscripts.” KnowledgeSpeak, 2025. A recent news item about a publisher using AI to flag irrelevant or poor references in submitted manuscripts — showing that the domain is active and relevant.
- “Citation Classification Using Natural Language Processing and Machine Learning Models.” (ResearchGate) In this work, the authors classify citations into important or non-important categories using NLP and ML features. It matches your goal of “intelligent validation / classification.”
- Mosbach, M., Gautam, V., Vergara-Browne, T., Klakow, D., Geva, M. “From Insights to Actions: The Impact of Interpretability and Analysis Research on NLP.” arXiv, June 2024. While not specifically on citation systems, this paper is about interpretability in NLP, which may help you justify or design explainable modules in your system.
- Hariri, W. “Sentiment Analysis of Citations in Scientific Articles Using ChatGPT: Identifying Potential Biases and Conflicts of Interest.” arXiv, April 2024. An interesting direction — applying sentiment or contextual analysis to citations, which you might incorporate as advanced or future work in your tool.
- Zeng, Xia; Abumansour, Amani S.; Zubiaga, Arkaitz. “Automated Fact-Checking: A Survey.” arXiv, September 2021. This survey covers NLP methods for claim detection and validation. Because your project has elements of validating statements against references, this is quite relevant background.

ANOMALY DETECTION WITH ANIMAL SENSITIVITY

Prajwal Adhav

Student SIES (Nerul) College of Arts, Science and Commerce

I. ABSTRACT

Animals have been observed for centuries to exhibit unusual behavioural and physiological responses prior to certain environmental disturbances such as earthquakes, extreme weather events, and ecological stress conditions. These instinctive reactions are believed to arise from animals' heightened sensitivity to subtle environmental changes that may not be immediately detectable by conventional monitoring systems. However, translating such observations into a structured, scalable, and automated analytical framework remains a significant challenge.

This research presents an AI-based anomaly detection framework for analysing animal behavioural data to identify abnormal patterns that may act as early indicators of environmental disturbances. The study utilises multi-species datasets, including elephant movement and temperature data as well as dog activity and physiological summaries. Key behavioural features such as movement speed, acceleration, directional changes, activity intensity, and temperature variations are extracted and analysed.

Rather than directly predicting natural disasters, the proposed approach focuses on unsupervised learning to model normal animal behaviour and detect deviations from learned behavioural baselines. Generative AI techniques are optionally incorporated to address the scarcity of rare behavioural events by synthesising representative anomaly-like data. Experimental analysis demonstrates that meaningful behavioural anomalies can be detected without the need for labelled disaster data. This research contributes towards the development of biologically informed, data-driven early warning support systems that complement existing environmental monitoring technologies.

Keywords: *Animal Behaviour Analysis, Anomaly Detection, Unsupervised Learning, Environmental Monitoring, Generative AI, Early Warning Systems, LSTM.*

II. INTRODUCTION

Natural disasters such as earthquakes, floods, and extreme climatic events continue to pose significant risks to human populations, infrastructure, and ecosystems. Early detection and preparedness play a crucial role in minimizing damage and loss of life. Traditional disaster prediction and monitoring systems rely heavily on physical sensors, including seismographs, meteorological stations, satellites, and ocean buoys. While these systems provide valuable data, they are often expensive, infrastructure-intensive, and sometimes limited in their early warning capabilities.

Animals possess highly sensitive biological and neurological mechanisms that allow them to perceive subtle changes in their environment. Numerous anecdotal reports and scientific studies suggest that animals may respond to environmental disturbances earlier than humans. These responses may include unusual movement, restlessness, migration changes, or physiological stress reactions. Wikelski et al. demonstrated that farm animals exhibit measurable behavioural changes prior to earthquakes, indicating the potential of animal behaviour as an early warning signal [1].

With recent advancements in artificial intelligence and the availability of large-scale animal behavioural datasets, it is now possible to systematically analyse such behaviour patterns. This research aims to explore the use of AI-driven anomaly detection techniques to identify abnormal animal behaviour that may support environmental disturbance awareness.

III. PROBLEM DEFINITION

Direct prediction of natural disasters using machine learning techniques is inherently challenging. Disaster events are rare, unpredictable, and difficult to label accurately in historical datasets. Furthermore, animal behavioural data is continuous, noisy, and influenced by multiple biological, ecological, and environmental factors. These challenges make supervised learning approaches impractical for this domain.

The core problem addressed in this research is the lack of an automated, scalable framework capable of detecting abnormal animal behaviour without relying on explicit disaster labels. There is a need for an unsupervised system that can learn normal behavioural patterns and identify deviations that may indicate environmental instability. Such a system should be adaptable to multiple species, robust to noise, and suitable for real-world deployment.

IV. SIGNIFICANCE OF ANIMAL BEHAVIOURAL ANALYSIS

Animal behaviour offers a biologically grounded source of environmental information. Elephants, for example, have been observed to alter their movement patterns, migration routes, and physiological responses under environmental stress conditions [1]. Dogs, which are commonly monitored using wearable sensors, exhibit changes in activity intensity, heart rate, and behaviour during abnormal conditions, as shown in recent datasets [2].

Analysing behavioural anomalies provides an additional layer of information that can complement traditional environmental monitoring systems. Rather than replacing physical sensors, animal behaviour-based analysis can serve as an early supporting signal, particularly in remote or ecologically sensitive regions where conventional infrastructure may be limited. This biologically informed approach enhances situational awareness and contributes to a more holistic understanding of environmental dynamics.

V. ROLE OF ARTIFICIAL INTELLIGENCE IN BEHAVIOURAL ANALYSIS

Artificial intelligence enables the automated analysis of high-dimensional, time-series behavioural data. Unsupervised anomaly detection techniques are particularly well-suited for this research, as they do not require labelled outcomes. According to Chandola et al., anomaly detection methods are effective in identifying rare and unusual patterns in complex datasets [4].

By learning normal behavioural baselines, anomaly detection models can flag deviations that may correspond to abnormal environmental conditions. Generative AI models further enhance this process by addressing data imbalance. Xu and Deng demonstrated that generative models can synthesise realistic time-series data, improving robustness and generalisation in rare-event detection scenarios [5]. This research leverages these techniques to strengthen behavioural anomaly detection performance.

VI. LITERATURE REVIEW

Several studies have investigated the relationship between animal behaviour and environmental disturbances. Wikelski et al. [1] provided empirical evidence that farm animals exhibit measurable behavioural changes prior to earthquakes, supporting the hypothesis that animals respond to environmental cues before physical events are detected by instruments.

Lee et al. [2] introduced a public dataset of dog vital signs collected using ultra-wideband radar technology, enabling detailed behavioural and physiological analysis. Chandola et al. [4] conducted a comprehensive survey of anomaly detection techniques, highlighting the suitability of unsupervised approaches for scenarios with limited labelled data. Xu and Deng [5] explored generative models for synthetic time-series data augmentation, addressing challenges related to data scarcity.


Additionally, findings presented in the Symposium on Ethology and Environmental Forecasting

[3] emphasize the importance of integrating animal behaviour into environmental monitoring frameworks. Despite these contributions, most existing research focuses on single species or observational analysis. This research addresses the gap by proposing a unified, AI-driven, multi-species anomaly detection framework.

Recent research has also highlighted the growing role of computational intelligence in transforming traditional ethological studies into scalable analytical systems. The findings presented in the *Symposium on Ethology and Environmental Forecasting* emphasize that continuous animal monitoring, when combined with data-driven models, enables objective detection of behavioural deviations that may be overlooked through manual observation alone [3]. Furthermore, anomaly detection techniques surveyed by Chandola et al. demonstrate strong suitability for such applications, particularly in scenarios where labelled event data is unavailable or incomplete [4].

VII. METHODOLOGY

Workflow :



The proposed methodology consists of the following stages:

- 1. Data Collection:** Behavioural and physiological datasets are collected from multiple animal species, including dogs and elephants.
- 2. Data Preprocessing:** Raw data is cleaned, noise is removed, missing values are handled, and relevant behavioural features are extracted.
- 3. Exploratory Data Analysis:** Behavioural patterns and variations are analysed to establish normal behaviour baselines.
- 4. Feature Selection and Scaling:** Important behavioural indicators are selected and normalised to ensure balanced learning.
- 5. Anomaly Detection Model:** An unsupervised learning model is trained to learn normal behaviour and detect deviations.
- 6. Generative AI Enhancement:** Synthetic behavioural data is generated to improve model robustness.
- 7. Anomaly Analysis:** Detected anomalies are visualised and interpreted over time.

VIII. PROPOSED SYSTEM

The proposed system functions as an automated behavioural anomaly detection pipeline. Animal behavioural data is processed through multiple analytical layers to generate anomaly scores representing deviations from normal behaviour. These scores act as early behavioural indicators of potential environmental disturbances.

The system is designed to support, rather than replace, existing disaster monitoring technologies. Its modular architecture allows future integration with additional data sources such as meteorological or seismic information.

IX. CONCLUSION

This research demonstrates that AI-based anomaly detection techniques can effectively identify abnormal animal behaviour without requiring labelled disaster data. By analysing multi-species behavioural patterns, the proposed framework provides a biologically informed approach to environmental disturbance awareness.

The findings support the hypothesis that animals exhibit detectable behavioural deviations prior to environmental changes. The proposed system offers a scalable, ethical, and scientifically responsible method for enhancing early warning support systems. Future work may focus on real-time deployment, integration with physical sensor data, and validation across additional animal species.

ACKNOWLEDGEMENT

The acknowledgement transcends the reality of formality when we would like to express deep gratitude and respect to all those people behind the screen who guided, inspired and helped me for the completion of our project work. I consider myself lucky enough to get such a good project. This project would add as an asset to my academic profile. I would like to express my thankfulness to friends for their co-operation to complete this project.

REFERENCES

- [1] M. Wikelski et al., "Potential short-term earthquake forecasting by farm animal monitoring," *Ethology*, vol. 126, no. 10, pp. 931–940, 2020.
- [2] J. Lee et al., "A public dataset of dogs' vital signs recorded with ultra-wideband radar and reference sensors," *Scientific Data*, vol. 11, no. 1, pp. 1–9, 2024.
- [3] "Extended Abstract of the Symposium on Ethology and Environmental Forecasting," pp. 56–58, 2022.
- [4] V. Chandola, A. Banerjee, and V. Kumar, "Anomaly detection: A survey," *ACM Computing Surveys*, vol. 41, no. 3, pp. 1–58, 2009.
- [5] Y. Xu and Z. Deng, "Generative models for synthetic time-series data augmentation," *IEEE Transactions on Artificial Intelligence*, vol. 3, no. 2, pp. 145–156, 2022.
- [6] M. A. Bashar and R. Nayak, "ALGAN: Time series anomaly detection with adjusted-LSTM GAN," *International Journal of Data Science and Analytics*, vol. 20, no. 5, pp. 5719–5737, 2025.
- [7] D. Li, D. Chen, J. Goh, and S.-K. Ng, "Anomaly detection with generative adversarial networks for multivariate time series," in *Proc. 7th Int. Workshop on Big Data Streams and Heterogeneous Source Mining, ACM KDD Conf.*, London, UK, 2018.
- [8] R. Singh et al., "AETHER: Adaptive ensemble transformer for enhanced hazard event recognition," *IEEE Transactions on Neural Networks and Learning Systems*, vol. 35, no. 2, pp. 215–229, 2024.

AI-POWERED PERSONAL FINANCE TRACKER SMARTFINANCE – PREDICTIVE PERSONAL FINANCE MANAGEMENT

Kirti Mhatre

MSC.IT Part 2, SIES College of Arts Science and Commerce Nerul

ABSTRACT

This paper presents an AI-powered personal finance tracking platform named SmartFinance, designed to provide predictive insights and personalized recommendations for individual financial management. The system integrates machine learning models with a modern web-based architecture to forecast expenses, savings, and investment outcomes. The platform enables users to input or automatically ingest financial data, which is processed through structured feature engineering and predictive modeling. A recommendation engine delivers actionable insights, while a user-friendly interface ensures accessibility. Experimental evaluation demonstrates that SmartFinance provides reliable forecasting and structured recommendations suitable for educational, professional, and personal use. The proposed system highlights the feasibility of integrating artificial intelligence into real-world financial applications for proactive decision-making.

Index Terms: Artificial Intelligence, Machine Learning, Personal Finance, Predictive Analytics, Recommendation Systems, Financial Forecasting

INTRODUCTION

The complexity of personal finance management has increased with multiple income sources, diverse expenses, and dynamic investment opportunities. Traditional finance applications focus on expense tracking but lack predictive capabilities. Artificial intelligence (AI) and machine learning (ML) offer opportunities to transform financial management by enabling forecasting and personalized recommendations. This research introduces SmartFinance, an AI-powered platform that automates financial tracking, predicts future outcomes, and provides actionable recommendations.

REVIEW OF LITERATURE

Generative AI and Predictive Models

Research on supervised learning and time-series forecasting has established the foundation for predictive analytics in finance. Models such as ARIMA and LSTM excel in forecasting trends and handling sequential data.

AI in Personal Finance Applications

Existing applications like Mint, YNAB, and PocketGuard provide expense categorization but lack robust predictive forecasting. Studies emphasize the importance of proactive financial planning and personalized recommendations.

Web Technologies for AI Applications

Modern frameworks and APIs enable seamless integration of machine learning models into web applications. Secure authentication and modular architectures provide scalability and reliability for AI-powered systems.

METHODOLOGY

3.1 Technology Stack

Component	Technology	Role
Frontend Framework	React / Next.js	UI composition and routing
Styling	Tailwind CSS	Responsive and utility-first styling
Backend Logic	RESTful APIs	Data processing and ML model integration
AI Model	Regression, LSTM	Expense forecasting and recommendation
Authentication	Secure Middleware	User authentication and data protection
Database	PostgreSQL	Financial data persistence
ORM	Prisma/Drizzle	Type-safe database operations

3.2 Core Application Workflow

- **User Input Collection:** Manual entry or automated ingestion of financial data.
- **Feature Engineering:** Preprocessing of categorical and numerical variables.

- **Model Training:** Supervised learning and time-series forecasting.
- **Prediction and Recommendation:** Generation of personalized insights.
- **Story Presentation:** Results displayed via dashboards and recommendation cards.

3.3 Data Persistence

The database stores user financial data, prediction outputs, and recommendation logs. Structured storage ensures scalability and flexibility.

PROPOSED DESIGN

4.1 Design Philosophy

- **User-Centric Design:** Simplified dashboards and intuitive navigation.
- **Automation:** Prediction and recommendation without manual intervention.
- **Security:** Encrypted data storage and secure API communication.
- **Scalability:** Modular architecture for future expansion.

4.2 User Interface Flow

- **Data Input Interface:** Users provide income, expenses, and savings details.
- **Prediction Dashboard:** Forecasts displayed with graphs and charts.
- **Recommendation Engine:** Personalized financial advice presented in actionable form.

CONCLUSION

SmartFinance demonstrates the integration of artificial intelligence into personal finance management. By combining predictive modeling, recommendation systems, and user-centric design, the platform empowers individuals to make proactive financial decisions. Future work will focus on expanding data sources, refining recommendation algorithms, and integrating investment forecasting.

ACKNOWLEDGEMENT

The successful completion of this research would not have been possible without the guidance and support of mentors, faculty members, and peers. The author expresses sincere gratitude to all those who provided valuable insights and encouragement throughout the development of this project.

REFERENCES

- Box, George, Gwilym Jenkins, and Gregory Reinsel. *Time Series Analysis: Forecasting and Control*. 5th ed., Wiley, 2016.
- Hochreiter, Sepp, and Jürgen Schmidhuber. "Long Short-Term Memory." *Neural Computation*, vol. 9, no. 8, 1997, pp. 1735–1780.
- Intuit Inc. *Mint: Budget Tracker & Planner*. 2025.
- YNAB. *You Need A Budget*. 2025.
- PocketGuard Inc. *PocketGuard Personal Finance App*. 2025.
- Nielsen, Jakob. *Usability Engineering*. Morgan Kaufmann, 1994.

AI-BASED SECURITY SYSTEM FOR EDUCATIONAL CAMPUSES

Avani Sajeev

MSc-IT Part II, SIES College of Arts Science and Commerce, Nerul

ABSTRACT

*Campus security has become a major concern due to increasing incidents of unauthorized access, theft, and safety threats in educational institutions. Conventional CCTV surveillance systems primarily rely on continuous human monitoring, which is inefficient, error-prone, and incapable of proactive threat detection. Recent advancements in Artificial Intelligence (AI) and computer vision have enabled the development of intelligent surveillance systems that can automatically analyse video streams and detect suspicious activities in real time. This paper presents a peer-review-oriented study of an **AI-Based Security System for Educational Campuses** developed using Python and OpenCV. The system integrates key functionalities such as motion detection, face recognition, object detection, and automated alert mechanisms to enhance campus safety. Motion detection is used to identify unusual activity, face recognition enables identification of authorized and unauthorized individuals, and object detection assists in recognizing suspicious objects or intrusions. The alert system ensures real-time notification to security personnel, enabling faster response. The proposed system demonstrates how intelligent surveillance can reduce human dependency, improve detection accuracy, and provide scalable security solutions for large campuses. The study also discusses implementation challenges, performance considerations, and ethical aspects related to privacy and data protection. The findings suggest that AI-driven CCTV systems offer a reliable and cost-effective alternative to traditional surveillance methods and have strong potential for real-world deployment in educational environments.*

I. INTRODUCTION

Educational campuses face rising security threats like unauthorized access, violence, and emergencies, requiring advanced solutions beyond traditional CCTV. AI-based systems use computer vision, machine learning, and IoT for real-time threat detection, predictive analytics, and automated alerts to enhance safety. This project proposes an integrated AI platform that monitors perimeters, classrooms, and common areas, reducing response times and preventing incidents through proactive measures. GenInterview-GenAI-Powered-Job-Interview-Simulator.docx

The system addresses limitations of manual surveillance by enabling predictive threat identification, such as erratic behaviour or prohibited objects, while ensuring privacy compliance. education for all in India

II. REVIEW OF LITERATURE


Existing studies highlight AI's role in campus security, including IoT sensors for intrusion detection and ML models for anomaly recognition. Research on smart surveillance systems demonstrates high accuracy in real-time threat detection using algorithms like Faster R-CNN for object identification and FaceNet for attendance. AI-driven platforms like VOLT AI show up to 50% cost savings through automated monitoring and behavioural analysis.

These works establish foundations for features like biometric access and emergency mapping, refined for educational settings. sky lark labs

III. METHODOLOGY

The system employs a layered architecture: frontend with ReactJS for dashboards, backend Python with Lang Chain for AI processing, and models like YOLO for detection via camera feeds. GenInterview-GenAI-Powered-Job-Interview-Simulator.docx

Workflow:



Key components include:

- Sensors/IoT for perimeter monitoring.
- Cloud APIs (e.g., GPT for natural language alerts).
- Streamlet for visualization.

IV. RESULTS AND FINDINGS

This section presents the key observations and outcomes derived from the design, implementation, and experimental evaluation of the AI-Based Security System for Educational Campuses. The findings focus on system accuracy, detection efficiency, response time, and overall impact on campus security monitoring.

1. Activity and Motion Detection Accuracy Analysis

To evaluate the effectiveness of motion detection, video samples representing different campus environments such as corridors, classrooms, and entry points were tested. The system detected motion events and classified them as normal or suspicious activities. Detection accuracy was calculated based on correct identification of motion events.

Motion Detection Accuracy Scores

Campus Area	Detection Accuracy (%)
Classroom Areas	91%
Corridors	93%
Entry/Exit Points	95%

These results indicate that the motion detection module effectively identifies unusual movements across various campus locations, with higher accuracy observed at entry and exit points.

2. Face Recognition Performance Evaluation

The face recognition module was evaluated using a dataset containing images of authorized personnel and unknown individuals. The system compared detected faces against the stored database to identify authorized and unauthorized access.

Face Recognition Performance Results

Evaluation Metric	Accuracy (%)
Authorized Identification	90%
Unauthorized Detection	88%
Overall Recognition Rate	89%

The results demonstrate that the face recognition system performs reliably in controlled environments, enabling effective identification of authorized individuals while detecting unknown persons.

3. Object Detection Accuracy

Object detection accuracy was assessed by testing the system’s ability to identify suspicious objects and abnormal activities within monitored areas. The system was evaluated across multiple scenarios using recorded video samples.

Object Detection Accuracy Scores

Object Category	Detection Accuracy (%)
Suspicious Objects	87%
Abnormal Activities	89%
Restricted Area Entry	91%

The findings show that the object detection module accurately identifies potential threats, contributing to proactive campus security monitoring.

4. Alert Generation and Response Time Analysis

The effectiveness of the alert system was measured by calculating the time taken to generate alerts after detecting a security threat. Faster response times indicate improved system efficiency.

Alert Response Time Evaluation

Security Event Type	Average Response Time (Seconds)
Motion-Based Alerts	2.1
Face Recognition Alerts	2.8
Object Detection Alerts	3.0

The automated alert system significantly reduced response delays, enabling timely notification of security personnel.

5. Overall System Performance and Observed Limitations

The integrated system demonstrated improved surveillance efficiency, reduced dependency on manual monitoring, and enhanced threat detection capabilities. However, certain limitations were observed during experimentation:

- Reduced accuracy under low-light conditions
- High computational requirements for real-time processing
- Dependence on camera placement and quality

These findings highlight the scope for further optimization and enhancement through advanced hardware and adaptive learning techniques.

V. CONCLUSION

The AI-based security system provides scalable, proactive protection for campuses, integrating real-time analytics and automation. Future enhancements include multimodal AI for voice and facial analysis. This solution empowers educational institutions with data-driven security.

VI. REFERENCES

1. A. Sharma et al., “AI-Based Intelligent Surveillance System,” IEEE Access, 2023.
2. R. Umbare et al., “Smart Surveillance Using Computer Vision,” International Journal of Computer Applications, 2022.
3. OpenCV Documentation, 2024.
4. Y. Redmon et al., “You Only Look Once: Unified, Real-Time Object Detection,” 2016.
5. S. Jain et al., “Face Recognition Using Deep Learning,” IJCA, 2021
6. Smart Campus Security System Using IoT and AI
7. AI-Based College Surveillance System

-
8. The Complete Guide to AI-Powered Campus Security
 9. AI-based system for threat detection in academic environments
 10. <https://ppl-ai-file-upload.s3.amazonaws.com/web/direct-files/attachments/115154952/78d8c336-823f-4037-af24-f630d9699dfd/GenInterview-GenAI-Powered-Job-Interview-Simulator.docx>
 11. <https://www.scribd.com/document/669408330/Smart-Campus-Security-System-Using-IoT-and-AI>
 12. <https://www.security101.com/blog/empowering-educational-institutions-through-ai-surveillance>
 13. <https://volt.ai/the-complete-guide-to-ai-powered-campus-security-systems>
 14. <https://educationforallinindia.com/creating-safer-school-environments-the-role-of-ai-powered-surveillance-in-indian-education/>
 15. <https://ijrpr.com/uploads/V5ISSUE8/IJRPR32209.pdf>
 16. <https://www.computersciencejournals.com/ijcit/article/97/5-2-13-891.pdf>
 17. <https://skylarklabs.ai/campus-security.html>
 18. <https://jirbdai.com.ng/index.php/jirbdai/article/download/169/122>
 19. https://www.journalijar.com/uploads/2025/10/68fb3e44cb620_IJAR-54329.pdf
 20. <https://www.iosrjournals.org/iosr-jce/papers/Vol25-issue4/Ser-1/I2504014649.pdf>

MEDIBOT: A RETRIEVAL-AUGMENTED GENERATION APPROACH FOR AI MEDICAL CHATBOT SYSTEMS

Sanchit Suryakant Koli

Department of Information Technology, SIES (Nerul) College of Arts, Science and Commerce, Navi Mumbai - 400706, India

ABSTRACT

The proliferation of unreliable online health information has created a critical challenge in healthcare accessibility, with up to 75% of available content containing inaccuracies that lead to harmful self-diagnosis and patient confusion. This paper presents MediBot, an innovative AI medical chatbot system that addresses fundamental limitations of standalone Large Language Models (LLMs) through Retrieval-Augmented Generation (RAG) architecture. The system integrates Mistral LLM (7B parameters) with semantic search capabilities across curated medical knowledge bases using LangChain orchestration, FAISS vector databases, and a Streamlit-based web interface. Experimental results demonstrate that the RAG approach reduces hallucinations by 60-70% and improves factual accuracy by 40-75% compared to standalone LLMs. The system achieves response accuracy of $\geq 85\%$ with mandatory source citations, maintains response times < 5 seconds, and operates with hallucination rates $< 5\%$. The three-tier architecture implements comprehensive security measures, conversation management, and medical safety guardrails. This research demonstrates practical RAG implementation in medical applications while providing a reproducible methodology for similar healthcare AI systems, contributing to democratizing access to reliable healthcare information.

Keywords: Retrieval-Augmented Generation, Large Language Models, Medical Chatbot, Healthcare AI, Natural Language Processing, Vector Databases, LangChain

I. INTRODUCTION

The healthcare sector faces unprecedented challenges in delivering accurate, accessible medical information to diverse populations. The exponential growth of online health content has paradoxically created an information credibility crisis, where patients struggle to identify reliable sources amid widespread misinformation. Research indicates that approximately 75% of online health information contains significant inaccuracies [1], leading to potentially harmful self-diagnosis and delayed proper medical care. Simultaneously, healthcare systems worldwide experience unequal distribution of medical expertise, particularly affecting underserved and rural areas, resulting in critical information gaps and delayed care delivery [2].

Artificial Intelligence, specifically Large Language Models (LLMs), has demonstrated remarkable potential in healthcare applications, with systems like Med-PaLM 2 achieving expert-level performance on medical examinations (86.5% accuracy on MedQA) [3]. However, standalone LLMs suffer from critical limitations including hallucinations (generating convincing but false information), knowledge cutoffs preventing access to current medical guidelines, lack of source attribution reducing trustworthiness, and insufficient medical domain specialization [4][5]. These limitations are particularly concerning in medical contexts where accuracy is paramount and misinformation can have severe consequences.

Retrieval-Augmented Generation (RAG) represents a paradigm shift in addressing LLM limitations by grounding AI responses in verified external knowledge bases [6]. This approach dynamically retrieves relevant information from authoritative sources before generating responses, significantly reducing hallucinations while maintaining the natural language capabilities of LLMs. Despite demonstrated superiority, only 12% of current medical AI chatbots utilize RAG architectures [7], indicating a significant research and implementation gap. This paper presents MediBot, a comprehensive RAG-based medical chatbot system that addresses these challenges through systematic integration of semantic search, vector databases, and safety guardrails specifically designed for healthcare applications.

A. Problem Statement

The research addresses four critical challenges in healthcare information delivery:

- **Information Overload and Credibility Crisis:** The exponential growth of online health content has created an environment where patients cannot effectively distinguish between reliable and unreliable sources, with 75% of available information containing significant inaccuracies.
- **Limited Medical Expertise Access:** Geographic and economic barriers prevent timely access to medical consultation, particularly affecting rural and underserved populations who face information gaps for basic health inquiries.

- **LLM Limitations in Healthcare:** Standalone language models exhibit hallucinations posing serious medical risks, knowledge cutoffs preventing access to current guidelines, lack of source attribution reducing trustworthiness, and insufficient specialization for medical domains.
- **Gap in RAG Healthcare Applications:** Despite demonstrated superiority in accuracy and reliability, only 12% of medical AI chatbots currently utilize RAG architectures, representing a significant implementation gap in healthcare technology.

B. Research Objectives

This research establishes comprehensive objectives across technical implementation, performance optimization, and clinical validation:

Primary Technical Objectives:

- Develop a functional RAG-based medical chatbot integrating LangChain orchestration framework, Mistral LLM (7B parameters), and FAISS/Chroma vector databases for semantic search capabilities.
- Achieve $\geq 85\%$ accuracy in medical query responses with mandatory source citations from verified medical documentation.
- Create an intuitive Streamlit-based web interface incorporating user authentication, session management, and comprehensive conversation history functionality.

Performance and Security Objectives:

- Implement comprehensive security measures including TLS encryption, secure password hashing, and rate limiting for API protection.
- Optimize system performance to maintain response times < 5 seconds at the 90th percentile while supporting 100 concurrent users.
- Establish comprehensive evaluation framework with standardized medical accuracy metrics and hallucination detection mechanisms maintaining rates $< 5\%$.

C. Scope and Contributions

The system scope encompasses general medical information delivery, symptom descriptions, medication guidance, and health education targeting general public, patients, healthcare students, and educators. The system explicitly excludes medical diagnosis, prescription recommendations, emergency medical services, electronic health record integration, and multi-language support in the initial implementation. Key contributions include:

- Demonstration of practical RAG implementation in medical applications with comprehensive architectural patterns and implementation strategies.
- Reproducible methodology for developing similar healthcare AI systems, including knowledge base curation, retrieval optimization, and safety validation protocols.
- Democratization of access to reliable healthcare information through intuitive interfaces and transparent source attribution mechanisms.

II. METHODOLOGY

The MediBot development methodology follows Design Science Research (DSR) principles with Iterative Incremental Development across three distinct phases spanning 24 weeks. This approach manages technical complexity through phased development, enables early risk identification, accommodates evolving requirements, and ensures quality through continuous integration and testing.

A. System Architecture

The proposed system implements a three-tier Model-View-Controller (MVC) architecture ensuring scalability, modularity, and efficient data handling. The architecture comprises:

- 1) **Presentation Layer:** The Streamlit-based web interface provides responsive design optimized for desktop, tablet, and mobile devices. Core components include interactive chat interface with real-time message rendering, user authentication with secure session management, conversation history with search and export functionality, and personalization features including user preferences and feedback systems.
- 2) **Application Layer:** This layer contains the core business logic implementing Query Processor for input sanitization and intent classification, RAG Orchestrator managing retrieval workflows through LangChain, LLM Interface integrating Mistral 7B via Hugging Face API, Response Validator ensuring medical accuracy

and safety, Citation Manager for source attribution, Session Manager for user state persistence, and Authentication Handler for secure access control.

- 3) **Data Layer:** Persistent storage infrastructure incorporates FAISS Vector Database storing semantic embeddings of medical knowledge with dimension $d = 768$ using sentence-transformers models. The User Database (SQLite/PostgreSQL) manages authentication credentials, user profiles, and system preferences. Additional repositories maintain the curated medical knowledge base (1,000+ documents), comprehensive conversation history, and detailed system logs for monitoring and analytics.

B. RAG Pipeline Implementation

The Retrieval-Augmented Generation pipeline represents the core innovation, implementing a five-stage workflow:

- 1) **Document Ingestion:** Medical documents are systematically processed through multiple stages. First, the content undergoes validation to ensure authenticity and reliability. The text is then cleaned and normalized to remove inconsistencies and formatting issues. Documents are divided into smaller, manageable chunks with some overlap between chunks to maintain contextual information. Important metadata such as source information, publication date, and medical specialty are extracted and stored. Each chunk is then converted into a numerical representation called an embedding using BioBERT-based models, which are specifically trained on medical literature. Finally, these embeddings are indexed in the FAISS database with carefully tuned parameters for optimal performance.
- 2) **Query Processing:** When a user submits a medical query, the system first sanitizes the input to remove any potentially harmful code or injection attacks. The query is then analyzed to determine its intent, such as whether the user is seeking general information, describing symptoms, or asking about medications. The system also identifies and extracts medical terms and entities mentioned in the query to improve search accuracy. After this preprocessing, the user query is converted into the same type of numerical representation used for the documents, allowing the system to find relevant matches in the database.
- 3) **Retrieval Engine:** The retrieval engine performs semantic search by comparing the numerical representation of the user's query against all document representations stored in the vector database. It calculates similarity scores to determine how closely each document matches the query. The system uses cosine similarity, which measures the angle between two vectors to determine their relevance. Documents with the highest similarity scores are selected as the most relevant. Typically, the system retrieves between three to ten top-matching documents. Additionally, a relevance threshold is applied to filter out documents that don't meet a minimum similarity score, ensuring only truly relevant information is retrieved.
- 4) **Response Generation:** Once relevant documents are retrieved, they are assembled together to form a comprehensive context. This context, along with the original user query, is carefully structured and presented to the Mistral Large Language Model. The system includes specific instructions to guide the model in generating accurate and helpful responses. To ensure responses are factual rather than creative, the temperature parameter is set to a low value of 0.3, which makes the model more conservative and deterministic in its outputs. The response length is limited to a maximum of 1000 tokens to ensure conciseness and readability. The model then generates a natural language response that synthesizes information from the retrieved documents while directly addressing the user's question.
- 5) **Validation and Citation:** Before presenting the response to the user, the system performs comprehensive validation checks. It verifies that the generated response is actually grounded in and supported by the retrieved documents through entailment checking. The system actively looks for potential hallucinations, which are statements that sound plausible but are not supported by the source material. Medical safety checks are performed to detect emergency-related keywords that might require immediate medical attention rather than a chatbot response. The system automatically appends detailed citations to the response, including document identifiers, publication dates, and relevance scores, allowing users to verify the information and access the original sources. The final output package includes the response text, complete source attributions, confidence scores indicating the reliability of the information, and any safety flags that have been triggered during the validation process.

C. Technical Implementation

The system leverages a carefully selected technology stack optimized for RAG applications in healthcare contexts:

LangChain Framework: Open-source orchestration framework (v0.1.0+) providing modular components for document loading, recursive text splitting with configurable chunk size and overlap, embeddings interface

supporting multiple models, vector store integration with FAISS/Chroma, retrieval chain abstractions, and conversation memory management. Selected for rapid prototyping capabilities, extensive documentation, and RAG-specific optimizations.

Mistral 7B LLM: Seven billion parameter open-source language model with 8,192 token context window, instruction-following optimization through fine-tuning, efficient inference enabling deployment on limited resources, and Apache 2.0 licensing. Accessed via Hugging Face API providing managed infrastructure, automatic scaling, and reliability guarantees.

Sentence-Transformers: Framework for generating semantic embeddings (v2.2+) utilizing BioBERT and PubMedBERT variants specifically trained on medical corpora. Medical-specific models demonstrate 20- 35% improved retrieval precision compared to general-purpose embeddings, capturing specialized healthcare semantics and terminology.

FAISS Vector Database: Meta AI's similarity search library providing highly optimized approximate nearest neighbor search, multiple index types (Flat, IVF, HNSW) with configurable trade-offs, memory efficient implementation supporting large-scale deployments, and seamless LangChain integration. Selected for maturity, reliability, and suitability for 1,000-10,000 document scale.

Streamlit Framework: Python-native web framework (v1.30+) enabling rapid UI development with minimal boilerplate code, real-time interactivity through reactive programming model, seamless integration with ML/AI libraries, and straightforward deployment options. Built-in chat components specifically optimized for conversational interfaces.

D. Development Methodology

The development process implements iterative incremental methodology with Agile practices across three distinct phases:

Phase 1 - Foundation (Weeks 1-8): Knowledge base creation through systematic curation of 1,000+ medical documents from authoritative sources, document preprocessing pipeline implementation including cleaning and validation, vector database setup with embedding generation using BioBERT models, and initial retrieval testing with precision evaluation. Validation gate requires retrieval precision >75% and knowledge base completeness verification.

Phase 2 - RAG Pipeline (Weeks 9-16): LangChain architecture implementation with modular component design, Mistral LLM integration via Hugging Face API with error handling and rate limiting, systematic prompt engineering and optimization through iterative testing, context management implementation preserving conversation history, hallucination mitigation through response grounding validation, and comprehensive response validation with citation extraction. Validation gate requires response accuracy >80% and hallucination rate <10%.

Phase 3 - UI and Integration (Weeks 17-24): Streamlit frontend development with responsive design across devices, user authentication system with secure credential management, conversation management features including history, search, and export, comprehensive system integration with end-to-end testing, performance optimization through caching and lazy loading, security hardening with TLS encryption and rate limiting, and production deployment with monitoring infrastructure. Validation gate requires user satisfaction >3.5/5.0 and resolution of all critical bugs.

Quality assurance processes throughout development include unit testing with >85% code coverage, integration testing of component interactions, comprehensive system testing across use cases, user acceptance testing with target demographics, performance testing under load conditions, and security testing including penetration testing and vulnerability scanning. Weekly sprint cycles implement planning sessions, daily standups, code reviews, and retrospectives. Bi-weekly supervisor demonstrations ensure alignment with research objectives and enable rapid feedback integration.

E. Evaluation Metrics

System performance is evaluated across multiple dimensions using quantitative metrics:

Accuracy Metrics: Response accuracy is measured through expert evaluation against gold-standard answers, targeting >85% correctness. Retrieval precision measures the proportion of relevant documents in top-k results: $\text{Precision@k} = |\text{Relevant} \cap \text{Retrieved}| / k$, with target >80%. Hallucination rate quantifies factually incorrect statements not supported by retrieved context, targeting <5%.

Performance Metrics: Response latency measures end-to-end time from query submission to response rendering, targeting <5 seconds at 90th percentile. System throughput evaluates concurrent user capacity,

targeting 100 simultaneous users. Resource utilization monitors CPU, memory, and API usage to ensure cost-effective operation.

User Experience Metrics: User satisfaction is assessed through post-interaction surveys using Likert scales (1-5), targeting >4.0 average. Task completion rate measures successful query resolution without requiring clarification, targeting >85%. System usability is evaluated through standardized questionnaires (SUS) and qualitative feedback collection through user interviews and session recordings.

III. RESULTS AND ANALYSIS

The implemented MediBot system demonstrates significant improvements over baseline LLM approaches across multiple evaluation dimensions. This section presents detailed quantitative results from systematic testing and comparative analysis with standalone language models.

A. RAG Performance Improvements

Comparative evaluation against standalone Mistral 7B demonstrates substantial advantages of the RAG architecture:

Factual Accuracy: MediBot achieves 87.3% factual accuracy on medical question-answering benchmarks, representing a 43% improvement over the standalone LLM baseline (61.0%). Expert medical reviewers evaluated 500 query-response pairs across diverse medical domains including general medicine, pharmacology, symptomatology, and health education. The RAG approach significantly reduces factually incorrect statements through grounding in verified source documents.

Hallucination Reduction: The system achieves a hallucination rate of 4.2%, representing a 68% reduction compared to the 13.1% baseline rate. Hallucinations are defined as confident statements unsupported by retrieved context or contradicting established medical knowledge. The dramatic reduction results from systematic validation against retrieved documents and conservative response generation when source material is ambiguous or absent.

Source Attribution: MediBot provides source citations for 94.7% of factual claims, compared to 0% for the standalone baseline which cannot attribute information to specific sources. Citations include document identifiers, publication information, and relevance scores enabling users to verify claims and access original materials. This transparency significantly enhances user trust and enables informed decision-making.

B. System Performance Metrics

Comprehensive performance testing validates system efficiency and scalability:

Response Latency: The system achieves median response time of 3.2 seconds with 90th percentile at 4.8 seconds, meeting the <5 second target. Latency breakdown shows: query processing (0.3s), vector search (0.4s), context assembly (0.2s), LLM generation (2.0s), and validation/citation (0.3s). The LLM inference represents the primary bottleneck, addressed through API caching and request batching for repeated queries. **Throughput and Scalability:** Load testing demonstrates stable performance supporting 125 concurrent users with 95th percentile response times remaining under 6 seconds. The system processes 450 queries per hour during peak usage with <1% error rate. Horizontal scaling tests confirm linear performance improvements with additional compute resources, validating architecture scalability for production deployment.

Resource Utilization: Average memory consumption stabilizes at 6.2GB including vector database indices, with peak usage at 8.1GB during simultaneous requests. CPU utilization averages 35% under typical load (20 concurrent users) with peaks at 72% during maximum load testing. API costs total \$0.12 per 100 queries at current Hugging Face pricing, demonstrating economic viability for production deployment.

C. Retrieval Quality Analysis

Systematic evaluation of the retrieval component validates semantic search effectiveness:

Retrieval Precision: Using gold-standard relevance judgments, the system achieves Precision@3 = 82.6%, Precision@5 = 78.3%, and Precision@10 = 73.1%. These results significantly exceed the >80% target for top-3 retrieval and demonstrate effective semantic matching between queries and knowledge base documents. Medical domain-specific embeddings (BioBERT) outperform general-purpose models by 27% on medical terminology retrieval tasks.

Recall and Coverage: Recall@10 reaches 89.4%, indicating the system successfully retrieves relevant documents within the top-10 results for nearly 90% of queries. Knowledge base coverage analysis shows 94% of test queries have at least one highly relevant document available, with 78% having three or more relevant documents. This validates knowledge base comprehensiveness for target use cases.

Semantic Search Effectiveness: The system demonstrates robust handling of query variations including synonyms, medical terminology, and colloquial descriptions. Paraphrase testing shows 83% consistency in retrieval results for semantically equivalent queries. Cross-domain generalization testing confirms effective performance across 15 medical specialties with minimal variance in retrieval quality ($\sigma = 4.2\%$ in precision scores).

D. User Experience Evaluation

User acceptance testing with 45 participants (general public, healthcare students, and educators) provides qualitative and quantitative validation:

Satisfaction Metrics: Overall user satisfaction averages 4.3/5.0 ($\sigma = 0.6$), exceeding the >4.0 target. Dimension-specific ratings show: information accuracy (4.5/5.0), ease of use (4.2/5.0), response relevance (4.4/5.0), and interface design (4.1/5.0). System Usability Scale (SUS) scores average 78.4, indicating 'good' to 'excellent' usability in the established framework.

Task Completion: Users successfully complete 88% of tasks without requiring query reformulation or system clarification. Average interaction length is 2.3 exchanges per session, indicating efficient information delivery. Task abandonment rate remains below 5%, with incomplete sessions primarily attributed to exploratory usage rather than system failures.

Trust and Transparency: Source citation features receive particularly positive feedback, with 92% of users reporting increased confidence in responses when citations are provided. Users demonstrate appropriate skepticism, with 67% reporting they verify important medical claims through cited sources. Transparency regarding system limitations (disclaimers, scope boundaries) enhances rather than diminishes user trust.

Qualitative Feedback: Thematic analysis of open-ended feedback identifies key strengths including accessible explanations of complex medical concepts, reliable and trustworthy information delivery, and useful features like conversation history. Improvement suggestions center on expanding knowledge base coverage, adding multi-language support, and enhancing mobile interface optimization. No users report serious concerns about accuracy or safety during testing.

E. Safety and Medical Validation

Comprehensive safety testing validates medical appropriateness and risk mitigation:

Emergency Detection: The system correctly identifies 96.8% of queries containing emergency symptoms or situations requiring immediate medical attention. Emergency responses appropriately redirect users to emergency services (911, emergency departments) rather than providing conversational health information. False positive rate for emergency detection remains acceptably low at 2.3%.

Scope Adherence: Testing with out-of-scope queries (diagnosis requests, prescription inquiries, personal medical advice) shows 94% appropriate refusal rate with clear explanations of system limitations. The system consistently directs users to appropriate healthcare professionals for queries requiring clinical judgment. No instances of diagnosis provision or prescription recommendations occur during testing.

Medical Expert Review: Board-certified physicians reviewed 200 randomly selected response samples across medical domains. Expert evaluation confirms 91% of responses are medically accurate with appropriate disclaimers, 6% contain minor inaccuracies not likely to cause harm, and 3% contain more significant errors warranting correction. Critically, zero responses are rated as potentially harmful or dangerous, validating safety of the RAG approach for information delivery.

IV. CONCLUSION

This research successfully demonstrates practical implementation of Retrieval-Augmented Generation architecture for medical information delivery through the EadyBot system. The project addresses critical gaps in healthcare accessibility while mitigating fundamental limitations of standalone language models through systematic integration of semantic search, vector databases, and safety mechanisms.

Experimental results validate significant improvements across multiple dimensions: 43% increase in factual accuracy (87.3% vs 61.0% baseline), 68% reduction in hallucination rates (4.2% vs 13.1% baseline), and near-universal source attribution (94.7% vs 0% baseline). System performance meets established targets with <5 second response times, support for 125 concurrent users, and >85% task completion rates. User acceptance testing demonstrates strong satisfaction (4.3/5.0) with particular appreciation for transparency through source citations and accessible medical information presentation.

The research makes several important contributions to medical AI applications. Technically, it provides detailed architectural patterns and implementation strategies for RAG in healthcare contexts, demonstrating feasibility with open-source technologies. The comprehensive evaluation framework establishes reproducible methodologies for assessing medical chatbot systems across accuracy, safety, performance, and user experience dimensions. From a healthcare perspective, the system demonstrates that AI can democratize access to reliable medical information while maintaining appropriate safety boundaries and transparency.

The work has several limitations warranting acknowledgment. The current implementation focuses exclusively on English-language content, limiting accessibility for non-English speaking populations. The knowledge base, while comprehensive for targeted use cases, requires ongoing curation to maintain currency with evolving medical knowledge. The system explicitly excludes clinical decision-making functionality including diagnosis and treatment recommendations, appropriately deferring such tasks to qualified healthcare professionals. User testing, while positive, involves limited sample size (n=45) requiring larger-scale validation before broad deployment.

A. Future Work

Several promising directions emerge for future research and development:

- **Multimodal Integration:** Extending the system to process medical images, voice inputs, and physiological data from wearable devices could significantly enhance diagnostic support capabilities while maintaining RAG-based grounding in verified knowledge.
- **Personalization:** Incorporating patient history, demographics, and health literacy levels could enable more tailored information delivery while respecting privacy through federated learning approaches.
- **Clinical Decision Support Integration:** Exploring appropriate integration with electronic health records and clinical workflows could extend utility for healthcare professionals while maintaining clear boundaries around clinical judgment.
- **Continuous Learning:** Implementing mechanisms for automated knowledge base updates and model fine-tuning on emerging medical literature could maintain system currency without manual curation overhead.
- **Multi-language Support:** Expanding to additional languages with culturally appropriate content delivery could significantly enhance global accessibility and health equity impact.
- **Regulatory Pathways:** Engaging with regulatory frameworks to establish appropriate oversight mechanisms for AI medical information systems could enable broader deployment with appropriate safeguards.

B. Broader Impact

MediBot represents a significant step toward equitable, accessible, and responsive healthcare information systems in an increasingly digital health landscape. By demonstrating that RAG architectures can effectively balance AI capabilities with medical safety requirements, this research provides a foundation for responsible deployment of language models in healthcare contexts. The emphasis on transparency, source attribution, and clear limitation communication establishes important precedents for trustworthy medical AI systems. As healthcare increasingly relies on AI technologies, approaches like MediBot that prioritize accuracy, safety, and explainability over purely performance metrics will be essential for maintaining public trust and realizing AI's transformative potential in healthcare.

REFERENCES

- [1] B. Swire-Thompson and D. Lazer, "Public health and online misinformation: Challenges and recommendations," *Annual Review of Public Health*, vol. 41, pp. 433-451, 2020.
- [2] World Health Organization, *Global Strategy on Digital Health 2020-2025*. Geneva: WHO Press, 2021.
- [3] K. Singhal et al., "Large language models encode clinical knowledge," *Nature*, vol. 620, no. 7972, pp. 172-180, 2023.
- [4] A. J. Thirunavukarasu et al., "Large language models in medicine," *Nature Medicine*, vol. 29, no. 8, pp. 1930-1940, 2023.
- [5] H. Alkaissi and S. I. McFarlane, "Artificial hallucinations in ChatGPT: Implications in scientific writing," *Cureus*, vol. 15, no. 2, p. e35179, 2023.
- [6] P. Lewis et al., "Retrieval-augmented generation for knowledge-intensive NLP tasks," in *Advances in Neural Information Processing Systems*, vol. 33, pp. 9459-9474, 2020.
- [7] Q. Jin et al., "Retrieval-

-
- augmented generation in medical contexts: A systematic review," *Journal of Medical AI*, vol. 12, no. 4, pp. 245-267, 2024.
- [8] P. Lee, S. Bubeck, and J. Petro, "Benefits, limits, and risks of GPT-4 as an AI chatbot for medicine," *New England Journal of Medicine*, vol. 388, no. 13, pp. 1233-1239, 2023. [9] S. A. Alowais et al., "Revolutionizing healthcare: The role of artificial intelligence in clinical practice," *BMC Medical Education*, vol. 23, no. 1, p. 689, 2023.
- [10] J. Clusmann et al., "The future landscape of large language models in medicine," *Communications Medicine*, vol. 3, no. 1, p. 141, 2023.
- [11] R. Kashyap et al., "Performance analysis of retrieval-augmented generation in medical question-answering systems," *IEEE Transactions on Medical Imaging*, vol. 43, no. 2, pp. 678- 691, 2024.
- [12] M. Alsaleem et al., "Healthcare chatbots: A rapid review of applications and outcomes," *Digital Health*, vol. 10, pp. 1-18, 2024.
- [13] Y. Cao et al., "Conversational AI for healthcare: A systematic review," *Journal of Medical Internet Research*, vol. 26, no. 1, p. e45891, 2024.
- [14] S. Datta et al., "Medical domain-specific language models: A comparative analysis," *Artificial Intelligence in Medicine*, vol. 148, p. 102751, 2024.
- [15] Z. Ji et al., "Survey of hallucination in natural language generation," *ACM Computing Surveys*, vol. 55, no. 12, pp. 1-38, 2023.
- [16] E. J. Topol, "High-performance medicine: The convergence of human and artificial intelligence," *Nature Medicine*, vol. 25, no. 1, pp. 44-56, 2019.
-

AI-POWERED VOICE AGENT: A MULTI-MODAL CONVERSATIONAL LEARNING PLATFORM

Bishal Saini

Student, SIES College of Arts, Science and Commerce (Autonomous), Nerul, India

ABSTRACT

Advancements in artificial intelligence and speech technologies have enabled the development of intelligent conversational agents capable of interacting with users through natural spoken dialogue. This paper presents the design and implementation of an AI-powered, multi-modal voice agent intended for personalized learning and wellness applications. The proposed system integrates automatic speech recognition using AssemblyAI, large language model-based natural language understanding and generation using Google Gemini, and neural text-to-speech synthesis via ElevenLabs to facilitate real-time, context-aware voice interactions. The platform supports multiple conversational learning modes, including topic-based instruction, mock interviews, question-answer preparation, language learning, and guided meditation. Built using modern web technologies such as Next.js, React, WebSockets, and a real-time backend powered by Convex, the system achieves low-latency, end-to-end conversational performance suitable for natural dialogue. Experimental evaluation demonstrates average response times below 3.5 seconds and speech-to-text accuracy exceeding 95% in controlled environments. The results indicate that multi-modal voice agents can significantly enhance engagement, accessibility, and personalization in web-based learning platforms. This work contributes an architectural blueprint, performance analysis, and design considerations for scalable voice-based intelligent tutoring systems.

Keywords: Conversational AI, Voice Agent, Speech Recognition, Text-to-Speech, Large Language Models, Intelligent Tutoring Systems, Real-Time Systems

I. INTRODUCTION

Human-computer interaction has undergone a substantial transformation with the emergence of conversational artificial intelligence. Voice-based interfaces, in particular, provide a natural and intuitive mode of interaction that closely resembles human communication. These systems reduce the cognitive effort required for interaction and improve accessibility for users with visual impairments, literacy challenges, or limited technical proficiency.

In educational and wellness domains, conversational agents offer the potential to deliver personalized, adaptive, and engaging experiences. Intelligent tutoring systems (ITS) have been shown to improve learning outcomes by providing individualized feedback and adaptive instruction. However, most existing conversational learning platforms rely primarily on text-based interaction, limiting their usability in hands-free or mobile contexts.

Recent advancements in large language models (LLMs), neural speech recognition, and high-quality text-to-speech synthesis have enabled the development of sophisticated voice agents capable of multi-turn dialogue, contextual reasoning, and expressive speech generation. Despite these advances, significant challenges remain in achieving low-latency interactions, maintaining long-term conversational context, and supporting multiple learning domains within a single system.

This research addresses these challenges by proposing and evaluating a multi-modal AI-powered voice agent architecture designed for real-time, web-based learning and wellness applications. The system integrates state-of-the-art speech recognition, language understanding, and speech synthesis technologies within a scalable web architecture to enable natural, context-aware conversational learning experiences.

II. LITERATURE REVIEW**A. Conversational AI and Large Language Models**

Early conversational systems were predominantly rule-based, relying on predefined templates and decision trees. While effective in narrow domains, these systems lacked flexibility and scalability. The introduction of transformer architectures and attention mechanisms by Vaswani *et al.* revolutionized natural language processing and laid the foundation for modern LLMs capable of contextual language understanding and generation [1].

Subsequent research demonstrated that large-scale pre-trained language models can perform complex conversational tasks, including dialogue generation, question answering, and reasoning [4]. These models form the backbone of modern conversational AI systems and enable dynamic, open-ended interactions.

B. Speech Recognition and Text-to-Speech Technologies

Automatic speech recognition (ASR) has evolved significantly from statistical models such as Hidden Markov Models to end-to-end deep learning architectures. Xiong *et al.* demonstrated that deep neural ASR systems can achieve human parity in conversational speech recognition under controlled conditions [2]. Cloud-based ASR services such as AssemblyAI leverage these advances to deliver high-accuracy, low-latency transcription.

Similarly, neural text-to-speech (TTS) systems have progressed from concatenative and parametric approaches to neural vocoders capable of producing natural, expressive speech. These systems play a crucial role in creating engaging and human-like voice interactions.

C. Conversational Agents in Education and Wellness

Intelligent tutoring systems have been shown to produce learning gains comparable to those achieved through human tutoring. VanLehn's meta-analysis highlighted the effectiveness of ITS when designed with adaptive feedback and structured pedagogical strategies [3]. Recent studies indicate increasing interest in conversational agents for education; however, most implementations remain text-based and domain-specific [5].

In wellness applications, voice-based agents have been explored for meditation, coaching, and mental health support, demonstrating positive user engagement and adherence. These findings underscore the potential of multi-modal voice agents in both educational and wellness contexts.

D. Identified Research Gaps

The literature reveals several gaps, including limited multi-domain voice-based tutoring systems, insufficient long-term context management, and lack of standardized performance evaluation for conversational learning platforms. The proposed system aims to address these gaps through a unified, multi-modal voice agent architecture.

III. METHODOLOGY

A design-based research methodology was adopted to iteratively design, implement, and evaluate the proposed system. This methodology is well-suited for developing intelligent systems intended for real-world deployment.

A. System Development Process

The research process involved the following stages:

1. Identification of functional and non-functional requirements for a voice-based learning platform.
2. Architectural design focusing on modularity and real-time performance.
3. Prototype implementation using modern web and AI technologies.
4. Performance evaluation using quantitative and qualitative metrics.

B. Evaluation Strategy

Quantitative data were collected through system logs and performance measurements, including response latency, speech-to-text accuracy, and API reliability. Qualitative evaluation focused on conversational coherence, context preservation across dialogue turns, and user experience during multi-mode interactions.

IV. PROPOSED SYSTEM DESIGN

A. Architectural Overview

The proposed system follows a modular, multi-modal architecture optimized for real-time interaction. Audio input is captured in the browser and streamed via WebSockets to the ASR service. Transcribed text is processed by a large language model with access to conversation history for contextual response generation. The generated response is converted into speech using neural TTS and streamed back to the user.

A real-time backend database manages session state, conversation history, and synchronization across components.

B. Technology Stack

- **Frontend:** Next.js, React, Web Audio API
- **Backend:** Convex (real-time database and functions)
- **Speech Recognition:** AssemblyAI
- **Language Model:** Google Gemini

- **Text-to-Speech:** ElevenLabs

- **Communication:** WebSockets

C. Learning and Coaching Modes

The system supports multiple modes, including:

- Topic-based learning
- Mock interviews
- Question–answer preparation
- Language learning
- Guided meditation

Prompt engineering and session-based state management enable seamless switching between modes while preserving conversational continuity.

V. CONCLUSION

This paper presented a multi-modal, AI-powered voice agent designed for real-time conversational learning and wellness applications. By integrating state-of-the-art speech recognition, large language models, and text-to-speech synthesis within a modern web-based architecture, the system delivers low-latency, context-aware interactions. The proposed design demonstrates the feasibility and effectiveness of voice-based intelligent tutoring systems and provides a foundation for future research and development.

VI. ACKNOWLEDGMENT

The author would like to express sincere gratitude to the faculty members of SIES (Nerul) College of Arts, Science and Commerce (Autonomous) for their continuous guidance, encouragement, and academic support throughout the development of this research work. The author also acknowledges the developers and research communities behind AssemblyAI, Google Gemini, ElevenLabs, Next.js, and Convex, whose tools and documentation contributed significantly to the successful implementation of the proposed system.

VII. REFERENCES

- [1] A. Vaswani *et al.*, “Attention is all you need,” in *Advances in Neural Information Processing Systems (NeurIPS)*, vol. 30, pp. 5998–6008, 2017.
- [2] W. Xiong *et al.*, “Achieving human parity in conversational speech recognition,” *IEEE/ACM Transactions on Audio, Speech, and Language Processing*, vol. 25, no. 12, pp. 2410–2423, Dec. 2017.
- [3] K. VanLehn, “The relative effectiveness of human tutoring, intelligent tutoring systems, and other tutoring systems,” *Educational Psychologist*, vol. 46, no. 4, pp. 197–221, 2011.
- [4] J. Gao, M. Galley, and L. Li, “Neural approaches to conversational AI,” *Foundations and Trends® in Information Retrieval*, vol. 13, no. 2–3, pp. 127–298, 2019.
- [5] Y. Chen and L. Li, “Conversational AI for education: A systematic review,” *IEEE Transactions on Learning Technologies*, vol. 13, no. 4, pp. 645–658, Oct.–Dec. 2020.
- [6] A. Graves, A. Mohamed, and G. Hinton, “Speech recognition with deep recurrent neural networks,” in *Proc. IEEE International Conference on Acoustics, Speech and Signal Processing (ICASSP)*, Vancouver, BC, Canada, 2013, pp. 6645–6649.
- [7] D. Amodei *et al.*, “Deep Speech 2: End-to-end speech recognition in English and Mandarin,” in *Proc. 33rd International Conference on Machine Learning (ICML)*, New York, NY, USA, 2016, pp. 173–182.
- [8] T. H. Wen *et al.*, “A network-based end-to-end trainable task-oriented dialogue system,” in *Proc. 15th Conference of the European Chapter of the Association for Computational Linguistics (EACL)*, Valencia, Spain, 2017, pp. 438–449.
- [9] R. Dale, “The return of the chatbots,” *Natural Language Engineering*, vol. 22, no. 5, pp. 811–817, 2016.
- [10] S. Young *et al.*, “The POMDP-based statistical spoken dialogue system: A review,” *Proceedings of the IEEE*, vol. 101, no. 5, pp. 1160–1179, May 2013.

-
- [11] J. Chung *et al.*, “A survey of spoken dialogue systems,” *IEEE Signal Processing Magazine*, vol. 34, no. 6, pp. 20–33, Nov. 2017.
- [12] Y. Wang *et al.*, “Tacotron: Towards end-to-end speech synthesis,” in *Proc. Interspeech*, Stockholm, Sweden, 2017, pp. 4006–4010.

A MULTI-AGENT AI SYSTEM FOR RESEARCH ASSISTANCE

Rajani Jambhale

SIES College of Arts, Science and Commerce (Autonomous), Nerul, India

ABSTRACT

The rapid growth of scholarly publications has significantly increased the complexity of academic research, making literature review, document analysis, and knowledge synthesis time-consuming and cognitively demanding. This paper presents a multi-agent AI-based research assistance system designed to automate and enhance academic research workflows through collaborative artificial intelligence. The proposed system employs a role-based multi-agent architecture consisting of a Research Specialist Agent, Data Analyst Agent, and Content Writer Agent to perform literature analysis, semantic reasoning, and structured research report generation. The system supports interactive question answering over scholarly PDF documents using robust text extraction pipelines and semantic retrieval based on vector embeddings and FAISS similarity search. To improve system reliability and scalability, multiple large language model providers, including Google Gemini, OpenAI, and Groq, are integrated with automated fallback mechanisms. Experimental evaluation demonstrates reliable document processing, high intent detection accuracy, and the generation of coherent, professional-quality research outputs, validating the effectiveness of multi-agent collaboration for AI-assisted research automation.

Keywords: Multi-agent systems, Large language models, Research automation, Academic document analysis, Semantic search, Question-answering systems

I. INTRODUCTION

The academic research ecosystem has experienced unprecedented growth due to the expansion of digital publishing platforms, online journals, and preprint repositories. While this has improved access to knowledge, it has also introduced significant challenges for researchers. Identifying relevant literature, understanding prior work, analyzing methodologies, and synthesizing results into meaningful insights require extensive manual effort. As a result, researchers often spend a substantial portion of their time on literature review rather than knowledge creation.

Traditional research workflows rely heavily on manual reading, note-taking, and organization of references. These processes are not only time-intensive but also prone to inconsistency and human error. As the volume of available literature continues to increase, maintaining a comprehensive and up-to-date understanding of a research domain becomes increasingly difficult.

Recent advances in artificial intelligence, particularly large language models (LLMs), have shown strong capabilities in natural language understanding, summarization, and text generation. These models can process large volumes of unstructured text and generate coherent responses, making them suitable for research assistance tasks. However, single-model AI systems often face challenges related to long-context reasoning, robustness across document formats, and reliability in real-world academic scenarios.

Multi-agent systems provide a promising alternative by decomposing complex tasks into smaller subtasks handled by specialized agents. Each agent performs a specific role and collaborates with others to achieve a shared objective. Prior research indicates that multi-agent architectures improve reasoning quality, task reliability, and scalability in complex problem-solving environments. This paper proposes a multi-agent AI research assistant system that integrates agent collaboration, robust document processing, and semantic retrieval to support academic research more effectively.

II. REVIEW OF LITERATURE**A. Large Language Models**

Transformer-based architectures have become the foundation of modern natural language processing systems. Vaswani *et al.* introduced the transformer model, which uses self-attention mechanisms to efficiently capture long-range dependencies in text [2]. This architecture enabled significant performance improvements across various NLP tasks.

Brown *et al.* demonstrated that scaling transformer-based models results in emergent capabilities such as few-shot learning, allowing models to perform tasks with minimal task-specific training [1]. These findings established large language models as general-purpose systems capable of reasoning, summarization, and content generation.

Recent models such as GPT-4 and Google Gemini extend these capabilities by supporting longer context windows, improved reasoning, and structured output generation, making them particularly suitable for academic research assistance [7], [8].

B. Multi-Agent Systems

Multi-agent systems have been extensively studied within distributed artificial intelligence. Such systems consist of multiple autonomous agents that interact and cooperate to solve complex problems. Key advantages include modularity, specialization, parallel processing, and fault tolerance.

Recent frameworks such as AutoGen demonstrate how LLM-based agents can collaborate through structured communication to perform reasoning-intensive tasks [5]. Survey studies highlight the growing adoption of autonomous agent-based systems in domains such as research, software engineering, and data analysis [6].

C. AI-Assisted Research Tools

Existing research tools such as Google Scholar and Semantic Scholar primarily focus on literature discovery, while reference management tools assist with citation organization. Retrieval-Augmented Generation (RAG) has emerged as an effective approach for grounding generative models in external knowledge sources, improving factual accuracy [3]. However, many existing systems rely on single document processing pipelines and single LLM providers, limiting robustness and scalability.

III. METHODOLOGY

This study follows a Design Science Research (DSR) methodology, which emphasizes the systematic development and evaluation of an artifact designed to solve a real-world problem. The artifact developed in this research is a multi-agent AI-based research assistance system.

A. Data Sources

The proposed system operates using two primary data sources that support automated research assistance and intelligent document analysis.

The first data source consists of user-defined research topics. Users can specify topics or keywords related to their area of interest, such as programming languages, emerging technologies, or research domains. Based on these inputs, the system automatically generates structured research content by retrieving relevant information and synthesizing it using large language models. This feature helps users quickly understand a topic without manually searching through multiple sources.

The second data source includes scholarly PDF documents uploaded by users, such as research papers, journals, or technical reports. These documents are processed to extract textual content, which is then analyzed for semantic understanding. The system enables users to ask natural language questions related to the uploaded documents, and relevant answers are generated by combining semantic retrieval and AI-based reasoning.

By utilizing both topic-based inputs and document-based inputs, the system provides flexible support for literature review, document understanding, and interactive research assistance.

B. Document Processing

Academic PDF documents often differ significantly in terms of layout, formatting, fonts, and content structure. These variations can make reliable text extraction challenging, especially for documents containing tables, equations, or multi-column layouts. To address this issue, the proposed system employs multiple PDF text extraction libraries, ensuring higher robustness and extraction accuracy across diverse document types.

The extracted text is further cleaned to remove noise, such as unnecessary symbols, headers, footers, and repeated whitespace. After cleaning, the text is segmented into logical sections and smaller chunks based on paragraph boundaries and semantic coherence. This segmentation helps preserve contextual meaning and improves downstream processing performance. Finally, the text is normalized, ensuring consistent formatting before it is passed to the semantic retrieval and language modeling components.

C. Semantic Retrieval

After document processing, the segmented text is transformed into dense vector embeddings that capture the semantic meaning of the content rather than relying on keyword matching. These embeddings enable the system to understand contextual relationships between different parts of the document.

The generated embeddings are indexed using FAISS (Facebook AI Similarity Search), which allows efficient and scalable similarity search even for large document collections. During the question-answering process, user queries are also converted into embeddings and compared against the indexed document vectors. The most semantically relevant text segments are then retrieved and supplied as contextual input to the large language

models.

This semantic retrieval mechanism ensures that responses are contextually accurate, relevant, and grounded in the source documents, thereby improving the reliability and usefulness of the generated answers.

D. Technology Stack

The implementation uses a clear and modular technology stack as follows:

- **Frontend:** HTML, CSS, JavaScript (for user interface and interaction)
- **Backend:** Python, REST APIs
- **AI & Data Technologies:** CrewAI (multi-agent orchestration), FAISS (vector search), Google Gemini, Groq (LLMs), PyMuPDF / pdfplumber (PDF processing)

IV. PROPOSED DESIGN

A. System Architecture

The proposed system adopts a layered and modular architecture designed for scalability and fault tolerance. It consists of four primary layers:

1. User Interface Layer:

Provides an interface for users to submit research topics, upload PDF documents, and ask natural language questions.

2. Multi-Agent Coordination Layer:

Manages task distribution and communication among the Research Specialist Agent, Data Analyst Agent, and Content Writer Agent. This layer ensures coordinated execution and sharing of intermediate results.

3. Document Intelligence Layer:

Handles PDF processing, text extraction, semantic embedding generation, and FAISS-based indexing for retrieval-augmented question answering.

4. LLM Integration Layer:

Connects the system to multiple LLM providers, including Google Gemini, OpenAI, and Groq. Automated fallback mechanisms ensure uninterrupted operation during API failures or rate limits. This architecture supports modular development and future extensibility.

B. Multi-Agent Architecture

- **Research Specialist Agent:** Extracts key concepts, theories, and factual information.
- **Data Analyst Agent:** Performs analytical reasoning, identifies trends, limitations, and research gaps.
- **Content Writer Agent:** Synthesizes insights into a coherent, structured, and academically styled research report.

The collaborative interaction among agents improves reasoning depth and output quality.

V. CONCLUSION

This paper presented a comprehensive multi-agent AI system for research assistance that automates academic workflows through collaborative agent-based reasoning, robust document processing, and semantic retrieval. By integrating role-based agents and multiple LLM providers, the system addresses key limitations of single-model AI approaches. The proposed design demonstrates strong reliability, analytical depth, and practical usability, making it a valuable foundation for next-generation AI-assisted research platforms.

VI. ACKNOWLEDGEMENT

The author would like to express sincere gratitude to the faculty members of SIES College of Arts, Science and Commerce (Autonomous), Nerul, for their valuable guidance, encouragement, and academic support throughout the course of this research work. Their insights and feedback played an important role in shaping the direction and quality of the study.

The author also acknowledges the open-source and research communities behind CrewAI, Google Gemini, OpenAI, Groq, FAISS, and Python-based PDF processing libraries, whose tools, frameworks, and documentation contributed significantly to the design and implementation of the proposed multi-agent research assistance system.

VII. REFERENCES

- [1] T. B. Brown *et al.*, “Language models are few-shot learners,” *Advances in Neural Information Processing Systems*, vol. 33, pp. 1877–1901, 2020.
- [2] A. Vaswani *et al.*, “Attention is all you need,” *Advances in Neural Information Processing Systems*, vol. 30, pp. 5998–6008, 2017.
- [3] P. Lewis *et al.*, “Retrieval-augmented generation for knowledge-intensive NLP tasks,” *Advances in Neural Information Processing Systems*, vol. 33, pp. 9459–9474, 2020.
- [4] J. Johnson, M. Douze, and H. Jégou, “Billion-scale similarity search with GPUs,” *IEEE Transactions on Big Data*, vol. 7, no. 3, pp. 535–547, 2021.
- [5] Q. Wu *et al.*, “AutoGen: Enabling next-gen LLM applications via multi-agent conversation,” *arXiv preprint arXiv:2308.08155*, 2023.
- [6] J. Wang *et al.*, “A survey on large language model based autonomous agents,” *arXiv preprint arXiv:2308.11432*, 2023.
- [7] OpenAI, “GPT-4 technical report,” *arXiv preprint arXiv:2303.08774*, 2023.
- [8] Google DeepMind, “Gemini: A family of highly capable multimodal models,” *arXiv preprint arXiv:2312.11805*, 2023.
- [9] A. R. Hevner, S. T. March, J. Park, and S. Ram, “Design science in information systems research,” *MIS Quarterly*, vol. 28, no. 1, pp. 75–105, 2004.
- [10] Y. Gao *et al.*, “Retrieval-augmented generation for large language models: A survey,” *arXiv preprint arXiv:2312.10997*, 2023.
- [11] H. Touvron *et al.*, “LLaMA: Open and efficient foundation language models,” *arXiv preprint arXiv:2302.13971*, 2023.

AI-POWERED CHILDREN'S STORY GENERATION PLATFORM STORYNEST – AI CRAFTED STORIES

Vipul Patil

Student, SIES College of Arts, Science and Commerce, Nerul

ABSTRACT

This paper presents an AI-powered storytelling platform named StoryNest, designed to generate personalized children's stories using generative artificial intelligence. The system integrates Google's Gemini large language model with a modern full-stack web architecture built on Next.js 16. The platform enables users to create age-appropriate, multi-chapter stories based on selected themes, genres, and visual styles. A structured prompt engineering strategy ensures consistent narrative output, while server-side processing and authentication mechanisms maintain security and performance. Experimental evaluation through functional analysis demonstrates that StoryNest delivers reliable story generation with structured output suitable for educational and creative use. The proposed system highlights the practical feasibility of integrating large language models into real-world web applications for creative content generation.

Keywords: Generative Artificial Intelligence, Children's Storytelling, Large Language Models, Next.js, Prompt Engineering

I. INTRODUCTION

The rapid advancement of artificial intelligence has significantly influenced creative domains such as writing, education, and digital media. Large language models (LLMs) have demonstrated the ability to generate coherent, context-aware, and creative textual content, opening new possibilities for personalized learning and entertainment. In particular, children's storytelling represents a domain where AI can assist parents, educators, and learners by reducing the effort required to create engaging and age-appropriate narratives.

Traditional story creation involves manual authoring, editing, and illustration, which can be time-consuming and resource-intensive. Moreover, adapting stories to different age groups and interests requires additional creative effort. To address these challenges, this research introduces *StoryNest*, an AI-powered web platform that automatically generates structured children's stories based on user-defined parameters such as topic, genre, age group, and image style.

The StoryNest platform leverages Google's Gemini 2.5 Flash model for natural language generation and is implemented using Next.js 16 with a component-based React architecture. The system focuses on secure AI integration, structured prompt engineering, and an intuitive user interface, making AI-assisted storytelling accessible to non-technical users.

II. REVIEW OF LITERATURE

This project is grounded in existing research related to generative artificial intelligence, modern web application architecture, and AI-driven educational content generation.

A. Large Language Models and Generative AI

The introduction of transformer-based architectures marked a significant breakthrough in natural language processing. Vaswani *et al.* proposed the transformer model, which relies on self-attention mechanisms to model long-range dependencies efficiently [1]. This architecture laid the foundation for subsequent large-scale language models capable of generating fluent and context-aware text.

Later research demonstrated that scaling model parameters and training data significantly improves performance across a wide range of language tasks. Brown *et al.* showed that large language models can perform tasks with minimal task-specific training through few-shot learning [6]. These findings established LLMs as general-purpose text generation systems capable of creative tasks such as storytelling.

Recent models such as Google's Gemini further extend these capabilities by supporting multimodal inputs, improved reasoning, and structured output generation [2]. These features are particularly relevant for applications that require controlled and predictable output formats, such as JSON-based story structures.

B. Prompt Engineering and Controlled Text Generation

Prompt engineering has emerged as a critical technique for guiding LLM behavior without modifying model parameters. Research by Wei *et al.* demonstrated that structured prompts, such as chain-of-thought prompting, significantly improve reasoning and output consistency [7]. In creative applications, prompt constraints can be used to control tone, vocabulary complexity, narrative structure, and output length.

For children’s storytelling, prompt engineering is essential to ensure age-appropriate language, positive themes, and coherent narrative flow. Without such constraints, generative models may produce content that is overly complex or inconsistent. Therefore, structured prompting forms a core component of the StoryNest system.

C. AI in Education and Personalized Learning

AI-driven personalization has been shown to improve learner engagement and educational outcomes. Pane *et al.* highlighted that personalized learning systems can adapt content to individual learner needs, resulting in improved achievement [3]. In the context of storytelling, personalization allows stories to align with a child’s interests, reading level, and cognitive development stage.

Recent studies also discuss the ethical and pedagogical implications of using generative AI in education. Kasneci *et al.* emphasized the need for responsible AI deployment to ensure fairness, transparency, and educational value [8]. UNESCO has also published guidelines advocating the ethical use of generative AI in educational contexts [9].

D. Web Technologies for AI-Based Applications

Modern web frameworks such as Next.js enable seamless integration of frontend and backend logic, supporting server-side rendering, API routing, and secure middleware execution [4]. These features are particularly important for AI-powered applications, where sensitive API keys and computational logic must be protected from client-side exposure. Secure design principles, such as those outlined by OWASP, further guide the development of robust web-based AI systems [12].

III. METHODOLOGY

The development and evaluation of StoryNest follow a system-oriented methodology focusing on architecture design, AI integration, and functional analysis.

3.1 Technology Stack

Component	Technology	Role
Frontend Framework	Next.js 16	Routing, server-side rendering, UI composition
UI Library	React with HeroUI	Component-based user interface
Styling	Tailwind CSS	Responsive and utility-first styling
Backend Logic	Next.js API Routes	AI processing and business logic
AI Model	Google Gemini 2.5 Flash	Story generation
Authentication	Clerk	Secure user authentication
Database	Neon PostgreSQL	Story data persistence
ORM	Drizzle ORM	Type-safe database operations

3.2 Core Application Workflow

- User Input Collection:** The user selects the story subject, genre, target age group, and image style through a guided form interface.
- Prompt Construction:** The system dynamically constructs a structured prompt enforcing chapter count, word limits, age-appropriate language, and JSON output formatting.
- AI Story Generation:** The prompt is processed by the Gemini AI model via a secure server-side API route.
- Response Parsing and Storage:** The generated JSON output is validated, parsed, and stored in the database.
- Story Presentation:** The generated story is rendered on the client-side with appropriate formatting and navigation.

3.3 Data Persistence

The database stores essential metadata including story identifiers, user-selected parameters, generated content, and optional image references. JSON storage enables flexibility in handling structured story outputs.

IV. PROPOSED DESIGN

The design of StoryNest emphasizes usability, automation, and security while maintaining creative flexibility.

4.1 Design Philosophy

- User-Centric Design:** The interface simplifies complex AI interactions into intuitive form inputs.
- Automation:** Story generation, validation, and storage occur without manual intervention.
- Security:** AI API keys and database operations are restricted to server-side execution.
- Scalability:** Modular components and API routes enable future feature expansion.

4.2 User Interface Flow

A. Story Creation Interface

- Users input story preferences through modular components.
- Validation ensures all required fields are selected before generation.

B. Story Generation and Display

- A loading state provides feedback during AI processing.
- The final story is displayed with chapter-wise navigation.
- Image prompts are generated for future visual enhancement.

V. CONCLUSION

StoryNest demonstrates the practical integration of generative artificial intelligence into a modern web application for creative and educational storytelling. By combining structured prompt engineering, secure server-side AI processing, and a modular web architecture, the platform delivers consistent and age-appropriate narrative content. While challenges remain in ensuring narrative consistency and automated quality assessment, the system establishes a strong foundation for AI-assisted content creation. Future work will focus on image generation integration, multilingual support, advanced personalization, and comprehensive testing.

VI. ACKNOWLEDGEMENT

The successful completion of this research would not have been possible without the guidance and support of mentors, faculty members, and peers. The author expresses sincere gratitude to all those who provided valuable insights and encouragement throughout the development of this project.

VII. REFERENCES

- [1] A. Vaswani *et al.*, "Attention Is All You Need," *Advances in Neural Information Processing Systems (NeurIPS)*, vol. 30, pp. 5998–6008, 2017.
- [2] Google DeepMind, "Gemini API Documentation," 2024.
Available: <https://ai.google.dev>
- [3] J. F. Pane *et al.*, *Informing Progress: Insights on Personalized Learning Implementation and Effects*, RAND Corporation, 2017.
- [4] Vercel, "Next.js Documentation," 2024.
Available: <https://nextjs.org/docs>
- [5] R. C. Martin, *Clean Architecture: A Craftsman's Guide to Software Structure and Design*, Prentice Hall, 2017.
- [6] T. Brown *et al.*, "Language Models are Few-Shot Learners," *Advances in Neural Information Processing Systems (NeurIPS)*, vol. 33, pp. 1877–1901, 2020.
- [7] J. Wei *et al.*, "Chain-of-Thought Prompting Elicits Reasoning in Large Language Models," *Proceedings of the 35th International Conference on Neural Information Processing Systems*, 2022.
- [8] E. Kasneci *et al.*, "ChatGPT for Good? On Opportunities and Challenges of Large Language Models for Education," *Learning and Individual Differences*, vol. 103, 2023, Art. no. 102274.
- [9] UNESCO, *Guidance for Generative AI in Education and Research*, United Nations Educational, Scientific and Cultural Organization, Paris, 2023.
- [10] M. K. Lee, "Understanding Perception of Algorithmic Decisions: Fairness, Trust, and Emotion in Response to AI," *Big Data & Society*, vol. 5, no. 1, 2018.
- [11] N. Shazeer *et al.*, "Outrageously Large Neural Networks: The Sparsely-Gated Mixture-of-Experts Layer," *International Conference on Learning Representations (ICLR)*, 2017.
- [12] OWASP Foundation, "OWASP Top 10 Web Application Security Risks," 2023.
Available: <https://owasp.org/www-project-top-ten/>
- [13] S. Papert, *Mindstorms: Children, Computers, and Powerful Ideas*, Basic Books, 1980.

A STUDY ON REVOLUTION OF DIGITAL PAYMENTS THROUGH UPI & OTHER PLATFORMS IN NAVI MUMBAI

Gayathri Nair and Mr. Girish K

Student, Pursuing MCOM (AA) SIES (Nerul) College of Arts, Science and Commerce

ABSTRACT

This study examines the revolution in digital payments in Navi Mumbai, with a focus on the transformative role of the Unified Payments Interface (UPI) and other digital payment platforms. When UPI was first introduced in 2016, it completely changed commerce by allowing cashless, real-time payments using mobile devices. Since then, the transition from cash-based transactions to a digitally driven economy has been accelerated by the quick uptake of UPI and other digital platforms. This study examines the main factors that have contributed to this change, such as the ease, security, and accessibility of digital payment systems as well as how they have helped to increase financial inclusion across Navi Mumbai's various socioeconomic categories. The study looks at how the COVID-19 epidemic, demonetization, and government actions sped up the adoption of digital payments and created a more robust and accessible financial system. This study also evaluates obstacles that might prevent full digital transformation, such as gaps in digital literacy, security issues, and infrastructure limitations. The study's conclusions advance knowledge of Navi Mumbai's developing digital economy and provide information on technology and regulations that may help ensure the safe and equitable expansion of digital payments.

Keywords: Digital Payments, Unified Payments Interface, Introduced, Navi Mumbai

1. INTRODUCTION:**1.1 Revolution of UPI:**

The world of digital payments in India had been impacted ever since Unified Payments Interface was developed by the National Payment Corporation of India. That introduced a system that allowed immediate, around-the-clock money transfers using only a mobile number or virtual payment address as a requirement. UPI did not need to provide information regarding bank accounts and means of funds transfer, nor did it need NEFT and IMPS means. UPI is widely used in places like Navi Mumbai as it is convenient, fast, and without any charges, making it the preferred transaction mode. It has significantly facilitated immediate digital payment receipt for Indians, small enterprises, street merchants, and service providers, leading to a cashless and transparent economy. Vast adoption of UPI has indeed changed consumer behavior and integrated digital payment into daily life. The pandemic and demonetization incidents have resulted in doubling the market of UPI. The first big leap forward occurred in 2016 when it gained general acceptance over digital modes of payment. According to its chief executive, Mahendra Nerurkar, Amazon Pay service had two million users using its capabilities in 2020, with approximately 10 million transactions recorded as of June 2021.

1.2 Evolution of Alternative Digital Payment Platforms:**1.2.1 Revolution of Google Pay-**

Google Pay significantly contributed to the digital payment transformation by making UPI payments very easy and fast. Its neat design, incentive system, immediate transfers, and robust security features encouraged millions of users-especially youths and working professionals-to switch from cash to digital payments.

1.2.2 Revolution of PhonePe-

PhonePe made payments simple: UPI, recharge, bill payments, insurance, and wallet on one platform. The introduction of simple QR code-based payments has facilitated the widespread adoption of digital transactions among small merchants, local shops, and street vendors, integrating cashless payments into daily life in Navi Mumbai.

1.2.3 Revolution of Paytm-

The introduction of the Paytm mobile wallet into the Indian payment ecosystem changed how customers made payments. The creation of UPI services (Unified Payments Interface) brought about a radical change in how customers pay for services such as Metro Recharging, Ticket Bookings, as well as helping Small Businesses move to digital payments. The introduction of cashback and promotions also assisted in bringing digital payments to Retailers, shops, and markets across India.

1.2.4 Revolution of Debit and Credit Cards-

Debit and credit cards created the first time in India where customers were able to make Digital Transactions without using cash, prior to UPI. Customers were able to make Digital Transactions at Point of Sale (POS) Machines or from their mobile phone through the internet. The Contactless Tap and Pay feature of these cards made them more popular for customers making small and quick purchases in malls, restaurants, etc.

1.2.5 Revolution of Mobile Wallet -

The Wallets provided customers with convenience to instantly pay for goods and services without needing to enter their bank details. The Mobile Wallet (Paytm & Amazon Pay Wallet) made it easier for customers to purchase items Online (e-Commerce) as well as pay for food delivered at their homes and make Small Value Payments quickly and efficiently.

1.2.6 Revolution of QR Code Payment-

QR Codes have transformed how we pay for things in many locations. Today a customer can pay for anything they want, from drinking tea at the tea stall, auto rickshaws, market places, saloons to local shops by simply scanning with their mobile phone. The QR Code has given access to everyone, including people who own basic smartphones, to Digital Payments.

1.3 Benefits of Digital Payment:

- 1.3.1. **Convenience:** Digital payments enable users to make transactions anytime, anywhere, without the need to carry physical cash or visit a bank.
- 1.3.2. **Speed:** Transactions are processed instantly or within a matter of seconds, reducing waiting times compared to traditional payment methods.
- 1.3.3. **Security:** Digital payment systems often employ encryption and authentication measures to safeguard users' financial information, reducing the risk of theft or fraud.
- 1.3.4. **Traceability:** Digital transactions leave a digital trail, making it easier to track spending and identify any fraudulent activities.
- 1.3.5. **Cost-effectiveness:** Digital payments can eliminate the need for physical infrastructure like ATMs and reduce the costs associated with cash handling and transportation.
- 1.3.6. **Accessibility:** Digital payment options are inclusive, allowing individuals without access to traditional banking services to participate in the economy.

2. REVIEW OF LITERATURE:

Vidani, J. (2024) UPI revolutionizes digital payments in India, enhancing financial inclusion and enabling instant transfers. Its impact includes reduced cash dependency, economic growth, opportunities for banks, and future innovations, despite challenges like data privacy and regulatory needs.

Shubham Badak, Vaibhav Kolte, Mamta Agrawal, Sonia Gupta (2023) explained that India has transitioned from cash to digital payments, driven by the growth of the Unified Payments Interface (UPI), demonetization, government initiatives, and the COVID-19 pandemic. Over a billion daily transactions have been made using various digital payment methods. The Indian government aims to boost this ecosystem to achieve a 5-trillion-dollar economy by 2025, promoting financial inclusion and modernization.

Bimal Jaiswal, Agnivesh Singh (2023) The study by Bimal Jaiswal and Agnivesh Singh examines UPI's effects on digital transactions in India, noting inter-state variations influenced by socio-economic factors. It calls for targeted policies to improve financial inclusion and digital literacy, especially in lower GDP states for advancing digitalization.

Bhoi, B. K. (2021) India's payment and settlement systems have evolved significantly over two decades, influenced by 1990s financial reforms. This analysis reviews digital transformation, highlights challenges, addresses the ongoing agenda, and considers the potential for central bank digital currencies (CBDCs) to reduce cash reliance, despite macroeconomic implications being not fully understood.

Dipak R. Chaudhari, Sarat Dhal and Sonali M. Adki (2019) The study analyzes payment system innovations and currency demand in India, highlighting a significant long-term inverse relationship. The income effect is greater than the substitution effect, requiring a 100% growth in digital transactions to counterbalance currency demand changes.

3. RESEARCH METHODOLOGY:**3.1 STATEMENT OF THE PROBLEM**

The increasing popularity of digital payment systems, particularly UPI, in Navi Mumbai, faces challenges such as low digital literacy, infrastructural shortages, and concerns about data security and privacy. These groups, including small business owners, the elderly, and low-income individuals, may be hesitant or unable to fully adopt digital payments due to the unequal playing field caused by digital accessibility differences. This study aims to evaluate the socioeconomic effects of UPI and related platforms on consumers and companies, as well as identify obstacles hindering the broad and fair adoption of digital payments in Navi Mumbai.

3.2 SCOPE OF STUDY

This study examines at the use and effects of digital payment systems like UPI in Navi Mumbai, with an emphasis on how these systems affect consumer and business convenience and financial inclusion. It discusses the elements that encourage adoption, including government programs and technology developments, as well as the obstacles, like infrastructural constraints, security issues, and gaps in digital literacy. The study intends to offer insights for enhancing digital payment accessibility and resilience in Navi Mumbai's economy through surveys and data analysis.

3.3 OBJECTIVES OF THE STUDY

- 1) To explore demographic variations in the usage patterns of UPI and other digital payments.
- 2) To evaluate user experience and satisfaction levels concerning the usability and customer support of UPI and other digital payment platforms.
- 3) To investigate user trust and security perceptions regarding UPI and other platforms.
- 4) To investigate consumer preferences for specific features of digital payment platforms.

3.4 RESEARCH DESIGN

The study uses a descriptive design to explore UPI and digital payment platforms in Navi Mumbai. Data were gathered via questionnaires from 18-35-year-olds, focusing on demographics, usage, satisfaction, trust, and preferences. Analysis involved percentage analysis, frequency distribution, t-tests, and ANOVA, ensuring reliability, validity, and confidentiality for academic purposes.

3.5 DATA COLLECTION

The process of gathering data for business decision-making, strategic planning, research, and other purposes is known as 'Data Collection'. It is an essential component of data analytics applications and research projects: Data collection that is effective provides the information required to answer questions, analyze business performance or other outcomes, and forecast future trends, actions, and scenarios.

3.5.1 Collection of primary data

This study used a questionnaire to assess respondents' frequency of digital payments, perceptions of advantages and difficulties, and feelings of security and accessibility with platforms like UPI, aiming to collect a representative sample for analysis in Navi Mumbai.

3.5.2 Collection of secondary data:

For this study, secondary data was collected from government materials financial news sources, e-newspapers, and articles to give a more comprehensive picture of UPI acceptance, digital payment patterns, and associated issues in Navi Mumbai. The examination of the rise and obstacles of digital payments is supported by this data, which offers insights on consumer behavior, policy effects, and industry changes.

3.6 LIMITATION OF THE STUDY

This study based on a survey through a questionnaire suffers from the basic limitation of the possibility of difference between what is recorded and what is the truth, no matter how carefully the questionnaire has been designed and the field investigation has been carried out. The study has the following limitations are as follows:

- 1) The study was done in Navi Mumbai but all areas of Navi Mumbai were not covered.
- 2) Some respondents were hesitant to provide accurate information.
- 3) The number of respondents was constrained to 100 for data collection as time was the constraint.
- 4) The time was restricted for the study.

4. DATA ANALYSIS AND INTERPRETATION:**4.1 PROFILE OF RESPONDENTS-****4.1.1 Age wise distribution of respondents**

AGE	NO. OF RESPONDENTS	PERCENTAGE
15 - 20	9	18%
21 – 30	27	54%
31 – 40	4	8%
41 – 50	5	10%
Above 50	5	10%
TOTAL	50	100%

(Source: Primary data)

Interpretation: From the above given table, it is inferred that out of 100 respondents and from that 18% of the responses belong to the age group below 20, 54% belong to the age group 21-30, 8% belong to the age group 31-40, 10% belong to the age group 41-50, and 10% belong to the age group 50 and above. This suggests that the majority of the responses come from individuals aged between 21 to 30 years old.

4.1.2 Gender -wise distribution of respondents

GENDER	NO OF RESPONDENTS	PERCENTAGE
Male	40	20%
Female	60	30%
Prefer not to say	0	0%
TOTAL	100	100%

(Source: Primary data)

Interpretation: From the above given table, it is inferred that out of 100 respondents, 40% of respondents are male and 60% of respondents are female and no respondent decided not to specify his/her identity. The female gender percentage (60%) is more than that of the respondents of male (40%).

4.1.3 Familiarity with UPI and other digital payment platforms

ROW LABELS	NO OF RESPONDENTS	PERCENTAGE
Very Familiar	23	46%
Somewhat Familiar	16	32%
Neutral	7	14%
Not very familiar	4	8%
Not familiar at all	0	0%
TOTAL	50	100%

(Source: Primary data)

Interpretation: From the above given table, it is inferred that out of 100 respondents, majority of the respondents (46%) are very familiar with UPI, 32% of respondents are somewhat familiar with UPI, 14% of respondents are neutral familiarity with UPI and 8% of respondents aren't very familiar with UPI.

4.1.4 Quicker resolution of issues are more satisfied with UPI services.

ROW LABELS	NO OF RESPONDENTS	PERCENTAGE
Instantly	5	10%
Within few hours	13	26%
Within a day	10	20%
Several days	14	28%
Never resolved	8	16%
TOTAL	50	100%

(Source: Primary data)

Interpretation: Majority of the respondents took several days for resolution of issues with UPI services (28%), some respondents agreed that within few hours the issues are resolved (13%). Least responses where the people didn't receive instant resolution for the issues with UPI services (5%).

5. HYPOTHESIS:**1ST Hypothesis**

H₀: There is no significant difference in UPI familiarity levels between male and female users.

H₁: There is a significant difference in UPI familiarity levels between male and female users.

<i>COUNTA of Gender</i>	<i>Familiar with UPI and other digital payment platforms</i>				
<i>Gender</i>	Neutral	Not very familiar	Somewhat familiar	Very familiar	Grand Total
Female	3	1	12	14	30
Male	4	3	4	9	20
Grand Total	7	4	16	23	50

Source: Primary Data

t-Test		
	<i>Variable 1</i>	<i>Variable 2</i>
Mean	12.5	10
Variance	75	21.5
Observations	4	5
Pooled Variance	44.42857143	
Hypothesized Mean Difference	0	
df	7	
t Stat	0.559116846	
P(T<=t) one-tail	0.296755201	
t Critical one-tail	1.894578605	
P(T<=t) two-tail	0.593510401	
t Critical two-tail	2.364624252	

Table No.5.1: t-Test for hypothesis 1

Interpretation: The p-value is more than 0.05 and the critical t value is more than 0.05. Therefore, there is no significant difference in UPI familiarity levels between male and female users is **not accepted**.

2ND Hypothesis

H₀: There is no significant difference in user satisfaction across different age groups based on the speed of issue resolution.

H₁: There is a significant difference in user satisfaction across different age groups based on the speed of issue resolution.

<i>COUNTA of Age</i>	<i>Quicker are your issues resolved when you face problems with UPI/digital payments</i>					
<i>Age</i>	Instantly	Never resolved	Several days	Within a day	Within a few hours	Grand Total
15 - 20 years	1	2	2	1	3	9
21 - 30 years	2	4	8	5	8	27
31 - 40 years	1	1	1	1		4
41 - 50 years				3	2	5
Above 50	1	1	3			5
Grand Total	5	8	14	10	13	50

Source: Primary Data

ANOVA						
<i>Source of Variation</i>	<i>SS</i>	<i>df</i>	<i>MS</i>	<i>F</i>	<i>P-value</i>	<i>F crit</i>
Between Groups	0	1	0	0	1	5.317655
Within Groups	304	8	38			
Total	304	9				

Table No.5.2: ANOVA for hypothesis 2

Interpretation: The p-value is more than 0.05 and the critical t value is more than 0.05. Therefore, there is no significant difference in user satisfaction across different age groups based on the speed of issue resolution is **not accepted**.

6. FINDINGS:

- 6.1 The age-wise distribution of respondents shows that out of 100 participants, 54% belong to the 21–30 age group, making it the largest segment. This indicates that young adults form the major user base of UPI and other digital payment platforms in Navi Mumbai, while smaller proportions were observed in the below 20, 31–40, 41–50, and 50+ categories.
- 6.2 The gender distribution reveals that 40% of the respondents are male and 60% are female. This suggests that female users formed the majority in the sample, indicating higher participation or engagement from women in the survey on digital payment usage.
- 6.3 In terms of familiarity with UPI, the findings show that 46% of respondents are very familiar with UPI services, followed by 32% who are somewhat familiar. Only a minority reported neutral or low familiarity, indicating that overall awareness and understanding of UPI is strong among users.
- 6.4 Regarding the time taken for issue resolution, most respondents (28%) reported that their issues were resolved after several days, while 13% stated that issues were resolved within a few hours. Very few respondents (5%) received instant issue resolution. This suggests that service responsiveness varies, with delays being more common.
- 6.5 The hypothesis test using the t-test revealed that the p-value was greater than 0.05, indicating no significant difference in UPI familiarity levels between male and female users. This means that both genders exhibit similar levels of awareness and understanding of UPI.
- 6.6 The ANOVA test for issue-resolution speed and age groups also resulted in a p-value greater than 0.05. This indicates that there is no significant difference in user satisfaction across different age groups based on how quickly their issues were resolved, showing that resolution speed does not vary meaningfully by age.

7. RECOMMENDATION:

- 7.1 The rise of UPI marked a major shift in Navi Mumbai's digital payments by enabling fast, secure, and real-time bank-to-bank transfers. Its simplicity, zero charges, and wide adoption made people in Navi Mumbai move from cash to seamless digital transactions.
- 7.2 Platforms such as Google Pay and PhonePe contributed significantly by offering user-friendly interfaces and additional features like rewards, bill payments, and merchant QR acceptance. These platforms expanded digital payment usage among all age groups.
- 7.3 The rapid adoption of digital wallets and payment apps increased convenience for consumers and small businesses in Navi Mumbai. Easy onboarding, cashback programs, and wide merchant availability encouraged more people to shift to digital modes.
- 7.4 The combined growth of UPI and other payment platforms has boosted financial inclusion by allowing even first-time users to make secure digital transactions. This has reduced dependency on cash and enhanced transparency in local economic activities.

8. CONCLUSION:

Navi Mumbai transactions have changed dramatically as a result of the use of digital payments, especially UPI. This study shows that the adoption of digital payment platforms is significantly influenced by a number of criteria, including feature preferences, security perceptions, user happiness, and demographics. To solve present issues and build user trust, targeted initiatives are crucial. These include raising digital literacy, boosting customer service, and making sure security measures are strong. Incentives for small companies and offline

payment choices could help close the gap and increase the accessibility and inclusivity of digital payments for a wider range of populations.

In conclusion, digital payments have a lot of promise to promote ease and financial inclusion in Navi Mumbai. However, ongoing enhancements based on user input, backed by unambiguous regulations and cooperation from the local government, are required for this ecosystem to flourish. Navi Mumbai can get closer to a safe, convenient, and generally recognized digital payment environment by taking care of these issues, which would help both customers and companies.

9. REFERENCES:

- Vidani, J. (2024). A Study on the Rise and Recent Development in Unified Payments Interface. Available at SSRN 4849785.
- Badak, S., Kolte, V., Agrawal, M., & Gupta, S. (2023). Revolution of Digital Payment in India. *Journal of Mobile Computing, Communications & Mobile Networks*, 10(3), 29-37p.
- Chaudhari, D. R., Dhal, S., & Adki, S. M. (2019). Payment systems innovation and currency demand in India: Some applied perspectives. *Reserve Bank of India Occasional Papers*, 40(2), 33-63.
- Jaiswal, B., & Singh, A. (2023). An Inter-State Exploration of Unified Payments Interface (UPI) Adoption and Digitalization Advancements.
- Bhoi, B. K. (2021). Digital transformation in India's payment and settlement systems: the way forward. In Mumbai: Forum of Free Enterprise.
- <https://www.intelegain.com/how-upi-has-changed-the-face-of-digital-payments-in-india/>
- <https://stmcomputers.stmjournals.com/index.php/JoMCCMN/article/view/735>
- <https://www.financialexpress.com/business/banking-finance-indias-unified-payment-interface-upi-landscape-revolution-for-development-3479247/>

A STUDY ON THE IMPACT OF ARTIFICIAL INTELLIGENCE TOOLS ON FINANCIAL LITERACY AMONG YOUNG ADULTS

Sanju Sharma and Ms. Jahara S

Student, Pursuing MCOM(AA) SIES (Nerul) College of Arts, Science and Commerce

ABSTRACT

In the field of personal finance, artificial intelligence (AI) has emerged as a revolutionary force that offers young adult new ways to understand, manage, and improve their financial practices. With the increasing availability of AI-driven solutions like budgeting tools, robo-advisors, financial chatbots, and payment-insight systems, financial literacy is no longer restricted to traditional teaching approaches. The influence of AI-driven financial tools on young adults' (18–30 years old) financial literacy is investigated in this study, with an emphasis on awareness, usage patterns, financial decision-making, and behavioral changes. One hundred participants were given a formal questionnaire to complete in order to collect primary data regarding their use of AI tools, perceived benefits, and challenges encountered. The findings demonstrate how AI technologies significantly enhance users' understanding of investing, saving, and budgeting concepts, hence increasing overall financial confidence. The most important elements in promoting financial discipline were found to be budgeting apps and automatic expense-analysis systems. However, the study also identifies important barriers that may prevent comprehensive financial understanding, such as data privacy concerns, algorithm limitations, and an over-reliance on automated recommendations. To determine if demographic factors influence the uptake and perceived benefits of AI tools, statistical techniques including ANOVA and t-tests were used. The results demonstrate a widespread acceptance of AI among young adults and show no discernible gender-related disparities in usage or perception. In conclusion, the study concludes that AI resources are useful supplementary tools that improve financial education, strengthen practical money management skills, and motivate younger users to make wise financial decisions.

Keywords: Artificial Intelligence, Financial Literacy, Young Adults, Budgeting Tools, Robo-Advisors, Digital Finance

I. INTRODUCTION**1.1 Artificial Intelligence and Personal Finance**

In the realm of personal finance, artificial intelligence (AI) has emerged as one of the most significant new technologies. It has completely changed how people view, monitor, and manage their financial affairs. Young individuals now have access to sophisticated digital tools that make financial decision-making easier, such as AI-powered investment advisors and automated budgeting systems. These systems analyze consumer spending patterns, spot areas for savings, recommend investments, and offer real-time financial advice. Because AI makes complicated financial ideas more approachable, customizable, and user-friendly, it is transforming financial literacy.

1.2 Importance of Financial Literacy in the Modern Era

A vital life skill, financial literacy empowers people to make wise choices regarding borrowing, investing, saving, budgeting, and risk management. Despite having access to a variety of financial tools, many young adults find it difficult to comprehend financial ideas because of their low literacy, lack of real-world experience, and growing reliance on digital forms of funding. In this regard, AI-powered financial solutions are valuable tools that help consumers manage their money more effectively and maintain long-term financial security.

1.3 Role of AI in Improving Financial Learning

By providing individualized insights, analyzing user behavior, and making practical recommendations, AI-based applications advance financial literacy. For instance, financial chatbots provide instantaneous answers to questions about finance, robo-advisors offer automatic investment programs, and budgeting apps classify monthly spending. With the use of these tools, individuals can improve their comprehension of money management, cultivate disciplined financial habits, and acquire confidence in their financial judgments. The role of these tools in financial education is growing as they get more sophisticated.

1.4 AI Tools Commonly Used by Young Adults

Young adults use many financial services that incorporate artificial intelligence. Every kind of instrument has a distinct function in raising financial literacy and strengthening individual money management. The following describes the most popular AI-based financial tools:

1.4.1 Budgeting and Expense-Tracking Applications

Users' costs are automatically tracked and categorized by budgeting applications like Walnut, Moneyfy, Wallet, Goodbudget, and Google Pay's AI-driven insights. AI algorithms are used by these apps to analyze spending patterns, forecast monthly spending, identify anomalous transactions, and recommend areas where users may cut back on wasteful spending. By offering individualized budgeting guidance and real-time updates, these apps encourage responsible financial behavior.

1.4.2 Robo-Advisory Investment Tools

AI algorithms are used by robo-advisors such as Groww, INDmoney, Paytm Money, and Zerodha's investing nudges to suggest investment strategies depending on the user's risk tolerance, income level, financial objectives, and market movements. Complex investment procedures, including asset allocation, portfolio management, and performance monitoring are made simpler by these platforms. Robo-advisors improve financial literacy by making investing accessible to novices who might not have any prior knowledge of equities, mutual funds, or SIPs.

1.4.3 Digital Payment Apps with AI Insights

AI is used by digital payment platforms like PhonePe, Google Pay, Paytm, BHIM UPI, and others to offer individualized financial insights. Automatic expense summaries, cashback forecasts, bill reminders, and spending trend analysis are some of these insights. Additionally, AI recognizes recurring payments and recommends budgetary changes. By keeping customers informed about their financial flow, these services enhance daily money management.

1.4.4 Financial Chatbots and Virtual Assistants

AI-powered chatbots, such as HDFC's EVA, SBI's SIA, Axis AHA, and other virtual assistants, are used by banks and financial institutions to instantly respond to consumer inquiries. Banking processes, credit card information, EMI choices, account balances, and investment opportunities are all explained by these chatbots. Some sophisticated chatbots even provide tailored financial advice. By providing fast, clear, and trustworthy information without the need for human assistance, these tools improve financial learning.

1.4.5 Personal Finance Management Platforms

Numerous financial features, including credit score monitoring, loan recommendations, bill reminders, savings objectives, and investment tracking, are integrated by AI-based platforms like CRED, INDmoney, and Moneyview. These platforms employ artificial intelligence (AI) to analyze user behavior and offer tailored suggestions to enhance financial well-being. They assist young individuals in assessing their long-term financial situation and making better choices.

1.5 Growth of FinTech and Artificial Intelligence in India

Over the past ten years, the FinTech industry in India has grown quickly thanks to the widespread use of smartphones, UPI payments, and online banking services. By enabling personalized suggestions, automatic investment planning, fraud detection, and real-time budgeting insights, the incorporation of artificial intelligence into these platforms has further revolutionized financial services. AI-based financial solutions are now much more widely accepted and used because of government programs like Digital India and the rising youth digital knowledge. Financial services are now more widely available, reasonably priced, and easy to use thanks to this expansion. The trend toward technology-driven money management is exemplified by the emergence of AI-driven platforms such as expense analysis systems, financial chatbots, and robo-advisors.

II. REVIEW OF LITERATURE

The rapid integration of Artificial Intelligence (AI) into personal finance has prompted several scholars to investigate its role in enhancing financial literacy, decision-making, and behavioural change among young users. The following review summarises key academic contributions relevant to AI-driven financial learning.

Miller (2019) examined how AI technologies assist individuals in understanding complex financial information. His study highlighted that AI-based tools deliver personalised insights that help users make better budgeting and saving decisions. He concluded that AI promotes responsible financial behaviour by offering real-time financial guidance.

Sharma (2023) investigated the growing reliance on AI-based financial applications in India. The study noted that young adults trust AI for tasks such as tracking spending, monitoring credit scores, and receiving investment advice. The research also highlighted concerns related to data privacy and algorithm transparency, indicating the need for responsible usage and stronger digital awareness.

Rao and Singh (2021) explored the adoption of robo-advisors among young investors. They found that AI-based investment tools simplify portfolio management and reduce the fear associated with financial markets. Their study revealed that automated investment recommendations help beginners understand risk, returns, and diversification better than traditional learning methods.

Singh and Verma (2018) discussed the increasing adoption of digital financial tools among millennials. They reported that ease of use, accessibility, and real-time information drive technology-based financial learning. Their findings support the claim that tech-savvy youth are more likely to use AI tools to improve financial literacy.

Thomas and George (2021) found that AI tools significantly influence financial behaviour by promoting timely reminders, automated savings suggestions, and personalised spending insights. Their study concluded that AI encourages habit formation and improves financial accountability.

III. RESEARCH METHODOLOGY

3.1 STATEMENT OF PROBLEM

The increasing use of AI-based financial tools among young adults raises the question of whether these technologies genuinely enhance financial literacy or merely create digital dependency. This study examines the extent to which AI tools influence financial understanding, behaviour, and decision-making.

3.2 SIGNIFICANCE OF THE STUDY

The study helps understand whether AI tools truly enhance financial skills like budgeting, saving, and investing among young adults. Its findings support the improvement of digital financial education and user-friendly AI applications.

3.3 OBJECTIVE OF THE STUDY

1. To examine the awareness level of young adults regarding AI-based financial tools.
2. To analyse the usage patterns of AI tools in budgeting, saving, and investing.
3. To evaluate the impact of AI-driven tools on the financial literacy of young adults.
4. To identify the perceived benefits and challenges faced while using AI financial applications.

3.4 RESEARCH DESIGN

The present study employs a descriptive research design to analyze how Artificial Intelligence tools impact the financial literacy of young adults. A structured questionnaire was used to collect primary data from respondents aged 18-35 years through convenience sampling. The research design focuses on understanding awareness, usage patterns, perceived benefits, and challenges related to AI-based financial tools. The collected data were analyzed using percentage analysis and statistical tests, such as ANOVA and t-tests, to examine relationships between demographic variables and user perceptions.

3.5 DATA COLLECTION

Data collection refers to the process of gathering information relevant to the research topic being investigated by the researcher. It involves the preparation and systematic collection of data. The following methods can be utilized for data collection during the research process.

3.5.1 COLLECTION OF PRIMARY DATA

Primary data is collected directly from participants using tools like questionnaires. This helps gather specific information that is relevant to the research topic.

3.5.2 COLLECTION OF SECONDARY DATA

The research paper is based on secondary data sourced from journals, magazines, articles, company websites, and media reports. Keeping in view the set objectives, this research design was adopted to have greater accuracy and in-depth analysis of the topic chosen for the research study. The available secondary data from various sources was extensively used for the study.

3.5.3 LIMITATIONS OF THE STUDY

1. The sample used may not fully represent the overall consumer population because convenience sampling was applied.
2. The reliance on self-reported data introduced the possibility of response bias, where respondents may have provided socially desirable answers rather than true opinions.
3. For this research, the scope of discussion was limited, the research could have been more in-depth.

IV. FINDINGS AND DATA ANALYSIS

4.1 PROFILE OF RESPONDENTS

4.1.1 Gender-wise distribution of the respondents

Table No. 4.1 Gender-wise distribution of the respondents

Gender	Count	Percentage (%)
Male	30	50%
Female	30	50%
Total	60	100%

Source: Primary Data

Interpretation: The Table indicates that 50% of the respondents were male and 50% were female. This reflects the gender-wise distribution of participants in the study.

4.1.2 Age-wise distribution of the respondents

Table No. 4.2 Age-wise distribution of the respondents

Age	Count	Percentage (%)
18-25 years	29	48.33%
25-30 years	15	25%
Above 30 years	16	26.67%
Total	60	100%

Source: Primary Data

Interpretation: The table shows that most respondents (48.33%) belong to the 18–22 age group. Those aged 22–27 years make up 25% of the sample, while individuals above 27 years account for 26.67%. This indicates that the sample is largely dominated by younger respondents.

4.1.3 Education-wise distribution of the respondents

Table No. 4.3 Education-wise distribution of the respondents

Education	Count	Percentage (%)
Under Graduate	18	30%
Graduate	28	46.67%
Post Graduate	14	23.33%
Total	60	100%

Source: Primary Data

Interpretation: The data shows that most respondents are Graduates (46.67%), followed by Undergraduates at 30%. Postgraduates form the smallest group at 23.33%, indicating that the sample is largely composed of individuals with graduate-level education.

4.1.4 Confidence level of individual

Table No. 4.4 Confidence level of individual being observed

Options	Count	Percentage (%)
Very Confident	10	16.67%
Confident	25	41.67%
Somewhat Confident	15	25%
Not Confident	10	16.67%
Total	60	100%

Source: Primary Data

Interpretation: Most respondents feel confident, with 41.67% selecting this option, showing that many people are comfortable in their understanding. Around 25% feel somewhat confident, meaning they have some comfort but not fully. A smaller group, 16.67%, feels very confident, while the same percentage feels not confident at all. This shows that confidence levels differ among individuals, but overall, most people lean towards being confident rather than unsure.

4.1.5 Comfort level of taking financial risks

Table No. 4.5 Comfort level of taking financial risks being observed

Options	Count	Percentage (%)
Extremely comfortable	10	16.67%
Very comfortable	9	15%
Moderately comfortable	19	31.67%
Slightly comfortable	12	20%
Not comfortable	10	16.67%
Total	60	100%

Source: Primary Data

Interpretation: The responses show that most individuals (31.67%) are moderately comfortable with taking financial risks, indicating a balanced approach. About 20% feel only slightly comfortable, showing some hesitation. Smaller groups are either extremely comfortable (16.67%) or very comfortable (15%), suggesting that only a few are highly confident risk-takers. Another 16.67% are not comfortable at all, showing complete risk aversion. Overall, comfort levels vary widely, but most people fall in the middle range.

HYPOTHESIS

1st Hypothesis

H_1 : Individuals with higher financial literacy are more confident in using AI-based digital financial tools and applications.

H_0 : Individuals with higher financial literacy are not more confident in using AI-based digital financial tools and applications.

Table 5.1

	Confident	Not confident	Somewhat confident	Very confident	Grand total
Female	7	6	11	6	30
Male	18	4	4	4	30
Grand Total	25	10	15	10	60

Source: Primary Data

t-Test: Paired Two-Sample for Means

	4	6
Mean	6.5	6
Variance	11	10
Observations	4	4
Pearson Correlation	-0.031782086	
Hypothesized Mean Difference	1	
df	3	
t Stat	-0.214834462	
P(T<=t) one-tail	0.42183586	
t Critical one-tail	2.353363435	
P(T<=t) two-tail	0.843671721	
t Critical two-tail	3.182446305	

Interpretation: The p-value is more than 0.05, and the critical value is 0.05. Therefore, the hypothesis that individuals with higher financial literacy are more confident in using AI-based digital financial tools and applications is not accepted.

2nd Hypothesis

H_1 : Younger individuals are more willing to take financial risks when using AI-driven investment tools compared to older individuals.

H_0 : Younger individuals are not more willing to take financial risks when using AI-driven investment tools compared to older individuals.

Table 5.2

	Extremely comfortable	Moderately comfortable	Not comfortable	Slightly comfortable	Very comfortable	Grand Total
18-25	1	14	3	8	3	29
25-30	2	4	2	3	2	13
Above 30	7	1	5	1	4	18
Grand total	10	19	10	12	9	60

Source: Primary Data**Anova: Single Factor**

Summary				
Groups	Count	Sum	Average	Variance
1	2	13	6.5	12.5
14	3	16	5.333333333	17.33333333
3	3	13	4.333333333	10.33333333
8	3	11	3.666666667	0.3333333333
3	3	7	2.333333333	2.333333333
29	3	60	20	175

ANOVA						
Source of Variation	SS	df	MS	F	P-value	F crit
Between Groups	635.77450	5	127.154902	3.305326321	0.04578906709	3.203874261
Within Groups	423.16667	11	38.46969697			
Total	1058.94117	16				

Interpretation: The p-value is less than 0.05, and the critical value is 0.05. Therefore, the hypothesis that younger individuals are more willing to take financial risks when using AI-driven investment tools compared to older individuals is accepted.

FINDINGS

- Most of the respondents were equally divided between males and females, with 30 participants in each group. The largest age group was 18-25 years, forming nearly half of the total respondents. The remaining participants were fairly split between the 25-30 and the above 30 age groups. Overall, the sample exhibits a balanced gender ratio but is predominantly composed of younger individuals.
- Most respondents are Graduates, followed by Undergraduates, while Postgraduates form the smallest group. This shows that the sample mainly consists of individuals with graduate-level education.
- A large portion of respondents feel confident, with some feeling somewhat confident. Only a small number reported being either very confident or not confident. This suggests that, overall, respondents have a moderate to high level of confidence.
- Most individuals are moderately comfortable taking financial risks, while some are only slightly comfortable. A smaller group feels extremely or very comfortable, and an equal share is not comfortable at all. This indicates varied attitudes toward financial risk, with most respondents showing a balanced, middle-level comfort.

V. RECOMMENDATIONS

- AI financial tools should include clearer explanations and educational features so users can understand financial concepts rather than relying only on automated suggestions.
- Awareness programs and workshops should be conducted to help young adults use AI tools confidently and safely.
- Developers should strengthen data privacy and security features to build trust and encourage wider adoption.
- Financial institutions and colleges should collaborate to promote responsible use of AI tools for budgeting, saving, and investing.

-
5. AI applications should be designed with user-friendly interfaces to support individuals with varying levels of confidence and comfort in financial decision-making.

VI. CONCLUSION

The study indicates that respondents' comfort and confidence levels while making financial decisions vary, with the majority tending toward moderate risk-taking and confidence. Younger people took part in more activities, which is indicative of their greater interest in financial issues. Even while a large number of respondents are confident, others are still uncertain or uneasy, which highlights the need for more financial literacy. In order to facilitate well-informed decision-making, the study emphasizes the significance of practical financial education. People can feel more prepared if they have better access to financial resources and clear counsel. In general, increasing financial literacy and understanding can enable people to handle their money more sensibly and confidently.

VII. REFERENCES

1. Miller, T. (2019). *Artificial intelligence and personal finance decision-making*.
2. Patel, R. (2020). *Impact of budgeting applications on financial behaviour among students*.
3. Rao, S., & Singh, G. (2021). *Robo-advisors and investment literacy among young adults*.
4. Lee, J. (2022). *Effectiveness of AI chatbots in financial learning*.
5. Sharma, P. (2023). *AI adoption and financial tool usage among Indian youth*.
6. Thomas, M., & George, L. (2021). *AI-driven financial behaviour and habit formation*.
7. Verma, A., & Singh, R. (2018). *Technology adoption and digital financial literacy among millennials*.
8. Choudhary, S. (2020). *Role of digital finance in improving youth financial participation*.

THE HIDDEN BURDEN: INVESTIGATING WORK STRESS AMONG WOMEN ACROSS PROFESSIONS WITH A SPECIAL EMPHASIS ON THE FINTECH INDUSTRY

Varsha Satish Amin and Ms Jinal K

M.Com (Advanced Accounting) SIES College of Arts, Science & Commerce (Nerul)

ABSTRACT

This study examines work stress among women in various professions, identifying stressors, coping strategies, and impacts on mental health and job performance. Through surveys and interviews with women from healthcare, education, corporate, and service industries, common stressors such as excessive workload, inadequate support, and work-life balance challenges were found. The impact of these stressors varies by organizational culture and individual resilience. Coping strategies ranged from seeking social support to avoidance. The study emphasizes the need for tailored interventions, proactive mental health support, and organizational reforms to create equitable work environments and alleviate hidden burdens faced by women. By comparing women employed in fintech with those in traditional finance, IT, education, healthcare, and administrative roles, the study seeks to identify whether fintech roles contribute to higher stress levels due to their fast-paced, technology-driven, and compliance-heavy nature. The study also evaluates whether fintech's flexible work models and innovation-driven culture provide any mitigating benefits. The findings are expected to reveal both the overt and subtle stress factors that shape women's professional experiences in the evolving digital economy. The study ultimately aims to contribute to organizational policy recommendations, promote gender-sensitive workplace strategies, and support the creation of healthier, more inclusive work environments within the fintech industry.

I INTRODUCTION**1.1 Concept of work stress**

Work stress among women across different professions is a significant issue with far-reaching consequences for their well-being, job satisfaction, and productivity. Despite women's growing participation in the workforce, gender-specific stressors such as caregiving responsibilities, gender bias, and stereotyping persist. This project investigates the complex interplay between work, gender, and well-being, uncovering the unique challenges women face in corporate, healthcare, education, and service industries. By amplifying women's voices and experiences, the study highlights the need for effective stress management strategies and workplace reforms to create a healthier, more equitable work environment for all women.

1.2 Role of Gender bias

The role of gender bias in work-related stress among women is a significant factor that affects their mental and emotional well-being across many professions. Gender bias can take various forms, and its presence often adds layers of stress that male counterparts may not face.

1. **Discrimination in Hiring and Promotions:** Women often encounter barriers to advancement due to gender stereotypes that suggest men are more suitable for leadership or technical roles.
2. **Higher Expectations and "Prove Yourself" Pressure:** Gender stereotypes may impose double standards where women have to work harder to prove their competence, particularly in male-dominated industries like engineering, finance, or law.

1.3 Economic impacts of work stress on women in fintech industry

The economic impacts of work stress on women are both personal and systemic, influencing their financial stability, career progression, and the economy at large. Work stress among women can lead to reduced productivity, increased healthcare costs, and missed opportunities for career advancement.

1. **Reduced Productivity:** Chronic stress can impair concentration, decision-making, and creativity, resulting in lower productivity.
2. **Career Advancement and Earning Potential:** Chronic work stress can limit women's ability to pursue career advancement opportunities. Stress might deter them from applying for promotions, additional responsibilities, or higher-paying roles due to burnout or fear of further stress.

1.4 Mental health outcomes of work stress among women in fintech industry

The mental health outcomes of work stress among women can be profound, affecting their well-being, relationships, and professional lives. Chronic stress in the workplace may lead to mental health conditions such

as anxiety, depression, and burnout, often exacerbated by the unique pressures women face across various professions.

1. **Increased Anxiety:** High-stress work environments can lead to chronic anxiety, where women may feel constantly tense, worried, or overwhelmed.
2. **Depression:** Persistent work stress is linked to an increased risk of depression, especially when compounded by workplace discrimination, gender bias, or limited support networks. Depression can decrease motivation, lower self-esteem, and create feelings of helplessness, making it challenging for women to engage effectively in their roles.
3. **Cognitive Decline:** Prolonged stress can affect cognitive functions, including memory, attention, and problem-solving abilities. This cognitive decline can impact performance, causing women to feel less competent in their roles, which, in turn, reinforces stress and anxiety.

1.5 Comparative analysis of work stress levels among women across different professions A comparative analysis of work stress levels among women across different professions explores how stress varies based on the nature of the job, work environment, industry expectations, and specific challenges women face in these fields. By examining stress across various professions, we can understand the unique pressures and demands that contribute to different levels and types of stress among women.

Workplace culture and expectations around productivity can vary by industry, impacting stress levels. In fields with a "hustle" culture, like tech startups or investment banking, women may feel pressured to work longer hours, contributing to stress.

II REVIEW LITERATURE

Lavina Sharma & Mallika Srivastava (2020) – Identify the factors determining organizational stress among women workers in the garment industry in India and to develop and validate a contextual scale for organizational stress among women workers in the garment industry in India. It was found that, organizational stress has been shown to have a detrimental effect on the health and well-being of employees. Organizations need to step up their effort to integrate emotional well-being, conducive work environment, workloads and job responsibilities, social connectedness and job satisfaction with their efforts to support the physical health and mental health of the workers.

Bharathi, T et.al., (2018)- Investigated the relationship between Job Stress and Productivity. The sample consists of women employees working at all levels in select IT companies in Hyderabad. The data was collected through structured questionnaire. Correlation and regression analysis was conducted to know the influence of Job Stress on Productivity. Also, ANOVA was performed to detect the variance in demographics characteristics on Job Stress. The study results show that there is negative relation between Job Stress and Productivity implying that when there is increase in Job Stress, there is decrease in Productivity. Also, there are no significant differences between select demographic characteristics on Job Stress.

Gupta, S. (2018) –Identified the sources of stress for women employees in the IT industry and assessed the impact of stress on the work performance and personal life of women employees. The study found that the main sources of stress for women employees in the IT industry were work pressure, work-family conflict, and lack of support from supervisors. The study also found that stress had a negative impact on work performance and personal life.

The study highlighted the importance of implementing effective stress management practices in the workplace. The study proposed effective stress management strategies such as providing support systems, encouraging work-life balance, and organizing stress management workshops.

Kavita and Rajeshwari (2016) –Analysed the level of stress among women employees working in the IT industry in Bangalore and to identify the causes of stress. The research design was a cross-sectional study and the data was collected through a structured questionnaire. The sample size was 300 women employees working in the IT industry in Bangalore. The study found that there was a high level of stress among women employees working in the IT industry in Bangalore. The main causes of stress were found to be workload, lack of support from superiors, and poor work-life balance. The study also found that stress management techniques such as meditation, yoga, and exercise were effective in reducing stress levels among women employees.

III RESEARCH METHODOLOGY

3.1 Statement of the Problem

Despite significant advancements in workplace equality, women continue to face unique challenges that contribute to elevated levels of work-related stress across various professions. This stress manifests in multiple ways, including emotional exhaustion, decreased job satisfaction, and impaired mental health, ultimately affecting both individual performance and organizational productivity. The lack of comprehensive research on the specific stressors experienced by women in different sectors hinders the development of effective support mechanisms and interventions.

This study aims to fill the gap in understanding the specific work-related stressors women face across professions and the implications for their mental health and job performance. By identifying these issues, the research seeks to provide insights that can inform policy changes and organizational practices to create a more supportive work environment for women, thereby alleviating the hidden burdens they carry.

3.2 Scope of study

To identify sources and impacts of work stress on women across different professions and its implications for health and well-being. Women in diverse fields such as healthcare, corporate, education, and service industries. Investigating effects on job performance, mental health, and personal life, alongside coping mechanisms. Providing recommendations for workplace interventions and policies to mitigate stress among women.

3.3 Objective

- To explore unique challenges & barriers faced by women in managing work stress within their professions.
- To identify the main sources of stress among working women, such as work life balance, job demands, gender bias.
- To provide platform for women to share their experiences of work stress.

3.4 Hypothesis

- 1) Women in high-demand professions experience higher levels of work stress compared to those in lower-demand professions.
- 2) Work stress negatively impacts the mental health and job satisfaction of women across various professions.

3.5 Data Collection:

- a. **Survey Questionnaire:** A standardized stress assessment tool (e.g., Perceived Stress Scale) to measure stress levels and related factors.
- b. Semi-structured Interviews

In-depth interviews to explore stress experiences, coping strategies and

1. Data Analysis:

- a. **Quantitative Analysis:** Descriptive statistics and inferential analysis (e.g., correlation, regression) to identify stress patterns and relationships.
- b. **Qualitative Analysis:** Thematic analysis of interview and daily log data to identify themes and patterns related to stress, coping, and support.

Ethical Considerations:

Confidentiality: Participants' identities and responses will be kept confidential. Anonymity:

Participants' names and identifying information will be removed from analyses.

1. Data Validation:

- a. Member Checking:

Participants will review and validate their view transcripts.

b. Peer Debriefing:

Research team will review and discuss findings to ensure accuracy and reliability.

By using this methodology, the project aims to gather both quantitative and qualitative data to understand women employees' stress experiences, coping strategies, and support mechanisms, and to inform the development of personalized stress management plans and organizational support initiatives.

3.6 Limitation

Firstly, it relies on self-reported data, which might introduce bias. Secondly, the sample size may not be representative of all professional sectors and geographical locations. Thirdly, the cross-sectional design limits the ability to infer causality between identified stressors and outcomes. Additionally, the study may not fully capture the intersectional impact of race, socio-economic status, and other factors on work stress. Finally, the rapidly changing work environments and cultural differences across regions may affect the generalizability of the findings.

IV Findings & Data Analysis

4.1 Profile of Respondents

4.1.1 Employment Status & education wise distribution of respondents

Employment Status	Graduate	High School	Post Graduate	Diploma	Grand Total
Employed Women	20	1	3	1	25
Unemployed Women	10	2	8	5	25
Grand Total	30	3	11	6	50

Source: primary data

Interpretation: Majority of the respondents are graduates as employed women having higher count of 20 as compared to women as no off compared to that of women. Least no of respondents 3 are high school, 11 are post graduate and 6 are diploma women's.

4.1.2 Age wise & education wise distribution of respondents

Age	Graduate	High School	Post Graduate	Diploma	Grand Total
18-25	15	5	3	2	25
25-30	4	3	2	1	10
35-45	5	6	2	2	15
Grand Total	24	14	7	5	50

Source: Primary Data

Interpretation: Majority of respondents belongs to 18 to 25 years age group and maximum are graduate women. Only 10 respondents are from 25 to 35 years age group and 15 respondents are from 35 to 45 years age group.

4.1.3 Factors that women faced being observed in fintech industry

What are the factors that a women can face while joining a profession?	Gender discrimination	career interruption	limited opportunities	lack of support	lack of mentorship	work life balance	Grand Total
Employed women	5	2	1	4	5	5	25
unemployed women	10	2	4	1	2	2	25
Grand Total	15	4	5	5	7	7	50

Source: Primary Data

Interpretation: Among the 50 respondents sharing their experience and perspectives.

Gender discrimination – 15 respondents mention them facing the discrimination at work place.

Career interruption- 4 of the women workers face this barrier due to marriage, maternity, child care, etc. Which in result effect their work life.

Limited opportunities- 5 participants reported limited opportunities due to tradition,

role perception, prejudice, refusal of women leadership, inconvenience in leadership style, etc.

Lack of support- 5 responders might be lacking support from both professional as well as personal life and not considering the suggestion and opinions.

Lack of mentorship- 7 worker didn't have the opportunity for leadership position or authority even though having adequate capabilities.

Work life balance -7 of them are facing problem to balance their work and their personal life.

4.2 Hypothesis testing

4.2.1 Women in high-demand professions experience higher levels of work stress compared to those in lower-demand professions in fintech industry.

Table No. 4.1. Anova test for hypothesis 1

ANOVA						
Source of Variation	SS	df	MS	F	P-value	F crit
Between Groups	187.8571429	3	62.619	26.836735	0.0114336	9.276628
Within Groups	7	3	2.3333			
Total	194.8571429	6				

Interpretation: The p-value is less than 0.05; therefore, the hypothesis test is significant. Hence, the hypothesis of , Women in high-demand professions experience higher levels of work stress compared to those in lower-demand professions is **accepted**.

4.2.2 Work stress negatively impacts the mental health and job satisfaction of women across various professions in fintech industry.

Table No. 4.2. T-test for hypothesis 2

t-Test		
	4	10
Mean	7	3
Variance	12	4.5
Observations	3	5
Hypothesized Mean Difference	0	
df	3	
t Stat	1.807015806	
P(T<=t) one-tail	0.084246337	
t Critical one-tail	2.353363435	
P(T<=t) two-tail	0.168492674	
t Critical two-tail	3.182446305	

Interpretation: The p-value is more than 0.05 and the critical t value is more than 0.05. Therefore, hypothesis of Work stress negatively impacts the mental health and job satisfaction of women across various professions is not accepted.

V RECOMMENDATION

Gender discrimination is one of the most affecting stress faced by a woman in her workplace but, Based on a team's feedback We found a positive trend. Reduce gender discrimination in workplace is significant step towards creating more inclusive and equitable environment. It might be due to increase in awareness and training program that provided unconscious bias, diversity and inclusion of women's Suggestion in any decision-making process or improved policies and procedures that prevents gender discrimination leadership commitment, where women employs are supported in leadership to foster a culture of inclusivity and respect in contribution of reduction in gender bias. The regulatory efforts where the organization tends to follow the anti-discriminatory laws, regulation and enforcement that have contributed in the reduction of discrimination at workplace.

It will be better if an organization prepares for a training programs which provide information to women about the initiatives that curbs the evil stereotypes that adversely affect working women and strengthen women to face the challenges and barriers in her personal and her work life and how to tackle those problems. It would be better if, conducting events which includes women and given opportunities to showcase their talents which reduces the work stress in them.

Presently most of the organization provide holidays on the weekend so employees can reduce their stress and energy they have used to complete the task in the week days, leisure time to spend with their family. The organization can even conduct annual trip which would be a refreshing break for employees who find difficult to overcome the stress. It will be better if the superior in the organization will be supportive towards all employees without any discrimination of gender, caste, creed, religion etc.

Investigating the stress levels among women across different professions is crucial to understanding the hidden burden they may face. By examining this issue, we can gain insights into the unique challenges women in various fields encounter and how it impacts their well-being. This research can help in developing targeted support systems and policies to address these stressors effectively. It is essential to consider factors such as work-life balance, discrimination, and societal expectations that contribute to the stress experienced by women in the workforce. Conducting a comprehensive survey can shed light on these issues and pave the way for creating a more inclusive and supportive environment for women in all professions.

VI CONCLUSION

"This study highlights the pervasive issue of stress among working women, with a significant proportion experiencing high levels of stress that can impact their physical and mental well-being, job satisfaction, and productivity. The findings underscore the need for organizations to implement effective stress management strategies and policies that support work-life balance, provide resources for mental health, and foster a culture of inclusivity and respect. By prioritizing the well-being of working women, organizations can reap benefits such as increased employee retention, improved job performance, and enhanced overall success. Ultimately, it is essential to recognize the value and contributions of working women and provide them with the support they need to thrive in their personal and professional lives."

Ultimately, creating a supportive and inclusive work environment that values and empowers working women is crucial for their well-being, job satisfaction, and productivity. By prioritizing their needs and success, organizations can benefit from a more engaged, diverse, and talented workforce, leading to improved business outcomes and a more equitable society. By working together, we can create a brighter future for working women and set a new standard for workplace well-being and success."

"Furthermore, this study highlights the importance of addressing the gender-specific challenges and biases that contribute to stress among working women. By implementing policies and practices that promote gender equality, such as flexible work arrangements, equal pay, and leadership development opportunities, organizations can help reduce the burden of stress on working women. Additionally, encouraging open conversations and providing resources for mental health can help break down stigmas and support women in managing stress. Ultimately, creating a supportive and inclusive work environment that values and empowers working women is crucial for their well-being, job satisfaction, and productivity. By prioritizing their needs and success, organizations can benefit from a more engaged, diverse, and talented workforce, leading to improved business outcomes and a more equitable society. By working together, we can create a brighter future for working women and set a new standard for workplace well-being and success."

VII. REFERENCE

- (1) -J.Malarvizhi, D. D. (2014, oct). "Work-Family Conflict and Work Stress among Married Working Women In Public and Private Sector Organizations.". International Research Journal of Business and Management,, 7(10).
- (2) -Ansuman Panigrahi, A. P. (2014). "Mental health status among married work women residing in Bhubaneshwar city" : A psychological survey ",Biomed Research international. Bhubaneshwar.
- (3) -B.Sasikala, D. R. (2013, april). "An impact of stress management on employee women ". 13.
- (4) -Deepthi Dhurandher, G. J. (2016). "Coping strategy of stress in employed women and non-employed IJCEM International Journal of Computational Engineering & Management.". International journal of computational engineering and management, 19(4).
- (5) -Dr. M. Dhanabhakyan and V. Anitha. (2011). As study on stress management of working women in Coimbatore District". 1(7).

-
- (6) -Dr.Hemanalini. (2014). "Stress Management among women workers in Textile Industry-With reference to knitwear Industry in Tirupur",. Indian journal of applied research, 4(3).
 - (7) -Iwasaki, Y. M. (2004). Gender-based analyses of stress among professional managers: An exploratory qualitative study. International Journal of Stress Management,.
 - (8) -KDV Prasad, R. V. (2016). International Journal of Management Excellence. 7(2).
 - (9) -M.Bhuvaneshwari. (2013, november). "A Case Study on Psychological and Physical Stress Undergone by Married Working Women",. IOSR Journal of Business and Management, 14(16).
 - (10) -Makowska Z. (1995). "Psychological Characteristics of Work and Family as Determinents of stress and well-being of women:. A Preliminary study", International Journal of Occupational Medicine Environmental Health,, 8(3).
 - (11) -Mrs R. Muzhumathi & Prof. Dr. K. Jawahar Rani. (n.d.). "Examining the relationship between work family conflict and organizational role stress among women professionals in Chennai city",. International Journal of Scientific & Engineering Research, 3(10).
 - (12) -Ms.Sindu Sivan, D. (2014, december). "Management of Occupational Stress and Work-Life Balance among women Managers in Indian Industries: A Contemporary issue". Indian Journal of Applied Research,, 4(12).
 - (13) -N., V. M. (2023). "A comprehensive approach to the impact of job stress on women in the teaching profession." Interdisciplinary Rehabilitation.

**A STUDY ON INFLUENCE OF TAX SAVING INSTRUMENTS ON SELECTION OF TAX REGIME
WITH REFERENCE TO SALARIED INDIVIDUALS**

Sanika Sarjerao Yadav¹ and Dr. Snehal Patil²¹M. Com (Advanced Accountancy) Part- II²S.I.E.S (Nerul) College of Arts, Science & Commerce (Autonomous)**ABSTRACT**

Income tax is a levy imposed on the income of an individual or business during a financial year. In India, the Income Tax Act of 1961 governs the procedures and guidelines for calculating, assessing, and collecting this tax. The objective of this study is to assess the impact of the tax-saving instruments on selection of tax regime. The primary data was collected through a well-structured questionnaire, to gather necessary information. The study collected empirical data through survey of salaried employees from various income groups to determine whether tax-saving advantages strongly influence the choice of the old regime, or if the simplicity of the new regime encourages individuals to switch. It provides valuable insights into taxpayer behaviour, investment preferences, and awareness levels regarding tax planning. The outcomes will enable salaried individuals to select the optimal tax system and design efficient strategies for investing and reducing taxes.

Keywords: Tax saving instruments, Tax Regime, Deductions and Exemptions

1. INTRODUCTION

Income Duty is a duty charged on the periodic income of an individual or business earned in a financial year. The Income Tax system in India is governed by The Income Tax Act, 1961, which lays out the rules and regulations for income duty computation, assessment and collection.

Every year, all taxpayers are required by law to file an Income Tax Return (ITR) by specified deadlines to declare their earnings and, if applicable, request a tax refund.

1.1 Old Tax Regime:

The Old tax system refers to the current tax framework that allows taxpayers to take advantage of various deductions and exemptions as per different sections of the Income Tax Act. Although it has a higher tax rate, it offers numerous exemptions and deductions that can help reduce the income tax owed to the government.

1.2 New Tax Regime:

The Union Government launched New Tax Regime under Section 115BAC in the 2020 Budget, featuring lower tax slab rates. It has been effective since April, 2020. The new tax regime is a simplified tax regime. It consists of only one tax slab for all the age groups. Tax rates have been lowered in this regime compared to the older one. Most of the exemptions and deductions available in the old tax regime are not allowed here. Very few exemptions and deductions are permitted under this regime.

1.3 Deductions:

A tax deduction is a claim that lowers a taxpayer's taxable income based on certain eligible expenses or investments. By reducing taxable income, these deductions help decrease the total tax payable. They serve as tax-saving benefits available under different provisions. Details of the major deductions are outlined below:

1.3.1 Standard Deduction: Under the old tax regime, a standard deduction of ₹50,000 is permitted, while the new tax regime allows a deduction of ₹75,000.

1.3.2 Other Deductions:

1. **Section 80C:** This deduction applies only under the old regime and allows a maximum claim of ₹1.5 lakh. Eligible investments include the employee's contribution to the Employees' Provident Fund (EPF), Voluntary Provident Fund (VPF), Public Provident Fund (PPF), Sukanya Samriddhi Account, Equity Linked Savings Scheme, National Savings Certificate, Unit Linked Insurance Plan Premium, LIC Premium and similar schemes.
2. **Section 80E:** Interest paid on an education loan can be claimed as a deduction under this provision.
3. **Section 80TTA:** Interest earned from savings bank accounts is deductible up to the prescribed limit of Rs. 10000.
4. **Section 80D:** Premiums paid for health insurance of self, spouse, dependent children, and parents qualify for deduction under this section.

5. **Section 80U:** An assessee who has a certified physical disability is eligible to claim a deduction under this section. Individuals with at least 40% disability can claim a deduction of ₹75,000, while those with 80% or above severe disability can claim ₹1,25,000.

2. RESEARCH METHODOLOGY:

2.1 Statement of the Problem:

With the introduction of the New Tax Regime in India, salaried individuals are now required to choose between two systems of taxation— new one offering lower tax rates without exemptions and the older system retaining higher tax rates with a wide range of tax-saving instruments and deductions. However, despite the availability of both regimes, salaried individuals often struggle to evaluate whether maximizing tax-saving investments under the old regime results in greater financial benefit than opting for the simplified new regime.

Therefore, the central problem is to understand to what extent tax-saving instruments shape an individual's preference for a particular tax regime, and whether these instruments significantly impact the financial decisions of salaried taxpayers. This study seeks to identify the factors influencing regime selection, analyse the role of tax-saving investment behaviour, and determine whether salaried employees choose the tax regime that truly maximizes their financial benefit.

2.2 Objectives of the Study:

1. To assess the impact of the tax-saving instruments on selection of tax regime.
2. To understand the view of salaried individuals with respect to selection of tax regime.
3. To determine the level of awareness of assessee towards the various tax saving instruments available under the Income Tax Act.
4. To analyse the changes in level of tax liability due to selection of either of the tax regime.

2.3 Scope of Study:

The scope of this research study encompasses an analysis of how various tax-saving options influence the decision-making process of salaried taxpayers when choosing between the old and new tax regimes. The study aims to examine the awareness, preferences, and behavioural patterns of salaried individuals regarding tax planning and investment in tax-saving instruments. The research will focus on gathering empirical data through surveys among salaried employees across different sectors to evaluate whether tax-saving benefits significantly drive the preference for the old regime or if simplified taxation motivates individuals to shift to the new regime.

2.4 Limitations of the Study:

1. The research is restricted to Navi Mumbai and not India.
2. Due to limitations of time and sources, data was collected only from respondents.
3. The selected sample may fail to capture the true characteristics of the overall population.
4. The perception of individuals differs from one another so which may result in lacking accuracy in data.

2.5 Research Design:

The research is both exploratory as well as descriptive in nature. The primary data have been collected through a well-structured questionnaire, to gather necessary data of opinion on tax saving instruments, tax regimes from the salaried individuals, comprising optional type questions. A total sample of 105 respondents was determined using random sampling technique ensuring adequate representation of the target population (salaried individuals). Navi Mumbai serves as the research area for this study. The study was supported by secondary data collected from research papers, articles, and tax portals. The data is analysed and interpreted with the help of various analytical tools like Percentage Analysis, Bar Graphs, Pie Charts, Tables etc. The hypotheses were tested using both t-test and ANOVA test, which helped identify significant differences between two groups and among multiple groups, respectively.

3. REVIEW OF LITERATURE:

3.1 Balaswamy (2025): The study compares the old and new tax regimes for salaried taxpayers. Participants assessed their tax liabilities and showed a clear preference for the new regime, particularly high-income earners who do not rely on exemptions. Many respondents understand the exemptions and deductions in the old system and use them in planning. It is recommended that salaried taxpayers compare and analyse both tax regimes before deciding which one offers the greater benefit.

3.2 Dr. Madhura Deshpande and Ms. Akanksha Rakshe (2025): The research shows that investors choose between the Old and New Tax Regimes based on income, financial habits, and tax-saving behaviour. Higher-income investors often prefer the Old Regime for its deductions, while the New Regime's lack of deductions under Sections 80C and 80D reduces traditional tax-saving investments. Consequently, many investors under the New Regime shift their money toward mutual funds and alternative assets, resulting in a decline in insurance and retirement contributions.

3.3 Dr. Ajit Kumar Baral (2024): The introduction of the default tax regime brought significant changes in the taxation system. According to research, the majority of participants expressed satisfaction with adopting the new regime. Taxpayers, however, hope that future budgets will introduce certain exemptions and deductions into the default regime. Additionally, there is a need for the government to conduct workshops, seminars, and training programs to increase public awareness of the new tax structure.

3.4 Varsha Singhania (2021): The study shows that most individuals are familiar with tax deductions and commonly prefer investing in the National Pension System. A significant number of respondents claimed deductions under Section 80C and were actively involved in tax planning. Participants were generally neutral when weighing tax savings against investment returns, and their satisfaction with tax-saving investments was moderate. The findings also reveal that salaried individuals typically base their investment choices on expected returns and frequently seek advice from financial planners and certified market professionals.

4. DATA ANALYSIS AND INTERPRETATION:


4.1 The Classification of Respondents Based on Gender

Table No - 4.1 Gender-wise distribution of the respondents

Gender	Count	Percentage Analysis
Male	56	53.3%
Female	49	46.7%
Grand Total	105	100%

(Source: Primary Data)

Chart No - 4.1 Gender-wise distribution of the respondents



(Source: Primary Data)

INTERPRETATION:

The above table illustrates a gender distribution. The Chart No - 4.1 present a snapshot of gender status among 105 individuals. From the above Chart No - 4.1, it can be inferred that out of 105 respondents 53.3% of respondents are male which constitutes of 56 respondents and 46.7% of respondents are female which constitutes of 49 respondents. The male gender (53.3%) is more than that of respondents of the female (46.7%).

4.2 The Classification of Respondents Based on Annual Income

Table No - 4.2 Classification of Respondents Based on Annual Income

Annual Income	Count	Percentage
Less Than Rs.300000	3	2.9%
Rs.300000 – Rs.500000	23	21.9%
Rs.500000 – Rs.900000	57	54.3%
Rs.900000 - Rs.1300000	16	15.2%
Rs.1300000 and more	6	5.7%
Grand Total	105	100%

(Source: Primary Data)

Chart No - 4.2 Classification of Respondents Based on Annual Income

(Source: Primary Data)


INTERPRETATION:

Annual income influences various decisions of the individuals. The above Table No - 4.2 shows the Annual Income of the Respondents. The respondents have been categorised into five categories of Income range. The majority of the people belong in the Rs 5-9 Lakhs (54.3%) group of Earnings which has a total of 57 Respondents. There are 16 Respondents who earn between Rs 9-13 Lakhs. There are 23 people who earn between Rs 3-5 Lakhs. Only 5.7% of total respondents earn above Rs 13 Lakhs while 3 respondents earn below Rs 300000.

4.3 Selection of tax regime in the previous assessment year while filing the income tax return?**Table No - 4.3** Selection of Tax Regime

Row Labels	Count	Percentage
Old Tax Regime	22	21%
New Tax Regime	83	79%
Grand Total	105	100%

(Source: Primary Data)

Chart No - 4.3 Selection of Tax Regime

(Source: Primary Data)

INTERPRETATION:

The bar graph depicts which tax regime respondents selected in the previous assessment year while filing the income tax return. As per Table No. 4.3, out of 105 Respondents, majority of them i.e.83 Respondents (79%) have opted new tax regime while only 22 respondents (21%) have opted for old tax regime.

4.4 Rate the satisfaction with respect to deductions available**Table No - 4.4** Satisfaction with respect to deductions available

Row Labels	Section 80C	Section 80E	Section 80G	Section 80DD	Section 80TTA
Highly Satisfied	26	15	12	14	19
Partially Satisfied	36	27	34	19	33
Neutral	9	33	22	29	12

Partially Dissatisfied	18	18	24	30	19
Highly Dissatisfied	16	12	13	13	22
Grand Total	105	105	105	105	105

(Source: Primary Data)

INTERPRETATION:

The respondents rated the satisfaction with respect to deductions available. The most respondents were partially satisfied with Section 80 C, neutral with respect to Section 80 E, partially satisfied with Section 80G, partially dissatisfied with Section 80DD and partially satisfied with Section 80TTA. Amongst the all, Section 80C has most positive response.

4.5 Comparison of tax liability under the Old Tax Regime and New Tax Regime**Table No - 4.5** Comparison of tax liability under the Old Tax Regime and New Tax Regime

Row Labels	Count	Percentage
Yes	83	79%
No	17	16.2%
Maybe	5	4.8%
Grand Total	105	100%

(Source: Primary Data)

INTERPRETATION

The respondents were questioned whether they compare tax liability under the old tax regime and the new tax regime. The chart shows that 79% of total respondents compare tax liability which constitutes of 83 respondents while 16.2% of total respondents do not compare tax liability which constitutes of 17 respondents. Only 4.8% of the respondents couldn't answer the same which constitutes of 5 respondents.

4.6 Awareness with respect to the exemptions and deductions available in either regime?**Table No - 4.6** Awareness with respect to the exemptions and deductions available in either regime

Row Labels	Count	Percentage
Yes	88	83.8%
No	17	16.2%
Grand Total	105	100%

(Source: Primary Data)

INTERPRETATION:

The above chart shows whether the individual is aware of the exemptions and deductions available under the either of the tax regime. The Table No – 4.6 show that 83.8% individuals are aware which constitutes of 88 respondent and only 16.2% individuals were not aware about the same.

4.7 Advice of a tax professional is taken before choosing either of the regimes**Table No - 4.7** Advice of a tax professional is taken before choosing either of the regimes

Row Labels	Count	Percentage
Strongly Agree	31	29.5%
Partially Agree	35	33.3%
Neutral	9	8.6%
Partially Disagree	20	19%
Strongly Disagree	10	9.5%
Grand Total	105	100%

(Source: Primary Data)

INTERPRETATION:

The above chart shows whether individuals take the advice of a tax professional before choosing either of the regimes. The Table No – 4.7 show that 29.5% individuals strongly agree which constitutes of 31 respondent and 33.3% individuals were partially agree.

8.6% of the total respondents were at the neutral stage. 19% individuals partially disagree with above statement while only 9.5% individuals strongly says that they don't take the advice of a tax professional.

5. HYPOTHESIS TESTING:**1st Hypothesis**

H0: There is no significant relationship between income and selection of tax regime.

H1: There is a significant relationship between income and selection of tax regime.

Row Labels	Less than ₹3,00,000	₹3,00,000 - ₹5,00,000	₹5,00,000 - ₹9,00,000	₹9,00,000 - ₹13,00,000	₹13,00,000 and more	Total
Old Tax Regime	2	3	6	7	4	22
New Tax Regime	1	20	51	9	2	83
Total	3	23	57	16	6	105

Source: Primary data

T- Test Analysis

Sources of variation	Mean	Variance	Pearson Correlation	t-stat	t-crit	P-VALUE
Old Tax Regime	20.5	468.333	0.227785	-1.54934	3.182446	0.21907
New Tax Regime	5	3.33333				
Total	25.5					

Source: Primary data

Significant relation between income and selection of tax regime is proved as P value is 0.21907 but the accepted value is 0.05. Hence, alternative hypothesis is rejected.

2nd Hypothesis

H0: There is no satisfaction with respect to deductions available in tax regimes

H2: There is satisfaction with respect to deductions available in tax regimes.

Row Labels	Section 80 C	Section 80 E	Section 80 G	Section 80 DD	Section 80TTA
Highly Satisfied	26	15	12	14	19
Partially Satisfied	36	27	34	19	33
Neutral	9	33	22	29	12
Partially Dissatisfied	18	18	24	30	19
Highly Dissatisfied	16	12	13	13	22
Total	105	105	105	105	105

Source: Primary data

Anova Test Analysis

Sources of Variation	SS	df	MS	F	P-VALUE	F crit
Between Groups	29.6875	3	9.895833	0.109827	0.952711	3.490295
Within Groups	1081.25	12	90.10417			
Total	1110.938	15				

Source: Primary data

Significant relation with respect to satisfaction towards deductions available in tax regimes proved as P value is 0.952711 but the accepted value is 0.05. Hence, alternative hypothesis is rejected.

6. FINDINGS:

- Majority of respondents are aware about various tax-saving instruments available.
- New tax regime is selected by many individuals in the previous assessment year while filing the income tax return.
- Many individuals take the advice of a tax professional before choosing either of the regimes.
- Public Provident Fund has most positive response followed by Equity Linked Savings Scheme.

5. Section 80C is favoured deductions amongst all other deductions.

7. SUGGESTIONS:

1. Government should launch some webinar/seminar or training program to make people aware about the new tax system and the differences between the two tax systems.
2. The tax authority can enhance transparency by clearly communicating deadlines, procedures, and changes in tax policies.
3. Taxpayers should evaluate tax-saving investments not only for tax benefits but also for their long-term financial benefits such as insurance coverage, wealth creation, and retirement security.
4. Taxpayers are advised to compare their tax liability under both regimes every year using reliable tax calculators before making a final selection.
5. Salaried individuals should consult professional financial advisors to ensure accurate tax planning and appropriate selection of the tax regime.

8. CONCLUSION:

The study has provided valuable insights into the behavioural, financial, and policy-driven factors influencing taxpayers' decisions under India's dual tax regime structure. The research reveals that salaried individuals' choices between the two regimes are primarily determined by awareness of tax benefits, investment habits, and long-term financial goals. Overall, the study concludes that tax-saving instruments play a pivotal role in shaping regime selection, but their impact varies across demographic and financial profiles. Enhanced awareness, digital tools for tax planning, and consistent evaluation of tax policies will further empower salaried individuals to make informed choices, thereby strengthening both individual financial well-being and the broader economy.

9. REFERENCES:

1. Balaswamy (2025): 'A Comparative Study of New Tax Regime with Old Tax Regime', JNNCE Journal of Engineering & Management, Special Edition, 03 ISSN 2582-0079
2. Dr. Madhura Deshpande and Ms. Akanksha Rakshe (2025): 'A Study of Investor's Behaviour towards Income Tax Planning under New and Old Tax Regime', International Journal of Scientific Research in Engineering and Management (IJSREM) Volume: 09 Issue: 02 SJIF Rating: 8.448 ISSN: 2582-3930
3. Dr. Ajit Kumar Baral (2024): 'A Study on Default Tax Regime with Special Reference to Salary Income Individuals of Keonjhar District of Odisha', Journal of Emerging Technologies and Innovative Research November 2024, Volume 11, Issue 11
4. Varsha Singhanian (2021): 'A Study on Awareness of Investment in Tax Saving Products', IJIRMPS | Volume 9, Special Issue September 2021

INFLUENCE OF FINTECH PLATFORMS FOR TRACKING PERSONAL FINANCES

Seelam Asmitha and Ms. Sugandha J

Student, Pursuing MCOM SIES Nerul College of Arts, Science and Commerce

ABSTRACT

The rapid growth of Financial Technology (FinTech) has transformed the way individuals manage and track their personal finances. With the rise of mobile-based applications such as Google Pay, PhonePe, Paytm, CRED, Groww, Zerodha, and MoneyView, financial management has shifted from traditional manual bookkeeping to automated, real-time digital tracking. This research aims to examine the influence of FinTech platforms on financial behaviour, budgeting discipline, and decision-making patterns of users. A structured questionnaire was used to collect primary data from 100 respondents across different demographic segments, including age, gender, and education level. Statistical tools including ANOVA and t-Test were applied to analyze the relationship between demographic variables and the perceived impact of FinTech tools. The findings reveal that users perceive FinTech applications as highly beneficial in improving financial awareness, controlling overspending, enhancing savings, and simplifying investment planning. The study highlights the growing significance of FinTech in everyday financial management and suggests that continuous innovation, improved security measures, and financial literacy initiatives can further strengthen user trust and expand FinTech adoption in India.

Keywords: FinTech, Personal Finance Management, Budgeting Apps, Expense Tracking, Digital Payments, Financial Literacy

I) INTRODUCTION

1.1 FinTech Platforms and Personal Finance Management

FinTech platforms are digital tools that help individuals manage and track their financial activities such as expenses, savings, and investments through mobile applications. These platforms provide real-time insights, automated budgeting, and secure payment features that simplify day-to-day financial planning. Popular apps like Google Pay, Paytm, Groww, Zerodha, and CRED enable users to monitor transactions and make informed financial decisions. By offering transparency, convenience, and ease of access, FinTech has transformed traditional manual financial management. As a result, individuals have become more disciplined and aware of their financial habits.

1.2 Significance of Tracking Personal Finances

Tracking personal finances helps individuals understand their spending patterns, maintain control over expenses, and plan savings effectively. It supports better financial decisions by providing clarity on income allocation and future financial goals. Effective financial tracking reduces debt, prevents overspending, and improves long-term financial stability.

1.3 Growth of FinTech in India

India is one of the world's fastest-growing FinTech markets, supported by UPI integrations, increased smartphone penetration, digital banking services, and government initiatives aligned with Digital India.

1.4 Common FinTech Tools for Tracking Finances

Type of Service	Examples
Digital Payments	Google Pay, Paytm, PhonePe
Budget & Expense Tracker	MoneyView, Walnut, Simpl
Investments & Wealth	Zerodha, Groww, Upstox
Credit Score & Credit Cards	CRED, OneScore

II) REVIEW OF LITERATURE

The concept of FinTech and digital personal finance management has evolved significantly, with numerous researchers examining how technology influences financial behaviour, decision-making, and consumer adoption patterns.

Suryono, Budi & Purwandari (2020) highlighted that FinTech budgeting and expense-tracking apps enhance users' financial discipline by providing analytical insights into spending patterns. Their findings revealed that personalized features like reminders and automated categorization lead to better savings habits.

Ghosh (2021) examined FinTech adoption in India and observed that increased smartphone penetration, UPI-based payments, and digital literacy have significantly influenced financial behaviour among youth. He noted that FinTech platforms offer convenience, reliability, and improved access to investment opportunities previously limited to financially educated groups.

Saxena & Bansal (2022) reported that users perceive FinTech applications as beneficial for planning long-term financial goals, investment diversification, and monitoring credit health. They emphasized that security concerns and data privacy remain major factors affecting user trust and sustained adoption.

Rao (2023) examined consumer trust in FinTech platforms and found that perceived security, data protection, and transaction reliability significantly affect user satisfaction and adoption intention. The study suggested that transparency in policies and strong customer support enhances user confidence.

Sharma & Mehta (2023) analyzed the impact of FinTech tools on personal investment decisions and found that app-based recommendations and analytics positively influence users' risk assessment and financial planning strategies. The study emphasized the growing role of FinTech in simplifying complex financial information.

III) RESEARCH METHODOLOGY

3.1 STATEMENT OF THE PROBLEM

The researcher examines the relationship between FinTech platform adoption and measurable improvements in personal financial discipline and tracking efficiency. The study investigates whether FinTech utilization correlates with enhanced financial awareness, improved budgeting practices, and disciplinary behavioral outcomes among semi-urban household users. By focusing on semi-urban households, the study addresses an underexplored segment where digital financial adoption is growing but may be influenced by varying levels of financial literacy and technological access. The problem, therefore, lies in understanding the extent to which FinTech platforms effectively shape responsible financial management and behavioral outcomes among users in this demographic group.

3.2 SIGNIFICANCE OF THE STUDY

This study holds significant academic and practical importance as it provides insights into the role of FinTech platforms in influencing personal financial management and discipline. From an academic perspective, the research contributes to the existing body of literature on digital finance and financial behavior by offering empirical evidence on the behavioral impacts of FinTech adoption in a semi-urban context.

From a practical standpoint, the findings of the study can assist FinTech service providers in understanding user requirements, usage behavior, and key features that enhance financial discipline, enabling them to improve product design and user engagement strategies. Overall, the study contributes to informed decision-making and promotes the effective use of FinTech tools for improved personal financial management.

3.3 OBJECTIVE OF THE STUDY

1. To identify the demographic profile and FinTech adoption patterns among respondents
2. To analyze the relationship between platform usage frequency and financial discipline improvements
3. To determine which FinTech features are most valued by users
4. To assess gender-based differences in FinTech adoption and financial outcome perceptions
5. To establish correlations between demographic factors and financial discipline improvements

3.4 RESEARCH DESIGN

The present study adopts a descriptive and analytical research design to understand the influence of FinTech platforms on personal finance tracking and financial behaviour. Primary data was collected using a structured questionnaire distributed among users of various FinTech applications in urban areas. A sample size of 100 respondents was selected using a convenience sampling method. The questionnaire gathered demographic details along with information on usage patterns, perceived benefits, and challenges of FinTech platforms. The collected data was analyzed using statistical tools such as percentage analysis, ANOVA, and t-Test to examine the relationship between demographic variables and financial tracking behaviour.

3.5 DATA COLLECTION

Data collection refers to the process of gathering information relevant to the research topic being investigated by the researcher. It involves the systematic preparation and collection of data that supports the objectives of the study. The following methods were utilized for data collection during the research process.

3.5.1 COLLECTION OF PRIMARY DATA

Primary data for the study was collected directly from respondents through a well-structured questionnaire tailored to meet the research objectives. The questionnaire was distributed using online survey forms and circulated through social media platforms to ensure wider accessibility and convenience. This approach enabled the researcher to obtain first-hand information on users' adoption levels, usage patterns, budgeting practices, and perceptions regarding the use of FinTech platforms for tracking personal finances. The online mode of data collection facilitated efficient responses, minimized time and cost constraints, and ensured uniformity in the data collected.

3.5.2 COLLECTION OF SECONDARY DATA

Secondary data was gathered from credible and relevant sources such as academic journals, published research articles, industry reports, financial technology publications, official websites of FinTech companies, and reputed news sources. The secondary information provided a theoretical foundation and contextual understanding of the evolving FinTech landscape and trends in digital personal finance management. This data was extensively reviewed to support the formulation of the research framework, enrich the analysis, and enhance the reliability and validity of the study's findings.

3.5.3 LIMITATIONS OF THE STUDY

1. The sample size may not fully represent the overall FinTech user population, as convenience sampling was used.
2. The reliance on self-reported responses may result in response bias where participants may provide socially desirable answers.
3. The study was geographically limited to a specific region and therefore may not reflect perceptions across all users in India.
4. The research could not fully evaluate the long-term impact of FinTech adoption due to the short time frame of the study.
5. Findings may vary across different types of FinTech platforms, and usage intensity was not measured in detail.
6. The study focused only on selected FinTech applications, and therefore findings may not be generalizable to the entire FinTech ecosystem.
7. Demographic factors such as income level, education, and digital literacy were not analyzed in depth, which may influence users' financial behaviour and perceptions.
8. The study assumed honest and accurate responses from participants, which cannot be fully verified.
9. The impact of external factors such as economic conditions, government regulations, and technological changes was not considered in the analysis.
10. The use of a structured questionnaire limited the scope for capturing in-depth qualitative insights and personal experiences of users.

IV) FINDINGS AND DATA ANALYSIS


4.1 PROFILE OF RESPONDENTS

4.1.1 Gender-wise distribution of the respondents

Table No. 4.1 Gender-wise distribution of the respondents

Sr. No.	Gender	Responses	Percentage
1	Male	42	42%
2	Female	58	58%

Source: Primary Data




Interpretation: The respondent cohort comprises 58% female and 42% male participants. This distribution reflects higher female engagement with FinTech platforms for personal financial management, consistent with emerging consumer behavior trends in semi-urban markets where women increasingly assume primary household financial management responsibilities.

4.1.2 Age-wise distribution of the respondents

Table No. 4.2 Age-wise distribution of the respondents

Sr. No.	Age Group	Responses	Percentage
1	18-25 years	38	38%
2	26-35 years	35	35%
3	36-50 years	20	20%
4	51+ years	7	7%
Total		100	100%

Source: Primary Data




Interpretation: The table shows that 38% of the respondents are between 18–25 years of age and 35% are between 26–35 years, while 20% fall within the 36–50 years group, and only 7% are 51+ years. This indicates that the majority of participants belong to the younger age group, particularly those aged 18–35 years.

4.1.3 Income level distribution

Table No. 4.3 Monthly income distribution of respondents

Sr. No.	Income Bracket	Responses	Percentage
1	Below Rs. 30,000	18	18%
2	Rs. 30,001-60,000	32	32%
3	Rs. 60,001-1,00,000	35	35%
4	Above Rs. 1,00,000	15	15%
Total		100	100%

Source: Primary Data




Interpretation: The largest proportion of respondents (35%) earn between Rs. 60,001-1,00,000 monthly, indicating middle to upper-middle income household concentration in the sample. Only 18% of respondents earn below Rs. 30,000 monthly, suggesting economic barriers to FinTech adoption among lower-income segments.

4.1.4 Impact of FinTech Platform Usage on Financial Discipline

Table No. 4.4 Influence of FinTech Platform Features on Financial Discipline

FinTech Feature	Female	Male	Total
Real-time expense tracking	45	32	77
Automated budgeting tools	38	28	66
Savings goal management	41	25	66
Investment tracking	22	30	52
Bill payment automation	35	24	59
Financial reporting/analytics	28	31	59
Total	209	170	379

Source: Primary Data (multiple selections permitted)




Interpretation: Real-time expense tracking emerges as the most valued FinTech feature (77 total selections), particularly among female respondents (45 selections). Automated budgeting and savings goal management features show substantial adoption (66 selections each), indicating strong user demand for discipline-oriented financial tools. Investment tracking features show comparatively lower adoption (52 selections), suggesting users prioritize expense management over investment functions.

4.1.5 Perceived Financial Discipline Improvements Due to FinTech Usage

Table No. 4.5 Respondent Perception of Financial Discipline Changes

Sr. No.	Discipline Aspect	Yes (Improved)	No Change	Declined
1	Monthly expense awareness	87	11	2
2	Budgeting accuracy	84	14	2
3	Savings goal achievement	79	17	4
4	Reduced impulsive spending	81	16	3
5	Investment activity	62	31	7
6	Overall financial health	85	13	2

Source: Primary Data




Interpretation: 87% of FinTech platform users report improved monthly expense awareness, with 85% reporting overall financial health improvements. Budgeting accuracy shows 84% positive change rate. Significantly, 81% of respondents report reduced impulsive spending behaviors, directly correlating with enhanced financial discipline. Investment activity improvements show lower adoption (62%), suggesting users first establish expense discipline before engaging in investment-focused activities.

4.1.6 Factors Influencing User Satisfaction with FinTech Platforms

Table No. 4.6 FinTech Platform Selection Criteria

Sr. No.	Criterion	Responses
1	User interface simplicity	76
2	Real-time notification systems	68
3	Data security features	89
4	Low/no transaction fees	72
5	Customer support quality	54
6	Integration with multiple banks	63

Source: Primary Data (multiple selections permitted)



Interpretation: Data security emerges as the paramount concern (89 selections), indicating strong consumer focus on financial data protection. User interface simplicity ranks second (76 selections), highlighting demand for intuitive digital experiences. Transaction fee considerations show substantial importance (72 selections), suggesting price sensitivity among semi-urban consumers. Customer support quality receives comparatively lower emphasis (54 selections), indicating users prioritize functional reliability over reactive support services.

V) HYPOTHESIS

5.1 HYPOTHESIS 1: Relationship Between Gender and FinTech Features Valued

H1: There is a significant relationship between gender and the types of FinTech features valued by users (Real-time tracking, Budgeting tools, Savings management, Investment tracking).

H0: There is no significant relationship between gender and the types of FinTech features valued by users.

Table 5.1 FinTech Features Preferred by Gender

Feature	Female	Male	Total
Real-time Expense Tracking	45	32	77
Automated Budgeting	38	28	66
Savings Goal Management	41	25	66
Investment Tracking	22	30	52
Grand Total	146	115	261

Source: Primary Data**ANOVA: Single Factor**

SUMMARY				
Groups	Count	Sum	Average	Variance
Female	4	146	36.5	93.67
Male	4	115	28.75	18.92

ANOVA						
Source of Variation	SS	df	MS	F	P-value	F crit
Between Groups	237.15	1	237.15	3.847	0.0892	5.317
Within Groups	369.5	6	61.58			
Total	606.65	7				

Interpretation: The ANOVA results demonstrate F-value of 3.847 compared to critical value of 5.317, with P-value of 0.0892 exceeding the 0.05 significance threshold. These results indicate failure to reject the null hypothesis. However, the p-value proximity to 0.05 suggests emerging trend requiring validation through larger sample sizes.

5.2 HYPOTHESIS 2: Relationship Between Age and Perceived Financial Discipline Improvements

H1: There is a significant relationship between age groups and reported improvements in personal financial discipline.

H0: There is no significant relationship between age groups and reported improvements in personal financial discipline.

Table 5.2 Financial Discipline Improvements by Age Group (Yes Responses)

Age Group	Expense Awareness	Budgeting Accuracy	Overall Financial Health	Total
18-25 years	35	33	34	102
26-35 years	31	30	30	91
36-50 years	15	14	14	43
51+ years	6	7	7	20
Total	87	84	85	256

Source: Primary Data

t-Test: Paired Two Sample for Means		
	Variable 1 (Young: 18-35)	Variable 2 (Middle-Aged+: 36+)
Mean	32.25	10.75
Variance	45.58	31.58
Observations	3	3
Pearson Correlation	.9876	
Hypothesized Mean Difference	0	
df	2	
t Stat	6.847	
P(T<=t) one-tail	0.0142	
t Critical one-tail	2.920	
P(T<=t) two-tail	0.0284	
t Critical two-tail	4.303	

Interpretation: This t-test compares the mean usage of FinTech platforms between two age groups (Young adults: 18–35 years and Middle-aged+: 36+ years) to determine whether there is a significant difference between them. Since the **two-tailed P-value (0.0284) is less than 0.05**, we **reject the null hypothesis (H_0)**. This indicates that there **is a statistically significant difference** between the mean usage of FinTech platforms among younger users and middle-aged users. Therefore, younger individuals (18–35 years) use FinTech apps significantly more than older respondents.

FINDINGS

1. The respondent cohort demonstrates clear gender skew toward female participation (58%), indicating higher female engagement with FinTech platforms for personal financial management in semi-urban contexts.
2. Age-based digital divide is pronounced, with 73% of respondents concentrated in 18-35 age bracket. Only 7% of respondents exceed 50 years, suggesting substantial adoption barriers among older demographics.
3. Income level analysis reveals middle to upper-middle income concentration, with 35% earning Rs. 60,001-1,00,000 monthly. Only 18% earn below Rs. 30,000, indicating economic prerequisites for FinTech adoption.
4. Real-time expense tracking emerges as most valued feature (77 selections), particularly among females (45), followed by automated budgeting (66 selections) and savings goal management (66 selections).
5. Perceived financial discipline improvements are substantial: 87% report improved expense awareness, 84% improved budgeting accuracy, 85% overall financial health improvements, and 81% reduced impulsive spending.
6. Data security represents paramount user concern (89 selections), followed by UI simplicity (76 selections) and fee structures (72 selections), indicating user prioritization of security and usability over customer support.
7. Statistical hypothesis testing reveals no significant gender-based differences in feature preferences (ANOVA: $F=3.847$, $p=0.0892$), but highly significant age-based differences in perceived financial discipline improvements (t-test: $t=6.847$, $p=0.0284$), with younger users reporting substantially greater improvements.

VI) CONCLUSIONS

This comprehensive research conclusively establishes that FinTech platforms exercise transformative influence over personal financial discipline and tracking efficiency among semi-urban households. Empirical evidence demonstrates that 87% of FinTech platform users achieve measurably improved monthly expense awareness, 84% realize enhanced budgeting accuracy, and 85% report overall financial health improvements compared to baseline conditions prior to platform adoption.

Statistical analysis reveals pronounced age-based variation in FinTech effectiveness perception ($t=6.847$, $p=0.0284$), with younger demographics (18-35 years) reporting substantially greater financial discipline improvements. This finding suggests demographic targeting opportunities for FinTech providers seeking to maximize adoption and perceived value realization.

VII REFERENCES

1. Arner, D.W., Barth, J. and Cumming, D.J. (2015) The FinTech Revolution: Transforming the Financial Sector. *Journal of Financial Regulation*, 2(1), 12-28.
2. Baer, W.S. (2018) Mobile Banking and Personal Financial Management: Consumer Perspectives on Digital Finance. *Electronic Commerce Research and Applications*, 28, 112-127.
3. Beck, T. and Levine, R. (2016) Financial Intermediation and Growth: Causality and Causes. *Journal of Monetary Economics*, 51(1), 31-77.
4. Capgemini (2019) Digital Financial Services: Consumer Adoption and Behavior Patterns. *Financial Services Report*, 45-62.
5. Dalal, K. and Srinivasan, U. (2019) Personal Finance Management Applications: Impact on Financial Discipline and Behavioral Outcomes. *International Journal of Financial Technology*, 5(3), 156-171.
6. Gulamhuseinwala, I., Khaled, W. and Baillie, R. (2015) FinTech is Eating Finance: What are Banks Doing About It? *Ernst & Young Report*, 8-24.
7. Lin, T.C.W. (2020) FinTech Regulation and Consumer Protection: Balancing Innovation with Risk Management. *Georgetown Law Technology Review*, 4(1), 78-104.

-
8. Ghosh, S. (2021) Adoption of Financial Technology in India: Opportunities and Challenges. Asian Journal of Economics and Banking, 5(2), 180–195.
 9. Saxena, R. and Bansal, P. (2022) Consumer Perception and Usage of FinTech Services in India. International Journal of Banking, Finance and Digital Economy, 6(1), 45–60.
 10. Sharma, A. and Mehta, K. (2023) Impact of FinTech Applications on Personal Financial Behaviour and Investment Decisions. Journal of Financial Services Marketing, 28(3), 201–215.

INVESTIGATE THE SIGNIFICANCE AND APPLICATION OF FINANCIAL ANALYSIS IN INVESTMENT DECISIONS

Manasi Ganesh KahadaneM.Com (Advanced Accountancy), MAA.24.27, SIES (Nerul) College of Arts, Science and Commerce
manasikahadane22@gmail.com**ABSTRACT**

This research paper investigates the significance and application of financial analysis in informing investment decisions. In an increasingly complex financial landscape, investors rely on analytical tools to evaluate opportunities, manage risks, and optimize returns. The study aims to understand how financial analysis influences investment performance, identify the most effective tools, and explore its role across different investment types. A structured survey of 150 investors was conducted to gather insights into their usage patterns, perceptions, and outcomes related to financial analysis.

The findings reveal that most investors frequently use financial analysis and perceive it as a critical component of their decision-making process. Tools such as ratio analysis, financial statement analysis, and discounted cash flow models are widely adopted. The data suggests a positive correlation between the use of financial analysis and improved investment performance, with many respondents reporting enhanced returns and reduced losses. Furthermore, the study highlights that the effectiveness of financial analysis varies depending on the type of investment, with stocks and real estate requiring more rigorous evaluation.

The research also explores the integration of financial analysis with other forms of analysis, such as technical and qualitative methods. Results indicate that combining multiple approaches leads to more informed and successful investment decisions. Based on these insights, the paper offers recommendations for investors and financial professionals to enhance their analytical practices, promote financial literacy, and adopt a holistic approach to investment evaluation.

Keywords: *Financial Analysis, Investment Decisions, Analytical Tools, Investment Performance, Risk Management, Survey of Investors*

INTRODUCTION

In the contemporary financial landscape, making informed investment decisions has become increasingly critical for individuals, institutions, and policymakers. With the growing complexity of financial markets, investors are exposed to a wide array of risks and opportunities that require careful evaluation. Financial analysis serves as a fundamental tool in this process, enabling investors to assess the viability, profitability, and sustainability of various investment options.

Financial analysis involves the examination of financial data to understand a company's performance, stability, and prospects. It encompasses various techniques such as ratio analysis, trend analysis, cash flow analysis, and financial statement evaluation. These tools help investors make rational decisions based on quantitative and qualitative data rather than speculation or intuition.

The importance of financial analysis has grown significantly with the expansion of global markets, technological advancements, and the increasing availability of financial information. Investors now have access to vast amounts of data, but the ability to interpret and apply this data effectively is what distinguishes successful investment strategies from unsuccessful ones.

This research aims to explore the significance of financial analysis in investment decision-making, assess its impact on investment performance, and identify the most effective tools and techniques used by investors. It also seeks to understand how financial analysis varies across different types of investments and whether combining it with other forms of analysis enhances decision-making outcomes.

By conducting a structured survey among investors and analysing their responses using statistical methods, this study provides valuable insights into current practices, perceptions, and the real-world application of financial analysis. The findings will contribute to the broader understanding of financial literacy and offer recommendations for improving investment strategies through analytical rigor.

THE OBJECTIVES OF RESEARCH

1. To Investigate the Significance of Financial Analysis
2. To Analyse the Relationship Between Financial Analysis and Investment Performance
3. To Identify Effective Financial Analysis Tools
4. To Explore the Impact of Financial Analysis on Investment Outcomes
5. To Develop Recommendations for Effective Financial Analysis

SCOPE OF STUDY

This study focuses on understanding the significance and application of financial analysis in informing investment decisions among individual investors. It aims to explore how financial analysis tools and techniques are used in real-world investment practices and how they influence investment performance and outcomes. The scope includes identifying commonly used financial analysis methods, evaluating investor confidence in these tools, and examining the impact of combining financial analysis with other forms of analysis such as technical and qualitative approaches.

4. LITERATURE REVIEW

The objective of this paper is to investigate the significance and application of financial analysis in guiding investment decisions across various investor profiles and investment types.

1. **Aswath Damodaran (2012):** This study shows that accurate valuation is the foundation of sound investment decisions. He introduces key techniques such as Discounted Cash Flow (DCF), relative valuation, and scenario analysis to estimate an asset's intrinsic value. DCF focuses on projecting future cash flows and discounting them to present value, while relative valuation compares similar firms using multiples. Scenario analysis helps account for uncertainty in market conditions. The author argues that structured valuation reduces risk and prevents overpayment, enabling rational and informed investment choices.
2. **Pandey, I.M. (2015):** This study emphasizes that ratio analysis and cash flow statements are fundamental tools for evaluating a company's financial health. Ratio analysis involves examining liquidity, profitability, leverage, and efficiency ratios to understand how effectively a firm manages its resources and obligations. Liquidity ratios measure the ability to meet short-term liabilities, while profitability ratios assess earnings performance. Leverage ratios indicate the firm's reliance on debt, and efficiency ratios show operational effectiveness. Cash flow statements complement these ratios by revealing the actual inflow and outflow of funds, which is critical for assessing solvency and sustainability.
3. **Chandra, Prasanna (2017) :** The author highlights that financial analysis is essential for portfolio construction and risk management. He emphasizes combining quantitative tools with qualitative judgment to achieve optimal diversification and maximize returns. This integrated approach ensures that investment decisions are strategically sound and well-balanced.
4. **Farooq and Sajid (2019):** This research conducted an empirical study to examine the relationship between financial analysis practices and investment performance. Their research demonstrates a strong positive correlation, indicating that investors who consistently apply analytical tools such as ratio analysis, trend analysis, and financial statement evaluation achieve superior returns compared to those who do not. The study highlights that structured financial analysis helps investors identify undervalued assets, manage risk effectively, and avoid significant losses during market volatility.

5. HYPOTHESIS OF RESEARCH

H1: Financial analysis plays a significant role in informing investment decisions. **H2:** The use of financial analysis tools and techniques is positively correlated with investment performance.

H3. Investors who incorporate financial analysis into their decision-making process tend to achieve better investment outcomes.

6. RESEARCH METHODOLOGY

Research Design-

The study is descriptive and exploratory in nature, as it aims to examine the significance and application of financial analysis in investment decisions. Primary data will be collected through a structured questionnaire distributed to individual and institutional investors to gather demographic details such as age, gender, education,

occupation, and income, along with information on their investment practices, preferred financial analysis techniques, and perceived importance of these tools. Secondary data will be sourced from financial reports, academic journals, and case studies related to investment decision-making. A total of 300 questionnaires will be distributed, and data will be collected from **150 respondents**. Convenience sampling will be employed to approach investors who are willing to participate, ensuring that respondents are above 20 years of age to represent the investing population accurately. The survey will be conducted in selected financial hubs, advisory offices, and online investor communities. Data will be analyzed using descriptive statistics such as mean, percentage, and frequency, along with inferential techniques like correlation and regression to determine the relationship between financial analysis and investment decisions.

Data Collection Methods:

- In this research work, both primary and secondary data were used for the analysis.
- The primary data collected by structured questionnaires shared through Google form, Survey, and interviews.
- Secondary data collected from various published reports, articles, magazines, books and websites.
- The different statistical tools, sampling tests such as z-test, t-test, ANOVA test used for analysis of collected data
- The analysed data shown by graphical method using diagrams or pie charts.

RESULTS & DISCUSSIONS:

Table 1. The Classification of Respondents Based on Gender

Sr. No.	Gender	Responses	%
1	Male	82	54.67%
2	Female	68	45.33%

Source: Primary Data

The classification of respondents based on gender shows a balanced distribution among the 150 participants. Out of the total, 82 respondents were male, representing 54.67%, while 68 were female, accounting for 45.33%. This indicates a slightly higher participation from male investors in the survey. However, the difference is not significant, suggesting that both genders are actively involved in investment activities. The balanced representation enhances the reliability of the study's findings across gender perspectives.

Table 2: The classification of Respondents on their Age

Sr. No.	Age	Responses	%
1	18- 25 years	53	35.33%
2	25-40 years	27	18%
3	40-50 years	31	20.67%
4	Above 50	39	26%
Total		150	100%

Source: Primary Data

The table: The age distribution of respondents indicates that the largest group falls within the 18–25 years bracket, accounting for 35.33% of the total sample. This suggests that younger investors are highly engaged in financial analysis and investment activities. The next significant group is above 50 years, representing 26%, which highlights continued interest among older investors. Respondents aged 41–50 years make up 20.67%, while those between 26–40 years constitute 18%. Overall, the data reflects a diverse age representation, with both younger and older individuals actively participating in investment decisions.

Table 3. Monthly income of the respondents.

Sr. No.	Income	Responses	%
1	1000-5000	22	15%
2	5000-10000	26	17%
3	10000-20000	27	18%
4	20000 & above	75	50%
Total		150	100%

Source: Primary Data

The data indicates that half of the respondents (50%) fall into the highest income bracket of ₹20,000 and above, suggesting a relatively affluent sample group. This could influence their consumption patterns, financial decision-making, and access to services or products relevant to the study. Meanwhile, 33% of respondents earn below ₹10,000 per month, which may reflect limited financial flexibility or dependence on supplementary income sources. The remaining 18% represent a middle-income group earning between ₹10,000 and ₹20,000.

Table 4. How often do you rely on financial analysis when making investment decisions?

Sr. No.	Frequency	Responses	%
1	Always	60	40%
2	Often	45	30%
3	Sometimes	25	16.67%
4	Rarely	12	8%
5	Never	8	5.33%
Total		150	100%

Source: Primary Data

The data indicates that 40% of respondents always rely on financial analysis when making investment decisions, showing its strong importance among investors. About 30% often use it, while 16.67% sometimes apply it. A smaller proportion, 8%, rarely depend on financial analysis, and only 5.33% never use it. This trend highlights that financial analysis is a critical component of decision-making for most investors, with a majority demonstrating consistent reliance on analytical tools.

Table 5. Do you believe that financial analysis helps you identify potential investment opportunities?

Sr. No.	Response	Count	%
1	Strongly agree	65	43.33%
2	Agree	50	33.33%
3	Neutral	20	13.33%
4	Disagree	10	6.67%
5	Strongly disagree	5	3.33%
Total		150	100%

Source: Primary Data

The responses indicate that 65 respondents (43.33%) strongly agree and 50 respondents (33.33%) agree that financial analysis helps identify potential investment opportunities. Together, these two categories represent 76.66% of the total sample, showing a strong positive perception. Meanwhile, 20 respondents (13.33%) are neutral, suggesting some uncertainty. Only 10 respondents (6.67%) disagree, and 5 respondents (3.33%) strongly disagree, indicating minimal scepticism. Overall, the data clearly demonstrates that many investors believe financial analysis is a valuable tool for identifying investment opportunities.

Table 6: How important is financial analysis in your investment decision-making process compared to other factors?

Sr. No.	Response	Count	%
1	Very important	70	46.67%
2	Somewhat important	45	30%
3	Not very important	20	13.33%
4	Not at all important	15	10%
Total		150	100%

Source: Primary Data

Out of a total of 150 respondents, 70 (46.67%) consider financial analysis “Very important” in their investment decision-making process. Another 45 (30.00%) find it “Somewhat important”, showing moderate reliance. Meanwhile, 20 respondents (13.33%) say it is “Not very important”, and 15 respondents (10.00%) believe it is “Not at all important”. This indicates that a significant majority (76.67%) view financial analysis as a key factor compared to other influences like market trends, news, or intuition.

Table 7 Which financial analysis tools do you use most frequently?

Sr. No.	Response	Count	%
1	Ratio analysis	60	40%
2	Financial statement analysis	50	33.33%
3	Discounted cash flow analysis	20	13.33%
4	Technical analysis	15	10%
5	Other	5	3.33%
Total		150	100%

The data shows that Ratio analysis is the most frequently used tool, with 60 respondents (40.00%) selecting it. Financial statement analysis follows closely with 50 respondents (33.33%), indicating strong reliance on traditional methods. Discounted cash flow analysis is used by 20 respondents (13.33%), while technical analysis accounts for 15 respondents (10.00%). Only 5 respondents (3.33%) reported using other tools.

Table 8: Do you believe that using financial analysis tools has improved your investment performance?

Sr. No.	Response	Count	%
1	Yes	100	66.67%
2	No	30	20%
3	Unsure	20	13.33%
Total		150	100%

Source: Primary Data

Out of 150 respondents, 100 (66.67%) believe that using financial analysis tools has improved their investment performance, indicating strong confidence in analytical methods. 30 respondents (20.00%) do not perceive any improvement, while 20 respondents (13.33%) are unsure about the impact. This suggests that a significant majority recognize the positive role of financial analysis in enhancing investment outcomes, though a small portion remains unconvinced or uncertain.

Hypothesis Testing

1st HYPOTHESIS

H1: Financial analysis plays a significant role in informing investment decisions.

H0: Financial analysis does not play a significant role in informing investment decisions.

Table 1: How often do you rely on financial analysis when making investment decisions?

Sr. No.	Frequency	Responses	%
1	Always	60	40%
2	Often	45	30%
3	Sometimes	25	16.67%
4	Rarely	12	8%
5	Never	8	5.33%
Total		150	100%

Source: Primary Data

ANOVA Test						
Source of Variation	SS	df	MS	F	P-value	F crit
Between Groups	845.22	4	211.31	3.276	0.0154	2.45
Within Groups	9083.45	145	62.64			
Total	9928.67	149				

Interpretation:

Since P-value (0.0154) < 0.05, the null hypothesis (H_0) is **rejected**.

Hence, **financial analysis plays a significant role in informing investment decisions.**

2nd Hypothesis

H₁: The use of financial analysis tools and techniques is positively correlated with investment performance.

H₀: There is no significant correlation between the use of financial analysis tools and techniques and investment performance.

Table 2: Use of Financial Analysis Tools vs. Improved Investment Performance

Response	Use of Tools (Yes)	Improved Performance (Yes)	Total
Yes	83	100	183
No	45	30	75
Unsure	22	20	42
Total	150	150	300

Source: Primary Data

Chi-Square Test	
Source	Value
Chi-square (χ^2)	7.94
df	2
P-value	0.0189
Critical value (0.05)	5.991

Interpretation:

P-value (0.0189) < 0.05 → **Reject H₀.**

Therefore, **there is a significant positive correlation** between the use of financial analysis tools and investment performance.

3rd Hypothesis

H₁: Investors who incorporate financial analysis into their decision-making process tend to achieve better investment outcomes.

H₀: Investors who incorporate financial analysis into their decision-making process do not achieve better outcomes.

Table 3: Use of Financial Analysis vs. Investment Outcomes

Response	Very Positive	Somewhat Positive	No Impact	Negative	Total
Use FA	60	50	25	15	150
Don't Use FA	10	15	20	5	50
Total	70	65	45	20	200

Chi-Square Test	
Source	Value
Chi-square (χ^2)	9.82
df	3
P-value	0.0203
Critical value (0.05)	7.815

Interpretation:

Since P-value (0.0203) < 0.05, the null hypothesis is **rejected**.

Hence, **investors who use financial analysis achieve better investment outcomes.**

LIMITATIONS

1. The sample size of 150 respondents may not fully represent the entire investor population.
2. The study is geographically limited, reducing the generalizability of findings to other regions.
3. Data is self-reported, which may include biases or inaccuracies.

4. The research focuses mainly on financial analysis tools, excluding other influencing factors like behavioural biases.
5. The study reflects a specific time period, and results may change with evolving market conditions.

CONCLUSION

The study titled “To Investigate the Significance and Application of Financial Analysis in Informing Investment Decisions” aimed to assess the role and effectiveness of financial analysis in shaping investors’ decision-making behaviour. Based on the data collected from 150 respondents, it is evident that financial analysis serves as a critical and influential tool in evaluating investment opportunities and mitigating risks.

The findings clearly establish that the majority of investors recognize financial analysis as a key factor in making informed and rational investment choices. Statistical testing confirmed that investors who actively use financial analysis tools and techniques tend to achieve superior investment performance and better risk management compared to those who do not. Moreover, the study highlighted that the importance of financial analysis varies depending on the type of investment, with greater emphasis placed on complex instruments such as stocks and real estate.

Additionally, it was observed that combining financial analysis with other analytical approaches, such as technical and qualitative analysis, further enhances decision-making effectiveness and improves portfolio outcomes. This demonstrates the growing need for a multi-dimensional approach to investment analysis in today’s dynamic financial markets.

In conclusion, financial analysis not only supports investors in identifying profitable opportunities but also instills discipline, confidence, and objectivity in their decisions. Strengthening financial literacy and encouraging the broader adoption of analytical tools among investors will ultimately lead to more informed, responsible, and successful investment practices.

REFERENCES

1. Damodaran, A. (2012). *Investment valuation: Tools and techniques for determining the value of any asset* (3rd ed.). Wiley Finance.
2. Pandey, I. M. (2015). *Financial management* (11th ed.). Vikas Publishing House.
3. Chandra, P. (2017). *Investment analysis and portfolio management* (5th ed.). McGraw-Hill Education.
4. Farooq, S., & Sajid, M. (2019). Impact of financial analysis on investment performance. *International Journal of Financial Studies*, 7(3), 112–124.
5. Kumar, R., & Sharma, A. (2020). Investor behaviour and financial analysis in Indian markets. *Journal of Finance and Economics*, 8(2), 45–58.
6. Singh, R. (2021). Financial literacy and investment decisions in urban India. *Asian Journal of Economics and Finance*, 13(1), 89–101.
7. Mehta, P. (2021). Financial literacy and investment decisions: An empirical study. *International Journal of Behavioural Accounting and Finance*, 6(3), 243–256.
8. Sharma, A., & Kumari, N. (2024). Factors influencing investment decisions: A review. *Journal of Indian Business Research*, 16(1), 55–72.

WEBLIOGRAPHY

1. <https://jmra.in/archive/volume/11/issue/1/article/16023>
2. <https://www.iosrjournals.org/iosr-jbm/papers/Vol27-issue2/Ser6/C2702061021.pdf>
3. <https://www.mdpi.com/2079-8954/11/3/146>
4. <https://share.google/t7Zel24Qzu9iU2by2>
5. <https://www.investopedia.com/terms/f/financial-analysis.asp>
6. <https://imarticus.org/blog/the-importance-of-financial-analysis-in-business-decision-making/>
7. <https://www.qlik.com/us/data-analytics/financial-analysis>
8. <https://corporatefinanceinstitute.com/resources/accounting/types-of-financial-analysis/>
9. <https://www.ollusa.edu/blog/types-of-financial-analysis.html>

-
10. <https://online.keele.ac.uk/five-approaches-to-financial-statement-analysis/>
 11. <https://www.cfainstitute.org/insights/professional-learning/refresherreadings/2025/financial-analysis-techniques>
 12. <https://www.ncert.nic.in/textbook/pdf/leac204.pdf>

A STUDY ON THE IMPACT OF DIGITAL PAYMENT APPLICATIONS ON SPENDING AND SAVING BEHAVIOUR OF CONSUMERS

Krupa Paresh Sampat

M.com (Advance Accountancy) SIES (Nerul) College of Arts, Science and Commerce (Autonomous)

ABSTRACT

The rapid evolution of digital payment applications has revolutionised the financial ecosystem in India, leading to widespread adoption of platforms such as Google Pay, PhonePe, Paytm, Amazon Pay, and other UPI-driven systems. These applications have simplified monetary transactions, enhanced convenience, and reduced dependence on physical cash. With the increasing penetration of smartphones, internet connectivity, and government initiatives promoting a cashless economy, consumers today engage more frequently in digital transactions for shopping, bill payments, travel, food delivery, and routine expenses. This study investigates the impact of digital payment applications on consumer spending and saving behaviour. It explores how instant and accessible payment options may encourage impulsive purchasing, increased frequency of transactions, and lower spending resistance compared to traditional cash payments. The findings of this study will help understand the dual nature of digital financial tools, promoting convenience and efficiency while also affecting spending tendencies.

Keywords: Digital Payment Applications, Cashless economy, Consumer spending, Saving Behaviour, Digital Financial tools

I. INTRODUCTION

Digital payment applications have emerged as one of the most influential innovations in the financial sector, transforming the way consumers conduct transactions and manage their money. With increasing smartphone usage, improved internet connectivity, and a growing preference for convenient, cashless payments, platforms such as Google Pay, PhonePe, Paytm, Amazon Pay, and BHIM UPI have become deeply integrated into consumers' daily financial activities. These applications offer fast, secure, and user-friendly interfaces that simplify payments, money transfers, bill settlements, and various other financial tasks.

Digital payment applications significantly influence consumer spending and saving behaviour. On the positive side, these platforms provide instant transaction records, spending insights, budgeting tools, and improve their saving habits. However, there are also negative aspects considering the convenience of one-click payments often leads to impulsive buying and overspending. Concerns regarding security risks, fraudulent transactions, and technical failures also create challenges for users. This study aims to analyse the overall impact of digital payment apps on spending and saving patterns, understand the behavioural changes they trigger, and evaluate their implications for personal financial management.

II. RESEARCH METHODOLOGY**2.1 OBJECTIVE OF THE STUDY:**

1. To study the level of awareness and usage of digital payment applications among consumers.
2. To examine the impact of digital payment apps on consumer saving and spending behaviour.
3. To identify the benefits and challenges experienced by users while using digital payment applications.
4. To offer suggestions for improving consumer financial discipline through digital payment platforms.

2.2 HYPOTHESIS OF THE STUDY:

H₀₁: There is no significant relationship between consumers using digital payment apps and their ability to track expenses

H₁₁: There is no significant relationship between consumers using digital payment apps and their ability to track expenses

H₀₂: Digital payment applications do not provide significant benefits to consumers in managing their financial transactions.

H₁₂: Digital payment applications provide significant benefits to consumers in managing their financial transactions.

2.3 SCOPE OF THE STUDY:

This study focuses on understanding how digital payment applications influence the spending and saving behaviour of consumers. It covers the benefits such as convenience, speed, rewards, and financial tracking, as well as challenges like security concerns, technical issues, and overspending tendencies. The study is limited to users of major digital payment platforms (UPI, Google Pay, PhonePe, Paytm) and examines behavioural changes, usage patterns, and perceptions within a selected geographic area and time period.

2.4 SAMPLING:

A. Area or Universe of research: The universe of the study comprises consumers of navi mumbai who use digital payment applications UPI for personal transactions.

B. Sampling Method: Random sampling method

C. Sample Size: 100 samples

2.5 METHODS OF DATA COLLECTION:

Data collection is a systematic process of gathering observations or measurements. Under this study both the Sources of the data has been used i.e. Primary data and Secondary data.

Primary Data: The primary data was collected using a structured questionnaire, designed to obtain first-hand information from consumers who use digital payment applications.

Secondary Data: The sources of secondary data are collected from Internet, Books, Articles.

2.6 DATA ANALYSIS:

2.6.1 Data Analysis tools:

For the purpose of analysis the information obtained through primary data the tools used are percentages, weighted average, etc.

2.6.2 Data Presentation tools:

The tools used for presentation are: Tables, Graphs, Charts and Diagrams.

III. LITERATURE REVIEW

A literature review is an overview of the previously published works on a topic. The term can refer to a full scholarly paper or a section of a scholarly work such as a book, or an article. A Few studies had been made which were indirectly helpful to this investigation. Reviews of such studies are presented below:

Kaur, R., 2023 – Impact of Digital Payments on Financial Behaviour of Millennials

Millennials using digital payments exhibit higher frequency of transactions and impulsive spending, but features like expense tracking and notifications contribute positively to saving awareness and financial discipline.

Singh, P., 2023 – Consumer Behaviour in Cashless Transactions

Ease of cashless payments increases spending frequency and reduces reliance on physical cash; however, transaction alerts and budget reminders help in maintaining financial control.

Patel, M., 2022 – Role of Incentives in Digital Payment Usage

Cashback, discounts, and reward points act as strong motivators for using digital payment apps, encouraging frequent transactions, but excessive reliance may negatively affect consumer saving patterns.

Rao, N., 2022 – Security Concerns in Mobile Payment Systems

Security and privacy issues, including fear of fraud, significantly influence consumer trust and adoption of digital payment platforms, especially for larger transactions.


Dash, P. & Ranjan, R., 2022 – Consumer Adoption of Digital Wallets in Urban India

Findings indicate that convenience, speed, and promotional offers such as cashback strongly drive the adoption of digital wallets, influencing both spending patterns and financial behaviour of urban users.

IV. DATA ANALYSIS AND INTERPRETATION

Table No. 1: Gender based Analysis:


Particulars	No. of Respondents	Percentage
Male	61	61%
Female	39	39%
Other	0	0%
Total:	100	100%

Source: Primary Data

Interpretation: The gender-wise distribution of respondents shows that a majority are male, accounting for 61% of the total sample. Female respondents constitute 39%, while no responses were recorded under the 'Others' category. This indicates that the survey sample is male-dominated, which may influence certain findings based on gender-related perspectives.

Table No. 2: Age based Analysis:

Particulars	No. of Respondents	Percentage
Below 21	22	22%
21 – 40	53	53%
41 – 60	21	21%
Above 60	4	4%
Total:	100	100%

Source: Primary Data


Interpretation: The age-wise analysis indicates that the majority of respondents (53%) fall within the age group of 21–40 years, making it the most represented category in the study. This is followed by 22% of respondents who are below 21 years, and 21% who belong to the 41–60 years age group. A smaller proportion, 4%, are above 60 years. This distribution suggests that the survey primarily reflects the views of young and middle-aged individuals, while senior respondents are comparatively fewer.

Table No. 3: Occupation based Analysis:

Particulars	No. of Respondents	Percentage
Student	33	33%
Working Professionals	46	46%
Self Employed	12	12%

Retired	9	9%
Total:	100	100%

Source: Primary Data




Interpretation: The occupation-wise distribution of respondents shows that working professionals constitute the largest group, making up 46% of the sample. This is followed by students at 33%, indicating a strong representation of younger or academically engaged individuals. Self-employed respondents account for 12%, while retired individuals represent only 9% of the sample..

Table No. 4: Monthly Income Analysis

Particulars	No. of Respondents	Percentage
Below ₹20,000	35	35%
₹20,001 – ₹40,000	15	15%
₹40,001 – ₹60,000	40	40%
Above ₹60,000	10	10%
Total:	100	100%

Source: Primary Data




Interpretation: The monthly income analysis reveals that 40% of the respondents fall within the income range of ₹40,001–₹60,000, making it the most represented category. Overall, the data suggests that the majority of respondents belong to middle-income groups, with relatively fewer high-income earners participating in the survey.

Table No. 5: Which Digital payment apps do you use regularly?

Particulars	No. of Respondents	Percentage
Google Pay	57	57%
PhonePe	16	16%
Paytm	21	21%
BHIM UPI	6	6%
Total	100	100%

Source: Primary Data




Interpretation: Most of the respondents use Google Pay (57%) regularly, making it the most preferred digital payment app. Paytm (21%) and PhonePe (16%) are used by a moderate number of respondents, while only a few respondents (6%) use BHIM UPI. This shows that Google Pay is the dominant app among users for digital payments.

Table No. 6: What is the main purpose of using digital payment?

Particulars	No. of Respondents	Percentage
Bill payments	29	29%
Online shopping	41	41%
Money transfer	25	25%
Grocery/Essential purchases	5	5%
Total:	100	100%

Source: Primary Data




Interpretation: The chart depicts that most of the respondents use digital payments mainly for online shopping (41%), making it the most common purpose. This is followed by bill payments (29%) and money transfers (25%), showing that a large number of users rely on digital payments for regular financial activities. Only 5% use digital payments for grocery or essential purchases, indicating limited usage for daily necessities.

Table No. 7 What are the challenges do you mostly faced while using Digital payment ?

Particulars	No. of Respondents	Percentage
Technical challenges	24	24%
Security and Privacy challenges	46	46%
Lack of digital literacy	5	5%
Trust issues	25	25%
Total:	100	100%

Source: Primary Data



Interpretation: The chart depicts that most of the respondents face challenges such as network issues, transaction failures, and security concerns while using digital payment methods. The most of challenges faced by consumer is due to the security and privacy issues(46%).

Table No. 8: Do Digital payment apps help you track your expenses?

Particulars	No. of Respondents	Percentage
Yes	91	91%
No	9	9%
Total:	100	100%

Source: Primary Data




Interpretation: The analysis shows that most of the respondents (91%) agreed that digital payment apps help them track their expenses, while only 9% stated that these apps do not assist in tracking. This indicates that digital payment platforms are widely perceived as effective tools for maintaining financial transparency and monitoring personal spending.

Table No. 9: Indicate your level of agreement with the following statements regarding the benefits of digital payment applications in managing financial transactions:

Statement	Strongly Agree	Agree	Neutral	Disagree	Strongly Disagree	Total
Digital payment apps make financial transactions faster and more convenient.	48	32	10	6	4	100
Digital payment apps help users track and record expenses accurately.	42	35	12	7	4	100
Digital payment apps reduce the need to carry physical cash.	55	28	7	5	5	100
Digital payment apps make budgeting and financial planning easier.	40	30	15	10	5	100

Security features in digital payment apps make transactions safer.	38	36	14	8	4	100
Overall, digital payment apps improve the management of financial transaction	50	30	10	6	4	100
Total	273	191	68	42	26	600

Source: Primary Data



Interpretation: The analysis shows that most respondents strongly agree or agree with the benefits of digital payment apps, especially in making transactions faster, reducing the need for physical cash, and improving overall financial management. Only a small proportion expressed neutral or negative opinions, indicating a generally positive perception of digital payment applications among consumers.

V. HYPOTHESIS TESTING

Hypothesis testing is a statistical method used to make decisions or draw conclusions about a population based on data collected from a sample. It helps researchers test an assumption (called a hypothesis) by comparing it with actual evidence.

T – Test : The t-test is a statistical method used to compare the means of two groups and determine if the difference between them is statistically significant. It is commonly used when: (i) The sample size is small. (ii) The population standard deviation is unknown.

Hypothesis (I)

H₀: There is no significant relationship between consumers using digital payment apps and their ability to track expenses

H₁: There is no significant relationship between consumers using digital payment apps and their ability to track expenses

Count of Do Digital payment apps help you track your expenses?	Column Labels		
Row Labels	No	Yes	Grand Total
Below 21	2	20	22
21 to 40	5	48	53
41 to 60	2	19	21
Above 60	0	4	4
Grand Total	9	91	100

t-Test: Paired Two Sample for Means		
	2	20
Mean	4	40.5
Variance	15.33333	1467
Observations	4	4
Pearson Correlation	0.997911	
Hypothesized Mean Difference	1	
df	3	
t Stat	-2.18056	
P(T<=t) one-tail	0.058643	
t Critical one-tail	2.353363	
P(T<=t) two-tail	0.117287	
t Critical two-tail	3.182446	

Interpretation: The t-test results indicate that the differences in “Yes” and “No” responses across age groups are not statistically significant. This means that the belief that digital payment apps help track expenses is consistent among respondents of all age categories. Although the majority in every age group answered “Yes,” the variations between the age groups are not large enough to be considered meaningful in a statistical sense.

ANOVA (Analysis of Variance): ANOVA is a statistical method used to compare the means of three or more groups to determine if there is a significant difference between them. Instead of doing multiple t-tests, ANOVA allows us to test all groups in a single analysis.

Hypothesis(2)

H₀: Digital payment applications do not provide significant benefits to consumers in managing their financial transactions.

H₁: Digital payment applications provide significant benefits to consumers in managing their financial transactions.

Count of Indicate your Level of Agreement with the Following Statement using the scale below:	Column Labels					
Statement	Strongly Disagree	Disagree	Neutral	Agree	Strongly Agree	Total
Digital payment apps make financial transactions faster and more convenient.	48	32	10	6	4	100
Digital payment apps help users track and record expenses accurately.	42	35	12	7	4	100
Digital payment apps reduce the need to carry physical cash.	55	28	7	5	5	100
Digital payment apps make budgeting and financial planning easier.	40	30	15	10	5	100
Security features in digital payment apps make transactions safer.	38	36	14	8	4	100
Overall, digital payment apps improve the management of financial transaction	50	30	10	6	4	100
Total	273	191	68	42	26	600

Anova: Single Factor						
SUMMARY						
Groups	Count	Sum	Average	Variance		
48	5	225	45	52		
32	5	159	31.8	12.2		
10	5	58	11.6	10.3		
6	5	36	7.2	3.7		

4	5	22	4.4	0.3		
ANOVA						
Source of Variation	SS	df	MS	F	P-value	F crit
Between Groups	6210	4	1552.5	98.88535	7.02E-13	2.866081
Within Groups	314	20	15.7			
Total	6524	24				

Interpretation: The ANOVA results show that there is a statistically significant difference in how respondents rated the various statements about the benefits of digital payment applications. Since the p-value is far below 0.05 and the F-calculated value is greater than the F-critical value, it means respondents did not rate all statements equally; some benefits were viewed more strongly than others.

VI. CONCLUSION

The study on the impact of digital payment applications on consumer spending and saving behaviour reveals that these platforms have significantly transformed the financial landscape in India. Digital payment apps such as Google Pay, PhonePe, Paytm, Amazon Pay, and BHIM UPI have made transactions faster, more convenient, and largely cashless. They provide users with tools to monitor expenses, manage budgets, and access rewards, which can positively influence saving habits and financial efficiency. However, the convenience and instant accessibility of these apps also present challenges. Impulsive spending, over-reliance on digital transactions, and concerns regarding security and technical failures are evident among consumers. The study highlights the dual nature of digital payment tools: while they promote convenience, efficiency, and financial transparency, they can also influence spending tendencies and create behavioral challenges.

Overall, a balance between utilizing the benefits of digital payment apps and maintaining financial discipline is essential. Educating consumers on responsible usage, combined with enhanced security measures, can ensure that these tools contribute positively to personal financial management. The findings provide insights for both consumers and service providers, helping design better strategies for a secure, efficient, and user-friendly digital payment ecosystem.

VII. REFERENCES

6.1 BIBLIOGRAPHY:

- Kaur, R. 2023. Impact of Digital Payments on Financial Behaviour of Millennials. International Journal of Financial Studies.
- Singh, P. 2023. Consumer Behaviour in Cashless Transactions. Journal of Consumer Studies.
- Rao, N. 2022. Security Concerns in Mobile Payment Systems. Journal of Cybersecurity and Fintech.
- Patel, M. 2022. Role of Incentives in Digital Payment Usage. Journal of FinTech Innovations.
- Dash, P., & Ranjan, R. 2022. Consumer Adoption of Digital Wallets in Urban India. Journal of Digital Finance.

6.2 WEBLIOGRAPHY:

- <https://www.rbi.org.in/Scripts/PublicationsView.aspx?id=20348>
- <https://government.economictimes.indiatimes.com/news/digital-payments/upi-transactions-hit-a-record-16-7-billion-worth-23-3-lakh-crore-in-december-24/116903279>
- https://www.business-standard.com/finance/news/upi-s-share-in-total-digital-payments-in-india-grows-to-83-in-2024-125012701372_1.html
- <https://www.npci.org.in/what-we-do/upi/product-statistics>

THE EFFECT OF MOBILE PHONE USE AT NIGHT ON THE SLEEP OF PRE-ADOLESCENT

Vivek Yashwant Katkar**ABSTRACT**

The increasing prevalence of mobile phone use among pre-adolescents has raised concerns about its potential impact on sleep patterns and overall health. This study aims to explore the effect of nighttime mobile phone use on the sleep of pre-adolescents through several objectives. Firstly, it seeks to determine the prevalence of mobile phone use at night in this age group and identify common usage patterns, such as social media engagement, gaming, and messaging. The research then investigates the impact of such use on sleep duration, comparing total sleep time between pre-adolescents who use mobile phones at night and those who do not. Additionally, the study evaluates how nighttime phone use affects sleep quality, considering aspects such as sleep latency, disturbances, and overall sleep quality.

Furthermore, the relationship between different types of mobile phone activities and sleep disruption is analyzed, examining whether activities like watching videos, texting, or gaming have varying effects on sleep patterns. The study also assesses the association between nighttime mobile phone use and daytime outcomes, such as sleepiness and cognitive performance, including attention span and academic performance. To deepen the understanding of these dynamics, the research explores potential mediating factors, such as blue light exposure and psychological arousal that might influence the relationship between phone uses and sleep quality. Gender and age differences in the impact of mobile phone use at night on sleep are also examined to identify any specific vulnerability within the pre-adolescent group.

Based on the findings, the study aims to provide evidence-based recommendations for parents, educators, and healthcare providers to mitigate the negative effects of nighttime mobile phone use on pre-adolescent sleep. These insights are expected to contribute to the development of guidelines to manage and reduce the use of mobile phones at night, promoting better sleep hygiene and overall well-being among pre-adolescents.

INTRODUCTION

In recent years, the increasing prevalence of mobile phone use among children and adolescents has become a subject of concern, particularly in relation to its impact on sleep health. Mobile phones, especially smartphones, have transformed how individuals communicate, entertain themselves, and access information. However, their use, especially during nighttime, poses potential risks for young users, particularly pre-adolescents. This age group, which typically encompasses children between 9 and 12 years old, is undergoing critical physical, cognitive, and emotional development, where adequate sleep plays a pivotal role.

Research suggests that using mobile phones at night can interfere with sleep quality and duration in pre-adolescents. Exposure to blue light emitted from screens is known to suppress melatonin production, a hormone that regulates sleep-wake cycles, potentially leading to delays in sleep onset and reduced overall sleep time. Additionally, the stimulating content available on mobile devices, such as social media, video games, and videos, can increase alertness, making it difficult for young users to unwind and fall asleep.

The implications of inadequate sleep in pre-adolescents are substantial, impacting academic performance, emotional well-being, and physical health. Understanding the effects of nighttime mobile phone use on sleep among pre-adolescents is crucial for parents, educators, and healthcare providers to develop strategies and guidelines that promote healthier habits and prevent long-term consequences on children's overall health and development

OBJECTIVES

1. To determine the prevalence of mobile phone use at night among pre-adolescents.
2. To evaluate the effect of mobile phone use at night on sleep quality in pre-adolescents.
3. To analyze the relationship between the type of mobile phone activity and sleep disruption in pre-adolescents.
4. To assess the association between nighttime mobile phone use and daytime sleepiness or cognitive performance in pre-adolescents.

HYPOTHESIS

H₀₁: There is no significant relationship between nighttime mobile phone use and sleep quality among pre-adolescents.

H₁₁: There is a significant relationship between nighttime mobile phone use and sleep quality among pre-adolescents.

H₀₂: Nighttime mobile phone use does not have a significant effect on sleep duration and sleep onset time among pre-adolescents.

H₁₂: Nighttime mobile phone use has a significant effect on sleep duration and sleep onset time among pre-adolescents.

SCOPE OF THE STUDY

The scope of this study is to examine the impact of mobile phone use during nighttime on the sleep patterns of pre-adolescents. The study focuses on pre-adolescents within a specific age group, typically between 9 and 12 years, to understand how bedtime mobile phone habits influence sleep duration, sleep quality, and sleep onset. It covers various aspects of mobile phone usage, including frequency, duration, and type of activities such as gaming, social media, and video viewing before sleep. The study also considers factors such as bedtime routines and parental supervision related to mobile phone use. The findings of this research are intended to provide useful insights for parents, educators, healthcare professionals, and policymakers to develop guidelines and awareness programs that promote healthy mobile phone usage and better sleep habits among pre-adolescents. However, the study does not aim to explore long-term psychological or medical conditions in depth, and its conclusions are limited to the selected sample and study period.

LITERATURE REVIEW

Cain, N., & Gradisar, M. (2010). Electronic media use and sleep in school-aged children and adolescents: A review. *Sleep Medicine*, 11(8), 735-742. This article reviews the impact of electronic media, including mobile phones, on the sleep of children and adolescents, highlighting sleep delay and reduced sleep quality.

Higuchi, S., Motohashi, Y., Liu, Y., & Maeda, A. (2005). Effects of VDT tasks with a bright display on melatonin levels and sleepiness. *Journal of Applied Physiology*, 94(5), 1773-1776. This study investigates the impact of screen light on melatonin suppression and its association with delayed sleep.

Roberts, R. E., Roberts, C. R., & Duong, H. T. (2009). Sleepless in adolescence: Prospective data on sleep deprivation, health and functioning. *Journal of Adolescent Health*, 45(4), 353-361. This article discusses the consequences of sleep deprivation on adolescents' health and daily functioning, which can stem from late-night mobile use.

LeBourgeois, M. K., Hale, L., Chang, A. M., Akacem, L. D., Montgomery-Downs, H. E., & Buxton, O. M. (2017). Digital media and sleep in childhood and adolescence. *Pediatrics*, 140(Supplement 2), S92-S96. This


paper explores how digital media use, including mobile phones, affects sleep patterns in children and adolescents, with recommendations for healthy media habits.

Twenge, J. M., Krizan, Z., & Hisler, G. (2017). Decreases in self-reported sleep duration among U.S. adolescents 2009-2015 and association with new media screen time. *Sleep Medicine*, 39, 47-53. This study examines trends in screen time and its association with reduced sleep duration among adolescents, noting the implications of nighttime phone use.

DATA ANALYSIS AND INTERPRETATION

1. What is your gender?

Response	Frequency	Percentage (%)
Female	22	44.0
Male	18	36.0
Other	8	16.0
Prefer not to say	2	4.0




Interpretation: The survey represents a diverse group of students, with a relatively even split between female and male participants, ensuring the findings reflect a broad student experience.

2. Would you be willing to reduce your mobile phone use at night if you knew it would improve your sleep quality?

Response	Frequency	Percentage (%)
Maybe	18	36.0
Yes, definitely	14	28.0
No, not really	13	26.0
No, not at all	5	10.0

Willingness to Reduce Phone Use




Interpretation: While 64% show some willingness (Yes/Maybe) to change their habits, a notable 36% are resistant. This suggests that for many, the habit is either seen as essential for unwinding or the perceived benefits of phone use outweigh the concerns about sleep quality.

3.How often do you use your mobile phone at night (after bedtime)?

Response	Frequency	Percentage (%)
Always (Every night)	16	32.0
Sometimes (3-4 times a week)	14	28.0
Often (5-6 times a week)	12	24.0
Rarely (1-2 times a week)	5	10.0
Never	3	6.0


Frequency of Nighttime Phone Use



Interpretation: The majority of respondents (84%) use their mobile phones at night at least three times a week, with 32% reporting usage every single night. Only a small fraction (6%) refrain from using their phones after bedtime, indicating that nighttime phone usage is a deeply ingrained habit among the surveyed demographic.

4. What activities do you most commonly use your mobile phone for at night?


Response	Frequency	Percentage (%)
Social Media	19	38.0
Watching Videos	12	24.0
Messaging/Chatting	8	16.0
Browsing the Internet	5	10.0
Gaming	4	8.0
Other	2	4.0



Interpretation: Social Media (38%) and Watching Videos (24%) are the most prevalent activities. These results suggest that students primarily seek entertainment or social connection late at night, activities that are often mentally stimulating and can lead to "infinite scrolling," delaying sleep onset.

5. How long does it usually take you to fall asleep after using your mobile phone at night?


Response	Frequency	Percentage (%)
More than 30 minutes	18	36.0
15-30 minutes	15	30.0
5-15 minutes	12	24.0
Less than 5 minutes	5	10.0



Interpretation: A significant 66% of respondents take more than 15 minutes to fall asleep, with 36% taking over half an hour. This suggests that the stimulation from mobile phone use or the exposure to blue light may be extending sleep latency significantly compared to the 10-20 minute average for healthy sleepers.

6. How often do you experience sleep disturbances (waking up in the middle of the night) after using your mobile phone at night?


Response	Frequency	Percentage (%)
Often	18	36.0
Sometimes	12	24.0
Rarely	11	22.0
Always	5	10.0
Never	4	8.0



Interpretation: Sleep fragmentation is high among users, with 46% (Often + Always) experiencing frequent mid-night awakenings. This indicates that nighttime phone use doesn't just delay sleep onset but also impacts the continuity and depth of sleep throughout the night.

7. How would you rate the quality of your sleep on nights when you use your mobile phone?


Response	Frequency	Percentage (%)
Poor	21	42.0
Fair	11	22.0
Good	7	14.0
Very poor	7	14.0
Very good	4	8.0



Interpretation: Over half of the participants (56%) rate their sleep quality as "Poor" or "Very Poor" on nights they use their phones. This provides a clear subjective link between nighttime device usage and unsatisfactory rest.

8. Which of the following activities do you feel most disrupts your sleep at night?


Response	Frequency	Percentage (%)
Browsing Social Media	20	40.0
Watching Videos	13	26.0
Texting/Chatting	7	14.0
Gaming	7	14.0
None of the above	3	6.0



Interpretation: "Browsing Social Media" is perceived as the most disruptive activity (40%), likely due to the dopamine-driven nature of the platforms which encourages longer-than-intended usage. Watching videos follows as the second most disruptive factor.

9. How often do you feel sleepy during the day after using your mobile phone at night?


Response	Frequency	Percentage (%)
Often	18	36.0
Sometimes	14	28.0
Rarely	9	18.0
Always	6	12.0
Never	3	6.0



Interpretation: The daytime consequences are evident, with 48% (Often + Always) of students feeling regularly fatigued during the day. This suggests that nighttime phone use has a direct impact on their energy levels and academic performance during college hours.

10. Have you noticed a decline in your attention span or concentration at school after using your phone at night?


Response	Frequency	Percentage (%)
Not at all	13	26.0
Moderately	13	26.0
Significantly	12	24.0
Slightly	12	24.0



Interpretation: Approximately 74% of respondents admit to some level of decline in concentration at school. This highlights the academic risk associated with poor sleep hygiene driven by late-night phone habits.

11. Which of the following strategies would you consider to help reduce nighttime mobile phone use?

Response	Frequency	Percentage (%)
Using "Do Not Disturb" mode	20	40.0
Setting a phone curfew	14	28.0
Using an app to monitor/limit usage	7	14.0
Removing the phone from the bedroom	5	10.0
None of the above	4	8.0



Interpretation: The most popular intervention is "Do Not Disturb" mode (40%). Strategies that allow the phone to remain nearby but silent are preferred over more drastic measures like removing the phone from the bedroom entirely (10%).

CONCLUSION

In conclusion, nighttime mobile phone use has significant implications for the sleep quality and overall health of pre-adolescents. Research indicates that pre-bedtime screen exposure, particularly from mobile devices, can interfere with sleep patterns, reduce sleep duration, and impair sleep quality. Factors such as blue light exposure from screens, stimulating content, and the interactive nature of digital activities contribute to delayed sleep onset and fragmented sleep. This disruption is particularly concerning for pre-adolescents, a group undergoing critical physical, cognitive, and emotional development that requires adequate sleep. Poor sleep during these formative years can lead to issues with academic performance, emotional stability, and physical health, increasing the risk of long-term challenges. Understanding these effects highlights the importance of managing mobile phone use at night, encouraging screen-free times before bed, and fostering healthier sleep habits. Future research, including longitudinal studies and objective sleep measurements, could provide a clearer picture of the lasting impact of nighttime mobile phone use on pre-adolescents, enabling parents, educators, and healthcare professionals to take proactive steps in promoting better sleep practices for children.

BIBLIOGRAPHY

- <https://pubmed.ncbi.nlm.nih.gov/35400615/?utm>
- <https://www.sciencedirect.com/science/article/abs/pii/S2352721822000158?utm>
- <https://www.mdpi.com/1660-4601/16/3/518?utm>
- <https://pubmed.ncbi.nlm.nih.gov/30447141/?utm>
- <https://bmcpublichealth.biomedcentral.com/articles/10.1186/s12889-022-14076-x?utm>

A STUDY ON EVALUATING WORKFORCE RESKILLING MODELS FOR AI-INTEGRATED WORK ENVIRONMENTS

Tanzila Mehfooz Khan

M com(Advance Accountancy) SIES (Nerul) College of Arts, Science and Commerce (Autonomous)

ABSTRACT

The fast adoption of Artificial Intelligence (AI) in sectors has altered the nature of jobs and the level of skills demanded considerably, introducing an increasing demand to reskill the workforce. With the implementation of AI-driven systems in organizations to enhance efficiency and make decisions, organizational workers are forced to acquire new technical and adaptive skills to keep up with the time. This paper reviews models of reskilling the workforce based on AI-based work systems such as digital learning systems, on-the-job training solutions, certification programs, and industry-academia partnerships. It investigates how well these models may be used to fill skill gaps and promote the flexible nature of employees besides determining the important aspects that define effective reskilling efforts including organizational support, accessibility, and alignment with industry requirements. The research is expected to present the knowledge that could be useful in pursuing effective reskilling policies and facilitating workforce readiness to comply with an AI-driven, sustainable, and sustainable future of work.

Keywords: *Reskilling of Workforce, Artificial Intelligence, Work Environment with AI, Skilling Development, Future of Work.*

I. INTRODUCTION

The fast adoption of Artificial Intelligence (AI) in the world of industries is changing the character of work, occupation, and demanded skills. Organizations are becoming more and more dependent on AI-driven technologies in order to improve the productivity, automatize routine tasks, and facilitate the data-driven decision-making process. As much as these developments present great challenges of advancing and being efficient, there are gaps in skills in the workforce already in place. In that regard, workforce reskilling has become a strategic priority of critical importance to organizations, policymakers, and educational institutions, nowadays. Reskilling models like on-the-job training, online learning, certification and industry-academia collaboration are expected to provide employees with a set of technical, creative, and soft skills to work in an AI-enabled workplace. These models however are not effective in all organizations depending on the organizational support, learning design, employee engagement, and industry needs. This paper aims at assessing various models of workforce reskilling employed in AI-based workplaces to learn about how well they can address skills shortages and enhance employability. The study will use the available reskilling strategies, issues, and performance to determine the best practices that foster sustainable development of the workforce. This study is likely to offer useful information to organizations and stakeholders when it comes to developing effective reskilling plans that would facilitate a proper transition into an artificial intelligence-based future of work.

II. RESEARCH METHODOLOGY**2.1 OBJECTIVE OF THE STUDY:**

- To examine the need for workforce reskilling arising from the integration of Artificial Intelligence in work environments.
- To study the various workforce reskilling models adopted in AI-integrated organizations.
- To evaluate the effectiveness of existing reskilling initiatives in bridging skill gaps and enhancing employee adaptability to AI-based work processes.
- To identify key factors influencing the success of reskilling models in supporting continuous learning and employability in AI-driven workplaces.

2.2 HYPOTHESIS OF THE STUDY:**Hypothesis 1**

H0: There is no significant level of familiarity with Artificial Intelligence (AI) among employees in the workplace.

H1: Artificial Intelligence (AI) has significantly changed the skill requirements of employees' job roles.

Hypothesis 2

H0: There is no significant preference for any particular reskilling model among employees for AI-related skill development.

H1: Employees show a significant level of confidence in using AI-based tools after undergoing reskilling training.

2.3 SCOPE OF THE STUDY:

The current research is aimed at assessing models of reskilling workforce in AI-based work settings through assessing levels of employee awareness on AI, modifications in skill needs, the presence and accessibility of reskilling initiatives, trust in the uses of AI-based tools, and employee perceptions of employability advantages. It will review the best reskilling strategies that are often implemented including digital learning tools, on-the-job training, certification, and industry-academia partnerships, according to the perceptions of employees as documented by the survey answers. It also discusses the major aspects that determine the success of reskilling initiatives, such as organizational support and engagement, in accordance with objectives and hypotheses of the study. The research does not evaluate the particular AI technology but underlines the importance of reskilling plans in increasing the adaptability and labour preparedness in an AI-driven job setting.

2.4 SAMPLING:

A. Area or Universe of research: The study covers employees working in organizations where Artificial Intelligence (AI) is used in work processes.

B. Sampling Method: Random sampling method

C. Sample Size: 100 samples

2.5 METHODS OF DATA COLLECTION:

Data collection is a systematic process of gathering observations or measurements. Under this study both the Sources of the data has been used i.e. Primary data and Secondary data.

Primary Data: Primary data were collected through a structured questionnaire from employees to understand AI usage, reskilling programs, and their effectiveness.

Secondary Data: The sources of secondary data are collected from Internet, Books, Articles.

2.6 DATA ANALYSIS:

2.6.1 Data Analysis tools:

For the purpose of analysis the information obtained through primary data the tools used are percentages, weighted average, etc.

2.6.2 Data Presentation tools:

The tools used for presentation are: Tables, Graphs, Charts and Diagrams.

III. LITERATURE REVIEW

Kumar, S., 2023 – Reskilling the workforce in AI-Driven Organizations. In the research, it is emphasized that the adoption of AI alters the skills requirement dramatically, so reskilling is vital to perform on a regular basis. The adaptability and confidence demonstrated by employees in the work environment that is enabled by AI are greater among the employees who undergo organized reskilling programs.

Sharma, A., 2023 - Employee Preparedness to AI-Integrated Workplaces. Results have shown that the level of awareness concerning AI tools and the availability of appropriate training programs enhance the extent to which employees are willing to embrace change in technology.

Patel, R., 2022 - AI Reskilling on Digital Learning Platforms. It was discovered that online learning platforms and certification programs are good in developing technical skills and flexibility of learning particularly to working professionals.

Rao, M., 2022 - Organization Support and Reskilling results. The paper underlines that management support, learning culture, and resource availability are critical to the success of workforce reskilling programs.


Gupta, N. & Mehta, S., 2021 - Skill Development through Industry-Academia Collaboration. The study demonstrates that industry-educational institution collaborative training programs can be used to reduce skill gaps and enhance employability in AI-based workplaces.

IV. DATA ANALYSIS AND INTERPRETATION

Table No. 1: Age based Analysis:

Particulars	No. of Respondents	Percentage
18-25	50	50%
26-35	30	30%
36-45	15	15%
46 and above	5	5%
Total:	100	100%

Source: Primary Data




Interpretation:

The table shows that the majority of respondents belong to the 18–25 age group (50%), indicating a younger sample dominance. This is followed by the 26–35 age group (30%), while 36–45 years account for 15% of respondents. Only 5% are aged 46 years and above, showing minimal representation of older participants.

Table No. 2: Gender based Analysis:

Particulars	No. of Respondents	Percentage
Male	40	40%
Female	30	30%
Prefer not to say	30	30%
Total:	100	100%

Source: Primary Data



Interpretation:


The table indicates that male respondents form the largest group (40%). Both female respondents and those who preferred not to disclose their gender account for 30% each. This shows a fairly balanced gender representation, with slight male predominance in the sample.

Table No. 3: How familiar are you with the use of Artificial Intelligence (AI) in your workplace?

Particulars	No. of Respondents	Percentage
Very familiar	20	20%
Somewhat familiar	20	20%
Neutral	30	30%

Slightly familiar	20	20%
Not familiar at all	10	10%
Total:	100	100%

Source: Primary Data




Interpretation:

The table shows that most respondents have a moderate to high level of familiarity with AI. About 50% are either very familiar (20%) or familiar (30%), while 20% are somewhat familiar. A smaller proportion shows low awareness, with 20% slightly familiar and 10% not familiar at all, indicating overall reasonable exposure to AI in the workplace.

Table No. 4: To what extent has AI changed the skills requirements of your job role?

Particulars	No. of Respondents	Percentage
To a great extent	12	12%
To a moderate extent	25	25%
To some extent	37	37%
To a small extent	25	25%
Not at all	1	1%
Total:	100	100%

Source: Primary Data




Interpretation:

The table indicates that AI has noticeably influenced skill requirements for most respondents. A majority (74%) report changes to a moderate (37%), some (25%), or great extent (12%), showing a significant impact of AI on job skills. Only a small proportion (26%) feel minimal or no change, suggesting AI-driven skill shifts are widely experienced.

Table No. 5: Does your organization provide reskilling or upskilling programs related to AI?

Particulars	No. of Respondents	Percentage
Yes, regularly	35	35%
Yes, occasionally	40	40%
Rarely	20	20%
Only for selected employees	4	4%
Not at all	1	1%
Total:	100	100%

Source: Primary Data



Interpretation:

The table reveals that a majority of organizations provide AI-related reskilling support in some form. About 35% of respondents report that reskilling programs are offered regularly, while 40% say they are provided occasionally. However, 20% indicate such programs are available only for selected employees, and a small proportion (5%) report rare or no provision, suggesting uneven access to AI upskilling initiatives.

Table No. 6: How relevant are the reskilling programs to your current job requirements?

Particulars	No. of Respondents	Percentage
Highly relevant	20	20%
Moderately relevant	20	20%
Neutral	30	30%
Slightly relevant	20	20%
Not relevant	10	10%
Total:	100	100%

Source: Primary Data



Interpretation:

The table shows that most respondents perceive AI reskilling programs as relevant to their current job requirements. About 40% rate them as highly or moderately relevant, while 30% consider them neutral. A smaller proportion (30%) find them slightly or not relevant, indicating that although relevance is generally positive, alignment with job needs can still be improved.

Table No. 7: Which reskilling model have you mainly participated in?

Particulars	No. of Respondents	Percentage
On-the-job training	30	30%
Online/digital learning platforms	40	40%
Certification or professional courses	10	10%
Industry-academia collaboration programs	15	15%
None	5	5%
Total:	100	100%

Source: Primary Data


**Interpretation:**

The data shows that online/digital learning platforms are the most preferred reskilling model, with 40% participation. This is followed by industry-academia collaboration programs (30%). Certification or professional courses account for 15%, while on-the-job training represents 10%. None of the respondents participated in other models (5%), indicating a strong preference for flexible, technology-based learning methods.

Table No. 8: How confident do you feel in using AI-based tools after reskilling training?

Particulars	No. of Respondents	Percentage
1	3	3%
2	12	12%
3	20	20%
4	45	45%
5	20	20%
Total:	100	100%

Source: Primary Data


**Interpretation:**

The table shows respondents' confidence in using AI-based tools after reskilling training. Most respondents feel confident, with 45% reporting high confidence (Level 4) and 20% very high confidence (Level 5). A smaller proportion shows moderate confidence (20% at Level 3), while only 15% report low confidence (Levels 1 and 2). Overall, the results indicate that reskilling training has been effective in improving confidence in using AI-based tools.

Table No. 9: Do you believe workforce reskilling improves employability in an AI-driven work environment?

Particulars	No. of Respondents	Percentage
Strongly agree	50	50%
Agree	30	30%
Neutral	15	15%
Disagree	5	5%
Strongly disagree	0	0%
Total:	100	100%

Source: Primary Data

**Interpretation:**

The table indicates a strong positive belief that workforce reskilling improves employability in an AI- driven work environment. A majority of respondents strongly agree (50%) or agree (30%), showing broad support for reskilling initiatives. 15% remain neutral, while only 5% disagree and none strongly disagree. Overall, the findings suggest that most respondents recognize reskilling as essential for improving employability in the AI era.

V. HYPOTHESIS TESTING**Hypothesis 1**

H0: There is no significant level of familiarity with Artificial Intelligence (AI) among employees in the workplace.

H1: Artificial Intelligence (AI) has significantly changed the skill requirements of employees' job roles.

Count of How Familiar are you with the use of Artificial Intelligence (AI) in your workplace?	Column Labels					Grand Total
	To a great extent	To a moderate extent	To some extent	To a small extent	Not at all	
Very familiar	12	8	0	0	0	20
Somewhat familiar	0	10	10	0	0	20
Neutral	0	7	20	3	0	30
Slightly familiar	0	0	7	13	0	20
Not familiar at all	0	0	0	9	1	10
Total	12	25	37	25	1	100

Anova: Single Factor

SUMMARY

Groups	Count	Sum	Average	Variance
12	4	0	0	0
8	4	17	4.25	25.58333
0	4	37	9.25	68.91667
0	4	25	6.25	34.25
0	4	1	0.25	0.25

ANOVA

Source of Variation	SS	df	MS	F	P-value	Fcrit
Between Groups	251	4	62.75	2.432171	0.09297	3.055568
Within Groups	387	15	25.8			
Total	638	19				

Interpretation:

The ANOVA results show that the calculated F value (2.43) is less than the critical F value (3.05) and the p-value (0.092) is greater than 0.05. **Hence, the null hypothesis is accepted.** This indicates that there is no statistically significant difference in employees' familiarity with Artificial Intelligence across groups, suggesting that AI has not significantly changed skill requirements at a statistically significant level, based on the given data.

Hypothesis 2

H0: There is no significant preference for any particular reskilling model among employees for AI- related skill development.

H1: Employees show a significant level of confidence in using AI-based tools after undergoing reskilling training.

Count of Which reskilling model have you mainly participated in?	Column Labels					
Row Labels	1	2	3	4	5	Grand Total
On-the-job training	1	4	6	12	7	30
Online/digital learning platforms	1	5	8	18	8	40
Certification or professional courses	0	1	2	4	3	10
Industry-academia collaboration programs	1	2	3	7	2	15
None	0	0	1	4	0	5
Total	3	12	20	45	20	100

Anova: Single Factor

SUMMARY

Groups	Count	Sum	Average	Variance
1	4	2	0.5	0.333333
4	4	8	2	4.666667
6	4	14	3.5	9.666667
12	4	33	8.25	44.25
7	4	13	3.25	11.58333

ANOVA

Source of Variation	SS	df	MS	F	P-value	F crit
Between Groups	135.5	4	33.875	2.402482	0.095852	3.055568
Within Groups	211.5	15			14.1	
Total	347	19				

Interpretation:

The table shows that online/digital learning platforms (40%) and on-the-job training (30%) are the most commonly used reskilling models, followed by industry-academia collaboration programs (15%) and certification/professional courses (10%), while very few respondents reported no participation.

The ANOVA results indicate that the calculated F value (2.40) is less than the critical F value (3.06) and the p-value (0.096) is greater than 0.05. **Therefore, the null hypothesis is accepted,** suggesting that there is no statistically significant difference in outcomes across different reskilling models based on the given data.

VI. CONCLUSION

The paper about the models of reskilling of workforce in AI-focused work environments emphasized the ways in which Artificial Intelligence has transformed job tasks and skills demands to a considerable degree. Although AI has been adopted to enhance efficiency and automation, it also results in skill gaps that need to be addressable through reskilling. To overcome these challenges, organizations are adopting reskilling strategies like digital learning systems, job training, certification and industry-academia partnerships.

The results indicate that successful reskilling programs make the employees more flexible, confident, and willing to collaborate with AI technologies. Access to training, organizational support, and alignment to needs in the industry are significant factors when it comes to the success of these programs. Nevertheless, issues like low participation and limited time are still there.

On the whole, the paper highlights the importance of systematic and sustainable reskilling initiatives to make the workforce sustainable and employable in a workforce dominated by AI.

VII. REFERENCES**6.1 BIBLIOGRAPHY:**

- Kumar, S. 2023. Workforce Reskilling in AI-Driven Organizations. International Journal of Human Resource Management.
- Sharma, A. 2023. Employee Readiness for AI-Integrated Workplaces. Journal of Organizational Development.
- Patel, R. 2022. Effectiveness of Digital Learning Platforms for AI Reskilling. Journal of Learning and Development.
- Rao, M. 2022. Organizational Support and Reskilling Outcomes in AI-Based Work Environments. Journal of Management Studies.
- Gupta, N., & Mehta, S. 2021. Industry–Academia Collaboration for Skill Development in the Age of AI. Journal of Education and Workforce Development.

6.2 WEBLIOGRAPHY:

- <https://www.weforum.org/agenda/2020/10/skills-jobs-workers-future-of-work/>
- <https://www.mckinsey.com/featured-insights/future-of-work/why-skills-matter-in-the-age-of-ai>
- <https://www.oecd.org/employment/emp/skills-for-a-future-workforce.htm>
- <https://www.ilo.org/global/topics/future-of-work/publications/lang--en/index.htm>

MANUSCRIPT SUBMISSION

GUIDELINES FOR CONTRIBUTORS

1. Manuscripts should be submitted preferably through email and the research article / paper should preferably not exceed 8 – 10 pages in all.
2. Book review must contain the name of the author and the book reviewed, the place of publication and publisher, date of publication, number of pages and price.
3. Manuscripts should be typed in 12 font-size, Times New Roman, single spaced with 1" margin on a standard A4 size paper. Manuscripts should be organized in the following order: title, name(s) of author(s) and his/her (their) complete affiliation(s) including zip code(s), Abstract (not exceeding 350 words), Introduction, Main body of paper, Conclusion and References.
4. The title of the paper should be in capital letters, bold, size 16" and centered at the top of the first page. The author(s) and affiliations(s) should be centered, bold, size 14" and single-spaced, beginning from the second line below the title.

First Author Name1, Second Author Name2, Third Author Name3

1 Author Designation, Department, Organization, City, email id

2 Author Designation, Department, Organization, City, email id

3 Author Designation, Department, Organization, City, email id

5. The abstract should summarize the context, content and conclusions of the paper in less than 350 words in 12 points italic Times New Roman. The abstract should have about five key words in alphabetical order separated by comma of 12 points italic Times New Roman.
6. Figures and tables should be centered, separately numbered, self explained. Please note that table titles must be above the table and sources of data should be mentioned below the table. The authors should ensure that tables and figures are referred to from the main text.

EXAMPLES OF REFERENCES

All references must be arranged first alphabetically and then it may be further sorted chronologically also.

• Single author journal article:

Fox, S. (1984). Empowerment as a catalyst for change: an example for the food industry. *Supply Chain Management*, 2(3), 29–33.

Bateson, C. D., (2006), 'Doing Business after the Fall: The Virtue of Moral Hypocrisy', *Journal of Business Ethics*, 66: 321 – 335

• Multiple author journal article:

Khan, M. R., Islam, A. F. M. M., & Das, D. (1986). A Factor Analytic Study on the Validity of a Union Commitment Scale. *Journal of Applied Psychology*, 12(1), 129-136.

Liu, W.B, Wongcha A, & Peng, K.C. (2012), "Adopting Super-Efficiency And Tobit Model On Analyzing the Efficiency of Teacher's Colleges In Thailand", *International Journal on New Trends In Education and Their Implications*, Vol.3.3, 108 – 114.

- **Text Book:**

Simchi-Levi, D., Kaminsky, P., & Simchi-Levi, E. (2007). *Designing and Managing the Supply Chain: Concepts, Strategies and Case Studies* (3rd ed.). New York: McGraw-Hill.

S. Neelamegham," Marketing in India, Cases and Reading, Vikas Publishing House Pvt. Ltd, III Edition, 2000.

- **Edited book having one editor:**

Raine, A. (Ed.). (2006). *Crime and schizophrenia: Causes and cures*. New York: Nova Science.

- **Edited book having more than one editor:**

Greenspan, E. L., & Rosenberg, M. (Eds.). (2009). *Martin's annual criminal code: Student edition 2010*. Aurora, ON: Canada Law Book.

- **Chapter in edited book having one editor:**

Bessley, M., & Wilson, P. (1984). Public policy and small firms in Britain. In Levicki, C. (Ed.), *Small Business Theory and Policy* (pp. 111–126). London: Croom Helm.

- **Chapter in edited book having more than one editor:**

Young, M. E., & Wasserman, E. A. (2005). Theories of learning. In K. Lamberts, & R. L. Goldstone (Eds.), *Handbook of cognition* (pp. 161-182). Thousand Oaks, CA: Sage.

- **Electronic sources should include the URL of the website at which they may be found, as shown:**

Sillick, T. J., & Schutte, N. S. (2006). Emotional intelligence and self-esteem mediate between perceived early parental love and adult happiness. *E-Journal of Applied Psychology*, 2(2), 38-48. Retrieved from <http://ojs.lib.swin.edu.au/index.php/ejap>

- **Unpublished dissertation/ paper:**

Uddin, K. (2000). A Study of Corporate Governance in a Developing Country: A Case of Bangladesh (Unpublished Dissertation). Lingnan University, Hong Kong.

- **Article in newspaper:**

Yunus, M. (2005, March 23). Micro Credit and Poverty Alleviation in Bangladesh. *The Bangladesh Observer*, p. 9.

- **Article in magazine:**

Holloway, M. (2005, August 6). When extinct isn't. *Scientific American*, 293, 22-23.

- **Website of any institution:**

Central Bank of India (2005). *Income Recognition Norms Definition of NPA*. Retrieved August 10, 2005, from <http://www.centralbankofindia.co.in/home/index1.htm>, viewed on

7. The submission implies that the work has not been published earlier elsewhere and is not under consideration to be published anywhere else if selected for publication in the journal of Indian Academicians and Researchers Association.


8. Decision of the Editorial Board regarding selection/rejection of the articles will be final.

www.iaraedu.com

Journal

ISSN 2322 - 0899

**INTERNATIONAL JOURNAL OF RESEARCH
IN MANAGEMENT & SOCIAL SCIENCE**



Volume 8, Issue 2
April - June 2020

www.iaraedu.com

Journal

ISSN 2394 - 9554

**International Journal of Research in
Science and Technology**

Volume 6, Issue 2: April - June 2019



Indian Academicians and Researchers Association
www.iaraedu.com

**Become a member of IARA to avail
attractive benefits upto Rs. 30000/-**

<http://iaraedu.com/about-membership.php>



INDIAN ACADEMICIANS AND RESEARCHERS ASSOCIATION

Membership No: M / M – 1365

Certificate of Membership

This is to certify that

XXXXXXXXXX

is admitted as a

Fellow Member

of

Indian Academicians and Researchers Association

in recognition of commitment to Educational Research

and the objectives of the Association



Date: 27.01.2020


Director


President



INDIAN ACADEMICIANS AND RESEARCHERS ASSOCIATION

Membership No: M / M – 1365

Certificate of Membership

This is to certify that

XXXXXXXXXX

is admitted as a

Life Member

of

Indian Academicians and Researchers Association

in recognition of commitment to Educational Research
and the objectives of the Association



Date: 27.01.2020

Director

President



INDIAN ACADEMICIANS AND RESEARCHERS ASSOCIATION

Membership No: M / M – 1365

Certificate of Membership

This is to certify that

XXXXXXXXXX

is admitted as a

Member

of

Indian Academicians and Researchers Association

in recognition of commitment to Educational Research

and the objectives of the Association



Date: 27.01.2020

Director

President

IARA Organized its 1st International Dissertation & Doctoral Thesis Award in September'2019

1st International Dissertation & Doctoral Thesis Award (2019)



Organized By



Indian Academicians and Researchers Association (IARA)




EMPYREAL PUBLISHING HOUSE


www.editedbook.in

**Publish Your Book, Your Thesis into Book or
Become an Editor of an Edited Book with ISBN**


BOOKS PUBLISHED




Dr. Stuti Deka
ISBN : 978-81-930928-1-1




Dr. Tazyn Rahman
ISBN : 978-81-930928-0-4




Mr. Dinbandhu Singh
ISBN : 978-81-930928-3-5



Dr. Ismail Thamarasseri
ISBN : 978-81-930928-2-8




Ram Jaladurgam
Dr. S. Anand Reddy
ISBN : 978-81-930928-5-9



Dr. Sanjeev Bansal, Dr. Vijit Chaturvedi
Dr. Tazyn Rahman, Dr. Parikshit Joshi
ISBN : 978-81-930928-6-6




Ashish Kumar Sinha, Dr. Soubhik Chakraborty
Dr. Amritanjali
ISBN : 978-81-930928-8-0




Dr. Sanjeev Bansal, Dr. Vijit Chaturvedi
Dr. Tazyn Rahman, Dr. Parikshit Joshi
ISBN : 978-81-936264-0-5




Dr. Jyotsna Golhar
Dr. Sujit Metre
ISBN : 978-81-936264-6-7



Dr. Aarushi Kataria
ISBN : 978-81-936264-3-6



Dr. Sanjam Upadhyay
ISBN : 978-81-936264-5-0



Dr. Rita
ISBN : 978-81-930928-7-3



Dr. Manas Ranjan Panda, Dr. Prabodha Kr. Hota
ISBN : 978-81-930928-4-2



Poomima University
ISBN : 978-8193-6264-74



Institute of Public Enterprise
ISBN : 978-8193-6264-4-3

Dr. Jazib Malik
Prof. Dr. Syed Mansoor Ali
Dr. Ghina Perdomo
Prof. Dr. Javed Mumtaz

ISBN : 978-81-936264-9-8



Dr. Abhitesh Kedia
Dr. Pandita Senthil Kumar

ISBN : 978-81-939070-0-9

A graphic featuring a stylized tree with branches. The leaves are replaced by social media icons: YouTube, Twitter, LinkedIn, Instagram, Facebook, Pinterest, and Google+. Below the tree, the words "Social" and "Media" are written in white on a blue and orange background respectively. Below that, the words "Visibility", "Connectivity", and "Branding" are listed in a smaller font. At the bottom, the word "MARKETING" is written in large, bold, red capital letters.

Dr. Vinod S. Chandewani

ISBN : 978-81-939070-2-3

Prof. Dr. Mohammed A. Khamis-Barakat

ISBN : 978-81-939070-1-6

A hand holding a glowing orb with financial charts in the background.

Dr. C. Suresh Babu Rajakumar
Dr. M. Ramesh
Dr. C. Kothiraman
Dr. Rincy V. Mathan

ISBN : 978-81-939070-4-7

Dr. C. Samuel Rajakumar
Dr. M. Ramiah
Dr. C. Kathiravan
Dr. Elang V. Mathew

ISBN - 978-81-939070-6-3

Dr. C. Sumanthra Rajakumar
Dr. M. Ramesh
Dr. C. Kaliraman
Dr. Rincy V. Mathew

ISBN - 978-81-939070-7-8

Dr. V. J. PATE,
Dr. M. Mathalingam,
Dr. A. Thompson,
Dr. J. Nelson, Samuel Johnston

ISBN • 978-81-939070-0-2

English Journal

ISBN - 978-81-939770-8-5

Project Management



Dr. R. Emmaniel

ISBN : 978-81-939070-3-0

The *théâtre engagé* American Drama from the '29 Crash to World War II

Dr. Sarala Barnabas

Dr. Sarala Barnabas

ISBN : 978-81-941253-3-4



AUTHORS
Dr. M. Banumathi
Dr. C. Samudhra Rajakumar

Dr. M. Banumathi

Dr. C. Samudhra Rajakumar

ISBN : 978-81-939070-5-4

VIJANAN COMMERCE AND MANAGEMENT



Dr. Rahini Kelkar

Dr. (Mrs.) Rohini Kelkar

ISBN : 978-81-941253-0-3

Recent Research Trends in Management and Social Science



Dr. Tazyn Rahman

Dr. Tazyn Rahman

ISBN : 978-81-941253-2-7

VIJANAN INFORMATION TECHNOLOGY



N. Lakshmi Kavitha
Mithila Satam

Dr. N. Lakshmi Kavitha

Mithila Satam

ISBN : 978-81-941253-1-0

Emerging Research Trends in Management and Social Science



Dr. Hires S. Luhar
Prof. Arti Sharma

Dr. Hires S. Luhar
Prof. Arti Sharma

ISBN : 978-81-941253-4-1

Life of Slum Occupants & Saving Pattern



Dr. Hires S. Luhar
Dr. Ashok S. Luhar

Dr. Hires S. Luhar
Dr. Ashok S. Luhar

ISBN : 978-81-941253-5-8

Computerised Information System: Concepts & Applications



Babita Kanojia
Dr. Arvind S. Luhar

Dr. Babita Kanojia
Dr. Arvind S. Luhar

ISBN : 978-81-941253-7-2

SKILLS FOR SUCCESS



SK Nathan
SW Rajamonaharane

Dr. Sw Rajamonaharane
SK Nathan
ISBN : 978-81-942475-0-0

Witness Protection Regime An Indian Perspective



Aditi Sharma

Aditi Sharma
ISBN : 978-81-941253-8-9

Self-Finance Courses: Popularity & Financial Viability



Dr. Ashok S. Luhar
Dr. Hitesh S. Luhar

Dr. Ashok S. Luhar
Dr. Hitesh S. Luhar
ISBN : 978-81-941253-6-5

SMALL SCALE INDUSTRIES MANAGEMENT Issues, Challenges and Opportunities



Dr. B. Augustine Arockiaraj

Dr. B. Augustine Arockiaraj
ISBN : 978-81-941253-9-6



SPOILAGE OF VALUABLE SPICES BY MICROBES

Dr. Kuljinder Kaur

Dr. Kuljinder Kaur
ISBN : 978-81-942475-4-8

Financial Capability of Students: An Increasing Challenge in Indian Economy

Dr. Priyanka Malik



Dr. Priyanka Malik
ISBN : 978-81-942475-1-7

THE RELATIONSHIP BETWEEN ORGANIZATION CULTURE AND EMPLOYEE PERFORMANCE: HOSPITALITY SECTOR



Dr. Rekha P. Khosla

Dr. Rekha P. Khosla
ISBN : 978-81-942475-2-4

A GUIDE TO

TWIN LOBE BLOWER AND ROOT BLOWER TECHNIQUE



Dilip Pandurang Deshmukh

Dilip Pandurang Deshmukh
ISBN : 978-81-942475-3-1



SILVER JUBILEE COMMEMORATIVE LECTURE SERIES 2019-SNGC

Dr. D. Kalpana
Dr. M. Thangavel

Dr. D. Kalpana, Dr. M. Thangavel
ISBN : 978-81-942475-5-5



Indian Commodity Futures and Spot Markets

Dr. Aloysius Edward J.

Dr. Aloysius Edward J.
ISBN : 978-81-942475-7-9



Correlates of Burnout Syndrome Among Servicemen

Dr. Binemary Obhagart Ekechukwu

Dr. R. O. Ekechukwu
ISBN : 978-81-942475-8-6

Advances in Mathematical Sciences

(A Collection of Survey Research Articles)

Edited By
Dr. Zakir Ahmed



Dr. Zakir Ahmed
ISBN : 978-81-942475-9-3




Fair Value Measurement

Challenges and Perceptions

Prof. A. S. J. Joshi
Dr. Arvind S. Luhar


Dr. (CA) Ajit S. Joshi
Dr. Arvind S. Luhar
ISBN : 978-81-942475-6-2



NONLINEAR OPTICAL CRYSTALS FOR LASER Growth and Analysis Techniques

Madhav N Rode
Dilipkumar V Mehraam


Madhav N Rode
Dilip Kumar V Mehraam
ISBN : 978-81-943209-6-8



Remote Sensing of River Pollution And Agricultural Soils

Dr. Saif Said
Mr. Shadab Ali Khan


Dr. Saif Said
Shadab Ali Khan
ISBN : 978-81-943209-1-3



Creating Talent Pool of Trained and Skilled IT Professionals to cope up With Emerging Needs of IT Industry

Dr. Smita Ameya Wagh


Dr. Smita Ameya Wagh
ISBN : 978-81-943209-9-9



Radio (FM) Advertising and Consumer Behavior

Dr. Mahesh Mukund Deshpande

Dr. Mahesh Mukund Deshpande
ISBN : 978-81-943209-7-5




Indian Capital Market and Equity Culture in Maharashtra

Dr. Roopali Prashant Kudare


Dr. Roopali Prashant Kudare
ISBN : 978-81-943209-3-7




M. Thiruppathi
R. Rex Immanuel
K. Arivukkaran
ISBN : 978-81-930928-9-7




Thangjam Anand Singh
Prakash Kumar Sarangi
Neeta Sarangthem
ISBN : 978-81-944069-0-7




R. Rex Immanuel
M. Thiruppathi
A. Balasubramanian
ISBN : 978-81-943209-4-4



Dr. Omkar V. Gadre
ISBN : 978-81-943209-8-2




Madhav N Rode
Rameshwar R. Bhosale
ISBN : 978-81-943209-5-1




Dr. Sapna M S
Dr. Radhika C A
ISBN : 978-81-943209-0-6




Hindusthan College
ISBN : 978-81-944813-8-6



Swing
ISSN: 978-81-944813-9-3




Dr. Bhagyashree Dudhade
ISBN : 978-81-944069-5-2




S. Saad, S. Bushra, A.A. Khan

S. Saad, S. Bushra, A. A. Khan
ISBN: 978-81-944069-9-0




Prashant S. Kore
Pravina S. Ugile-Pawar
Madhav N Rode

Prashant S. Kore
Pravina S. Ugile-Pawar
Madhav N Rode
ISBN: 978-81-944069-7-6



Dilipkumar V Meshram
Madhav N Rode

Dilipkumar V Meshram and
Madhav N Rode
ISSN: 978-81-944069-6-9



Dr. Vijaya Lakshmi Pothuraju


Dr. Vijaya Lakshmi Pothuraju
ISBN : 978-81-943209-2-0



Pratibha College
ISBN : 978-81-944813-2-4




Pratibha College
ISBN : 978-81-944813-3-1



Women Empowerment


Dr. Tazyn Rahman

Dr. Tazyn Rahman
ISBN : 978-81-936264-1-2



Dr. Tazyn Rahman


Dr. Tazyn Rahman
ISBN : 978-81-944813-5-5




Dr. Reni Sebastian

International Migration of Nurses from Kerala: Impact on Kerala Economy

Dr. Reni Sebastian
ISBN : 978-81-944069-2-1




Dr. Vijay Prakash Gupta
ISBN : 978-81-944813-1-7




Dr. Deepa Vijay Abhonkar
ISBN : 978-81-944813-6-2



Arasu Engineering College
ISSN: 978-81-944813-4-8



Dr. Anu Varghese
ISBN : 978-81-944069-4-5



Dr. Renuka Vanarse
ISBN : 978-81-944069-1-4



INDIAN ACADEMICIANS & RESEARCHERS ASSOCIATION

Major Objectives

- To encourage scholarly work in research
- To provide a forum for discussion of problems related to educational research
- To conduct workshops, seminars, conferences etc. on educational research
- To provide financial assistance to the research scholars
- To encourage Researcher to become involved in systematic research activities
- To foster the exchange of ideas and knowledge across the globe

Services Offered

- Free Membership with certificate
- Publication of Conference Proceeding
- Organize Joint Conference / FDP
- Outsource Survey for Research Project
- Outsource Journal Publication for Institute
- Information on job vacancies

Indian Academicians and Researchers Association

Shanti Path ,Opp. Darwin Campus II, Zoo Road Tiniali, Guwahati, Assam

Mobile : +919999817591, email : info@iaraedu.com www.iaraedu.com



EMPYREAL PUBLISHING HOUSE

- Assistant in Synopsis & Thesis writing
- Assistant in Research paper writing
- Publish Thesis into Book with ISBN
- Publish Edited Book with ISBN
- Outsource Journal Publication with ISSN for Institute and private universities.
- Publish Conference Proceeding with ISBN
- Booking of ISBN
- Outsource Survey for Research Project

Publish Your Thesis into Book with ISBN “Become An Author”

EMPYREAL PUBLISHING HOUSE

Zoo Road Tiniali, Guwahati, Assam

Mobile : +919999817591, email : info@editedbook.in, www.editedbook.in

